Transaction Condition Classifiers

OpenWay Group R/N:03.46.30-03.11.2018

Table of Contents

INTRODUCTION	9
CHAPTER 1. OVERVIEW TRANSACTION CONDITION	10
"Transaction Conditions" System Dictionary	
Condition Details for TC	
Condition Details for GTC	
Creating Custom Transaction Condition Dynamic Classifiers	13
Creating Custom Transaction Condition Static Classifiers	
CHARTER OF TRANSA OTIONA ATTRIBUTES	1.4
CHAPTER 2. TRANSACTION ATTRIBUTES	
Authentication (authentication conditions)	
AUTH_AGENT	
AUTH_CADD	
AUTH_CARD	
AUTH_MERCH	
AUTHENTICATED	
BVF_AUTH	
BVF_FINGER_PRINT	
CVC2	
NO_AUTH	
NO_PIN	
OTP_AID	
OTP_CAP	
OTP_DPA OTP HMAC	
OTP_LIST	
OTP_LIST	
OTP_MMA	
PASSWORD	
PBT	
PBT CLEAR	
PBT OFFLINE	
PBT_ONLINE	
PIN2	
PWL CARD	
RECURRING	
RM_ISS	
RM_MERCH	
SBT	
SBT_ELV	
SBT_MAN	
TRANS_AUTH	
Card Type (card features)	
CARD_CHIP	
CARD TRACK	
CARD_IRACK	10

CHIP_SVC	18
Device Capability (device options)	19
TERM_BAR	19
TERM CHIP	19
TERM CHIP CTLS	19
TERM_KEY_ENTRY	
TERM OCR	
TERM TRACK	
TERM TRACK CTLS	
Environment Security (secure access)	
LINE INSECURE	
LINE SECURE	
-	
NO_SECURE	
SECURE_ATTEMPT	
SECURE_BY_MERCH	
SECURE_CODE	
Input Environment (data source)	
ATM	
CATI	
CAT2	21
CAT3	21
CAT4	21
CAT7	21
IMPRINTER	21
MPOS	21
NO_TERM	21
POS	22
TBAPPL	22
TERM	
TERM UNATT	
WALLET	
WEB	
Input Mode (security conditions)	
CONTACTLESS	
READ_CHIP	
READ_TRACK	
Online/Offline (connection between parties)	
OFFLINE	
ONLINE	
Parties (presence of parties)	
CARD	
CARDHOLDER	
MERCH	
NO_CARD	
NO_CARDHOLDER	25
NO_MERCH	25
Received Data (data and means)	26
DATA CHIP	26

DATA_TRACK	26
FAIL CHIP	26
FAIL TRACK	26
KEY ENTRY	
KEY MAP	
PART_GRADE	
PART TRACK	
REMOTE CHIP	
Time Constraints (time limits)	
LATE	
Transfer Environment (data transfer environment)	
ENET	
MAIL	
MBSMS	
MNET	
MOTO	
PHONE	
Business Attributes	
BUSN_ADDENDUM	
INSTALLMENT	29
CHAPTER 3. EXAMPLES OF TRANSACTION CONDITIONS	30
MSR Base – All Business Transactions—Authorization Requests Advices and Reversals	
MANUAL ENTRY CASH DISBURSEMENT SIGNATURE	
MANUAL ENTRY PURCHASE SIGNATURE	
MANUAL INIK I LUKCIIASI SICINATUKI	
MANUAL ENTRY MO/TO PURCHASE NO CVM	30
MANUAL ENTRY MO/TO PURCHASE NO CVM	30
MANUAL ENTRY MO/TO PURCHASE NO CVM	30 30
MANUAL ENTRY MO/TO PURCHASE NO CVM	30 30 31
MANUAL ENTRY MO/TO PURCHASE NO CVM MANUAL ENTRY PAYMENT TRANSACTION NO CVM MSR ATM WITHDRAWAL ONLINE PIN MSR CASH DISBURSEMENT ONLINE PIN MSR CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN	30 30 31 31
MANUAL ENTRY MO/TO PURCHASE NO CVM MANUAL ENTRY PAYMENT TRANSACTION NO CVM MSR ATM WITHDRAWAL ONLINE PIN MSR CASH DISBURSEMENT ONLINE PIN MSR CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN MSR CAT LEVEL 1 PURCHASE ONLINE PIN	30 30 31 31 31
MANUAL ENTRY MO/TO PURCHASE NO CVM MANUAL ENTRY PAYMENT TRANSACTION NO CVM MSR ATM WITHDRAWAL ONLINE PIN MSR CASH DISBURSEMENT ONLINE PIN MSR CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN MSR CAT LEVEL 1 PURCHASE ONLINE PIN MSR CAT LEVEL 2 PURCHASE NO CVM	30 30 31 31 31
MANUAL ENTRY MO/TO PURCHASE NO CVM MANUAL ENTRY PAYMENT TRANSACTION NO CVM MSR ATM WITHDRAWAL ONLINE PIN MSR CASH DISBURSEMENT ONLINE PIN MSR CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN MSR CAT LEVEL 1 PURCHASE ONLINE PIN MSR CAT LEVEL 2 PURCHASE NO CVM MSR CAT LEVEL 4 PURCHASE NO CVM	30 31 31 31 31 31
MANUAL ENTRY MO/TO PURCHASE NO CVM MANUAL ENTRY PAYMENT TRANSACTION NO CVM MSR ATM WITHDRAWAL ONLINE PIN MSR CASH DISBURSEMENT ONLINE PIN MSR CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN MSR CAT LEVEL 1 PURCHASE ONLINE PIN MSR CAT LEVEL 2 PURCHASE NO CVM MSR CAT LEVEL 4 PURCHASE NO CVM MSR CAT LEVEL 7 PURCHASE NO CVM	30 31 31 31 31 31 31
MANUAL ENTRY MO/TO PURCHASE NO CVM MANUAL ENTRY PAYMENT TRANSACTION NO CVM MSR ATM WITHDRAWAL ONLINE PIN MSR CASH DISBURSEMENT ONLINE PIN MSR CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN MSR CAT LEVEL 1 PURCHASE ONLINE PIN MSR CAT LEVEL 2 PURCHASE NO CVM MSR CAT LEVEL 4 PURCHASE NO CVM MSR CAT LEVEL 7 PURCHASE NO CVM MSR CAT LEVEL 7 PURCHASE NO CVM MSR PAYMENT TRANSACTION NO CVM	30 31 31 31 31 31 32
MANUAL ENTRY MO/TO PURCHASE NO CVM MANUAL ENTRY PAYMENT TRANSACTION NO CVM MSR ATM WITHDRAWAL ONLINE PIN MSR CASH DISBURSEMENT ONLINE PIN MSR CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN MSR CAT LEVEL 1 PURCHASE ONLINE PIN MSR CAT LEVEL 2 PURCHASE NO CVM MSR CAT LEVEL 4 PURCHASE NO CVM MSR CAT LEVEL 7 PURCHASE NO CVM	30 31 31 31 31 31 32
MANUAL ENTRY MO/TO PURCHASE NO CVM MANUAL ENTRY PAYMENT TRANSACTION NO CVM MSR ATM WITHDRAWAL ONLINE PIN MSR CASH DISBURSEMENT ONLINE PIN MSR CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN MSR CAT LEVEL 1 PURCHASE ONLINE PIN MSR CAT LEVEL 2 PURCHASE NO CVM MSR CAT LEVEL 4 PURCHASE NO CVM MSR CAT LEVEL 7 PURCHASE NO CVM MSR PAYMENT TRANSACTION NO CVM MSR PURCHASE ONLINE PIN MSR PURCHASE SIGNATURE	30 31 31 31 31 31 32 32
MANUAL ENTRY MO/TO PURCHASE NO CVM MANUAL ENTRY PAYMENT TRANSACTION NO CVM MSR ATM WITHDRAWAL ONLINE PIN MSR CASH DISBURSEMENT ONLINE PIN MSR CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN MSR CAT LEVEL 1 PURCHASE ONLINE PIN MSR CAT LEVEL 2 PURCHASE NO CVM MSR CAT LEVEL 4 PURCHASE NO CVM MSR CAT LEVEL 7 PURCHASE NO CVM MSR PAYMENT TRANSACTION NO CVM MSR PURCHASE ONLINE PIN	30 31 31 31 31 31 32 32
MANUAL ENTRY MO/TO PURCHASE NO CVM MANUAL ENTRY PAYMENT TRANSACTION NO CVM MSR ATM WITHDRAWAL ONLINE PIN MSR CASH DISBURSEMENT ONLINE PIN MSR CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN MSR CAT LEVEL 1 PURCHASE ONLINE PIN MSR CAT LEVEL 2 PURCHASE NO CVM MSR CAT LEVEL 4 PURCHASE NO CVM MSR CAT LEVEL 7 PURCHASE NO CVM MSR PAYMENT TRANSACTION NO CVM MSR PURCHASE ONLINE PIN MSR PURCHASE SIGNATURE	30 31 31 31 31 32 32 32 32
MANUAL ENTRY MO/TO PURCHASE NO CVM MANUAL ENTRY PAYMENT TRANSACTION NO CVM MSR ATM WITHDRAWAL ONLINE PIN MSR CASH DISBURSEMENT ONLINE PIN MSR CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN MSR CAT LEVEL 1 PURCHASE ONLINE PIN MSR CAT LEVEL 2 PURCHASE NO CVM MSR CAT LEVEL 4 PURCHASE NO CVM MSR CAT LEVEL 7 PURCHASE NO CVM MSR PAYMENT TRANSACTION NO CVM MSR PURCHASE ONLINE PIN MSR PURCHASE SIGNATURE ELECTRONIC COMMERCE PAYMENT TRANSACTION NO CVM	30 31 31 31 31 32 32 32 32
MANUAL ENTRY MO/TO PURCHASE NO CVM MANUAL ENTRY PAYMENT TRANSACTION NO CVM MSR ATM WITHDRAWAL ONLINE PIN MSR CASH DISBURSEMENT ONLINE PIN MSR CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN MSR CAT LEVEL 1 PURCHASE ONLINE PIN MSR CAT LEVEL 2 PURCHASE NO CVM MSR CAT LEVEL 4 PURCHASE NO CVM MSR CAT LEVEL 7 PURCHASE NO CVM MSR PAYMENT TRANSACTION NO CVM MSR PURCHASE ONLINE PIN MSR PURCHASE SIGNATURE ELECTRONIC COMMERCE PAYMENT TRANSACTION NO CVM ELECTRONIC COMMERCE PURCHASE ONLINE PIN	30 31 31 31 31 32 32 32 32 32
MANUAL ENTRY MO/TO PURCHASE NO CVM MANUAL ENTRY PAYMENT TRANSACTION NO CVM MSR ATM WITHDRAWAL ONLINE PIN MSR CASH DISBURSEMENT ONLINE PIN MSR CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN MSR CAT LEVEL 1 PURCHASE ONLINE PIN MSR CAT LEVEL 2 PURCHASE NO CVM MSR CAT LEVEL 4 PURCHASE NO CVM MSR CAT LEVEL 7 PURCHASE NO CVM MSR PAYMENT TRANSACTION NO CVM MSR PURCHASE ONLINE PIN MSR PURCHASE SIGNATURE ELECTRONIC COMMERCE PAYMENT TRANSACTION NO CVM ELECTRONIC COMMERCE PURCHASE ONLINE PIN MSR Base – System-generated—Authorization Advices	30 31 31 31 31 32 32 32 32 32 32
MANUAL ENTRY MO/TO PURCHASE NO CVM MANUAL ENTRY PAYMENT TRANSACTION NO CVM MSR ATM WITHDRAWAL ONLINE PIN MSR CASH DISBURSEMENT ONLINE PIN MSR CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN MSR CAT LEVEL 1 PURCHASE ONLINE PIN MSR CAT LEVEL 2 PURCHASE NO CVM MSR CAT LEVEL 4 PURCHASE NO CVM MSR CAT LEVEL 7 PURCHASE NO CVM MSR PAYMENT TRANSACTION NO CVM MSR PURCHASE ONLINE PIN MSR PURCHASE SIGNATURE ELECTRONIC COMMERCE PAYMENT TRANSACTION NO CVM ELECTRONIC COMMERCE PURCHASE ONLINE PIN MSR Base – System-generated—Authorization Advices MSR CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN	30 31 31 31 31 32 32 32 32 34 34
MANUAL ENTRY MO/TO PURCHASE NO CVM MANUAL ENTRY PAYMENT TRANSACTION NO CVM MSR ATM WITHDRAWAL ONLINE PIN MSR CASH DISBURSEMENT ONLINE PIN MSR CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN MSR CAT LEVEL 1 PURCHASE ONLINE PIN MSR CAT LEVEL 2 PURCHASE NO CVM MSR CAT LEVEL 4 PURCHASE NO CVM MSR CAT LEVEL 7 PURCHASE NO CVM MSR PAYMENT TRANSACTION NO CVM MSR PURCHASE ONLINE PIN MSR PURCHASE SIGNATURE ELECTRONIC COMMERCE PAYMENT TRANSACTION NO CVM ELECTRONIC COMMERCE PURCHASE ONLINE PIN MSR Base – System-generated—Authorization Advices MSR CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN MSR PURCHASE SIGNATURE	30 31 31 31 31 32 32 32 32 32 34 34 34
MANUAL ENTRY MO/TO PURCHASE NO CVM MANUAL ENTRY PAYMENT TRANSACTION NO CVM MSR ATM WITHDRAWAL ONLINE PIN MSR CASH DISBURSEMENT ONLINE PIN MSR CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN MSR CAT LEVEL 1 PURCHASE ONLINE PIN MSR CAT LEVEL 2 PURCHASE NO CVM MSR CAT LEVEL 4 PURCHASE NO CVM MSR CAT LEVEL 7 PURCHASE NO CVM MSR PAYMENT TRANSACTION NO CVM MSR PURCHASE ONLINE PIN MSR PURCHASE SIGNATURE ELECTRONIC COMMERCE PAYMENT TRANSACTION NO CVM ELECTRONIC COMMERCE PURCHASE ONLINE PIN MSR Base – System-generated—Authorization Advices MSR CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN MSR PURCHASE SIGNATURE MANUAL ENTRY PURCHASE NO CVM	30 31 31 31 31 32 32 32 32 34 34 34
MANUAL ENTRY MO/TO PURCHASE NO CVM MANUAL ENTRY PAYMENT TRANSACTION NO CVM MSR ATM WITHDRAWAL ONLINE PIN MSR CASH DISBURSEMENT ONLINE PIN MSR CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN MSR CAT LEVEL 1 PURCHASE ONLINE PIN MSR CAT LEVEL 2 PURCHASE NO CVM MSR CAT LEVEL 4 PURCHASE NO CVM MSR CAT LEVEL 7 PURCHASE NO CVM MSR PAYMENT TRANSACTION NO CVM MSR PURCHASE ONLINE PIN MSR PURCHASE SIGNATURE ELECTRONIC COMMERCE PAYMENT TRANSACTION NO CVM ELECTRONIC COMMERCE PURCHASE ONLINE PIN MSR Base – System-generated—Authorization Advices MSR CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN MSR PURCHASE SIGNATURE MANUAL ENTRY PURCHASE NO CVM MANUAL ENTRY PURCHASE NO CVM MANUAL ENTRY PURCHASE SIGNATURE	30 31 31 31 31 32 32 32 32 32 34 34 34 34
MANUAL ENTRY MO/TO PURCHASE NO CVM MANUAL ENTRY PAYMENT TRANSACTION NO CVM MSR ATM WITHDRAWAL ONLINE PIN MSR CASH DISBURSEMENT ONLINE PIN MSR CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN MSR CAT LEVEL 1 PURCHASE ONLINE PIN MSR CAT LEVEL 2 PURCHASE NO CVM MSR CAT LEVEL 4 PURCHASE NO CVM MSR CAT LEVEL 7 PURCHASE NO CVM MSR PAYMENT TRANSACTION NO CVM MSR PURCHASE ONLINE PIN MSR PURCHASE SIGNATURE ELECTRONIC COMMERCE PAYMENT TRANSACTION NO CVM ELECTRONIC COMMERCE PURCHASE ONLINE PIN MSR Base – System-generated—Authorization Advices MSR CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN MSR PURCHASE SIGNATURE MANUAL ENTRY PURCHASE NO CVM MANUAL ENTRY PURCHASE NO CVM MANUAL ENTRY PURCHASE SIGNATURE MSR ATM WITHDRAWAL ONLINE PIN	30 31 31 31 31 32 32 32 32 34 34 34 34

MSR Base – Automated Fuel Dispenser Transactions—Authorization Requests Advices and Reversals	
36	
MSR CAT LEVEL 2 PURCHASE NO CVM	
MSR Base – CVC 1 and CVC 2—Authorization Requests	37
MSR PURCHASE SIGNATURE	. 37
MANUAL ENTRY MO/TO PURCHASE NO CVM	37
MANUAL ENTRY PURCHASE SIGNATURE	37
MSR Base – Dynamic Currency Conversion—Authorization Request	38
MSR PURCHASE SIGNATURE	38
MSR Base – DE 28 Transaction Fee—Authorization Requests Advices and Reversal Requests	39
MSR PURCHASE SIGNATURE	39
MSR CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN	39
MSR CAT LEVEL 1 ATM BALANCE INQUIRY ONLINE PIN	39
MSR ATM WITHDRAWAL ONLINE PIN	
MSR Base – Payment Transaction Type - Authorization Request	
MANUAL ENTRY PAYMENT TRANSACTION NO CVM	
MSR Base – System-generated—Reversal Advices	41
ELECTRONIC COMMERCE PURCHASE NO CVM	
MANUAL PURCHASE SIGNATURE	
MSR ATM WITHDRAWAL ONLINE PIN	
MSR CASH DISBURSEMENT SIGNATURE	
MSR CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN	
MSR PURCHASE SIGNATURE	
MSR Base – Selected Response Codes—Authorization Requests	
MANUAL ENTRY CASH DISBURSEMENT SIGNATURE	
MANUAL ENTRY MO/TO PURCHASE NO CVM	
MSR ATM WITHDRAWAL ONLINE PIN	
MSR CASH DISBURSEMENT SIGNATURE	
MSR CASH DISBURSEMENT SIGNATURE	
MSR PURCHASE SIGNATURE	
MSR Base – Technical Conditions—Authorization	
ELECTRONIC COMMERCE PURCHASE NO CVM	
MANUAL ENTRY PURCHASE SIGNATURE	
MSR ATM WITHDRAWAL ONLINE PIN	
MSR CASH DISBURSEMENT SIGNATURE	
MSR PURCHASE SIGNATURE	
ICC Base—All Business Transactions—Authorization Requests	
ICC ATM WITHDRAWAL ONLINE PIN	
ICC CASH DISBURSEMENT ONLINE PIN	
ICC CASH DISBURSEMENT SIGNATURE	
ICC CAT LEVEL 1 PURCHASE OFFLINE PIN	
ICC CAT LEVEL 2 PURCHASE NO CVM	
ICC CAT LEVEL 4 PURCHASE NO CVM	
ICC PURCHASE OFFLINE PIN	
ICC PURCHASE ONLINE PIN	
ICC PURCHASE SIGNATURE	
ICC Base—Acquirer-generated—Authorization Advices	. 48
ICC PURCHASE SIGNATURE	18

ICC PURCHASE NO CVM	48
ICC PURCHASE OFFLINE PIN	48
ICC CAT LEVEL 1 PURCHASE OFFLINE PIN	
ICC Base—DE 28 Transaction Fee—Authorization and Reversal Requests	
ICC ATM WITHDRAWAL ONLINE PIN	
ICC CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN	
ICC Base—Acquirer-generated—Authorization and Reversal Requests	
ICC PURCHASE OFFLINE PIN	
ICC CAT LEVEL 1 PURCHASE ONLINE PIN	
ICC Base—Technical Conditions—Authorization Requests	
ICC CAT LEVEL 1 PURCHASE ONLINE PIN	
ICC CAT LEVEL 17 ORCHASE ONLINE TIN	
ICC FALLBACK TO MAGNETIC STRIPE PURCHASE SIGNATURE	
ICC FALLBACK TO MAGNETIC STRIPE PURCHASE SIGNATURE	
ICC PURCHASE OFFLINE PIN	
ICC PURCHASE ONLINE PIN	
ICC PURCHASE SIGNATURE	
ICC PURCHASE SIGNATURE OR NO CVM	
ICC Product and Services—Balance Inquiry—Authorization Requests	
ICC CAT LEVEL 1 ATM BALANCE INQUIRY ONLINE PIN	
ICC ATM BALANCE INQUIRY ONLINE PIN	
ICC POS BALANCE INQUIRY ONLINE PIN	
ICC POS BALANCE INQUIRY OFFLINE PIN	
ICC POS BALANCE INQUIRY SIGNATURE	53
ICC Product and Services—M/Chip Cryptogram Validation in Stand-In Processing Service—	
Authorization Advices	
ICC PURCHASE SIGNATURE	
ICC Product and Services—PIN Management (Reversal)—Authorization Requests and Reversals	56
ICC CAT LEVEL 1 ATM PIN CHANGE ONLINE PIN	56
ICC ATM PIN UNBLOCK ONLINE PIN	56
ICC Product and Services—MasterCard PayPass M/Chip (All Business Transactions)—Authorization	
Requests	
ICC CONTACTLESS PURCHASE SIGNATURE OR NO CVM	57
ICC CAT LEVEL 1 CONTACTLESS PURCHASE ONLINE PIN	57
ICC CONTACTLESS CAT LEVEL 2 PURCHASE NO CVM	57
ICC CONTACTLESS ATM WITHDRAWAL ONLINE PIN	57
ICC CONTACTLESS CASH DISBURSEMENT SIGNATURE OR NO CVM	57
ICC CONTACTLESS CASH DISBURSEMENT ONLINE PIN	58
ICC CONTACTLESS PURCHASE ONLINE PIN	58
ICC Product and Services—MasterCard PayPass M/Chip—Authorization Request and Reversal	59
ICC CONTACTLESS PURCHASE SIGNATURE OR NO CVM	
MasterCard SecureCode AAV Verification Service—Authorization Request	
ELECTRONIC COMMERCE PURCHASE NO CVM	
MSR Product and Services—Account Level Management (U.S. Region)—Authorization Requests	
MSR PURCHASE SIGNATURE	
MSR Product and Services—Balance Inquiry—Authorization Request	
MSR CAT LEVEL 1 ATM BALANCE INQUIRY ONLINE PIN	
MSR POS BALANCE INQUIRY SIGNATURE	
	· · /

MSR POS BALANCE INQUIRY ONLINE PIN	. 62
ELECTRONIC COMMERCE BALANCE INQUIRY NO CVM	
MSR Product and Services—Funding Transactions at the ATM—Authorization and Reversal Request .	
MSR CAT LEVEL 1 PURCHASE ONLINE PIN	
MSR CAT LEVEL 2 PURCHASE NO CVM	
MSR Product and Services—MasterCard Advance Registration Program—Authorization Requests	
ELECTRONIC COMMERCE PURCHASE NO CVM	
MSR Product and Services—Mobile Hosted Phone Top-up ATM Transactions—Authorization Requests	
65	
MSR CAT LEVEL 1 ATM PURCHASE ONLINE PIN	. 65
MSR Product and Services—Mobile Remote Payments—Authorization Requests and Reversal	
SERVER BALANCE INQUIRY NO CVM	
SERVER BALANCE INQUIRY ONLINE PIN	
SERVER PAYMENT TRANSACTION NO CVM	
SERVER PAYMENT TRANSACTION ONLINE PIN	
SERVER PURCHASE NO CVM	
SERVER PURCHASE ONLINE PIN	
MSR Product and Services—MoneySend Funding Transactions—Authorization and Reversal Requests	
68	
MANUAL ENTRY PURCHASE SIGNATURE	68
MSR CAT LEVEL 1 PURCHASE ONLINE PIN	
MSR CAT LEVEL 2 PURCHASE NO CVM	
ELECTRONIC COMMERCE PURCHASE NO CVM	
MSR PURCHASE SIGNATURE	
MSR Product and Services—Partial Approval—Authorization and Reversal Request	
MSR PURCHASE SIGNATURE	
MSR CAT LEVEL 2 PURCHASE NO CVM	
MSR PURCHASE SIGNATURE	
MSR Product and Services—PIN Management—Authorization and Reversal Requests	
MSR ATM PIN CHANGE ONLINE PIN	
MSR Product and Services—PIN Pre-validation Service—Authorization Requests	
MSR PURCHASE ONLINE PIN	
MSR CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN	
MSR Product and Services—PIN Validation in Stand-In—Authorization Advices	•
MSR PURCHASE ONLINE PIN	
MSR CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN	
MSR Product and Services—MasterCard PayPass (All Business Transactions)—Authorization Requests	
73	• • •
MSR CONTACTLESS PURCHASE SIGNATURE OR NO CVM	73
MSR CONTACTLESS PURCHASE ONLINE PIN	
MSR CONTACTLESS TORCHASE ONLINE PIN	
MSR CONTACTLESS CAT 17 ORCHASE ONLINE 1 IN	
MSR CONTACTLESS CASH ADVANCE SIGNATURE	
MSR CONTACTLESS CASH ADVANCE SIGNATURE	
MSR CONTACTLESS CASH ADVANCE ONLINE FIN	
MSR CONTACTLESS POS BALANCE INQUIRY SIGNATURE	
MSR CONTACTLESS ATM WITHDRAWAL ONLINE PIN	
MSR CONTACTLESS ATM WITHDRAWAL ONLINE PIN	
IVION CONTACTELOS ATIVI DALANCE INQUINT ONLINE FIN	. /4

MSR Product and Services—MasterCard PayPass (Technical Conditions)—Authorization Request	75
MSR CONTACTLESS PURCHASE SIGNATURE OR NO CVM	75
MSR PURCHASE NO CVM	75
MANUAL ENTRY PURCHASE NO CVM	75
MSR CONTACTLESS ATM WITHDRAWAL ONLINE PIN	75
MSR CONTACTLESS PURCHASE NO CVM	75
MSR Product and Services—Recurring Payments—Authorization Request	76
MSR PURCHASE NO CVM	76
ELECTRONIC COMMERCE PURCHASE NO CVM	76
MANUAL ENTRY MO/TO PURCHASE NO CVM	76
MANUAL ENTRY PURCHASE NO CVM	76
MSR Product and Services—MasterCard rePower Load Value Payment Transaction—Authorization	
Requests and Reversals	77
MSR PAYMENT TRANSACTION NO CVM	77
MSR Product and Services—UCAF—Authorization Requests	78
ELECTRONIC COMMERCE PURCHASE NO CVM	78
MANUAL ENTRY MO/TO PURCHASE NO CVM	78

Introduction

This document is intended for WAY4 administrators (WAY4 Customer Support staff, bank or processing centre employees).

The following notation is used in the document:

- Field names in screen forms are shown in *italics*.
- Key combinations are given in angular brackets, as in <Ctrl>+<F3>.
- Button labels in screen forms and on tabs are enclosed in square brackets, for example [OK].
- Names of commands and links in tabs are enclosed in curly brackets, as in {Create}.
- Sequences for making a selection from a user or context menu are shown with arrows in the following way: "Financial Core → Configuration → Events, States & Classifiers".
- Variable values like directory and file names, as well as file paths that differ for each local computer are enclosed in angular brackets, for example <OWS_HOME>.

Warnings and information are marked as follows:

- Warnings about the dangers of making errors.
- (i) Messages with information about important features, additional functionality, or the optimal use of certain system functions.

The particular conditions in which a card transaction was made, for example, device type, PIN entry on a payment terminal PIN pad, reading information from a magnetic stripe are considered by WAY4 when processing transaction information and are recorded as transaction attributes in records (documents) that describe the transaction.

Attributes are split into elementary and group attributes. Group attributes are used if it is not possible to determine (there is no information) or find (no elementary attribute corresponds exactly to transaction conditions) an elementary attribute.

A group attribute can be set when processing a transaction, based on an elementary attribute or on another group attribute. This process is called normalization.

Various transaction condition classifiers can be created using attributes. There are two types of classifier in WAY4:

- static (Transaction Condition TC).
- dynamic (Group Transaction Condition GTC).

A static classifier can also be referred to as a main or base classifier.

Any set of attributes can belong to one TC and several GTC.

For each transaction (for which it makes sense to set transaction conditions), a TC or attributes or a TC and attributes must be set.

If attributes are not specified, they will be calculated based on the TC.

If a TC is not specified, it will be calculated on the basis of attributes.

If both a TC and attributes are specified and they contradict each other, warnings may be generated when processing a transaction.

TC characteristics:

OpenWay Group

- This type of classifier can be used to specify transaction conditions.
- A TC has one fixed standard set of attributes that is used when processing a transaction, if attributes were not specified in the transaction itself.
- For each set of attributes only one TC will be calculated (based on a prioritised set of formulas), if it was not specified in the transaction itself.
- A TC can to a limited extent participate in processing a transaction. This means, for example, that a TC is not used to calculate international payment system indicators (such as Interchange Rate Designator (IRD) for Mastercard and Reimbursement Attribute (RA) for Visa) (attributes are used to do so, or a fixed standard set of attributes if attributes were not specified) and in Interchange fee (Fee Prediction) calculation, but can be used in Services and risk rules. It is recommended to use a GTC in settings for business rules.

GTC characteristics:

- This type of classifier cannot be used to specify transaction conditions. It represents only part of transaction conditions, grouping them according to several significant properties; for example, "group of PBT transactions", "group of e-commerce transactions", "group of Contactless transactions", "group of EMV-PBT transactions", etc.
- Several sets of attributes can belong to one GTC (using formulas that are a logical expression from the attributes and GTCs themselves).
- All transaction conditions, i.e. all attributes, cannot be restored according to a GTC,. A GTC
 can only say which attributes definitely were present and/or which definitely were not
 present.
- A GTC can to a limited extent participate in processing a transaction (to a greater extent than a TC). It is not used, for example, to calculate international payment system indicators, but can be used in Interchange fee calculation, Services, and risk rules.

The section "Transaction Attributes" shows examples of TC and examples of Transaction Attributes for MasterCard Business Transactions.

When processing a document, this parameter (Transaction Conditions) is used along with other document parameters when searching for a service.

Values for this parameter (Transaction Conditions) are set when creating a document based on data in a transaction message from a device, using the "<Device> Operations" and "Transaction Conditions" system dictionaries (see ""Transaction Conditions" System Dictionary").

Note that the settings of these dictionaries can only be changed when required by the WAY4 vendor. For example, when custom transaction conditions are created, see "Creating Custom Transaction Condition Dynamic Classifiers".

"Transaction Conditions" System Dictionary

Note that these settings can only be made when required by the WAY4 vendor.

The main data for the "Transaction Conditions" system dictionary (DB Administrator Utilities \rightarrow !!! STAFF ONLY !!! \rightarrow Main Dictionaries \rightarrow Transaction Conditions) are contained in the following fields:

- Name classifier name (a group classifier name is usually enclosed in angular brackets <<>>).
- Code classifier code (in particular the base classifier code, used in document processing).
- Terminal Category category of device used for the card transaction.
- Category Code classifier category:
 - "B" static/main/base classifier of transaction conditions, whose code and corresponding attributes are used as document parameters (Conditions and Condition Details, see the document "Documents").
 - "G" dynamic (group) classifier of transaction conditions, whose code is not used as a document parameter.
- Security Code reserved for future use.
- Addendum reserved for future use.

- Default Conditions default classifier of transaction conditions; this value is used when
 processing a document if the classifier's original value is not specified in any of the Services
 registered for this transaction type; for example, if Services with TC "Imprinter" and "Pos Card
 Read" are registered in the Service Package for this transaction type, and the transaction
 was made with TC "Mail Order Single", the transaction will be processed with the service with
 TC "Imprinter".
- Late Conditions parameter value used instead of the current one if the document's processing date differs from the transaction date by a value larger than that specified in the Expiry Days field for the corresponding Service; the value of the TC parameter does not change if there is a zero value in the Service's Expiry Days field.
- Condition Details see "Condition Details for TC", "Condition Details for GTC".

If the standard set does not cover a transaction with a certain set of attributes, custom dynamic categories can be created, see "Creating Custom Transaction Condition Dynamic Classifiers".

Condition Details for TC

For base classifiers - TC (Category Code – "B") the *Condition Details* field of the "Transaction Conditions" system dictionary contains a list of standard attributes and the formula for calculating TC according to attributes in the following format:

<standard list of attributes>:[<NNNN><formula>]

where:

- <standard list of attributes> is a list of attributes. Attributes are listed without commas and spaces. Commas are also placed at the beginning and end of the list.
- <NNNN> numeric four-digit TC priority.
- <formula> logical expression from attributes.

There might not be a priority and formula if TC can be manually specified only, but cannot be assigned based on attributes.

Example with a list and formula:

Code - ATMC

Condition Details

,ATM,CARD_CHIP,READ_CHIP,TERM_CHIP,DATA_CHIP,CARD,CARDHOLDER,PBT,:0130ATM and READ_CHIP and not PART_GRADE and not ENET and not RECURRING

Example with a list only:

Code - PASC

Condition Details

, POS, BUSN_ADDENDUM, CARD_CHIP, READ_CHIP, TERM_CHIP, DATA_CHIP, CARD, CARDHOLDER, PBT,

Condition Details for GTC

For dynamic classifiers - GTC (Category Code - "G") the Condition Details field of the "Transaction Conditions" dictionary contains criteria for filtering transactions according to the presence or absence of certain attributes or conditions. Example:

- the criterion "(CAT1 and not DATA_CHIP) or (CAT2 and not DATA_CHIP) or (CAT3 and not DATA CHIP)" will be equal to the criterion "G CAT 1 2 3 and not DATA CHIP"
- the criterion "ENET and not (ENET and SECURE_CODE)" will be equal to the criterion "ENET and not SECURE CODE".

Creating Custom Transaction Condition Dynamic Classifiers

These settings can only be made with the WAY4 vendor's approval.

If the standard set does not cover a transaction with a specific set of attributes, custom dynamic categories can be created.

A dynamic classifier is created with a criterion for the presence or absence of certain attributes and with a code that has the mandatory prefix "G_CUST" (only such settings will not be changed by the WAY4 upgrade process).

Example of a correctly configured dynamic classifier for transaction conditions - GTC:

- Name "<< Custom Ecommerce (3DS) Non-Auth Security Transaction >>"
- Code "G_CUST_ECOM_3DS_NO_SEC_LINE_SEC"
- Category "G"
- Condition Details: "ENET and NO SECURE and LINE SECURE"
 - Note that creation of a GTC may cause a drop in system performance if a large number of attributes are specified in the GTC. A reasonable number of attributes is 7.

Creating Custom Transaction Condition Static Classifiers

These settings can only be made with the WAY4 vendor's approval.

Custom static classifiers for transaction conditions have the postfix "C".

Chapter 2. Transaction Attributes

Only the WAY4 vendor may change this dictionary.

The "Transaction Attributes" system dictionary (DB Administrator Utilities \rightarrow !!! STAFF ONLY !!! \rightarrow Main Dictionaries → Transaction Attributes) contains data in the following fields:

- Name transaction attribute name.
- Code transaction attribute code (cm. "Overview Transaction Condition"). Attribute codes are used when creating transaction condition classifiers (see ""Transaction Conditions" System Dictionary") and custom transaction condition classifiers (see "Creating Custom Transaction Condition Dynamic Classifiers").
- Description informative description of the attribute. Transaction attributes can be consolidated into 11 sets, according to topic:
 - Authentication (authentication conditions).
 - Card Type (card features).
 - Device Capability (device options).
 - Environment Security (secure access).
 - Input Environment (data source).
 - Input Mode (security conditions).
 - Online/Offline (connection between parties).
 - Parties (presence of parties).
 - Received Data (data and means).
 - Time Constraints (time limits).
 - Transfer Environment (data transfer environment).
 - Business Attributes.

Authentication (authentication conditions)

Topic-based group combines transaction attributes describing conditions for transaction and cardholder authentication.

AUTH AGENT

Cardholder authenticated by the Issuer's agent.

AUTH CAD

Cardholder authenticated using Card Acceptance Device (CAD).

AUTH CARD

Cardholder authenticated by card.

AUTH MERCH

Cardholder authenticated by merchant.

AUTHENTICATED

Attribute indicates that the cardholder was authenticated (irrespective of whether it was PBT, SBT or another method).

BVF AUTH

Attribute indicates that the cardholder was authenticated using bio-verification methods (fingerprint scanning, iris scanning, face scanning, voice verification, etc.). Cardholder Authentication Method: bio-verification.

BVF FINGER PRINT

Attribute indicates that the cardholder was authenticated using biometric methods of fingerprint identification (Automated Fingerprint Identification System). This attribute can be also specified by the general attribute BVF_AUTH, as it is included in the subset of bio-verification methods.

CVC2

Attribute indicates that CVC2 was used during the cardholder authentication process.

NO AUTH

Attribute indicates that the cardholder was not authenticated during the transaction.

NO PIN

Attribute describes the following situation during the transaction: PIN is required, PINpad is available but PIN was not entered.

OTP_AID

Attribute indicates that a one-time password generated by an AID token was used.

OTP_CAP

Attribute indicates authentication based on a one-time password generated by an EMV card pursuant to the MasterCard EMV Chip Authentication Program (CAP).

OTP DPA

Attribute indicates authentication based on a one-time password generated by an EMV card pursuant to Visa EMV Differential Power Analysis (DPA). The password was generated by a DPA calculator.

OTP HMAC

Attribute indicates use of HOTP (HMAC-Based One-Time Password Algorithm) — an algorithm for secure authentication using a one-time password (One Time Password, OTP). The password was generated by an OATH token.

OTP LIST

Attribute indicates that a list of one-time passwords (One Time Password, OTP) was used.

OTP_MMA

Attribute indicates that the MasterCard Mobile Authentication (MMA) standard was used. The password was generated by an MMA calculator.

OTP SMS

Attribute indicates that a one-time password (One Time Password, OTP) sent by SMS was used.

PASSWORD

Attribute indicates authentication using a static password.

PBT

Transaction was performed in PBT (PIN Based Transaction) mode, i.e. the transaction was performed using any method of providing a PIN.

PBT CLEAR

PBT mode. PIN is sent clear (unencrypted).

PBT OFFLINE

PBT mode. PIN is verified offline.

PBT_ONLINE

PBT mode. PIN is verified online, according to a card. The set of AUTH_CARD and PBT attributes describes the attribute.

PIN₂

PIN2-based transaction. Cardholder authenticated using PIN2.

PWL CARD

Authentication using a Password List Card (PWL_CARD).

RECURRING

Recurring Transaction. A transaction that must be repeated regularly (for example, utilities payments).

RM ISS

Transaction authenticated subject to the issuer's risk factor (Risk Based Decision).

RM MERCH

Merchant made a decision based on its own risk rules.

SBT

Transaction in SBT mode (Signature Based Transaction).

SBT ELV

SBT mode. Signature is verified using electronic means.

SBT MAN

SBT mode. Signature is verified manually.

TRANS AUTH

Transaction has been authenticated.

Card Type (card features)

Topic-based group combines transaction attributes describing the card with which the transaction is made.

CARD_CHIP

Transaction with a chip card (not necessarily by Service Code).

CARD_TRACK

Transaction with a magnetic stripe card.

CHIP_SVC

Transaction with a chip card (defined by Service Code).

Device Capability (device options)

Topic-based group combines attributes specifying the device capabilities used in transaction (for example, the terminal's capability to read data from a chip card).

TERM BAR

Card Data Input Capability: BAR. Terminal can read BAR code data.

TERM CHIP

Card Data Input Capability: Chip. Terminal can read chip card data.

TERM CHIP CTLS

Card Data Input Capability: Contactless Chip. Terminal can read data using a contactless card reader.

TERM KEY ENTRY

Card Data Input Capability: Key Entry. Terminal supports keyboard input of card data.

TERM OCR

Card Data Input Capability: OCR. Terminal can read data using an optical card reader.

TERM TRACK

Card Data Input Capability: Magnetic Stripe Data. Terminal can read data from a magnetic stripe.

TERM TRACK CTLS

Card Data Input Capability: Contactless Chip. Terminal can read data using a contactless card reader. Contactless communication – track reading (it is likely that the track is located on the card chip).

Environment Security (secure access)

Topic-based group combines attributes indicating secure access to a data source during a transaction.

LINE INSECURE

Transaction on an insecure channel.

LINE_SECURE

Transaction on a secure channel (for example, through the HTTPS protocol).

NO SECURE

Transaction without cardholder identification.

SECURE ATTEMPT

Unsuccessful attempt by the merchant to identify the cardholder.

SECURE_BY_MERCH

Cardholder was identified by the merchant.

SECURE CODE

Cardholder has been identified.

Input Environment (data source)

Topic-based group combines attributes describing the transaction environment – data source. Data sources are ATMs, POS terminals, kiosks and other devices owned by the merchant or acquirer. Devices owned by the cardholder (mobile phones, card readers connected to a personal computer, etc.) are not data sources in a transaction.

ATM

Attribute indicates that in the transaction an ATM was used for issuing cash, balance inquiry, mini-statement request, or PIN change. Terminal Type – ATM.

CAT1

Attribute indicates that an automated electronic service device, CAT Level 1 – Automated Dispensing Machine was used in the transaction. Terminal Type – CAT1 (ATM transaction that does not belong to the ATM attribute; for example, cash-in, payment of mobile operator services or utilities).

CAT2

Attribute indicates that an automated electronic self-service device, CAT Level 2 – Self-Service Terminal was used in the transaction. Terminal Type – CAT2 (self-service terminal (kiosk) where authorisation is performed for card payments.

CAT3

Attribute indicates that an automated electronic service device, CAT Level 3 – Limited Amount Terminal was used in the transaction. Terminal Type – CAT3 (self-service device, without online authorisation, with a limited purchase amount, for example, a coffee vending machine).

CAT4

Attribute indicates that an automated electronic service device, CAT Level 4 – In-Flight Commerce (IFC) Terminal was used in the transaction. Terminal Type – CAT4 (device without online authorisation, for example to pay for in-flight purchases).

CAT7

Attribute indicates that an automated electronic service device, CAT Level 7 – Transponder Transaction was used in transaction. Terminal Type – CAT7 (device using a transponder to pay for services).

IMPRINTER

Attribute indicates that an imprinter was used in the transaction.

MPOS

Attribute indicates that a portable POS terminal was used in the transaction. Terminal Type – m-POS.

NO TERM

Attribute indicates that no automated electronic service device was used in the transaction. The TERM attribute is an antonym for this attribute.

POS

Attribute indicates that an attended POS terminal was used in the transaction (a specially trained person operates this terminal). Terminal Type – POS.

TBAPPL

Attribute indicates that the transaction was processed using a TeleBank application (mobile banking or web banking application).

TERM

Attribute indicates that an automated electronic service device was used in the transaction. The NO_TERM compound attribute is an antonym for this attribute.

This attribute combines characteristics described by the following attributes: READ_TRACK, READ_CHIP, KEY_ENTRY, TERM_CHIP, TERM_TRACK, TERM_KEY_ENTRY, TERM_OCR, TERM_TRACK_CTLS, TERM_CHIP_CTLS.

TERM UNATT

Attribute indicates that the transaction was processed using an unattended terminal (ATM, automated electronic service device).

WALLET

Attribute indicates that the transaction was processed with a Wallet Service Provider (for example, Google, Microsoft, Yandex, and others).

WEB

Attribute indicates that the transaction was made through a Web browser.

Input Mode (security conditions)

Topic-based group combines attributes describing transaction security conditions.

CONTACTLESS

Transactions initiated through a contactless interface (for example, MasterCard PayPass and Visa Contactless).

READ_CHIP

Data are entered from a chip. Interaction with a chip.

READ_TRACK

Track reading (including track reading from a chip).

Online/Offline (connection between parties)

Topic-based group combines attributes for transaction conditions in the context of the connection between parties. Transaction with or without online authorization.

OFFLINE

Offline transaction. Transaction without contacting an issuer (or its agent).

ONLINE

Online transaction. Transaction with online interaction between the acquirer and Issuer (or its agent).

Parties (presence of parties)

Topic-based group combines attributes indicating presence of parties (transaction participants, subjects and objects, for example, card, cardholder, merchant) in a transaction.

CARD

Card is present and participates in the transaction.

CARDHOLDER

Cardholder participates in the transaction.

MERCH

Merchant is a participant in the transaction.

NO CARD

Card does not participate in the transaction.

NO_CARDHOLDER

Cardholder not present. The cardholder does not participate in the transaction.

NO MERCH

Merchant not present. The merchant is not a transaction participant. The attribute combines MOTO and TERM_UNATT attributes.

Received Data (data and means)

Topic-based group combines attributes describing the method and means of data transfer, as well as the actual data that were transmitted/received.

DATA CHIP

Chip data has been transmitted.

DATA TRACK

Track data has been transmitted.

FAIL CHIP

Chip data were not transmitted. Chip data could not be read using the terminal.

FAIL TRACK

Magnetic stripe data were not transmitted. Magnetic stripe data could not be read using the terminal.

KEY ENTRY

Manual data input.

KEY MAP

External system.

PART GRADE

Acceptance of chip card in a device operating in Partial Guard/Fill Guard mode. The authorization channel sets the attribute.

Attribute indicates that the READ_CHIP condition is fulfilled and the DATA_CHIP condition is not fulfilled.

PART TRACK

Magnetic stripe data were transferred but were inconsistent. It is probable they cannot be used to verify CVV.

REMOTE CHIP

E-commerce transaction, also using a card emulation app.

Time Constraints (time limits)

Topic-based group combines attributes describing time limits related to a transaction.

LATE

Indicates that the time to wait for a response in this transaction has expired.

Transfer Environment (data transfer environment)

Topic-based group combines attributes describing the data transfer environment in a transaction.

ENET

Electronic transactions initiated through electronic networks (Internet, Mobile Network, etc.)

MAIL

Mail Order. Electronic transactions initiated through e-mail.

MOTO attribute is general for this attribute.

MBSMS

Short Message Service Protocol. Transactions initiated using SMS messages.

MNET

Mobile Network Transaction. Electronic transactions initiated through mobile networks.

MOTO

Transactions without card (Card not present transaction, CNP) in which a card is not physically present in the payment process. Goods are ordered and paid by mail, fax or telephone (Mail Order/Telephone Order (MO/TO)) or over the Internet.

PHONE

Phone Order (or Fax). Transactions without card (Card not present transaction, CNP) in which a card is not physically present in the payment process. Goods are ordered and paid by fax or telephone (Mail Order/Telephone Order (MO/TO)).

MOTO attribute is general for this attribute.

Business Attributes

Topic-based group of attributes indicating the existence of additional information about a transaction, that can be placed/transmitted separately.

BUSN ADDENDUM

Indicates existence of additional information about a transaction, that is shown as a special section of a message – Business Specific Addenda. This information can include any details concerning transaction conditions (for example, phone number, city for car rental, grace period for loan payment, etc.).

INSTALLMENT

Indicates that a transaction was made with creation of an instalment loan.

Chapter 3. Examples of Transaction **Conditions**



The section shows examples of TC and examples of Transaction Attributes for MasterCard Business Transactions. The list provided is not exhaustive.

MSR Base – All Business Transactions—Authorization Requests **Advices and Reversals**

MANUAL ENTRY CASH DISBURSEMENT SIGNATURE

Transaction Conditions - NMN.

Transaction Attributes

, IMPRINTER, NO_TERM, MERCH, KEY_ENTRY,

MANUAL ENTRY PURCHASE SIGNATURE

Transaction Conditions – POM.

Transaction Attributes

, POS, TERM, TERM_TRACK, TERM_KEY_ENTRY, CARD, CARDHOLDER, MERCH, KEY_ENTRY,

MANUAL ENTRY MO/TO PURCHASE NO CVM

Transaction Conditions – NMO.

Transaction Attributes

, IMPRINTER, NO_TERM, PHONE, MOTO, NO_CARD, NO_CARDHOLDER, MERCH, KEY_ENTRY,

MANUAL ENTRY PAYMENT TRANSACTION NO CVM

Transaction Conditions - NMN.

Transaction Attributes

, IMPRINTER, NO TERM, MERCH, KEY ENTRY,

MSR ATM WITHDRAWAL ONLINE PIN

Transaction Conditions – ATM.

Transaction Attributes

,ATM,TERM_UNATT,TERM,TERM_TRACK,AUTHENTICATED,AUTH_AGENT,TRANS_AUTH,PBT,PBT_ONLINE,PBT_CRYPTO,CARD,CARDHOLDER,NO_MERCH,READ_TRACK,DATA_TRACK,

MSR CASH DISBURSEMENT ONLINE PIN

Transaction Conditions - POS.

Transaction Attributes

, POS, TERM, TERM_TRACK, AUTHENTICATED, AUTH_AGENT, TRANS_AUTH, PBT, PBT_ONLINE, PBT_CRYPTO, CARD, CARDHOLDER, MERCH, READ_TRACK, DATA_TRACK,

MSR CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN

Transaction Conditions – ATM.

Transaction Attributes

,ATM,TERM_UNATT,TERM,TERM_TRACK,AUTHENTICATED,AUTH_AGENT,TRANS_AUTH,PBT,PBT_ONLINE,PBT_CRYPTO,CARD,CARDHOLDER,NO_MERCH,READ_TRACK,DATA_TRACK,

MSR CAT LEVEL 1 PURCHASE ONLINE PIN

Transaction Conditions - PO1.

Transaction Attributes

,TERM_UNATT,CAT1,TERM,TERM_TRACK,AUTHENTICATED,AUTH_AGENT,TRANS_AUTH,PBT,PBT_ONLINE,PBT_CRYPTO,CARD,CARDHOLDER,NO_MERCH,READ_TRACK,DATA_TRACK,

MSR CAT LEVEL 2 PURCHASE NO CVM

Transaction Conditions – POT.

Transaction Attributes

,TERM_UNATT,CAT2,TERM,TERM_TRACK,NO_AUTH,CARD,NO_MERCH,READ_TRACK,DATA_TRACK,

MSR CAT LEVEL 4 PURCHASE NO CVM

Transaction Conditions - POV.

Transaction Attributes

,TERM_UNATT,CAT4,TERM,TERM_TRACK,CARD,NO_MERCH,READ_TRACK,DATA_TRACK,

MSR CAT LEVEL 7 PURCHASE NO CVM

Transaction Conditions – POE.

Transaction Attributes

,TERM_UNATT,CAT7,TERM,TERM_TRACK,CARD,NO_MERCH,READ_TRACK,DATA_TRACK,

MSR PAYMENT TRANSACTION NO CVM

Transaction Conditions - POE.

Transaction Attributes

, POS, TERM, TERM_TRACK, CARD, CARDHOLDER, MERCH, READ_TRACK, DATA_TRACK,

MSR PURCHASE ONLINE PIN

Transaction Conditions - POS.

Transaction Attributes

, POS, TERM, TERM_TRACK, AUTHENTICATED, AUTH_AGENT, TRANS_AUTH, PBT, PBT_ONLINE, PBT_CRYPTO, CARD, CARDHOLDER, MERCH, READ_TRACK, DATA_TRACK,

MSR PURCHASE SIGNATURE

Transaction Conditions - POE.

Transaction Attributes

, $\verb"pos", \verb"term", \verb"term" \verb| term" \verb| term" \verb| term" \verb| term" \verb| term", term",$

ELECTRONIC COMMERCE PAYMENT TRANSACTION NO CVM

Transaction Conditions - NEU.

Transaction Attributes

,TERM_UNATT,TERM,ENET,NO_SECURE,LINE_INSECURE,NO_CARD,NO_CARDHOLDER,NO_MERCH,

ELECTRONIC COMMERCE PURCHASE ONLINE PIN

Transaction Conditions - NEU.

Transaction Attributes

 $, \verb|TERM_UNATT|, \verb|TERM|, \verb|ENET|, \verb|NO_SECURE|, \verb|LINE_INSECURE|, \verb|AUTHENTICATED|, \verb|AUTH_AGENT|, \verb|TRANS_AUTH|, \verb|PBT|, \verb|PBT_ONLINE|, \verb|PBT_CRYPTO|, \verb|NO_CARD|, \verb|NO_CARDHOLDER|, \verb|NO_MERCH|, \verb|AUTH_AGENT|, \verb|TRANS_AUTH, \verb|PBT_ONLINE|, \verb|PBT_CRYPTO|, \verb|NO_CARDHOLDER|, \verb|NO_MERCH|, \verb|AUTH_AGENT|, \verb|TRANS_AUTH, \verb|PBT_ONLINE|, \verb|PBT_CRYPTO|, \verb|NO_CARDHOLDER|, \verb|NO_MERCH|, \verb|AUTH_AGENT|, \verb|TRANS_AUTH, \verb|PBT_ONLINE|, \verb|PBT_CRYPTO|, \verb|NO_CARDHOLDER|, \verb|NO_MERCH|, \verb|AUTH_AGENT|, \verb|TRANS_AUTH, \verb|PBT_ONLINE|, \verb|PB$

MSR Base – System-generated—Authorization Advices

MSR CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN

Transaction Conditions – ATM.

Transaction Attributes

,ATM,TERM_UNATT,TERM,TERM_TRACK,CARD,NO_MERCH,READ_TRACK,

MSR PURCHASE SIGNATURE

Transaction Conditions - POE.

Transaction Attributes

, POS, TERM, TERM_TRACK, CARD, CARDHOLDER, MERCH, READ_TRACK,

MANUAL ENTRY PURCHASE NO CVM

Transaction Conditions - POM.

Transaction Attributes

, POS, TERM, TERM_KEY_ENTRY, CARD, CARDHOLDER, MERCH, KEY_ENTRY,

MANUAL ENTRY PURCHASE SIGNATURE

Transaction Conditions - POM.

Transaction Attributes

, POS, TERM, TERM_KEY_ENTRY, CARD, CARDHOLDER, MERCH, KEY_ENTRY,

MSR ATM WITHDRAWAL ONLINE PIN

Transaction Conditions – ATM.

Transaction Attributes

,ATM,TERM_UNATT,TERM,TERM_TRACK,CARD,NO_MERCH,READ_TRACK,

MSR CASH DISBURSEMENT SIGNATURE

Transaction Conditions - POE.

Transaction Attributes

, POS, TERM, TERM_TRACK, CARD, CARDHOLDER, MERCH, READ_TRACK,

MSR CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN

Transaction Conditions – ATM.

Transaction Attributes

,ATM,TERM_UNATT,TERM,TERM_TRACK,CARD,NO_MERCH,READ_TRACK,

MSR PURCHASE SIGNATURE

Transaction Conditions - POE.

Transaction Attributes

, POS, TERM, TERM_TRACK, CARD, CARDHOLDER, MERCH, READ_TRACK,

MSR Base – Automated Fuel Dispenser Transactions— Authorization Requests Advices and Reversals

MSR CAT LEVEL 2 PURCHASE NO CVM

Transaction Conditions – POT.

Transaction Attributes

 $\tt, TERM_UNATT, CAT2, TERM, TERM_TRACK, NO_AUTH, CARD, NO_MERCH, READ_TRACK, DATA_TRACK, NO_AUTH, NO_MERCH, READ_TRACK, DATA_TRACK, NO_AUTH, NO_MERCH, READ_TRACK, DATA_TRACK, NO_AUTH, NO_MERCH, READ_TRACK, NO_AUTH, NOAUTH, NO_AUTH, NO_AUTH, NO_AUTH, NO_AUTH, NO_AUTH, NO_AUTH, NO_AU$

MSR Base – CVC 1 and CVC 2—Authorization Requests

MSR PURCHASE SIGNATURE

Transaction Conditions - POE.

Transaction Attributes

, POS , TERM , TERM _TRACK , CARD , CARDHOLDER , MERCH , READ _TRACK , DATA _TRACK ,

MANUAL ENTRY MO/TO PURCHASE NO CVM

Transaction Conditions - NMO2.

Transaction Attributes

, IMPRINTER, NO_TERM, MAIL, MOTO, CVC2, NO_CARD, NO_CARDHOLDER, MERCH, KEY_ENTRY,

MANUAL ENTRY PURCHASE SIGNATURE

Transaction Conditions - POM2.

Transaction Attributes

, POS, TERM, TERM_KEY_ENTRY, CVC2, CARD, CARDHOLDER, MERCH, KEY_ENTRY,

MSR Base – Dynamic Currency Conversion—Authorization Request

MSR PURCHASE SIGNATURE

Transaction Conditions – POE.

Transaction Attributes

, POS, TERM, TERM_TRACK, CARD, CARDHOLDER, MERCH, READ_TRACK, DATA_TRACK,

MSR Base – DE 28 Transaction Fee—Authorization Requests Advices and Reversal Requests

MSR PURCHASE SIGNATURE

Transaction Conditions - POE.

Transaction Attributes

, POS, TERM, TERM_TRACK, CARD, CARDHOLDER, MERCH, READ_TRACK, DATA_TRACK,

MSR CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN

Transaction Conditions – ATM.

Transaction Attributes

, ATM, TERM_UNATT, TERM, TERM_TRACK, AUTHENTICATED, AUTH_AGENT, TRANS_AUTH, PBT, PBT_ONLINE, PBT_CRYPTO, CARD, CARDHOLDER, NO_MERCH, READ_TRACK, DATA_TRACK,

MSR CAT LEVEL 1 ATM BALANCE INQUIRY ONLINE PIN

Transaction Conditions - POS.

Transaction Attributes

,POS,TERM,TERM_TRACK,AUTHENTICATED,AUTH_AGENT,TRANS_AUTH,PBT,PBT_ONLINE,PBT_CRYPTO,CARD,CARDHOLDER,MERCH,READ_TRACK,DATA_TRACK,

MSR ATM WITHDRAWAL ONLINE PIN

Transaction Conditions – ATM.

Transaction Attributes

, \mathtt{ATM} , $\mathtt{TERM}_\mathtt{UNATT}$, \mathtt{TERM} , $\mathtt{TERM}_\mathtt{TRACK}$, \mathtt{CARD} , $\mathtt{NO}_\mathtt{MERCH}$, $\mathtt{READ}_\mathtt{TRACK}$,

40

MSR Base – Payment Transaction Type - Authorization Request MANUAL ENTRY PAYMENT TRANSACTION NO CVM

Transaction Conditions – POM.

Transaction Attributes

, POS, TERM, TERM_KEY_ENTRY, NO_CARD, NO_CARDHOLDER, MERCH, KEY_ENTRY,

MSR Base – System-generated—Reversal Advices

ELECTRONIC COMMERCE PURCHASE NO CVM

Transaction Conditions - NMK.

Transaction Attributes

,TERM_UNATT,TERM,NO_CARDHOLDER,NO_MERCH,

MANUAL PURCHASE SIGNATURE

Transaction Conditions - POM.

Transaction Attributes

, POS, TERM, TERM_TRACK, TERM_KEY_ENTRY, CARD, CARDHOLDER, MERCH, KEY_ENTRY,

MSR ATM WITHDRAWAL ONLINE PIN

Transaction Conditions - POE.

Transaction Attributes

, POS, TERM, TERM_TRACK, CARD, CARDHOLDER, MERCH, READ_TRACK,

MSR CASH DISBURSEMENT SIGNATURE

Transaction Conditions - POE.

Transaction Attributes

, POS, TERM, TERM_TRACK, CARD, CARDHOLDER, MERCH, READ_TRACK,

MSR CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN

Transaction Conditions – PO1.

Transaction Attributes

,TERM_UNATT,CAT1,TERM,TERM_TRACK,CARD,NO_MERCH,READ_TRACK,

MSR PURCHASE SIGNATURE

Transaction Conditions - POE.

Transaction Attributes

, POS, TERM, TERM_TRACK, CARD, CARDHOLDER, MERCH, READ_TRACK,

MSR Base – Selected Response Codes—Authorization Requests MANUAL ENTRY CASH DISBURSEMENT SIGNATURE

Transaction Conditions - POM.

Transaction Attributes

, POS, TERM, TERM_TRACK, TERM_KEY_ENTRY, CARD, CARDHOLDER, MERCH, KEY_ENTRY,

MANUAL ENTRY MO/TO PURCHASE NO CVM

Transaction Conditions - NMO.

Transaction Attributes

MSR ATM WITHDRAWAL ONLINE PIN

Transaction Conditions – ATM.

Transaction Attributes

,ATM,TERM_UNATT,TERM,TERM_TRACK,AUTHENTICATED,AUTH_AGENT,TRANS_AUTH,PBT,PBT_ONLINE,PBT_CRYPTO,CARD,CARDHOLDER,NO_MERCH,READ_TRACK,DATA_TRACK,

MSR CASH DISBURSEMENT SIGNATURE

Transaction Conditions - POE.

Transaction Attributes

, ${\tt POS}$, ${\tt TERM}$, ${\tt TERM}$, ${\tt TRACK}$, ${\tt CARD}$, ${\tt CARDHOLDER}$, ${\tt MERCH}$, ${\tt READ}$, ${\tt TRACK}$, ${\tt DATA}$, ${\tt TRACK}$,

MSR CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN

Transaction Conditions - ATM.

Transaction Attributes

,ATM,TERM_UNATT,TERM,TERM_TRACK,AUTHENTICATED,AUTH_AGENT,TRANS_AUTH,PBT,PBT_ONLINE,PBT_CRYPTO,CARD,CARDHOLDER,NO_MERCH,READ_TRACK,DATA_TRACK,

MSR PURCHASE SIGNATURE

Transaction Conditions - POE.

Transaction Attributes

, $\verb"pos", \verb"term", \verb"term" \verb| _ \verb| track", \verb| card", \verb| card" \verb| holder", \verb| merch", \verb| read_ track", \verb| data_ track", \verb| larger track",$

MSR Base - Technical Conditions—Authorization

ELECTRONIC COMMERCE PURCHASE NO CVM

Transaction Conditions - NEV.

Transaction Attributes

, TERM_UNATT, TERM, ENET, NO_SECURE, LINE_SECURE, NO_CARD, NO_CARDHOLDER, NO_MERCH,

MANUAL ENTRY PURCHASE SIGNATURE

Transaction Conditions - NMO.

Transaction Attributes

, IMPRINTER, NO_TERM, PHONE, MOTO, NO_CARD, NO_CARDHOLDER, MERCH, KEY_ENTRY,

MSR ATM WITHDRAWAL ONLINE PIN

Transaction Conditions – ATM.

Transaction Attributes

,ATM,TERM_UNATT,TERM,TERM_TRACK,AUTHENTICATED,AUTH_AGENT,TRANS_AUTH,PBT,PBT_ONLINE,PBT_CRYPTO,CARD,CARDHOLDER,NO_MERCH,READ_TRACK,DATA_TRACK,

MSR CASH DISBURSEMENT SIGNATURE

Transaction Conditions - POE.

Transaction Attributes

, ${\tt POS}$, ${\tt TERM}$, ${\tt TERM}$, ${\tt TRACK}$, ${\tt CARD}$, ${\tt CARDHOLDER}$, ${\tt MERCH}$, ${\tt READ}$, ${\tt TRACK}$, ${\tt DATA}$, ${\tt TRACK}$,

MSR PURCHASE SIGNATURE

Transaction Conditions – POEP.

Transaction Attributes

 $, \verb"pos", \verb"term", \verb"term" \verb| track", \verb| card+| older", \verb| merch+|, \verb| read_track+|, \verb| part_track+|, \verb| data_track+|, \verb| read_track+|, \verb| part_track+|, \verb| data_track+|, \verb| read_track+|, \| r$

ICC Base—All Business Transactions—Authorization Requests

ICC ATM WITHDRAWAL ONLINE PIN

Transaction Conditions – ATMC.

Transaction Attributes

, ATM, TERM_UNATT, TERM, TERM_CHIP, TERM_TRACK, AUTHENTICATED, AUTH_AGENT, TRANS_AUTH, PBT, PBT_ONLINE, PBT_CRYPTO, CARD, CARDHOLDER, NO_MERCH, CARD_CHIP, CHIP_SVC, READ_CHIP, DATA_TRACK, DATA_CHIP,

ICC CASH DISBURSEMENT ONLINE PIN

Transaction Conditions - POSC.

Transaction Attributes

, POS, TERM, TERM_CHIP, TERM_KEY_ENTRY, AUTHENTICATED, AUTH_AGENT, TRANS_AUTH, PBT, PBT_ONLINE, PBT_CRYPTO, CARD, CARDHOLDER, MERCH, CARD_CHIP, CHIP_SVC, READ_CHIP, DATA_TRACK, DATA_CHIP,

ICC CASH DISBURSEMENT SIGNATURE

Transaction Conditions - POEC.

Transaction Attributes

,POS,TERM,TERM_CHIP,TERM_KEY_ENTRY,CARD,CARDHOLDER,MERCH,CARD_CHIP,CHIP_SVC,READ_CHIP,DATA_TRACK,DATA_CHIP,

ICC CAT LEVEL 1 PURCHASE OFFLINE PIN

Transaction Conditions – PO1C.

Transaction Attributes

 $, \verb|TERM_UNATT|, \verb|CAT1|, \verb|TERM|, \verb|TERM_CHIP|, \verb|TERM_TRACK|, \verb|CARD|, \verb|NO_MERCH|, \verb|CARD_CHIP|, \verb|CHIP_SVC|, \verb|READ_CHIP|, \verb|DATA_TRACK|, \verb|DATA_CHIP|, \verb|CARD_CHIP|, \verb|CARD_CHIP|$

ICC CAT LEVEL 2 PURCHASE NO CVM

Transaction Conditions – POTC.

Transaction Attributes

,TERM_UNATT,CAT2,TERM,TERM_CHIP,TERM_TRACK,NO_AUTH,CARD,NO_MERCH,CARD_CHIP,CHIP_SVC,READ_CHIP,DATA_TRACK,DATA_CHIP,

ICC CAT LEVEL 4 PURCHASE NO CVM

Transaction Conditions – POVC.

Transaction Attributes

 $, \verb|TERM_UNATT,CAT4,TERM,TERM_CHIP,TERM_TRACK,CARD,NO_MERCH,CARD_CHIP,CHIP_SVC,READ_CHIP,DATA_TRACK,DATA_CHIP,\\$

ICC PURCHASE OFFLINE PIN

Transaction Conditions - POEC.

Transaction Attributes

, POS, TERM, TERM_CHIP, TERM_KEY_ENTRY, CARD, CARDHOLDER, MERCH, CARD_CHIP, CHIP_SVC, READ_CHIP, DATA_TRACK, DATA_CHIP,

ICC PURCHASE ONLINE PIN

Transaction Conditions - POSC.

Transaction Attributes

, POS, TERM, TERM_CHIP, TERM_KEY_ENTRY, AUTHENTICATED, AUTH_AGENT, TRANS_AUTH, PBT_PBT_ONLINE, PBT_CRYPTO, CARD, CARDHOLDER, MERCH, CARD_CHIP, CHIP_SVC, READ_CHIP, DATA_TRACK, DATA_CHIP,

ICC PURCHASE SIGNATURE

Transaction Conditions - POEC.

Transaction Attributes

, POS, TERM, TERM_CHIP, TERM_KEY_ENTRY, CARD, CARDHOLDER, MERCH, CARD_CHIP, CHIP_SVC, READ_CHIP, DATA_TRACK, DATA_CHIP,

ICC Base—Acquirer-generated—Authorization Advices

ICC PURCHASE SIGNATURE

Transaction Conditions - POEC.

Transaction Attributes

, POS, TERM, TERM_CHIP, TERM_KEY_ENTRY, CARD, CARDHOLDER, MERCH, CARD_CHIP, READ_CHIP, DATA_CHIP,

ICC PURCHASE NO CVM

Transaction Conditions - POEC.

Transaction Attributes

, POS, TERM, TERM_CHIP, TERM_KEY_ENTRY, CARD, CARDHOLDER, MERCH, CARD_CHIP, READ_CHIP, DATA_CHIP,

ICC PURCHASE OFFLINE PIN

Transaction Conditions - POEC.

Transaction Attributes

, POS, TERM, TERM_CHIP, TERM_KEY_ENTRY, CARD, CARDHOLDER, MERCH, CARD_CHIP, READ_CHIP, DATA_CHIP,

ICC CAT LEVEL 1 PURCHASE OFFLINE PIN

Transaction Conditions - PO1C.

Transaction Attributes

 $\tt, TERM_UNATT, CAT1, TERM_CHIP, TERM_TRACK, CARD, NO_MERCH, CARD_CHIP, READ_CHIP, DATA_CHIP, TERM_TRACK, CARD_CHIP, TERM_CHIP, TERM_CHIP, TER$

ICC Base—DE 28 Transaction Fee—Authorization and Reversal Requests

ICC ATM WITHDRAWAL ONLINE PIN

Transaction Conditions – ATMC.

Transaction Attributes

,ATM,TERM_UNATT,TERM,TERM_CHIP,TERM_KEY_ENTRY,AUTHENTICATED,AUTH_AGENT,TRANS_AUTH,PBT,
PBT_ONLINE,PBT_CRYPTO,CARD,CARDHOLDER,NO_MERCH,CARD_CHIP,CHIP_SVC,READ_CHIP,DATA_TRACK,
DATA_CHIP,

ICC CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN

Transaction Conditions – ATMC.

Transaction Attributes

,ATM,TERM_UNATT,TERM,TERM_CHIP,TERM_KEY_ENTRY,AUTHENTICATED,AUTH_AGENT,TRANS_AUTH,PBT,
PBT_ONLINE,PBT_CRYPTO,CARD,CARDHOLDER,NO_MERCH,CARD_CHIP,CHIP_SVC,READ_CHIP,DATA_TRACK,
DATA_CHIP,

ICC Base—Acquirer-generated—Authorization and Reversal Requests

ICC PURCHASE OFFLINE PIN

Transaction Conditions - POEC.

Transaction Attributes

, POS, TERM, TERM_CHIP, TERM_KEY_ENTRY, CARD, CARDHOLDER, MERCH, CARD_CHIP, CHIP_SVC, READ_CHIP, DATA_TRACK, DATA_CHIP,

ICC CAT LEVEL 1 PURCHASE ONLINE PIN

Transaction Conditions – PO1C.

Transaction Attributes

,TERM_UNATT,CAT1,TERM,TERM_CHIP,TERM_TRACK,AUTHENTICATED,AUTH_AGENT,TRANS_AUTH,PBT,
PBT_ONLINE,PBT_CRYPTO,CARD,CARDHOLDER,NO_MERCH,CARD_CHIP,CHIP_SVC,READ_CHIP,DATA_TRACK,
DATA_CHIP,

ICC Base—Technical Conditions—Authorization Requests

ICC CAT LEVEL 1 PURCHASE ONLINE PIN

Transaction Conditions – PO1C.

Transaction Attributes

, TERM_UNATT, CAT1, TERM, TERM_CHIP, TERM_TRACK, AUTHENTICATED, AUTH_AGENT, TRANS_AUTH, PBT, PBT_ONLINE, PBT_CRYPTO, CARD, CARDHOLDER, NO_MERCH, CARD_CHIP, CHIP_SVC, READ_CHIP, DATA_TRACK, DATA_CHIP,

ICC CAT LEVEL 2 PURCHASE NO CVM

Transaction Conditions – POTC.

Transaction Attributes

,TERM_UNATT,CAT2,TERM,TERM_CHIP,TERM_TRACK,NO_AUTH,CARD,NO_MERCH,CARD_CHIP, CHIP_SVC,READ_CHIP,DATA_TRACK,DATA_CHIP,

ICC FALLBACK TO MAGNETIC STRIPE PURCHASE SIGNATURE

Transaction Conditions – POEF.

Transaction Attributes

, POS, TERM, TERM_CHIP, TERM_TRACK, TERM_KEY_ENTRY, CARD, CARDHOLDER, MERCH, CARD_CHIP, CHIP_SVC, READ_TRACK, FAIL_CHIP, DATA_TRACK,

ICC FALLBACK TO MANUAL ENTRY PURCHASE SIGNATURE

Transaction Conditions – POM.

Transaction Attributes

, POS, TERM, TERM_CHIP, TERM_KEY_ENTRY, CARD, CARDHOLDER, MERCH, FAIL_TRACK, FAIL_CHIP, KEY_ENTRY,

ICC PURCHASE OFFLINE PIN

Transaction Conditions - POEC.

Transaction Attributes

,POS,TERM,TERM_CHIP,TERM_KEY_ENTRY,CARD,CARDHOLDER,MERCH,CARD_CHIP,CHIP_SVC,READ_CHIP,DATA_TRACK,DATA_CHIP,

ICC PURCHASE ONLINE PIN

Transaction Conditions – POSC.

Transaction Attributes

, POS, TERM, TERM_CHIP, TERM_KEY_ENTRY, AUTHENTICATED, AUTH_AGENT, TRANS_AUTH, PBT_ONLINE, PBT_CRYPTO, CARD, CARDHOLDER, MERCH, CARD_CHIP, CHIP_SVC, READ_CHIP, DATA_TRACK, DATA_CHIP,

ICC PURCHASE SIGNATURE

Transaction Conditions – POEG.

Transaction Attributes

, POS, TERM, TERM_CHIP, TERM_TRACK, CARD, CARDHOLDER, MERCH, CARD_CHIP, CHIP_SVC, READ_CHIP, PART_GRADE, DATA_TRACK,

ICC PURCHASE SIGNATURE OR NO CVM

Transaction Conditions - POEC.

Transaction Attributes

, POS, TERM, TERM_CHIP, TERM_CHIP_CTLS, CARD, CARDHOLDER, MERCH, CARD_CHIP, CHIP_SVC, READ_CHIP, DATA_TRACK, DATA_CHIP,

ICC Product and Services—Balance Inquiry—Authorization Requests

ICC CAT LEVEL 1 ATM BALANCE INQUIRY ONLINE PIN

Transaction Conditions – ATMC.

Transaction Attributes

,ATM,TERM_UNATT,TERM,TERM_CHIP,TERM_KEY_ENTRY,AUTHENTICATED,AUTH_AGENT,TRANS_AUTH,PBT,
PBT_ONLINE,PBT_CRYPTO,CARD,CARDHOLDER,NO_MERCH,CARD_CHIP,CHIP_SVC,READ_CHIP,DATA_TRACK,
DATA_CHIP,

ICC ATM BALANCE INQUIRY ONLINE PIN

Transaction Conditions – ATMC.

Transaction Attributes

,ATM,TERM_UNATT,TERM,TERM_CHIP,TERM_KEY_ENTRY,AUTHENTICATED,AUTH_AGENT,TRANS_AUTH,PBT,PBT_ONLINE,PBT_CRYPTO,CARD,CARDHOLDER,NO_MERCH,CARD_CHIP,CHIP_SVC,READ_CHIP,DATA_TRACK,DATA_CHIP,

ICC POS BALANCE INQUIRY ONLINE PIN

Transaction Conditions - POSC.

Transaction Attributes

, POS, TERM, TERM_CHIP, TERM_KEY_ENTRY, AUTHENTICATED, AUTH_AGENT, TRANS_AUTH, PBT_ONLINE, PBT_CRYPTO, CARD, CARDHOLDER, MERCH, CARD_CHIP, CHIP_SVC, READ_CHIP, DATA_TRACK, DATA_CHIP,

ICC POS BALANCE INQUIRY OFFLINE PIN

Transaction Conditions – POEC.

Transaction Attributes

, POS , TERM , TERM _CHIP , TERM _KEY _ENTRY , CARD , CARDHOLDER , MERCH , CARD _CHIP , CHIP _SVC , READ _CHIP , DATA _TRACK , DATA _CHIP ,

ICC POS BALANCE INQUIRY SIGNATURE

Transaction Conditions - POEC.

Transaction Attributes

, POS, TERM, TERM_CHIP, TERM_KEY_ENTRY, CARD, CARDHOLDER, MERCH, CARD_CHIP, CHIP_SVC, READ_CHIP, DATA_TRACK, DATA_CHIP,

ICC Product and Services—M/Chip Cryptogram Validation in Stand-In Processing Service—Authorization Advices

ICC PURCHASE SIGNATURE

Transaction Conditions – POEC.

Transaction Attributes:

, POS, TERM, TERM_CHIP, TERM_KEY_ENTRY, CARD, CARDHOLDER, MERCH, CARD_CHIP, READ_CHIP, DATA_CHIP,

ICC Product and Services—PIN Management (Reversal)—Authorization Requests and Reversals

ICC CAT LEVEL 1 ATM PIN CHANGE ONLINE PIN

Transaction Conditions – ATMC.

Transaction Attributes:

,ATM,TERM_UNATT,TERM,TERM_CHIP,TERM_KEY_ENTRY,AUTHENTICATED,AUTH_AGENT,TRANS_AUTH,PBT,
PBT_ONLINE,PBT_CRYPTO,CARD,CARDHOLDER,NO_MERCH,CARD_CHIP,CHIP_SVC,READ_CHIP,DATA_TRACK,
DATA_CHIP,

ICC ATM PIN UNBLOCK ONLINE PIN

Transaction Conditions - ATMC.

Transaction Attributes:

,ATM,TERM_UNATT,TERM,TERM_CHIP,TERM_KEY_ENTRY,AUTHENTICATED,AUTH_AGENT,TRANS_AUTH,PBT,PBT_ONLINE,PBT_CRYPTO,CARD,CARDHOLDER,NO_MERCH,CARD_CHIP,CHIP_SVC,READ_CHIP,DATA_TRACK,DATA_CHIP,

ICC Product and Services—MasterCard PayPass M/Chip (All Business Transactions)—Authorization Requests

ICC CONTACTLESS PURCHASE SIGNATURE OR NO CVM

Transaction Conditions – POEL.

Transaction Attributes:

, POS, TERM, TERM_CHIP_CTLS, CONTACTLESS, CARD, CARDHOLDER, MERCH, CARD_CHIP, CHIP_SVC, READ_CHIP, DATA_TRACK, DATA_CHIP,

ICC CAT LEVEL 1 CONTACTLESS PURCHASE ONLINE PIN

Transaction Conditions – PO1L.

Transaction Attributes:

,TERM_UNATT,CAT1,TERM,TERM_CHIP_CTLS,CONTACTLESS,AUTHENTICATED,AUTH_AGENT,TRANS_AUTH,PBT,PBT_ONLINE,PBT_CRYPTO,CARD,CARDHOLDER,NO_MERCH,CARD_CHIP,CHIP_SVC,READ_CHIP,DATA_TRACK,DATA_CHIP,

ICC CONTACTLESS CAT LEVEL 2 PURCHASE NO CVM

Transaction Conditions – POTL.

Transaction Attributes:

,TERM_UNATT,CAT2,TERM,TERM_CHIP_CTLS,CONTACTLESS,NO_AUTH,CARD,NO_MERCH,CARD_CHIP,CHIP_SVC,READ_CHIP,DATA_TRACK,DATA_CHIP,

ICC CONTACTLESS ATM WITHDRAWAL ONLINE PIN

Transaction Conditions – ATMC.

Transaction Attributes:

,ATM,TERM_UNATT,TERM,TERM_CHIP_CTLS,CONTACTLESS,AUTHENTICATED,AUTH_AGENT,TRANS_AUTH,PBT,PBT_ONLINE,PBT_CRYPTO,CARD,CARDHOLDER,NO_MERCH,CARD_CHIP,CHIP_SVC,READ_CHIP,DATA_TRACK,DATA_CHIP,

ICC CONTACTLESS CASH DISBURSEMENT SIGNATURE OR NO CVM

Transaction Conditions – POEL.

Transaction Attributes:

, POS, TERM, TERM_CHIP_CTLS, CONTACTLESS, CARD, CARDHOLDER, MERCH, CARD_CHIP, CHIP_SVC, READ_CHIP, DATA_TRACK, DATA_CHIP,

ICC CONTACTLESS CASH DISBURSEMENT ONLINE PIN

Transaction Conditions - POSL.

Transaction Attributes:

, POS, TERM, TERM_CHIP_CTLS, CONTACTLESS, AUTHENTICATED, AUTH_AGENT, TRANS_AUTH, PBT_PBT_ONLINE, PBT_CRYPTO, CARD, CARDHOLDER, MERCH, CARD_CHIP, CHIP_SVC, READ_CHIP, DATA_TRACK, DATA_CHIP,

ICC CONTACTLESS PURCHASE ONLINE PIN

Transaction Conditions – POEL.

Transaction Attributes:

, POS , TERM , TERM _CHIP _CTLS , CONTACTLESS , CARD , CARDHOLDER , MERCH , CARD _CHIP , CHIP _SVC , READ _CHIP , DATA _TRACK , DATA _CHIP ,

59

ICC Product and Services—MasterCard PayPass M/Chip—Authorization Request and Reversal

ICC CONTACTLESS PURCHASE SIGNATURE OR NO CVM

Transaction Conditions – POEL.

Transaction Attributes:

, POS, TERM, TERM_CHIP_CTLS, CONTACTLESS, CARD, CARDHOLDER, MERCH, CARD_CHIP, CHIP_SVC, READ_CHIP, DATA_TRACK, DATA_CHIP,

MasterCard SecureCode AAV Verification Service—Authorization Request

ELECTRONIC COMMERCE PURCHASE NO CVM

Transaction Conditions – PET.

Transaction Attributes:

,TERM_UNATT,TERM,ENET,SECURE_CODE,LINE_SECURE,NO_CARD,NO_CARDHOLDER,NO_MERCH,

61

MSR Product and Services—Account Level Management (U.S. Region)—Authorization Requests

MSR PURCHASE SIGNATURE

Transaction Conditions – POE.

Transaction Attributes:

, POS, TERM, TERM_TRACK, CARD, CARDHOLDER, MERCH, READ_TRACK, DATA_TRACK,

MSR Product and Services—Balance Inquiry—Authorization Request

MSR CAT LEVEL 1 ATM BALANCE INQUIRY ONLINE PIN

Transaction Conditions – ATM.

Transaction Attributes:

,ATM,TERM_UNATT,TERM,TERM_TRACK,AUTHENTICATED,AUTH_AGENT,TRANS_AUTH,PBT,PBT_ONLINE,PBT_CRYPTO,CARD,CARDHOLDER,NO_MERCH,READ_TRACK,DATA_TRACK,

MSR POS BALANCE INQUIRY SIGNATURE

Transaction Conditions - POE.

Transaction Attributes:

, POS, TERM, TERM_TRACK, CARD, CARDHOLDER, MERCH, READ_TRACK, DATA_TRACK,

MSR POS BALANCE INQUIRY ONLINE PIN

Transaction Conditions - POS.

Transaction Attributes:

 $, \verb"pos,term", \verb"term", "term", "term"$

ELECTRONIC COMMERCE BALANCE INQUIRY NO CVM

Transaction Conditions - NEV.

Transaction Attributes:

, TERM_UNATT, TERM, ENET, NO_SECURE, LINE_SECURE, NO_CARD, NO_CARDHOLDER, NO_MERCH,

MSR Product and Services—Funding Transactions at the ATM— Authorization and Reversal Request

MSR CAT LEVEL 1 PURCHASE ONLINE PIN

Transaction Conditions – PO1.

Transaction Attributes:

,TERM_UNATT,CAT1,TERM,TERM_TRACK,AUTHENTICATED,AUTH_AGENT,TRANS_AUTH,PBT,PBT_ONLINE,PBT_CRYPTO,CARD,CARDHOLDER,NO_MERCH,READ_TRACK,DATA_TRACK,

MSR CAT LEVEL 2 PURCHASE NO CVM

Transaction Conditions – POT.

Transaction Attributes:

 $\tt, TERM_UNATT, CAT2, TERM_TRACK, NO_AUTH, CARD, NO_MERCH, READ_TRACK, DATA_TRACK, READ_TRACK, READ_TRACK, READ_T$

MSR Product and Services—MasterCard Advance Registration Program—Authorization Requests

ELECTRONIC COMMERCE PURCHASE NO CVM

Transaction Conditions – PET.

Transaction Attributes:

,TERM_UNATT,TERM,ENET,SECURE_CODE,SECURE_BY_MERCH,LINE_SECURE,NO_CARD,NO_CARDHOLDER,NO_MERCH,

65

MSR Product and Services—Mobile Hosted Phone Top-up ATM Transactions—Authorization Requests

MSR CAT LEVEL 1 ATM PURCHASE ONLINE PIN

Transaction Conditions – PO1.

Transaction Attributes:

,TERM_UNATT,CAT1,TERM,TERM_TRACK,AUTHENTICATED,AUTH_AGENT,TRANS_AUTH,PBT,PBT_ONLINE,PBT_CRYPTO,CARD,CARDHOLDER,NO_MERCH,READ_TRACK,DATA_TRACK,

MSR Product and Services—Mobile Remote Payments— Authorization Requests and Reversal

SERVER BALANCE INQUIRY NO CVM

Transaction Conditions – PET.

Transaction Attributes:

, TERM_UNATT, TERM, ENET, MNET, SECURE_CODE, NO_SECURE, LINE_INSECURE, NO_CARD, NO_CARDHOLDER, NO_MERCH, DATA_TRACK, KEY_MAP,

SERVER BALANCE INQUIRY ONLINE PIN

Transaction Conditions – NEV.

Transaction Attributes:

,TERM_UNATT,TERM,ENET,MNET,NO_SECURE,LINE_SECURE,AUTHENTICATED,AUTH_AGENT,TRANS_AUTH,PBT,PBT_ONLINE,PBT_CRYPTO,NO_CARD,NO_CARDHOLDER,NO_MERCH,DATA_TRACK,KEY_MAP,

SERVER PAYMENT TRANSACTION NO CVM

Transaction Conditions - NEU.

Transaction Attributes:

,TERM_UNATT,TERM,ENET,MNET,NO_SECURE,LINE_INSECURE,NO_CARD,NO_CARDHOLDER,NO_MERCH,DATA_TRACK,KEY_MAP,

SERVER PAYMENT TRANSACTION ONLINE PIN

Transaction Conditions – NEU.

Transaction Attributes:

, TERM_UNATT, TERM, ENET, MNET, NO_SECURE, LINE_INSECURE, AUTHENTICATED, AUTH_AGENT, TRANS_AUTH, PBT, PBT_ONLINE, PBT_CRYPTO, NO_CARD, NO_CARDHOLDER, NO_MERCH, DATA_TRACK, KEY_MAP,

SERVER PURCHASE NO CVM

Transaction Conditions - NEV.

Transaction Attributes:

 $, \verb|TERM_UNATT, \verb|TERM, ENET, \verb|MNET, \verb|NO_SECURE, \verb|LINE_SECURE, \verb|NO_CARD, \verb|NO_CARDHOLDER, \verb|NO_MERCH, \verb|DATA_TRACK, \verb|KEY_MAP|, \\$

67

SERVER PURCHASE ONLINE PIN

Transaction Conditions – NEV.

Transaction Attributes:

 $, \verb|TERM_UNATT|, \verb|TERM|, \verb|ENET|, \verb|MNET|, \verb|NO_SECURE|, \verb|LINE_SECURE|, \verb|AUTHENTICATED|, \verb|AUTH_AGENT|, \verb|TRANS_AUTH|, \verb|PBT|, \verb|PBT_ONLINE|, \verb|PBT_CRYPTO|, \verb|NO_CARD|, \verb|NO_CARDHOLDER|, \verb|NO_MERCH|, \verb|DATA_TRACK|, \verb|KEY_MAP|, \verb|AUTH_AGENT|, \verb|TERM_UNATT|, \verb|TERM_UNATT|,$

MSR Product and Services—MoneySend Funding Transactions— Authorization and Reversal Requests

MANUAL ENTRY PURCHASE SIGNATURE

Transaction Conditions - POM.

Transaction Attributes:

, POS, TERM, TERM_KEY_ENTRY, CARD, CARDHOLDER, MERCH, KEY_ENTRY,

MSR CAT LEVEL 1 PURCHASE ONLINE PIN

Transaction Conditions - PO1.

Transaction Attributes:

, TERM_UNATT, CAT1, TERM, TERM_TRACK, AUTHENTICATED, AUTH_AGENT, TRANS_AUTH, PBT, PBT_ONLINE, PBT_CRYPTO, CARD, CARDHOLDER, NO_MERCH, CARD_CHIP, CHIP_SVC, READ_TRACK, DATA_TRACK,

MSR CAT LEVEL 2 PURCHASE NO CVM

Transaction Conditions – POT.

Transaction Attributes:

,TERM_UNATT,CAT2,TERM,TERM_TRACK,NO_AUTH,CARD,NO_MERCH,CARD_CHIP,CHIP_SVC,READ_TRACK,DATA_TRACK,

ELECTRONIC COMMERCE PURCHASE NO CVM

Transaction Conditions - NEV.

Transaction Attributes:

 $\tt, TERM_UNATT, TERM, ENET, NO_SECURE, LINE_SECURE, NO_CARD, NO_CARDHOLDER, NO_MERCH, ROUGH, NO_CARDHOLDER, NO_MERCH, ROUGH, NO_CARDHOLDER, NO_CARDHOLDER,$

MSR PURCHASE SIGNATURE

Transaction Conditions – POE.

Transaction Attributes:

, POS, TERM, TERM_TRACK, CARD, CARDHOLDER, MERCH, CARD_CHIP, CHIP_SVC, READ_TRACK, DATA_TRACK,

MSR Product and Services—Partial Approval—Authorization and Reversal Request

MSR PURCHASE SIGNATURE

Transaction Conditions - POE.

Transaction Attributes:

, POS, TERM, TERM_TRACK, CARD, CARDHOLDER, MERCH, READ_TRACK, DATA_TRACK,

MSR CAT LEVEL 2 PURCHASE NO CVM

Transaction Conditions – POT.

Transaction Attributes:

 $\tt, TERM_UNATT, CAT2, TERM, TERM_TRACK, NO_AUTH, CARD, NO_MERCH, READ_TRACK, DATA_TRACK, NO_AUTH, NO_MERCH, READ_TRACK, DATA_TRACK, NO_AUTH, NO_MERCH, READ_TRACK, NO_AUTH, NO_MERCH, READ_TRACK, NO_AUTH, NO_MERCH, READ_TRACK, NO_AUTH, NO$

MSR PURCHASE SIGNATURE

Transaction Conditions - POE.

Transaction Attributes:

, $\verb"pos", \verb"term", \verb"term" \verb| term" \verb| term" \verb| term" \verb| term" \verb| term", term",$

MSR Product and Services—PIN Management—Authorization and Reversal Requests

MSR ATM PIN CHANGE ONLINE PIN

Transaction Conditions – ATMP.

Transaction Attributes:

,ATM,TERM_UNATT,TERM,TERM_TRACK,AUTHENTICATED,AUTH_AGENT,TRANS_AUTH,PBT,PBT_ONLINE,PBT_CRYPTO,CARD,CARDHOLDER,NO_MERCH,READ_TRACK,PART_TRACK,DATA_TRACK,

MSR Product and Services—PIN Pre-validation Service— Authorization Requests

MSR PURCHASE ONLINE PIN

Transaction Conditions - POS.

Transaction Attributes:

, POS, TERM, TERM_TRACK, AUTHENTICATED, AUTH_AGENT, TRANS_AUTH, PBT_PBT_ONLINE, PBT_CRYPTO, CARD, CARDHOLDER, MERCH, READ_TRACK, DATA_TRACK,

MSR CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN

Transaction Conditions – ATM.

Transaction Attributes:

, ATM, TERM_UNATT, TERM, TERM_TRACK, AUTHENTICATED, AUTH_AGENT, TRANS_AUTH, PBT, PBT_ONLINE, PBT_CRYPTO, CARD, CARDHOLDER, NO_MERCH, READ_TRACK, DATA_TRACK,

MSR Product and Services—PIN Validation in Stand-In—Authorization Advices

MSR PURCHASE ONLINE PIN

Transaction Conditions - POS.

Transaction Attributes:

, POS, TERM, TERM_TRACK, AUTHENTICATED, AUTH_AGENT, TRANS_AUTH, PBT_PBT_ONLINE, PBT_CRYPTO, CARD, CARDHOLDER, MERCH, READ_TRACK,

MSR CAT LEVEL 1 ATM WITHDRAWAL ONLINE PIN

Transaction Conditions – ATM.

Transaction Attributes:

, ATM , TERM_UNATT , TERM , TERM_TRACK , AUTHENTICATED , AUTH_AGENT , TRANS_AUTH , PBT_ONLINE , PBT_CRYPTO , CARD , CARDHOLDER , NO_MERCH , READ_TRACK ,

MSR Product and Services—MasterCard PayPass (All Business Transactions)—Authorization Requests

MSR CONTACTLESS PURCHASE SIGNATURE OR NO CVM

Transaction Conditions - POE.

Transaction Attributes:

 $, \verb"pos,term,term_track_ctls,contactless,card,cardholder,merch,card_chip,chip_svc,read_track,data_track,\\$

MSR CONTACTLESS PURCHASE ONLINE PIN

Transaction Conditions - POS.

Transaction Attributes:

, POS, TERM, TERM_TRACK_CTLS, CONTACTLESS, AUTHENTICATED, AUTH_AGENT, TRANS_AUTH, PBT_ONLINE, PBT_CRYPTO, CARD, CARDHOLDER, MERCH, CARD_CHIP, CHIP_SVC, READ_TRACK, DATA_TRACK,

MSR CONTACTLESS CAT 1 PURCHASE ONLINE PIN

Transaction Conditions – PO1.

Transaction Attributes:

,TERM_UNATT,CAT1,TERM,TERM_TRACK_CTLS,CONTACTLESS,AUTHENTICATED,AUTH_AGENT,TRANS_AUTH,PBT,PBT_ONLINE,PBT_CRYPTO,CARD,CARDHOLDER,NO_MERCH,CARD_CHIP,CHIP_SVC,READ_TRACK,DATA_TRACK,

MSR CONTACTLESS CAT 2 PURCHASE NO CVM

Transaction Conditions – POT.

Transaction Attributes:

 $, \verb|TERM_UNATT,CAT2,TERM_TERM_TRACK_CTLS,CONTACTLESS,NO_AUTH,CARD,NO_MERCH,CARD_CHIP,CHIP_SVC,READ_TRACK,DATA_TRACK,\\$

MSR CONTACTLESS CASH ADVANCE SIGNATURE

Transaction Conditions – POE.

Transaction Attributes:

, POS, TERM, TERM_TRACK_CTLS, CONTACTLESS, CARD, CARDHOLDER, MERCH, CARD_CHIP, CHIP_SVC, READ_TRACK, DATA_TRACK,

MSR CONTACTLESS CASH ADVANCE ONLINE PIN

Transaction Conditions - POS.

Transaction Attributes:

, POS , TERM, TERM_TRACK_CTLS , CONTACTLESS , AUTHENTICATED , AUTH_AGENT , TRANS_AUTH , PBT_ONLINE , PBT_CRYPTO , CARD , CARDHOLDER , MERCH , CARD_CHIP , CHIP_SVC , READ_TRACK , DATA_TRACK ,

MSR CONTACTLESS POS BALANCE INQUIRY SIGNATURE

Transaction Conditions – POE.

Transaction Attributes:

 $, \verb|pos,term|| \verb|term_track_ctls||, \verb|contactless||, \verb|card||, \verb|card_ctlip||, \verb|card_ctlip||, \verb|card_ctlip||, \verb|card_track||, \|card_track||, \|card_track|$

MSR CONTACTLESS POS BALANCE INQUIRY ONLINE PIN

Transaction Conditions - POS.

Transaction Attributes:

, POS, TERM, TERM_TRACK_CTLS, CONTACTLESS, AUTHENTICATED, AUTH_AGENT, TRANS_AUTH, PBT, PBT_ONLINE, PBT_CRYPTO, CARD, CARDHOLDER, MERCH, CARD_CHIP, CHIP_SVC, READ_TRACK, DATA_TRACK,

MSR CONTACTLESS ATM WITHDRAWAL ONLINE PIN

Transaction Conditions – ATM.

Transaction Attributes:

 $, \verb|ATM|, \verb|TERM| \verb|UNATT|, \verb|TERM|, \verb|TERM| \verb|TRACK| \verb|CTLS|, \verb|CONTACTLESS|, \verb|AUTHENTICATED|, \verb|AUTH|, \verb|AGENT|, \verb|TRANS|, \verb|AUTH|, \verb|PBT|, \verb|CRYPTO|, \verb|CARD|, \verb|CARD|,$

MSR CONTACTLESS ATM BALANCE INQUIRY ONLINE PIN

Transaction Conditions – ATM.

Transaction Attributes:

,ATM,TERM_UNATT,TERM,TERM_TRACK_CTLS,CONTACTLESS,AUTHENTICATED,AUTH_AGENT,TRANS_AUTH,PBT,PBT_ONLINE,PBT_CRYPTO,CARD,CARDHOLDER,NO_MERCH,CARD_CHIP,CHIP_SVC,READ_TRACK,DATA_TRACK,

MSR Product and Services—MasterCard PayPass (Technical Conditions)—Authorization Request

MSR CONTACTLESS PURCHASE SIGNATURE OR NO CVM

Transaction Conditions – POEG.

Transaction Attributes:

, POS, TERM, TERM_CHIP_CTLS, TERM_TRACK_CTLS, CONTACTLESS, CARD, CARDHOLDER, MERCH, CARD_CHIP, CHIP_SVC, READ_CHIP, PART_GRADE, DATA_TRACK,

MSR PURCHASE NO CVM

Transaction Conditions - POE.

Transaction Attributes:

 $, \verb"pos,term_track,term_track_ctls,card,cardholder,merch,card_chip,chip_svc,read_track,data_track,\\$

MANUAL ENTRY PURCHASE NO CVM

Transaction Conditions - POM.

Transaction Attributes:

, POS, TERM, TERM_KEY_ENTRY, CARD, CARDHOLDER, MERCH, KEY_ENTRY,

MSR CONTACTLESS ATM WITHDRAWAL ONLINE PIN

Transaction Conditions - ATM.

Transaction Attributes:

 $, \verb|atm|, \verb|term|, \end{|term|, term|, ter$

MSR CONTACTLESS PURCHASE NO CVM

Transaction Conditions - POE.

Transaction Attributes:

, POS , TERM, TERM_TRACK_CTLS , CONTACTLESS , CARD , CARDHOLDER , MERCH , CARD_CHIP , CHIP_SVC , READ_TRACK , DATA_TRACK ,

MSR Product and Services—Recurring Payments—Authorization Request

MSR PURCHASE NO CVM

Transaction Conditions – NMR.

Transaction Attributes:

, POS, TERM, TERM_TRACK, RECURRING, CARD, NO_CARDHOLDER, MERCH, READ_TRACK, DATA_TRACK,

ELECTRONIC COMMERCE PURCHASE NO CVM

Transaction Conditions - NMR.

Transaction Attributes:

, TERM_UNATT, TERM, TERM_KEY_ENTRY, RECURRING, NO_CARD, NO_CARDHOLDER, NO_MERCH,

MANUAL ENTRY MO/TO PURCHASE NO CVM

Transaction Conditions - NMR.

Transaction Attributes:

, IMPRINTER, NO_TERM, RECURRING, NO_CARD, NO_CARDHOLDER, MERCH, KEY_ENTRY,

MANUAL ENTRY PURCHASE NO CVM

Transaction Conditions – NMR.

Transaction Attributes:

,IMPRINTER,NO_TERM,SECURE_BY_MERCH,NO_SECURE,RECURRING,NO_CARD,NO_CARDHOLDER,MERCH,KEY_ENTRY,

MSR Product and Services—MasterCard rePower Load Value Payment Transaction—Authorization Requests and Reversals

MSR PAYMENT TRANSACTION NO CVM

Transaction Conditions – POE.

Transaction Attributes:

, POS, TERM, TERM_TRACK, CARD, CARDHOLDER, MERCH, READ_TRACK, DATA_TRACK,

78

MSR Product and Services—UCAF—Authorization Requests ELECTRONIC COMMERCE PURCHASE NO CVM

Transaction Conditions – NEV.

Transaction Attributes:

 $\tt, TERM_UNATT, TERM, ENET, NO_SECURE, LINE_SECURE, NO_CARD, NO_CARDHOLDER, NO_MERCH, \\$

MANUAL ENTRY MO/TO PURCHASE NO CVM

Transaction Conditions - NMO.

Transaction Attributes:

, IMPRINTER, NO_TERM, PHONE, MOTO, SECURE_CODE, NO_CARD, NO_CARDHOLDER, MERCH, KEY_ENTRY,