


SGit vaults in 90 seconds

Encrypted, versioned folders the server can never read

00:00 OPENING 7.3 S

What this video covers

SGit vaults, in ninety seconds. Encrypted, versioned folders the server can never read.




00:07 SCENE 1 OF 13 S01 7.9 S

Encrypted before it leaves

This is sgit. Git workflows over folders that are encrypted before anything leaves your machine.

phone cut

still · <https://sgit.ai/> · spot heading: The encrypted git




00:15 SCENE 2 OF 13 S02 9.2 S

The server sees ciphertext

The server stores ciphertext under opaque identifiers. File names, contents and commit messages never reach it.

phone cut

still · <https://sgit.ai/> · scroll to “What the server sees” · spot right-column · label “the whole list, published”




00:24 SCENE 3 OF 13 S03 2.9 S

One command

Creating a vault is one command.

still · <https://sgit.ai/> · scroll to “Work like git” · spot terminal




00:27 SCENE 4 OF 13 S04 7.6 S

Work like git

Then you work like git. Status, commit, history, sync, and an agent mode built for machines.

clip · <https://sgit.ai/> · scroll to “Work like git”




00:34 SCENE 5 OF 13 S05 8.8 S

Same vault, in the browser

SG Vault is the same vault in the browser. One encrypted wire format, no wrapper around the command line.

still · <https://sgit.ai/vault/> · scroll to “What SG/Vault is” · spot heading:What SG/Vault is




phone cut

00:43 SCENE 6 OF 13 S06 9.5 S

The key never leaves the browser

You open a vault by its key, carried in the URL fragment. The fragment is never sent, so the server never sees the key.

still · https://sgit.ai/vault/ · scroll to “You open a vault by its key” · spot code · label “the key lives after the #”



00:53 SCENE 7 OF 13 S07 12.9 S

Three pieces, one wire format

Three pieces. The sgit command line, the SG Vault browser client, and SG Send, the transfer API that never sees plaintext.

still · https://sgit.ai/vault/ · scroll to “The three pieces” · spot table

sgit.ai

BETA

0.2.50

Why

Try

Docs

Vaults

Evidence

Updates

Network

Security

★ GitHub

Vault apps: the app is the vault

A vault can contain an `index.html` plus an `app.json`. When the vault opens, the app launches — full-screen, talking to the vault through a runtime bridge, with the encrypted blob serving as both the storage and the distribution mechanism. Sharing the vault link *is* deploying the app.

You are looking at one. This entire website is a vault app: generated pages, shared assets loaded through the bridge, deployed by `sgit push`. The admin section documents its engineering and doubles as the reference implementation.

Three on-ramps

YOU WANT TO...	USE	CODE NEEDED
Publish documents, galleries, hub pages	Markdown + <code>_page.json</code> in the browse view	None
Ship an interactive experience	A vault app on the <code>window.sg</code> bridge	HTML/JS
Automate, script, collaborate, back up	The <code>sgit</code> CLI, plus <code>git</code> side-by-side and static hosting	A terminal

Sub-vaults cut across all three: vaults pointing at other vaults, rendered inline like folders — composition without copying.

In this section

01:06

SCENE 8 OF 13

S08

5.7

S

The app is the vault

A vault can contain an app. Sharing the vault link is deploying the app.

still · `https://sgit.ai/vault/` · scroll to “Vault apps: the app is the vault” · spot heading: Vault apps: the app is the vault

sgit.ai

BETA

0.2.50

Why

Try

Docs

Vaults

Evidence

Updates

Network

Security

★ GitHub

VAULT	ID	SHAPE	CONTENTS	PUBLISHED READ KEY
Field Notes	4bshby5n	application (vault app)	4 files · 11 KB · 2 commits · app entry <code>index.html</code>	open live ↗
Strategy Maps	ookq4mn4	structured analysis (two apps, one vault)	33 files · 830 KB · 3 commits · app entries <code>index.html</code> and <code>sgit-maps.html</code>	open live ↗
Deploy Docs	ryofmkvr	record-keeping (live markdown)	17 files · 25 KB · 2 commits · markdown, no app	open live ↗
The Vault Catalogue	kc67yhgw	record-keeping (an index of vaults)	9 files · 11 KB · 2 commits · markdown, no app	open live ↗
Algarve · May 2026	3de4e6b9ca98	gallery (photo story)	71 files · 29 MB · 36 commits · app entry <code>index.html</code>	open live ↗
Supplement Stack	r7zes477	record-keeping (patient-held health record)	23 files · 2.3 MB · 5 commits · app entry <code>index.html</code>	open live ↗
Risk Mandate	4zf6pf2z	application (a software project in a vault)	124 files · 1.9 MB · 98 commits · 8 app entries	open live ↗
Agentic Browser Isolation	0010gsp9	structured analysis (a living risk graph)	104 files · 2.4 MB · 4 commits · 17 app entries	open live ↗
Risk Graph Evolution	0010gsp9	structured analysis (a living risk graph)	28 files · 428 KB · 7 commits · 1 app entry	open live ↗

keys blurred for the video, not on the site

01:11

SCENE 9 OF 13

S09


9.0

S

Read keys, published on purpose

sgit dot ai publishes read keys for its demo vaults on purpose. A read key cannot become write access.

still · `https://sgit.ai/demos/vaults/index.html` · scroll to “Published read key” · spot table · blur keys · label “keys blurred for the video, not on the site”




phone cut

01:20 SCENE 10 OF 13 S10 9.1 S

Decrypted in your browser

Here is one, opened live. Everything on this page was decrypted in the browser with a published read only key.

still · published vault “Field Notes” · spot rect · label “decrypted in the browser, with a published read key”





01:29 SCENE 11 OF 13 S11 9.0 S

Files, history, branches

Behind the app is the vault itself. Files, history and branches, in the same file browser you get for any vault.

clip · published vault “Field Notes”





phone cut

01:38 SCENE 12 OF 13 S12 5.3 S

Read-only by construction

And the badge says what the key allows. One read, zero writes.

still · published vault “Field Notes” · spot badges · label “R1 W0: one read key, no write key”



phone cut

01:44 SCENE 13 OF 13 S13 7.3 S

pip install sgit-ai

pip install sgit dash ai. Or try it in your browser, at sgit dot ai.

still · <https://sgit.ai/> · spot pip

01:51 CLOSING 11.6 S

How this video was made

This video was made by an agent, end to end, with no human at a screen and no API cost. The numbers are on the screen.

MADE BY a Claude Code agent, unattended

WHEN 2026-09-01

SCRIPT 13 scenes + title and closing · 257 words · reel.json written first

SCREENSHOTS 15 shot, 13 used · Playwright, headless · 93 s

NARRATION Kokoro-82M in the browser (2 workers), voice am_michael · 123.0 s of speech in 166 s · model load 8.0 s

RENDER video-creator, canvas + MediaRecorder, real time · 123 s

PIPELINE WALL CLOCK 392 s: capture 93 + compose and narrate 177 + render 123

API COST \$0.00 · no LLM, TTS or image API calls

COMPUTE one 4-core container · agent session tokens not metered here

Renders

CUT	LENGTH	SIZE	SLIDES	TTS	RECORD	DRIFT	PIPELINE
landscape 1280×720 · Kokoro	02:03.14	8.4 MB	15	166 s	123.2 s	177 ms	303 s
shorts 1080×1920 · Kokoro	01:07.27	7.4 MB	8	99 s	67.3 s	130 ms	176 s
landscape 1280×720 · OpenRouter gpt-audio	01:50.55	8.0 MB	15	5 s	110.6 s	160 ms	127 s

Source of truth is reel.json. Stills in images/ (desktop) and images-shorts/ (phone); clips in clips/. Timecodes are the landscape cut's TTS durations.