



This Service Manual is a property of Samsung Electronics Co.,Ltd.
Any unauthorized use of Manual can be punished under applicable
international and/or domestic law.

© Samsung Electronics Co.,Ltd. DEC. 2004
Printed in Korea
Code no. AH68-01654E

* Parts List of Exploded View

No.	Code No.	Description	Specification	Q'ty	REMARK
1	AH64-03004A	CABINET-TOP	ALP 5052(t0.8)/ANODIZING(SILVER)/DIA CUT	1	
2	AH64-03257A	WINDOW-LCD	ACRYL PLATE(t1.5)CLEAR / HARF MIRROR / HOLOGRAM	1	
3	AH61-01793A	FRAME-TOP	PC WHITE/SPRAY/SILK/INNKing/UV Half Coating	1	
4	AH63-00898A	SHEET-LCD	PC t0.14(COLOR:NONE)	1	
5	AH61-01819A	BRACKET-LCD	SPTE, T0.3	1	
6	AH64-03011A	KNOB-HOLD	PC WHITE/SPRAY/UV Half Coating	1	
7	AH07-00147A	TFT-LCD	1.79 TFT-color display LCD	1	
8	AH92-02271A	ASSY-SIDE PCB		1	
9	AH92-02270A	ASSY-FRONT PCB		1	
10	AH64-03018B	DECO-SIDE L	PC WHITE/SPRAY/SILK/UV Half Coating	1	
11	AH61-01748A	BRACKET-DECO SIDE	EGI t0.6	2	
12	AH64-03007A	DECO-SIDE R	PC WHITE/SPRAY/SILK/UV Half Coating	1	
13	AH64-03148A	DECO-FF REW	ABS NATURAL(GROSS Cr-PLATING)	2	
14	AH64-03009A	DECO-PLAY	ABS NATURAL(GROSS Cr-PLATING)	1	
15	AH64-03013A	KNOB-PLAY	PC WHITE/SPRAY/SILK/UV Half Coating	1	
16	AH64-03192A	KNOB-FF REW	PC WHITE/SPRAY/SILK/UV Half Coating	2	
17	AH61-01620A	BRKT-KNOB	SUS T0.15	1	
18	AH67-00291A	LENS-PLAY	ACRYL MILKY	1	
19	AH64-03014A	KNOB-REC	PC WHITE/SPRAY/INNKing/UV Half Coating	1	
20	AH92-02262A	ASSY-MAIN PCB		1	
21	AH61-01794A	HOLDER-JACK	PC WHITE	1	
22	AH64-03021A	KNOB-RESET	PC WHITE	1	
23	AH61-01625A	HOLDER-USB	PC WHITE	1	
24	4301-001045	BATTERY	Li-ion : 900 mA	1	
25	AH92-02272A	ASSY-PCB CONNECTOR		1	
26	AH59-01259A	HDD	KOREA`æ	1	
27	AH61-01624A	HOLDER-HDD	ELASTOMER(WHITE)	1	
28	AH64-03005A	CABINET-BOTTOM	ALP 5052(t0.8)/ANODIZING(SILVER)/SILK	1	
29	AH64-03275A	DECO-NAVI	Ni(t0.25)/ElectroForming	1	
30	AH64-03012A	KNOB-NAVI	PC WHT	1	
31	AH63-00902A	SHEET-NAVI	3M DOUBLE TAPE / PET / 3M DOUBLE TAPE , t0.4	1	
32	AH63-00768A	SHEET-LENS	3M 471	2	
33	AH63-00740A	COVER-USB	ELASTOMER(WHITE)	1	
34	AH63-00903A	CUSHION-LCD	PORON t1.2 (BLACK)	4	
35	AH69-01344A	CUSHION-HDD	PORON t2.0	1	
36	AH63-00907A	CUSHION-CONNECTOR	SILICON t0.6	1	
37	AH63-00903B	CUSHION-BRACKET	PORON t1.3	6	
38	AH63-00869A	CUSHION-CONDUCTIVE	ELASTOMER SPRONGE + Ni Plating	1	
A	6003-001258	SCREW-TAP TITE	TAPTIPE,PH,+,M1.4,B,L2,NI PLT	7	
B	6003-001331	SCREW-TAP TITE	TAPTIPE,BH,+,M1.7,B,L5,Cr PLT	9	

Location no.	Code no.	Description & Specification	Remarks	Location no.	Code no.	Description & Specification	Remarks
R180	2007-001292	R-CHIP:330HM,5%,1/16W,TP:1005		C732	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005	
RD14	2007-001325	R-CHIP:3.3Kohm,5%,1/16W,TP:1005		CD15	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005	
R112	2007-003001	R-CHIP:120HM,5%,1/16W,DA,TP:1005		CD16	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005	
R202	2007-003025	R-CHIP:6.80HM,5%,1/16W,DA,TP:1005		CD17	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005	
R203	2007-003025	R-CHIP:6.80HM,5%,1/16W,DA,TP:1005		CD24	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005	
R227	2007-007001	R-CHIP:3.9KOHM,5%,1/16W,DA,TP:1005		CD26	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005	
R226	2007-007001	R-CHIP:3.9KOHM,5%,1/16W,DA,TP:1005		CD27	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005	
R206	2007-007001	R-CHIP:3.9KOHM,5%,1/16W,DA,TP:1005		CD28	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005	
R104	2007-007099	R-CHIP:2MOHM,5%,1/16W,DA,TP:1005		CD30	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005	
RD3	2007-007107	R-CHIP:100Kohm,1%,1/16W,TP:1005		C731	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005	
RD13	2007-007156	R-CHIP:10HM,5%,1/16W,TP:1005		C716	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005	
RD12	2007-007156	R-CHIP:10HM,5%,1/16W,TP:1005		C717	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005	
RD4	2007-007488	R-CHIP:75Kohm,1%,1/16W,DA,TP:1005		C718	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005	
RD5	2007-008453	R-CHIP:1.24KOHM,1%,1/16W,TP:1005		C719	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005	
RD2	2007-008676	R-CHIP:80.6KOHM,1%,1/16W,TP:1005		C721	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005	
RD6	2007-008697	R-CHIP:2.49KOHM,1%,1/16W,TP:1005		C723	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005	
RD8	2007-008697	R-CHIP:2.49KOHM,1%,1/16W,TP:1005		C724	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005	
RD21	2007-008780	R-CHIP:0.1OHM,1%,1/16W,TP:1005		C729	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005	
RD1	2007-009079	R-CHIP:255Kohm,1%,1/16W,TP:1005		C730	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005	
R950	2011-001262	R-NET:220HM,5%,1/16W,L,CHIP8PT,TP2.		C13	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005	
R949	2011-001262	R-NET:220HM,5%,1/16W,L,CHIP8PT,TP2.		C14	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005	
R945	2011-001262	R-NET:220HM,5%,1/16W,L,CHIP8PT,TP2.		C15	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005	
R944	2011-001262	R-NET:220HM,5%,1/16W,L,CHIP8PT,TP2.		C16	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005	
R951	2011-001262	R-NET:220HM,5%,1/16W,L,CHIP8PT,TP2.		C17	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005	
R952	2011-001262	R-NET:220HM,5%,1/16W,L,CHIP8PT,TP2.		C18	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005	
R953	2011-001262	R-NET:220HM,5%,1/16W,L,CHIP8PT,TP2.		C21	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005	
R954	2011-001262	R-NET:220HM,5%,1/16W,L,CHIP8PT,TP2.		C212	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005	
R955	2011-001262	R-NET:220HM,5%,1/16W,L,CHIP8PT,TP2.		C214	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005	
R933	2011-001262	R-NET:220HM,5%,1/16W,L,CHIP8PT,TP2.		C12	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005	
R935	2011-001262	R-NET:220HM,5%,1/16W,L,CHIP8PT,TP2.		C10	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005	
R936	2011-001262	R-NET:220HM,5%,1/16W,L,CHIP8PT,TP2.		C100	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005	
R937	2011-001262	R-NET:220HM,5%,1/16W,L,CHIP8PT,TP2.		C101	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005	
R938	2011-001262	R-NET:220HM,5%,1/16W,L,CHIP8PT,TP2.		C103	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005	
R942	2011-001262	R-NET:220HM,5%,1/16W,L,CHIP8PT,TP2.		C104	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005	
R941	2011-001262	R-NET:220HM,5%,1/16W,L,CHIP8PT,TP2.		C106	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005	
R940	2011-001262	R-NET:220HM,5%,1/16W,L,CHIP8PT,TP2.		C107	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005	
R939	2011-001262	R-NET:220HM,5%,1/16W,L,CHIP8PT,TP2.		C11	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005	
R947	2011-001394	R-NET:100KOHM,5%,1/16W,L,CHIP8PT,TP		C119	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005	
R946	2011-001394	R-NET:100KOHM,5%,1/16W,L,CHIP8PT,TP		C25	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005	
R928	2011-001394	R-NET:100KOHM,5%,1/16W,L,CHIP8PT,TP		C26	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005	
R927	2011-001394	R-NET:100KOHM,5%,1/16W,L,CHIP8PT,TP		C28	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005	
R925	2011-001394	R-NET:100KOHM,5%,1/16W,L,CHIP8PT,TP		C29	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005	
C727	2203-000138	C-CER,CHIP:1.5nF,10%,50V,X7R,TP:1005,-		C30	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005	
C726	2203-000138	C-CER,CHIP:1.5nF,10%,50V,X7R,TP:1005,-		C300	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005	
CD21	2203-000233	C-CER,CHIP:0.1nF,5%,50V,COG,-,1005		C301	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005	
CD20	2203-000233	C-CER,CHIP:0.1nF,5%,50V,COG,-,1005		C31	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005	
CD1	2203-000233	C-CER,CHIP:0.1nF,5%,50V,COG,-,1005		C32	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005	
C701	2203-000233	C-CER,CHIP:0.1nF,5%,50V,COG,-,1005		C24	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005	
CD3	2203-000278	C-CER,CHIP:0.01NF,0.5PF,50V,COG,TP:1005		C216	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005	
C705	2203-000278	C-CER,CHIP:0.01NF,0.5PF,50V,COG,TP:1005		C22	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005	
C704	2203-000278	C-CER,CHIP:0.01NF,0.5PF,50V,COG,TP:1005		C221	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005	
C219	2203-000278	C-CER,CHIP:0.01NF,0.5PF,50V,COG,TP:1005		C225	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005	
C218	2203-000278	C-CER,CHIP:0.01NF,0.5PF,50V,COG,TP:1005		C226	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005	
C710	2203-000330	C-CER,CHIP:0.012NF,5%,50V,COG,TP:1005		C234	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005	
C709	2203-000330	C-CER,CHIP:0.012NF,5%,50V,COG,TP:1005		C233	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005	
C504	2203-000330	C-CER,CHIP:0.012NF,5%,50V,COG,TP:1005		C230	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005	
C503	2203-000330	C-CER,CHIP:0.012NF,5%,50V,COG,TP:1005		C23	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005	
C725	2203-000438	C-CER,CHIP:1nF,10%,50V,X7R,1005		C700	2203-002982	C-CER,CHIP:6.8nF,10%,50V,X7R,TP:1005	
C227	2203-000438	C-CER,CHIP:1nF,10%,50V,X7R,1005		C720	2203-005065	C-CER,CHIP:1000nF,+80-20%,10V,Y5V,-,1608	
C8	2203-000812	C-CER,CHIP:0.033NF,5%,50V,COG,TP:1005		C209	2203-005172	C-CER,CHIP:47nF,+80-20%,25V,Y5V,TP:1005	
C6	2203-000812	C-CER,CHIP:0.033NF,5%,50V,COG,TP:1005		C231	2203-005172	C-CER,CHIP:47nF,+80-20%,25V,Y5V,TP:1005	
C5	2203-000812	C-CER,CHIP:0.033NF,5%,50V,COG,TP:1005		C223	2203-005384	C-CER,CHIP:4700nF,+80-20%,10V,Y5V,TP:201	
C2	2203-000812	C-CER,CHIP:0.033NF,5%,50V,COG,TP:1005		CD7	2203-005386	C-CER,CHIP:10000nF,80-20%,10V,Y5V,TP:321	
C3	2203-000812	C-CER,CHIP:0.033NF,5%,50V,COG,TP:1005		CD9	2203-005493	C-CER,CHIP:220nF,+80-20%,16V,Y5V,1005	
C4	2203-000812	C-CER,CHIP:0.033NF,5%,50V,COG,TP:1005		CD13	2203-005493	C-CER,CHIP:220nF,+80-20%,16V,Y5V,1005	
C222	2203-000885	C-CER,CHIP:4.7nF,10%,25V,X7R,TP:1005,-		C201	2203-005493	C-CER,CHIP:220nF,+80-20%,16V,Y5V,1005	
CD12	2203-000995	C-CER,CHIP:0.047NF,5%,50V,COG,TP:1005		C200	2203-005493	C-CER,CHIP:220nF,+80-20%,16V,Y5V,1005	
C211	2203-000995	C-CER,CHIP:0.047NF,5%,50V,COG,TP:1005		C224	2203-005900	C-CER,CHIP:1000NF,+80-20%,10V,Y5V,1005	
C210	2203-000995	C-CER,CHIP:0.047NF,5%,50V,COG,TP:1005		C232	2203-005900	C-CER,CHIP:1000NF,+80-20%,10V,Y5V,1005	
C205	2203-000995	C-CER,CHIP:0.047NF,5%,50V,COG,TP:1005		C250	2203-005900	C-CER,CHIP:1000NF,+80-20%,10V,Y5V,1005	
C204	2203-000995	C-CER,CHIP:0.047NF,5%,50V,COG,TP:1005		C208	2203-005900	C-CER,CHIP:1000NF,+80-20%,10V,Y5V,1005	
C502	2203-001201	C-CER,CHIP:0.007nF,0.5pF,50V,NP0,TP:1005		C150	2203-005900	C-CER,CHIP:1000NF,+80-20%,10V,Y5V,1005	
C501	2203-001201	C-CER,CHIP:0.007nF,0.5pF,50V,NP0,TP:1005		C206	2203-005900	C-CER,CHIP:1000NF,+80-20%,10V,Y5V,1005	
C105	2203-001201	C-CER,CHIP:0.007nF,0.5pF,50V,NP0,TP:1005		C207	2203-005900	C-CER,CHIP:1000NF,+80-20%,10V,Y5V,1005	
C60	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005		CD11	2203-006143	C-CER,CHIP:22000NF,20%,6.3V,X5R,TP:3216	
C59	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005		CD14	2203-006143	C-CER,CHIP:22000NF,20%,6.3V,X5R,TP:3216	
C58	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005		CD2	2203-006143	C-CER,CHIP:22000NF,20%,6.3V,X5R,TP:3216	
C57	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005		CD29	2203-006143	C-CER,CHIP:22000NF,20%,6.3V,X5R,TP:3216	
C711	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005		CD4	2203-006143	C-CER,CHIP:22000NF,20%,6.3V,X5R,TP:3216	
C712	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005		CD8	2203-006143	C-CER,CHIP:22000NF,20%,6.3V,X5R,TP:3216	
C713	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005		CD10	2203-006143	C-CER,CHIP:22000NF,20%,6.3V,X5R,TP:3216	
C714	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005		C19	2203-006143	C-CER,CHIP:22000NF,20%,6.3V,X5R,TP:3216	
C715	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005		C213	2203-006143	C-CER,CHIP:22000NF,20%,6.3V,X5R,TP:3216	
C56	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005		C215	2203-006143	C-CER,CHIP:22000NF,20%,6.3V,X5R,TP:3216	
C33	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005		C217	2203-006143	C-CER,CHIP:22000NF,20%,6.3V,X5R,TP:3216	
C34	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005		C235	2203-006143	C-CER,CHIP:22000NF,20%,6.3V,X5R,TP:3216	
C38	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005		C27	2203-006143	C-CER,CHIP:22000NF,20%,6.3V,X5R,TP:3216	
C500	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005		CD6	2203-006144	C-CER,CHIP:4700NF,10%,16V,X7R,TP:3216	
C51	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005		C220	2404-000175	C-TA,CHIP:2.2uF,20%,6.3V,-,TP:3216,1.1mm	
C52	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005		CD22	2404-001134	C-TA,CHIP:100uF,20%,6.3V,LZ,TP:4028	
C53	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005		C108	2404-001134	C-TA,CHIP:100uF,20%,6.3V,LZ,TP:4028	
C54	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005		C401	2404-001222	C-TA,CHIP:22uF,20%,10V,LZ,TP:3216	
C55	2203-002709	C-CER,CHIP:100nF,+80-20%,16V,Y5V,-,1005		C722	2404-001247	C-TA,CHIP:22uF,20%,4V,WT,TP:2012	

Location no.	Code no.	Description & Specification	Remarks	Location no.	Code no.	Description & Specification	Remarks
C229	2404-001247	C-TA,CHIP;22UF,20%,4V,WT,TP,2012					
C228	2404-001247	C-TA,CHIP;22UF,20%,4V,WT,TP,2012					
C102	2404-001247	C-TA,CHIP;22UF,20%,4V,WT,TP,2012					
C203	2404-001338	C-TA,CHIP;220UF,20%,4V,WT,TP,3528					
C202	2404-001338	C-TA,CHIP;220UF,20%,4V,WT,TP,3528					
L2	2703-001167	INDUCTOR-SMD;8.2nH,5%,1608					
L1	2703-001167	INDUCTOR-SMD;8.2nH,5%,1608					
L14	2703-001871	INDUCTOR-SMD;10uH,20%,6060					
LD1	2703-001873	INDUCTOR-SMD;4.7uH,20%,6060					
LD2	2703-001873	INDUCTOR-SMD;4.7uH,20%,6060					
L12	2704-000005	INDUCTOR-SMD-ARRAY;90OHM,50V,370MA,-,0.3					
Y2	2801-003856	CRYSTAL-SMD;0.032768MHz,20ppm,28-ACF,7pF					
Y1	2801-004277	CRYSTAL-SMD;24MHz,50ppm,28-ACF,12pF,50oh					
Y3	2801-004318	CRYSTAL-SMD;12MHz,20ppm,-,12PF,80ohm,TP					
L21	3301-001262	BEAD-SMD;1000ohm,1.6x0.8x0.8mm,190mA,,,					
L25	3301-001262	BEAD-SMD;1000ohm,1.6x0.8x0.8mm,190mA,,,					
L3	3301-001262	BEAD-SMD;1000ohm,1.6x0.8x0.8mm,190mA,,,					
L30	3301-001262	BEAD-SMD;1000ohm,1.6x0.8x0.8mm,190mA,,,					
L33	3301-001262	BEAD-SMD;1000ohm,1.6x0.8x0.8mm,190mA,,,					
L40	3301-001262	BEAD-SMD;1000ohm,1.6x0.8x0.8mm,190mA,,,					
L8	3301-001262	BEAD-SMD;1000ohm,1.6x0.8x0.8mm,190mA,,,					
L11	3301-001262	BEAD-SMD;1000ohm,1.6x0.8x0.8mm,190mA,,,					
L15	3301-001262	BEAD-SMD;1000ohm,1.6x0.8x0.8mm,190mA,,,					
L16	3301-001262	BEAD-SMD;1000ohm,1.6x0.8x0.8mm,190mA,,,					
L17	3301-001262	BEAD-SMD;1000ohm,1.6x0.8x0.8mm,190mA,,,					
L20	3301-001262	BEAD-SMD;1000ohm,1.6x0.8x0.8mm,190mA,,,					
L19	3301-001262	BEAD-SMD;1000ohm,1.6x0.8x0.8mm,190mA,,,					
L18	3301-001262	BEAD-SMD;1000ohm,1.6x0.8x0.8mm,190mA,,,					
L4	3301-001477	BEAD-SMD;60ohm,2.0x1.2x0.6mm,3000mA,TP,					
LD3	3301-001477	BEAD-SMD;60ohm,2.0x1.2x0.6mm,3000mA,TP,					
LD4	3301-001477	BEAD-SMD;60ohm,2.0x1.2x0.6mm,3000mA,TP,					
LD5	3301-001477	BEAD-SMD;60ohm,2.0x1.2x0.6mm,3000mA,TP,					
LD8	3301-001477	BEAD-SMD;60ohm,2.0x1.2x0.6mm,3000mA,TP,					
L29	3301-001477	BEAD-SMD;60ohm,2.0x1.2x0.6mm,3000mA,TP,					
L31	3301-001477	BEAD-SMD;60ohm,2.0x1.2x0.6mm,3000mA,TP,					
L32	3301-001477	BEAD-SMD;60ohm,2.0x1.2x0.6mm,3000mA,TP,					
L38	3301-001477	BEAD-SMD;60ohm,2.0x1.2x0.6mm,3000mA,TP,					
L39	3301-001477	BEAD-SMD;60ohm,2.0x1.2x0.6mm,3000mA,TP,					
SW11	3404-001143	SWITCH-TACT;12VDC,20mA,180gf,3.2x4.9x1.7					
SW8	3408-001038	SWITCH-SLIDE;4V,300mA,SPST,ON-ON,-					
SW10	3408-001038	SWITCH-SLIDE;4V,300mA,SPST,ON-ON,-					
J10	3708-001912	CONNECTOR-FPC/FFC/PIC;9P,0.5mm,SMD-A,AU,					
J12	3708-001912	CONNECTOR-FPC/FFC/PIC;9P,0.5mm,SMD-A,AU,					
J4	3708-001919	CONNECTOR-FPC/FFC/PIC;20P,0.5MM,SMD-A,AU,					
J5A	3710-001942	CONNECTOR-INTERFACE;24P,1R,0.5MM,SMD-A,A					
J2	3711-002162	CONNECTOR-HEADER-BOX;2P,1R,1.25MM,SMD-S,					
J30	3711-005183	CONNECTOR-HEADER-BOX;40P,2R,0.4MM,SMD-S,					
J6	3722-001953	JACK-EAR PHONE;6P,-,AG,BLACK,-					
J7	3722-001979	JACK-EAR PHONE;6P,-,AG,BLK,-					

