



Posterior Predictive Check

Model-predicted lines should resemble observed data line




Linearity

Reference line should be flat and horizontal




Homogeneity of Variance

Reference line should be flat and horizontal




Influential Observations

Points should be inside the contour lines




Normality of Residuals

Points should fall along the line




Posterior Predictive Check

Model-predicted lines should resemble observed data




Linearity

Reference line should be flat and horizontal




Homogeneity of Variance

Reference line should be flat and horizontal




Influential Observations

Points should be inside the contour lines




Normality of Residuals

Points should fall along the line



Posterior Predictive Check


Model-predicted lines should resemble observed data



— Observed data — Model-predicted data


Linearity

Reference line should be flat and horizontal




Homogeneity of Variance

Reference line should be flat and horizontal




Influential Observations

Points should be inside the contour lines




Normality of Residuals

Points should fall along the line




Posterior Predictive Check

Model-predicted lines should resemble observed data line




Linearity

Reference line should be flat and horizontal




Homogeneity of Variance

Reference line should be flat and horizontal




Influential Observations

Points should be inside the contour lines




Normality of Residuals

Points should fall along the line




Posterior Predictive Check

Model-predicted lines should resemble observed data




Linearity

Reference line should be flat and horizontal




Homogeneity of Variance

Reference line should be flat and horizontal




Influential Observations

Points should be inside the contour lines




Normality of Residuals

Plots should fall along the line



Posterior Predictive Check


Model-predicted lines should resemble observed data line



Observed data Model-predicted data


Linearity

Reference line should be flat and horizontal




Homogeneity of Variance

Reference line should be flat and horizontal




Influential Observations

Points should be inside the contour lines




Normality of Residuals

Points should fall along the line




Posterior Predictive Check

Model-predicted lines should resemble observed data




Linearity

Reference line should be flat and horizontal




Homogeneity of Variance

Reference line should be flat and horizontal




Influential Observations

Points should be inside the contour lines




Collinearity

High collinearity (VIF) may inflate parameter uncertainty




Normality of Residuals

Points should fall along the line




Posterior Predictive Check

Model-predicted lines should resemble observed data




Linearity

Reference line should be flat and horizontal




Homogeneity of Variance

Reference line should be flat and horizontal




Influential Observations

Points should be inside the contour lines



Collinearity

High collinearity (VIF) may inflate parameter uncertainty



Normality of Residuals

Points should fall along the line

