```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1,
user-scalable=no, viewport-fit=cover">
<!-- iOS "Add to Home Screen": launch as a full-screen app (no Safari chrome) -->
<meta name="apple-mobile-web-app-capable" content="yes">
<meta name="mobile-web-app-capable" content="yes">
<meta name="apple-mobile-web-app-status-bar-style" content="black-translucent">
<meta name="application-name" content="Vera">
<meta name="apple-mobile-web-app-title" content="Vera">
<meta name="theme-color" content="#110a2b">
<meta name="description" content="Project Vera — a tactical browser FPS with defusal and
team deathmatch modes.">
<link rel="manifest" href="manifest.json">
<!-- CS2's own team-counter stylesheet, converted from Panorama by
     tools/cs2_panorama_css.py. Generated -- do not hand-edit. -->
<link rel="stylesheet" href="ui/cs2_teamcounter.css">
<link rel="stylesheet" href="ui/cs2_scoreboard.css">
<link rel="stylesheet" href="ui/cs2_bottom.css">
<link rel="stylesheet" href="ui/cs2_weapons.css">
<!-- the radar map picture is the one big piece of HUD art; start it with the
     page so the dial is populated the moment the first round goes live -->
<link rel="preload" as="image" href="ui/radar_de_dust2.png">
<link rel="preload" as="script" href="./src/joinscreen.js">
<!-- the bottom bar is the first thing on screen in a round; start its art
     with the page so it does not fill in icon by icon -->
<link rel="preload" as="image" href="ui/bt_armor.svg">
<link rel="preload" as="image" href="ui/bt_helmet.svg">
<link rel="preload" as="image" href="ui/bt_logo_ct.svg">
<link rel="preload" as="image" href="ui/bt_logo_t.svg">
<link rel="preload" as="image" href="ui/bt_mag.svg">
<script>
/* SET THE PANORAMA UI SCALE BEFORE FIRST PAINT.
   ui/cs2_teamcounter.css sizes the whole top row in Valve's 1080p-reference
   px and scales it with `zoom: var(--cs2-ui-scale)`. That variable used to be
   written by the HUD's first updateAvatars(), which does not run until a match
   starts -- so every frame before that used the fallback of 1 and drew the row
   at full 1920px scale before snapping down. Setting it here, inline and ahead
   of the stylesheet's first use, means the row is never once drawn at the
   wrong size. Kept in sync on resize for the same reason. */
/* A FLOOR ON A DESKTOP. A game portal shows the game in a box as short as
   450px, where height/1080 is 0.42 and the scoreboard's 18px rows come out at
   7.5px. Below a 648px-tall window the scale stops at 0.6 instead (hud.js
   _syncUiScale uses the same function, so the two never disagree). Not on a
   handheld: a phone's HUD is laid out around this number by touch rules of
   its own, and none of this has been seen on one. */
```

```
window.__cs2UiScale = function () {
  var s = window.innerHeight / 1080;
  var handheld = typeof matchMedia === 'function'
    && matchMedia('(pointer: coarse)').matches && matchMedia('(hover: none)').matches;
  return handheld ? s : Math.max(s, 0.6);
};
(function () {
  var set = function () {
    document.documentElement.style.setProperty('--cs2-ui-scale', window.__cs2UiScale());
  };
  set();
  addEventListener('resize', set);
})();
</script>
<!-- THE TOP HUD MUST BE COMPLETE ON ITS FIRST FRAME. Without these the row
     assembles in stages: the timer paints in a fallback face and reflows when
     Stratum arrives, and each avatar / mask / bomb icon pops in as its first
     use triggers the fetch. Preloading the handful the row actually needs on
     frame one costs ~90KB and removes the whole staggered load-in. -->
<link rel="preload" as="font" type="font/otf" crossorigin href="ui/fonts/stratum2_tf_bold.otf">
<link rel="preload" as="font" type="font/otf" crossorigin
href="ui/fonts/stratum2condensed-regular.otf">
<link rel="preload" as="image" href="ui/avatar_ct.png">
<link rel="preload" as="image" href="ui/avatar_t.png">
<link rel="preload" as="image" href="ui/score-time-mask.svg">
<link rel="preload" as="image" href="ui/c4.svg">
<title>Vera — tactical FPS</title>
<link rel="icon" href="favicon.ico" sizes="16x16 32x32 48x48">
<link rel="icon" type="image/svg+xml" href="favicon.svg">
<link rel="icon" type="image/png" sizes="48x48" href="favicon-48.png">
<link rel="icon" type="image/png" sizes="32x32" href="favicon-32.png">
<link rel="icon" type="image/png" sizes="16x16" href="favicon-16.png">
<link rel="apple-touch-icon" sizes="180x180" href="apple-touch-icon.png">
<style>
  :root {
    --accent: #a855f7;          /* Vera violet */
    --accent-dim: rgba(168,85,247,0.16);
    --money: #c4b5fd;
    --ct: #7db8f0;
    --t: #eabe54;
    --panel: rgba(13,16,20,0.72);
    --panel-solid: rgba(15,18,22,0.94);
    --danger: #e64b3c;
    --hud-font: 'Segoe UI', 'Helvetica Neue', system-ui, sans-serif;
    --num-font: 'Arial Narrow', 'Segoe UI', sans-serif;
  }
  * { margin: 0; padding: 0; box-sizing: border-box; user-select: none; }
  html, body { width: 100%; height: 100%; overflow: hidden; background: #0c0f13;
```

```
    font-family: var(--hud-font);
    /* inside a game portal's frame, a wheel turned past the end of one of the
       menu's scrolling pages is otherwise handed on to THEIR page (input.js
       claims the keys and the in-match wheel; this covers the menus) */
    overscroll-behavior: none; }
  #game canvas { display: block; }
  #hud { position: fixed; inset: 0; pointer-events: none; color: #e8eef2; z-index: 10; }
  #hud > * { pointer-events: none; }

  /* crosshair */
  #crosshair { position: absolute; left: 50%; top: 50%; width: 0; height: 0; }
  #hud.inmenu #crosshair, #hud.inmenu #fps, #hud.inmenu #sitebadge, #hud.inmenu #tcrow,
  #hud.inmenu #statl, #hud.inmenu #statr, #hud.inmenu #money { display: none; }
  #hud.inmenu #crosshair { display: none !important; }
  /* TEAM SELECT HIDES WHAT THE MENU HIDES. There are two non-playing states and
     each rule had to name both; several named only `.inmenu`, so the loading and
     team-select screens kept a live HUD behind the cards -- the BUY prompt, the
     money, the stat panels, the fps counter. Anything the menu hides, the cards
     hide. (crosshair / tcrow / radar / cs2bottom / cs2weapons / casebtn already
     list both, further down.) */
  #hud.teamselect #fps, #hud.teamselect #sitebadge, #hud.teamselect #statl,
  #hud.teamselect #statr, #hud.teamselect #money { display: none; }
  .case-odds { display: flex; gap: 7px; justify-content: center; flex-wrap: wrap; margin: 4px 0
2px;
    font-size: 9.5px; letter-spacing: 0.2px; opacity: 0.9; }
  .case-odds .odd { color: var(--oc); }
  .co-odds { font-size: 11px; letter-spacing: 0.4px; margin-top: 5px; font-weight: 500; opacity:
0.85; }
  .setsub { font-size: 12px; letter-spacing: 2px; opacity: 0.6; margin: 18px 0 8px;
text-transform: uppercase;
    border-bottom: 1px solid rgba(255,255,255,0.12); padding-bottom: 5px; }
  .bindrow { display: flex; justify-content: space-between; align-items: center; padding: 4px 0;
font-size: 13px; }
  .bindrow span { opacity: 0.8; }
  .bindkey { background: rgba(255,255,255,0.08); border: 1px solid rgba(255,255,255,0.14);
color: #e8edf2;
    min-width: 92px; padding: 5px 10px; border-radius: 4px; cursor: pointer; font-size: 12px;
    letter-spacing: 1px; font-family: var(--num-font); }
  .bindkey:hover { background: rgba(255,255,255,0.16); }
  .bindkey.waiting { border-color: var(--accent); color: var(--accent); }
  /* crouch's two keys side by side (hud.js renderBinds) */
  .bindpair { display: flex; align-items: center; gap: 8px; }
  .bindpair .bindor { opacity: 0.6; font-size: 11px; letter-spacing: 1px; text-transform:
uppercase; }
  #menu.pausemode #tab-play, #menu.pausemode #tabs [data-tab="play"],
  #menu.pausemode #tab-loadout, #menu.pausemode #tabs [data-tab="loadout"],   /* no
re-kitting mid-match (user's call) */
  #menu.pausemode #tab-trading, #menu.pausemode #tabs [data-tab="trading"],
```

```
  #menu.pausemode #tab-market, #menu.pausemode #tabs [data-tab="market"] { display:
none !important; }
  /* TRADING and MARKETPLACE (home menu only, see above): placeholder pages until
the
     features exist. Seven tabs is tight, so the nav steps down with the window.
     Measured: the player name's rank chip wraps once a side block drops below ~180 px,
     so MARKETPLACE (~1237 px needed) reads MARKET below 1260, tab side padding
drops
     to 7 px below 1200, and to 5 px with 12 px text at 1079 and below -- which is also
     what fits a phone (844 wide). The padding rules carry two ids on purpose: they
     sit ABOVE the base `#tabs button` rules, which would win a tie. */
  #tabs [data-tab="market"]::after { content: 'MARKETPLACE'; }
  @media (max-width: 1259px) { #tabs [data-tab="market"]::after { content: 'MARKET'; } }
  @media (min-width: 1080px) and (max-width: 1199px) { #navcenter #tabs button {
padding-left: 7px; padding-right: 7px; } }
  @media (max-width: 1079px) { #navcenter #tabs button { padding-left: 5px; padding-right:
5px; font-size: 12px; } }
  .soonpage { max-width: 520px; margin: 60px auto 0; padding: 40px 30px; text-align: center;
    background: rgba(10,13,16,0.8); border-radius: 8px; border: 1px solid
rgba(255,255,255,0.07); }
  .soonpage .ms-soon { font-size: 34px; font-weight: 900; letter-spacing: 6px; color:
var(--accent); }
  .soonpage p { margin: 14px 0 0; font-size: 14px; line-height: 1.6; opacity: 0.75; }
  .st-view { position: absolute; top: 4px; right: 4px; width: 24px; height: 24px; border-radius:
50%;
    border: 1px solid rgba(255,255,255,0.25); background: rgba(10,13,16,0.75); color:
#cfd8e0;
    cursor: pointer; font-size: 11px; line-height: 1; padding: 0; opacity: 0; transition: opacity
0.12s;
    z-index: 2; }
  .skintile:hover .st-view { opacity: 1; }
  .st-view:hover { background: rgba(255,255,255,0.18); }
  /* No vignette, no glow: CS2's background sheet (main.js loadInspectScene,
     the grey version) sits behind the item edge to edge, with the header
     and the button row over it. */
  #inspectov { position: fixed; inset: 0; z-index: 70; background: transparent; }
  #inspectov .mbtn { width: auto; display: inline-block; }
  /* CS2'S OWN PICTURE OF THE ITEM, as a reference to hold the 3D view against.
     It sits in a corner panel and is LABELLED, because the last time this
     render shared the card with the model the two read as two of the same gun
     and every "the skin is wrong" report was really about comparing them. */
  #inspectov .in-ref, #caseopen .in-ref { position: absolute; right: 22px; top: 20px; width:
min(26vw, 300px);
    background: rgba(10,13,17,0.72); border: 1px solid rgba(255,255,255,0.09);
    border-radius: 6px; padding: 8px 8px 6px; backdrop-filter: blur(3px); }
  #inspectov .in-ref img, #caseopen .in-ref img { display: block; width: 100%; height: auto; }
  #inspectov .in-ref-cap, #caseopen .in-ref-cap { font-size: 10px; letter-spacing: 1.6px;
opacity: 0.55;
```

```
    text-align: center; margin-top: 4px; }
  #inspectov .in-ref.hide, #caseopen .in-ref.hide { display: none; }
  @media (max-width: 900px) { #inspectov .in-ref, #caseopen .in-ref { width: 34vw; right:
10px; top: 10px; } }
  #pause-back { position: fixed; bottom: 26px; left: 50%; transform: translateX(-50%); z-index:
60;
    background: var(--accent, #8bc53f); color: #10151a; border: 0; padding: 12px 26px;
border-radius: 5px;
    font-weight: 800; letter-spacing: 2px; font-size: 13px; cursor: pointer; display: none;
    box-shadow: 0 6px 22px rgba(0,0,0,0.5); }
  #pause-back:hover { filter: brightness(1.1); }
  #tabs button { white-space: nowrap; }
  /* DEFAULT MARKER. Every option row marks the value the game ships with, so
     "what was this before I touched it" is answerable without a reset. A dot,
     not a word -- these rows are three-to-a-line on a phone. */
  .qrow button.isdef::after { content: '\2022'; position: absolute; top: 1px; right: 3px;
    font-size: 9px; line-height: 1; opacity: 0.45; pointer-events: none; }
  .qrow button { position: relative; }
  .qrow button.isdef.sel::after { opacity: 0.75; }
  /* AUTO, beside GRAPHICS: shown while the game is choosing the preset for this
     device (src/autoperf.js). A label, not a control -- picking an option is how
     you take over, RESET TO DEFAULTS is how you hand it back. */
  .autotag { display: inline-block; margin-left: 6px; padding: 1px 5px; font-size: 9px;
letter-spacing: 1px;
    vertical-align: middle; color: var(--accent); border: 1px solid var(--accent); border-radius:
2px; opacity: 0.85; }
  /* "HARDWARE ACCELERATION IS OFF" (hud.js showHwNotice): the browser is drawing
     the game on the CPU, which no graphics setting can rescue -- say so, and
     say where the switch is. Over the menu, dismissible, never during a match. */
  #hwnotice, #locknotice, #locknotice2 { position: absolute; left: 50%; top: 14px; transform:
translateX(-50%); z-index: 40;
    width: min(680px, calc(100% - 32px)); box-sizing: border-box; padding: 12px 40px 12px
14px;
    background: rgba(24,14,10,0.94); border: 1px solid #e0a040; border-radius: 3px;
    color: #f1e6d4; font-size: 13px; line-height: 1.45; text-align: left; }
  #hwnotice b, #locknotice b, #locknotice2 b { display: block; margin-bottom: 4px; color:
#ffc15a; font-size: 12px; letter-spacing: 1.5px; }
  #hwnotice button, #locknotice button, #locknotice2 button { position: absolute; top: 6px;
right: 8px; width: 26px; height: 26px; padding: 0; cursor: pointer;
    background: transparent; color: #f1e6d4; border: 1px solid rgba(255,255,255,0.25);
border-radius: 2px;
    font-size: 14px; line-height: 1; }
  #hwnotice button:hover, #locknotice button:hover, #locknotice2 button:hover { background:
rgba(255,255,255,0.14); }
  /* the menu doubles as the in-match settings, where the pause overlay's own
     copy (#locknotice2) is the one on screen */
  #menu.pausemode #hwnotice, #menu.pausemode #locknotice { display: none; }
  /* CS2 classic static (esports default): thickness 2 / length 6 / gap 3,
```

```
    hard 1px black outline, no dynamic wobble — the exact screen center is
    the bullet ray, so the cross stays glued to it */
  .chline { position: absolute; background: #3cff5a; outline: 1px solid rgba(0,0,0,0.85); }
  .ch-n { left: -1px; top: -9px; width: 2px; height: 6px; }
  .ch-s { left: -1px; top: 3px;  width: 2px; height: 6px; }
  .ch-w { left: -9px; top: -1px; width: 6px; height: 2px; }
  .ch-e { left: 3px;  top: -1px; width: 6px; height: 2px; }
  /* OUTER crosshair: the cone the bullet can actually land in. Four dashes
    that ride out from the centre with the live inaccuracy, so standing still
    collapses them onto the inner cross and moving/jumping pushes them wide.
    Same green, thinner, so the inner mark still reads as "where I am aiming"
    and the outer one as "where it might go". */
  .chout { position: absolute; background: #3cff5a; outline: 1px solid rgba(0,0,0,0.7);
           opacity: 0.85; will-change: transform; }
  .cho-n, .cho-s { left: -1px; top: -1px; width: 2px; height: 7px; }
  .cho-w, .cho-e { left: -1px; top: -1px; width: 7px; height: 2px; }
  #crosshair.nofollow .chline, #crosshair.nofollow .chout { }

  /* hitmarker */
  /* The hitmarker rides the CROSSHAIR, not the screen centre. With
    crosshair-follows-shots on, the mark can be 200px up the screen mid-spray,
    and a hit flash pinned to the centre would flash somewhere the player is
    not looking. The offset goes on a WRAPPER because #hitmark's own transform
    is owned by the hmpop scale animation. */
  #hitmarkwrap { position: absolute; left: 50%; top: 50%; will-change: transform; }
  #hitmark { position: absolute; left: 0; top: 0; opacity: 0; transition: opacity 0.08s; }
  #hitmark.pop { animation: hmpop 0.14s ease-out; }
  @keyframes hmpop { 0% { transform: scale(1.55); } 100% { transform: scale(1); } }
  /* death: red vignette + killer card */
  #deathov { position: absolute; inset: 0; pointer-events: none; opacity: 0; transition: opacity
0.35s;
    background: radial-gradient(circle at 50% 50%, rgba(120,10,8,0.25) 0%, rgba(90,6,5,0.55)
70%, rgba(60,3,3,0.75) 100%); }
  #killcard { position: absolute; top: -120px; left: 50%; transform: translateX(-50%); transition:
top 0.45s cubic-bezier(0.2, 0.9, 0.3, 1.1);
    background: linear-gradient(180deg, rgba(14,17,21,0.96), rgba(10,12,15,0.96)); border:
1px solid rgba(255,255,255,0.14);
    border-top: 3px solid #e05a4e; border-radius: 0 0 8px 8px; padding: 12px 26px 14px;
text-align: center; z-index: 30;
    box-shadow: 0 10px 34px rgba(0,0,0,0.6); }
  #killcard.show { top: 0; }
  #killcard .kc-label { font-size: 10px; letter-spacing: 3px; opacity: 0.55; margin-bottom: 5px; }
  #killcard .kc-name { font-size: 19px; font-weight: 800; letter-spacing: 1px; }
  #killcard .kc-wep { display: flex; align-items: center; justify-content: center; gap: 9px;
margin-top: 7px; }
  #killcard .kc-wep img { width: 72px; height: 27px; object-fit: contain; }
  #killcard .kc-wname { font-size: 12.5px; opacity: 0.85; }
  #killcard .kc-skin { font-size: 11px; color: #8bb4e8; letter-spacing: 0.4px; }
```

```
  /* directional damage arcs (4-slot, rotated to the attacker bearing) */
  .dmgarc { position: absolute; left: 50%; top: 50%; width: 130px; height: 130px; margin:
-65px 0 0 -65px;
    pointer-events: none; border-radius: 50%; border: 5px solid transparent; border-top-color:
rgba(224, 52, 44, 0.9);
    opacity: 0; }
  #targetid { position: absolute; left: 50%; top: calc(50% + 28px); transform: translateX(-50%);
    font-size: 13px; font-weight: 600; letter-spacing: 0.6px; opacity: 0; transition: opacity 0.12s;
    text-shadow: 0 1px 4px rgba(0,0,0,0.95); pointer-events: none; }
  #smokeov { position: absolute; inset: 0; pointer-events: none; opacity: 0; transition: opacity
0.14s;
    background: radial-gradient(circle at 50% 50%, rgba(205,208,210,0.99) 0%,
rgba(185,188,190,0.97) 60%, rgba(165,168,170,0.95) 100%); }
  .hm { position: absolute; width: 8px; height: 2px; background: #fff; box-shadow: 0 0 2px
#000; }
  #hitmark.hs .hm { background: #ff4040; }
  .hm0 { transform: translate(-13px,-9px) rotate(45deg); }
  .hm1 { transform: translate(5px,-9px) rotate(-45deg); }
  .hm2 { transform: translate(-13px,7px) rotate(-45deg); }
  .hm3 { transform: translate(5px,7px) rotate(45deg); }

  /* status — CS2-style dark backing panels, condensed digits */
  #statl { position: absolute; left: 16px; bottom: 14px; display: flex; gap: 16px; align-items:
baseline;
    background: linear-gradient(180deg, rgba(10,13,16,0.0), rgba(10,13,16,0.55)); padding:
6px 16px 8px;
    border-radius: 4px; }
  #hp { font-size: 38px; font-weight: 700; font-family: var(--num-font); letter-spacing: 0.5px;
    text-shadow: 0 1px 3px rgba(0,0,0,0.9); }
  #hp.low { color: var(--danger); }
  /* health/ammo/weapon tinted by the player's team */
  #hud.team-ct #hp, #hud.team-ct #ammo, #hud.team-ct #wname { color: var(--ct); }
  #hud.team-t #hp, #hud.team-t #ammo, #hud.team-t #wname { color: var(--t); }
  #hud.team-ct #hp.low, #hud.team-t #hp.low { color: var(--danger); }

  /* in-game team selection (CS2-style) */
  #teamsel { position: absolute; inset: 0; z-index: 40; display: flex; flex-direction: column;
    align-items: center; justify-content: center; gap: 28px; pointer-events: auto !important;
    background: radial-gradient(ellipse at center, rgba(8,10,13,0.45) 0%, rgba(8,10,13,0.85)
100%); }
  #hud.teamselect #crosshair, #hud.teamselect #tcrow, #hud.inmenu #tcrow { display: none
!important; }
  #hud.teamselect #radar, #hud.inmenu #radar { display: none !important; }

  /* CS2 RADAR -- geometry straight out of panorama/styles/hud/hudradar.vcss:
       @define Radar_PanelSize      300px    the panel the dial sits in
       @define Radar_VisSize_Round  250px    the visible dial
       @define Radar_Overlay_Round  248px    its border ring
```

```
      #Radar { x: 0px; y: 40px; }           the panel's offset from the corner
     The dial is centred in the panel, so its top-left is 25px in and 40+25px
     down at Valve's 1080p reference. --cs2-ui-scale is the same factor the top
     strip and scoreboard use, which is what the engine does with screen height. */
  #radar { position: absolute; display: none; border-radius: 50%;
    /* --rd-inset is the gap from the screen corner, at Valve's 1080p reference
       so it scales with everything else. One value drives both axes, which is
       what keeps it reading as tucked into the corner rather than floating. */
    --rd-inset: 14px;
    left: calc(var(--rd-inset) * var(--cs2-ui-scale, 1));
    top: calc(var(--rd-inset) * var(--cs2-ui-scale, 1));
    width: calc(250px * var(--cs2-ui-scale, 1));
    height: calc(250px * var(--cs2-ui-scale, 1));
    /* #Radar__Round--Inner: background-color hud-blur-bg-color (#000000a0 in
       csgostyles) plus world-blur. The dial is painted HERE rather than in the
       canvas so the blur can reach the world behind it, which is what
       world-blur does and what a canvas fill cannot.

       THE RING IS NOT WHITE. .Radar__Round--BorderClass reads `border-color:
       white`, but the panel carrying it is
          <Panel id="Radar__Round--Border" class="hud-colorize-wash ..." />
       and hud-colorize-wash repaints it -- at CS2's default HUD colour that is
       the team tint, so the ring never renders as the bright white the rule
       alone suggests. Reading the border-color literally and ignoring the wash
       is what put a hard white ring on the dial.

       TOP OFFSET is ours, not Valve's: #Radar sets `y: 40px`, which with the
       dial's 25px inset lands it at 65. Moved up to sit where the reference
       capture has it. */
    background: #000000a0;
    -webkit-backdrop-filter: blur(3px); backdrop-filter: blur(3px);
    border: 1px solid #4a4f55; }

  /* 3D skin reveal: the same sheet behind it, nothing over it */
  #caseopen.reveal3d { background: transparent !important; -webkit-backdrop-filter: none;
backdrop-filter: none; }
  #caseopen.reveal3d #co-open, #caseopen.reveal3d #co-title { visibility: hidden; }
  #menu.rv3dmode #discordcard,
  #menu.rv3dmode #tab-cases, #menu.rv3dmode #tab-locker, #menu.rv3dmode #topnav,
#menu.rv3dmode #menufoot,
  #menu.rv3dmode #pause-back,                    /* the pause screen's BACK TO GAME sat
on the reveal's button row */
  #menu.casemode #pause-back,                    /* ...and on the wallet line through the
unlock beat and the spin */
  #menu.rv3dmode #tab-play { visibility: hidden; }   /* play tab too: its "Player" title bled
through the reveal */
  /* name + rarity crown the reveal from the TOP — weapon owns mid-screen,
     wallet/buttons live at the bottom edge (CS2 reveal framing) */
```

```
  #revealcard.rv3d { position: absolute; left: 0; right: 0; top: 0; bottom: auto; background: none
!important;
    border: none !important; box-shadow: none !important; padding: 0; gap: 0; }
  .rv-hint { font-size: 11.5px; letter-spacing: 1.5px; opacity: 0.55; margin-top: 6px; }

  /* CS2'S INSPECT CHROME, converted from panorama/styles/popups/
     popup_capability_shared.vcss + popup_inventory_inspect.vcss (layouts
     popup_inspect_header.vxml, popup_inspect_action-bar.vxml). The header:
     the set image 128 px tall beside the name (50 px Stratum2 Medium) and
     its line under it (fontSize-l, 24 px) -- here the CASE the item came
     from, image and name, by the user's choice, not the collection -- then
     the rarity bar: 6 px, white -> #b9b9b9 washed by the rarity colour, a
     1px 1px 6px shadow, 8 px above and below, as wide as the header block.
     The button row at the foot: 968 px wide, a 1 px rgba(145,145,145,.5)
     rule on top, 8 px padding, icon buttons (28 px, washed white) at the
     left and the text buttons (PopupButton: 24 px condensed uppercase,
     10/12/8 px margins, a faint hover) at the right. Our own lines -- the
     rarity, condition, pattern and float, the drag hint, the wallet -- ride
     in the same block. 1080p px scaled by the screen (--u), like the reel. */
  #inspectov { --u: calc(100vh / 1080 / var(--ms, 1)); }
  .cs2ins-top { position: absolute; left: 0; right: 0; top: 0; padding-top: calc(48 * var(--u));
    display: flex; flex-direction: column; align-items: center; pointer-events: none; z-index: 3; }
  .cs2ins-block { display: inline-flex; flex-direction: column; align-items: stretch; max-width:
92vw; }
  .cs2ins-head { display: flex; align-items: center; justify-content: center; }
  .cs2ins-set { height: calc(128 * var(--u)); width: auto; padding-right: calc(8 * var(--u)); flex: 0
0 auto; }
  .cs2ins-text { display: flex; flex-direction: column; justify-content: center; min-width: 0; }
  .cs2ins-name { font-family: 'Stratum2 Medium', 'Stratum2', Arial, sans-serif; font-weight:
500;
    font-size: calc(50 * var(--u)); line-height: 1.0; color: #fff; max-width: min(calc(640 *
var(--u)), 62vw);
    text-shadow: 0 0 0 #535353; }
  .cs2ins-sub { font-family: 'Stratum2', Arial, sans-serif; font-size: calc(24 * var(--u)); color:
#fff; opacity: 0.92;
    margin-top: calc(2 * var(--u)); }
  .cs2ins-meta { font-size: calc(18 * var(--u)); opacity: 0.8; margin-top: calc(6 * var(--u));
letter-spacing: 0.3px; }
  .cs2ins-bar { height: calc(6 * var(--u)); margin: calc(8 * var(--u)) 0;
    background: linear-gradient(to right, var(--rc), color-mix(in srgb, var(--rc) 72.5%, #000));
    box-shadow: 1px 1px 6px 0 rgba(0,0,0,0.31); }
  .cs2ins-hint { font-size: calc(13 * var(--u)); letter-spacing: 1.5px; opacity: 0.55; text-align:
center; }
  /* CS2's own mouse glyph (icons/ui/mouse_left.vsvg) in place of the mouse emoji */
  .cs2ins-mouse { height: calc(16 * var(--u)); width: auto; vertical-align: -3px; margin-right:
6px; }
  .cs2ins-bottom { position: absolute; left: 50%; bottom: calc(8 * var(--u)); translate: -50% 0;
z-index: 4;
```

```
    width: min(calc(968 * var(--u)), 96vw); border-top: 1px solid rgba(145,145,145,0.5);
    padding: calc(8 * var(--u)) 0; display: flex; flex-wrap: nowrap; align-items: center; gap:
calc(8 * var(--u)); margin: 0; }
  .cs2ins-btns { display: flex; align-items: center; margin-left: auto; }
  .cs2ins-bottom .mbtn, .cs2ins-bottom #co-equip, .cs2ins-bottom #co-again, .cs2ins-bottom
#co-close { width: auto; min-width: 0; flex: 0 0 auto; margin: calc(4 * var(--u));
    padding: calc(10 * var(--u)) calc(12 * var(--u)) calc(8 * var(--u)); border: 0; border-radius:
3px; color: #fff;
    background: linear-gradient(to left, rgba(0,0,0,0), rgba(0,0,0,0) 50%, rgba(0,0,0,0.06));
box-shadow: none;
    font-family: 'Stratum2 Medium', 'Stratum2', Arial, sans-serif; font-weight: 500; font-stretch:
condensed;
    font-size: calc(24 * var(--u)); text-transform: uppercase; letter-spacing: 0; white-space:
nowrap; transition: background-color 0.2s; }
  .cs2ins-bottom .mbtn:hover, .cs2ins-bottom #co-close:hover { background-color:
rgba(255,255,255,0.05); filter: none; }
  .cs2ins-bottom #co-again:disabled { opacity: 0.4; }
  /* OPEN AGAIN is CS2's .PopupButton.Positive: positiveColor #0F9D58, brightness 1.4 on
hover
     (after the shared rule above, which would otherwise win the background) */
  .cs2ins-bottom #co-again { background: #0F9D58; }
  .cs2ins-bottom #co-again:hover:not(:disabled) { background: #0F9D58; filter:
brightness(1.4); }
  .cs2ins-bottom #co-equip:disabled { opacity: 0.55; }
  .cs2ins-bottom #co-wallet { position: static; transform: none; margin: 0 auto 0 calc(8 *
var(--u)); font-size: calc(16 * var(--u));
    white-space: nowrap; flex: 1 1 0; min-width: 0; overflow: hidden; text-overflow: ellipsis; }
/* gives way first: the buttons never wrap */
  .cs2ins-bottom #co-wallet b { font-size: calc(18 * var(--u)); }

  /* The player strip is styled entirely by ui/cs2_teamcounter.css, which is
     Valve's own hudteamcounter.vcss converted to browser CSS. Only the two
     positioning rules that place the strips relative to OUR score bar live
     here -- CS2's own sheet cannot know where that is. */
  /* The row itself is Valve's (#TeamCounterBG > #TeamCounter > containers),
     styled by the converted sheet. This only pins the row to the top of OUR
     screen and lets the scaled 1920px row centre in whatever width we have. */
  #tcrow { position: absolute; top: 10px; left: 0; right: 0; display: flex;
    justify-content: center; pointer-events: none; }
  #tcrow .cs2tc { flex: none; }
  #avct, #avt { display: flex; }
  /* THE ONE PIECE VALVE'S STYLESHEET DOES NOT CARRY. CS2 keeps the card
badges
     in a `#Invisible` panel (visibility: collapse) and hudteamcounter.vts moves
     them onto the portrait at runtime. We have the sheet but not the script, so
     the overlay placement is ours -- the badges' own sizes, colours and shadows
     still come from Valve's rules, only `position` does not. */
  #avct .AavatarVisibleContainer, #avt .AavatarVisibleContainer { position: relative; }
```

```
  #avct .AavatarVisibleContainer > .AvatarL__C4,
  #avt  .AavatarVisibleContainer > .AvatarL__C4,
  #avct .AavatarVisibleContainer > .AvatarL__DefuseKit,
  #avt  .AavatarVisibleContainer > .AvatarL__DefuseKit { position: absolute; right: 1px;
bottom: 1px; }
  #avct .AavatarVisibleContainer > .AvatarL__PlayerNumber,
  #avt  .AavatarVisibleContainer > .AvatarL__PlayerNumber { position: absolute; top: 0; right:
2px; }
  #avct .AavatarVisibleContainer > .AvatarL__Skull,
  #avt  .AavatarVisibleContainer > .AvatarL__Skull,
  #avct .AavatarVisibleContainer > .AvatarL__Bot,
  #avt  .AavatarVisibleContainer > .AvatarL__Bot { position: absolute; inset: 0; margin: auto; }
  /* CS2's layout sets scaling="stretch-to-fit-preserve-aspect" on every one of
     these <Image>s. That is an ATTRIBUTE, not CSS, so the converter never sees
     it -- without it the SVGs are squashed to whatever box they land in. */
  #avct .AavatarVisibleContainer img, #avt .AavatarVisibleContainer img { object-fit: contain; }
  /* THE PORTRAIT IS SQUARE, FULL STOP. CS2's image panel is 54 wide x 62 tall
     (AvatarLImageHeight) inside a 54x54 square that clips it, and its avatar
     fills that panel -- so Valve stretches a square Steam avatar 15% tall and
     then crops the bottom off. Reproducing that faithfully is what put the
     squash in ours. The panel is squared to 54 here instead: CS2's own
     avatar-ct/avatar-terrorist are 42x42, so a square source in a square box
     shows whole and undistorted, which is what the HUD is meant to read as. */
  /* 100%, not 54px: the container's 2.5px outline eats into its content box,
     so a hard 54 overflowed it and left the panel 28.4 x 30.4 -- still not
     square. 100% tracks the content box, which IS square. */
  #avct .pid-AvatarL__ImageBG, #avt .pid-AvatarL__ImageBG { height: 100%; }
  #avct .AavatarVisibleContainer img.AvatarL__Internal,
  #avt  .AavatarVisibleContainer img.AvatarL__Internal { object-fit: contain; width: 100%;
height: 100%; }
  #teamsel h1 { font-size: 30px; letter-spacing: 7px; margin: 0; color: #e8edf2;
    text-shadow: 0 2px 14px rgba(0,0,0,0.85); font-weight: 800; }
  #teamsel .tsmap { font-size: 13px; letter-spacing: 3px; opacity: 0.65; margin-top: -16px; }
  #teamsel .tscards { display: flex; gap: 24px; }
  .tscard { width: 306px; height: 356px; border-radius: 10px; cursor: pointer;
    border: 1px solid rgba(255,255,255,0.14); display: flex; flex-direction: column;
    align-items: center; justify-content: center; gap: 10px; position: relative; overflow: hidden;
    transition: transform 0.15s, box-shadow 0.15s, border-color 0.15s; }
  .tscard:hover { transform: translateY(-6px); border-color: rgba(255,255,255,0.55); }
  .tscard.ct { background: linear-gradient(168deg, #2c4a6e 0%, #141d26 72%); }
  .tscard.t { background: linear-gradient(168deg, #6e5322 0%, #241c10 72%); }
  .tscard.ct:hover { box-shadow: 0 16px 44px rgba(70,130,200,0.35); }
  .tscard.t:hover { box-shadow: 0 16px 44px rgba(210,160,50,0.3); }
  .tscard .mono { font-size: 104px; font-weight: 900; font-family: var(--num-font); line-height:
1; }
  .tscard.ct .mono { color: var(--ct); text-shadow: 0 0 36px rgba(125,184,240,0.55); }
  .tscard.t .mono { color: var(--t); text-shadow: 0 0 36px rgba(234,190,84,0.5); }
  .tscard .tname { font-size: 16.5px; letter-spacing: 2.5px; font-weight: 700; }
```

```
.tscard .tdesc { font-size: 12.5px; opacity: 0.65; letter-spacing: 0.4px; text-align: center;
  padding: 0 24px; line-height: 1.55; }
#teamsel .tsback { background: none; border: none; color: #9aa7b4; font-size: 12px;
  letter-spacing: 2px; cursor: pointer; padding: 8px 14px; font-family: inherit; }
#teamsel .tsback:hover { color: #fff; }
/* shown only while the map is still loading behind the cards, or while the
   scene warms after a pick */
#teamsel .tsload { display: none; width: 300px; }
#teamsel .tsbar { height: 2px; background: rgba(255,255,255,0.10); overflow: hidden; }
#teamsel .tsbar i { display: block; height: 100%; width: 0;
  background: linear-gradient(90deg, #5b8db8, #9fc4e8);
  transition: width 0.35s cubic-bezier(0.4, 0, 0.2, 1); }
#teamsel .tsrow { display: flex; justify-content: space-between; margin-top: 9px;
  color: #7f8b98; font-size: 10.5px; letter-spacing: 2.4px; }
#teamsel .tspct { font-family: var(--num-font); letter-spacing: 1px; color: #9aa7b4; }
/* before the map exists the canvas behind is a flat clear, so the veil is
   opaque and matches it; when the map lands the class goes and the gradient
   transition fades the flyover in instead of cutting to it */
#teamsel { transition: background 0.7s ease; }
#teamsel.tspreload { background: #0d1116; }
/* ONCE A SIDE IS PICKED THE VEIL GOES SOLID, IMMEDIATELY.
   The build behind it finishes with `state = 'playing'` and starts round one,
   so the live HUD (freeze clock, round banner, radar, ammo) and the
   first-person view were drawing THROUGH the cards while the frame gate
   still held -- two screens at once. #teamsel is z-index 40 and the whole
   gameplay HUD is z-index auto, so an opaque background covers all of it and
   the 3D canvas besides. `transition: none` because fading to it over 0.7s
   would just show the mixed state for 0.7s. */
#teamsel.tsloading { background: #0d1116; transition: none; }

#teamsel.tsloading .tsload, #teamsel.tspreload .tsload { display: block; }
#teamsel.tsloading .tsback { visibility: hidden; }
#teamsel.tsloading .tscards { opacity: 0.4; pointer-events: none; transition: opacity 0.2s; }
#teamsel .tsdots::after { content: ''; animation: tsdots 1.2s steps(4, end) infinite; }
@keyframes tsdots { 0% { content: ''; } 25% { content: '.'; }
  50% { content: '..'; } 75% { content: '...'; } }
#hp b, #armor b { font-size: 20px; opacity: 0.75; font-weight: 400; margin-right: 5px; }
/* ---- CS2 bottom bar placement ----------------------------------------
   Everything inside is styled by ui/cs2_bottom.css, generated from Valve's
   hudhealthammocenter.vcss. Only the strip's place on OUR screen lives here:
   #HudBottomCenter is a full-width panel and .hud-HA is `vertical-align:
   bottom; horizontal-align: center`, so this is that panel. .hud-HA itself
   ships `opacity: 0` (a state class reveals it in CS2) -- shown here. */
#cs2bottom { position: absolute; left: 0; right: 0; z-index: 5;
  bottom: calc(2px * var(--cs2-ui-scale, 1));   /* #HudBottomCenter margin-bottom */
  display: flex; justify-content: center; align-items: flex-end;
  pointer-events: none; }
.cs2bt .hud-HA { opacity: 1; }
```

```
  /* The bar's own background is Valve's red gradient (the damage); the white
     ProgressBarLeft on top of it is the health remaining. Valve sizes it 65x8
     -- .hud-HA-bar,#AmmoClipBar { width:65px; height:8px }. */
  /* NO BLACK OUTLINE. Valve rings the bar `1px solid #000000`, which at our
     size reads as a hard box drawn around it rather than as a bar. The red
     track already separates it from the world. */
  .cs2bt .hud-HA-bar { display: block; position: relative; overflow: hidden;
    border: 0; }
  /* HEALTH REMAINING IS THE TEAM COLOUR. Valve fills it `#ffffff` -- the only
     white thing left on a bar that is otherwise entirely team-washed. The
     track behind it stays Valve's red, so the exposed part still reads as
     damage taken; only the remaining half changes hue. --wash comes from the
     `hud-colorize-wash` class on the element, CS2's own mechanism. */
  .cs2bt .hud-HA-bar .ProgressBarLeft { position: absolute; inset: 0 auto 0 0;
    height: 100%; transition: width 0.18s ease-out;
    background-color: var(--wash, #fff); }
  .cs2bt .hud-HA-bar .ProgressBarRight { display: none; }
  /* the badge circle takes hud-blur-bg-color + world-blur through an
     opacity-mask; in a browser that is a round box with a backdrop filter */
  .cs2bt .hud-HA-center { border-radius: 50%;
    -webkit-backdrop-filter: blur(3px); backdrop-filter: blur(3px); }
  /* ICON SIZES COME FROM THE LAYOUT, NOT THE SHEET.
hudhealthammocenter.vxml
     carries them as texturewidth attributes on each Image -- armor 42px,
     helmet 46px, heavy 26px, the team logos 48px -- and CSS never sees them,
     so an extracted stylesheet alone leaves every one of these at 0x0. */
  .cs2bt .hud-HA-icon--armor  { width: 42px; height: 42px; }
  .cs2bt .hud-HA-icon--helmet { width: 46px; height: 46px; }
  /* NO --wash here: the badge takes its colour from Valve's own
     `.csgo-hud__color-0.HUD--team--ct .hud-colorize-wash` like everything else
     on the bar. Pinning it white was overriding the team colour. */
  .cs2bt .hud-HA-center-icon  { width: 40px; height: 40px; }
  .cs2bt .hud-HA-icon, .cs2bt .hud-HA-center-icon { align-self: center;
    justify-self: center; margin: auto; }
  .cs2bt .hud-HA-icon-outline-container { width: 46px; }
  /* A WASH ON TEXT IS ITS COLOUR; a wash on an image is a fill through the
     alpha. Panorama uses one property for both, and the converter can only
     emit `--wash`, so the text case is closed here. --wash itself is set by
     Valve's own rule -- `.csgo-hud__color-0.HUD--team--ct .hud-colorize-wash`
     -> ct-color / t-color -- which is why the bar takes your team's colour
     without a single colour being written in our code. */
  .cs2bt .Label.hud-colorize-wash { color: var(--wash, #fff); }
  /* THE RESERVE NUMBER SIZES TO ITS DIGITS. Valve pins it at `width: 30px`
     with `text-align: right`, which works in Panorama because the space to its
     left is empty -- the glyphs simply spill into it. Ours has the pipe there,
     so a three-digit reserve like 120 (~55px at 32px type) rendered straight
     through the divider and into the clip number. min-width keeps Valve's
     column for the common two-digit case. */
```

```
/* THE RESERVE IS THE QUIET NUMBER. Valve sets it 32px against the clip's 42,
   and we matched that exactly -- but at three digits (120) a 0.76 ratio still
   reads as two numbers of equal weight. 26px puts the clip clearly in front,
   which is what the readout is for: the clip is what you act on, the reserve
   is a footnote. The min-width comes down with it so a two-digit reserve does
   not sit in a column wider than itself. */
.cs2bt .hud-WPN-reserve-text__label { width: auto; min-width: 22px;
  padding-left: 2px; font-size: 26px; }
/* THE RESERVE MARK IS ALWAYS SHOWN. Valve collapses it by default and reveals
   it with a class PAIR -- `.HUD--ammo-reserve--<type> .ammo-reserve--<type>`
   -- keyed on the magazine type. Driving the glyph off the FIRE MODE instead
   means those classes are never set, so the icon stayed collapsed and
   vanished. Shown outright; which glyph appears is decided in _setAmmo. */
.cs2bt .hud-HA-icon-container .hud-WPN-ammo-reserve__icon { display: block; }
/* SPACE AROUND THE MARK. Valve's icon container is a flush 32px column that
   butts straight against the reserve digits -- in CS2 the digits are pinned
   to a 30px box with room to spare on their left, so the gap comes for free.
   Ours sizes to its text, so the icon ended up touching the number. Given a
   margin of its own, and centred in its column rather than sitting wherever
   the 18px glyph lands in a full-height box. */
.cs2bt .hud-HA-icon-container { margin-left: 6px;
  display: flex; align-items: center; justify-content: center; }
.cs2bt .hud-WPN-reserve-text { width: auto; }
/* the pipe takes Valve's own size and fade; it just needs to sit on the
   baseline between the two numbers rather than in its own grid cell */
.cs2bt .hud-WPN-pipe { align-self: center; justify-self: center;
  line-height: 1; font-weight: 400; margin: 0 3px; }
/* ADDITIVE. hudhealthammocenter.vxml marks both side containers and the badge
   circle `additive` -- Valve's additive blend -- which is what gives the bar
   its slightly see-through, lit look over the world rather than sitting on it
   as flat paint. `plus-lighter` is the CSS equivalent; `screen` is the
   fallback where it is not supported. */
/* THE STROKES CARRY THE TEAM COLOUR END TO END. Valve draws them as a
   white-to-transparent gradient with a team wash multiplied over it; a
   browser cannot multiply a wash into a background-image, so the gradient is
   rebuilt from --wash directly -- same shape, one hue the whole way. */
.cs2bt .hud-HA__stroke.left { background-image:
  linear-gradient(270deg, var(--wash, #fff) 0%, transparent 100%); }
.cs2bt .hud-HA__stroke.right { background-image:
  linear-gradient(90deg, var(--wash, #fff) 0%, transparent 100%); }
/* the badge ring: Valve's 3px, taking the team colour */
/* THE BADGE DISC IS DARK GREY, as CS2 ships it. Valve fills it `#000000a0`
   -- flat black at alpha 0.627 -- and this is that, lifted off pure black to
   a dark grey and held a little more transparent so more of the world reads
   through. The team colour stays where it belongs: on the ring, the emblem
   and the two strokes. It kept `hud-colorize-wash` in the markup, which is
   harmless -- nothing here reads --wash any more. */
.cs2bt .hud-HA-center { background-color: rgba(24, 28, 33, 0.55); }
```

```
.cs2bt .hud-HA-center__circle__border { border: 3px solid var(--wash, #fff);
  border-radius: 50%; width: 100%; height: 100%; box-sizing: border-box;
  align-self: center; justify-self: center; }
.cs2bt .additive { mix-blend-mode: screen; }
@supports (mix-blend-mode: plus-lighter) {
  .cs2bt .additive { mix-blend-mode: plus-lighter; }
}
.cs2bt .hud-HA__stroke.hud-colorize-wash { background-color: var(--wash, #fff);
  opacity: 0.45; }
/* the reserve icon is sized by the sheet but revealed by the class pair; a
   knife or the bomb has no ammo at all, so the whole right half goes */
.cs2bt.no-ammo .hud-WPN-main { visibility: hidden; }
#hud.inmenu #cs2bottom, #hud.teamselect #cs2bottom { display: none; }
#armor { font-size: 26px; font-weight: 600; font-family: var(--num-font); color: #9fc4e8; }
/* CS2's money, from hudmoney.vcss: the digits are `width: 18px; font-size:
   38px; font-weight: bold; color: defaultColor` (#ffffff) inside .money, an
   80px panel in #HudLowerLeft -- `horizontal-align: left; vertical-align:
   bottom` -- with .money-text sitting `y: -22px` off that bottom. So: bottom
   left, 38px bold white, ~22px up. It is white in CS2, not green; the green
   and red are the +/- animations (AddMoneyColor #8fff6f, RemoveMoneyColor
   #fd3535). */
/* NO calc(* --cs2-ui-scale) HERE. Money used to sit outside the HUD scope and
   had to scale itself; it now lives inside .cs2bt, which already applies that
   factor as `zoom` -- so the multiply was happening twice and the readout
   came out 43.7px against the health's 42. Plain px, like every other value
   inside the scope, and matched to hud-HA-large-font-size so the two read as
   one line. (CS2's own money is 38px against health's 42; matched at request.) */
#money { position: absolute; z-index: 5;
  left: 30px;
  bottom: 22px;
  font-size: 42px;
  font-weight: 700; font-family: 'Stratum2 Bold TF', 'Stratum2', var(--num-font);
  /* the same black outline the bar had -- an offset shadow plus a dark halo,
     which at 42px reads as an inked edge on the digits. Dropped; the figure
     sits on the team wash like every other number on the bar. */
  color: var(--wash, #fff); text-shadow: none; }
/* THE CENTRE MUST NOT MOVE WHEN THE AMMO APPEARS.
   Both halves of the bar are `flex: 1 1 0` and so should be exactly equal --
   but a flex item defaults to `min-width: auto`, which refuses to shrink
   below its own content. Draw a knife and the ammo labels empty out; draw a
   gun and they fill, the right half claims 8px more than its share, and the
   badge and the health number slide 4px left. Measured: health at 411 with a
   knife, 407 with any gun, constant regardless of how many digits the ammo
   has -- it is the presence of content, not its width.
   `min-width: 0` lets both halves hold exactly half, so the centre is fixed
   and nothing reflows on a weapon switch. */
.cs2bt .hud-HA-side { min-width: 0; }
.cs2bt .hud-state, .cs2wp .hud-state { display: contents; }
```

```
  /* CS2 weapon list, bottom right. #HudBottomRight is `horizontal-align:
     right; vertical-align: bottom; flow-children: down`, and .weapon-row is
     300px wide with a 6px right margin -- so this is that column. Rows stack
     upward from just above the bottom bar. */
  #cs2weapons { position: absolute; z-index: 5; pointer-events: none;
    /* BACK INTO THE CORNER. The 22px reserve for the number that hangs off the
       glyph pushed the whole column inward; giving it a negative right instead
       keeps that room without moving the icons off the edge, so the column
       sits where it did before the number moved to the corner. */
    right: -6px;
    bottom: calc(26px * var(--cs2-ui-scale, 1));
    padding-right: 22px;
    display: flex; flex-direction: column; align-items: flex-end; gap: 7px; }
  .cs2wp .weapon-row { display: flex; justify-content: flex-end;
    position: relative; align-items: center; }
  /* THE ROW STACKS: glyph on top, name beneath. Valve's own container is a
     horizontal flow with the name beside the icon, so this is a deliberate
     departure from the sheet -- asked for directly. The class name is Valve's
     and now lies about its direction; kept so the generated rules still land. */
  .cs2wp .weapon-row-horiz-container { display: flex; flex-direction: column;
    align-items: flex-end; justify-content: flex-end; gap: 1px; }
  .cs2wp .weapon-selection-item { display: flex; flex-direction: row;
    align-items: center; gap: 8px; transform: none; position: relative; }
  .cs2wp .weapon-selection-item-icon { display: flex; flex-direction: row;
    align-items: center; gap: 8px; transform-origin: 100% 50%;
    transition: transform 0.12s ease-out; }
  /* VALVE'S 400px PHANTOM, CLEARED. `.weapon-selection-item--selected` carries
     `padding-left: 400px; margin-left: -400px` -- headroom for a slide-in
     transition we never run. The pair cancels for POSITION, so it looks
     harmless, but it leaves the selected item's box 400px wider than anything
     you can see, and anything anchored to that edge lands 400px out. That is
     exactly where the bomb went: 420px from the dots instead of 20. */
  .cs2wp .weapon-selection-item--selected.weapon-selection-item {
    padding-left: 0; margin-left: 0; }
  /* THE BOMB HANGS OFF THE LEFT OF THE DOT STRIP, on the same line. Anchored
to
     the item box with `right: 100%` so it tracks the strip's edge instead of
     needing a magic offset, and absolute so it cannot widen the row or push
     the dots around. */
  .cs2wp .obj-cell { position: absolute; right: 100%; margin-right: 22px;
    top: 50%; transform: translateY(-50%);
    display: flex; flex-direction: row; align-items: center;
    white-space: nowrap; }
  .cs2wp .obj-cell .weapon-selection-item-icon-main { width: 48px; height: 40px;
    opacity: 0.9; }
  /* SAME CORNER AS EVERY OTHER SLOT NUMBER -- the identical top/right offsets
     as .weapon-row-number, just anchored to the bomb's own box instead of the
     row's, so the 5 reads as this icon's number and not as loose text beside
```

```
    it. (.obj-cell is absolutely positioned, so it is the containing block.) */
  .cs2wp .obj-num { position: absolute; top: -7px; right: -16px;
    min-width: 14px; font-size: 18px; line-height: 1; opacity: 0.6;
    display: flex; align-items: center; justify-content: flex-end; margin: 0;
    color: var(--wash, #fff); text-shadow: 0 1px 3px rgba(0, 0, 0, 0.9); }
  /* THE ONE IN YOUR HANDS GROWS -- per item, not per row. Slots 4 and 5 share
     a row, so "selected" cannot mean "everything here": pressing 4 lit all four
     cells and the bomb with them. The grenade cell and the bomb each carry
     their own --on, and only that one scales and goes full opacity. The strip
     itself still never scales (it would swell leftward into the bomb), so the
     growth is contained inside the item's own cell. */
  /* SLOT 4 AND 5 SHARE A ROW, so the row's own state must style nothing here --
     five things live in it and only one can be in your hands. Valve's row-level
     rules brighten and scale every glyph in a selected item, which lit all four
     grenades and the bomb together; both are cancelled for these cells and the
     highlight is re-applied to the one carrying --on. */
  .cs2wp .obj-cell .weapon-selection-item-icon-main,
  .cs2wp .nade-cell .weapon-selection-item-icon-main {
    opacity: 0.75; filter: none; transform: none;
    transition: transform 0.12s ease-out, opacity 0.12s, filter 0.12s; }
  .cs2wp .weapon-row--selected .nade-cell .weapon-selection-item-icon-main,
  .cs2wp .weapon-row--selected .obj-cell .weapon-selection-item-icon-main {
    opacity: 0.75; filter: none; transform: none; }
  /* four classes deep, and after the suppressor, so it wins on both counts */
  .cs2wp .weapon-row--selected .nade-cell--on .weapon-selection-item-icon-main,
  .cs2wp .weapon-row--selected .obj-cell--on .weapon-selection-item-icon-main,
  .cs2wp .weapon-row .nade-cell--on .weapon-selection-item-icon-main,
  .cs2wp .weapon-row .obj-cell--on .weapon-selection-item-icon-main {
    opacity: 1; filter: brightness(1.5); transform: scale(1.24); }
  .cs2wp .obj-num { opacity: 0.6; }
  .cs2wp .weapon-row .obj-cell--on .obj-num { opacity: 1; }
  @keyframes cs2wp-pop-cell {
    from { transform: scale(1); }
    to   { transform: scale(1.24); }
  }
  .cs2wp .weapon-row--pop .nade-cell--on .weapon-selection-item-icon-main,
  .cs2wp .weapon-row--pop .obj-cell--on .weapon-selection-item-icon-main {
    animation: cs2wp-pop-cell 0.11s cubic-bezier(0.16, 0.84, 0.32, 1); }

  /* BIGGER. Valve authors this at a 1080p reference where the icons are ~46px
     wide; on our screen the column read as an afterthought, so the glyphs and
     type are stepped up together and the rows given room to breathe. */
  .cs2wp .weapon-selection-item-icon-main { width: 74px; height: 40px;
    transform: none; margin-right: 0; opacity: 0.75; }

  /* THE ACTIVE GLYPH GROWS AND STAYS GROWN. The scale-up is the RESTING
state,
     so the weapon in your hands is permanently the biggest thing in the column;
```

```
   the keyframe only animates the way IN to that size. It used to overshoot to
   1.32 and settle back to 1.16, which reads as "grew, then shrank" -- the
   shrink is the part you notice. Pure ease-out to the resting size instead:
   the motion ends where the icon lives. The origin is the right edge so
   growing pushes into the screen instead of off it. */
.cs2wp .weapon-row--selected .weapon-selection-item-icon { transform: scale(1.45); }
@keyframes cs2wp-pop {
  from { transform: scale(1); }
  to   { transform: scale(1.45); }
}
.cs2wp .weapon-row--pop .weapon-selection-item-icon {
  animation: cs2wp-pop 0.11s cubic-bezier(0.16, 0.84, 0.32, 1); }
/* THE GRENADE STRIP DOES NOT GROW. The scale-up is authored for a single
   glyph; applied to a four-cell strip it swells 99px LEFTWARD (the origin is
   the right edge) and swallows the bomb sitting there -- measured, the 22px
   gap became a 40px overlap. A transform never moves layout, so no anchor can
   track it; the strip simply keeps its size. Selection still reads on this
   row through the name and the brighter dots and number. */
.cs2wp .weapon-row--selected .weapon-selection-item-icon.nade-cells,
.cs2wp .weapon-row--selected .weapon-selection-item-icon.per-item,
.cs2wp .weapon-row--pop .weapon-selection-item-icon.nade-cells,
.cs2wp .weapon-row--pop .weapon-selection-item-icon.per-item {
  transform: none; animation: none; }

/* SLOT 3 IS SHARED WHEN YOU OWN A ZEUS -- knife and taser side by side -- so
   it gets the same treatment as slot 4: the row's state styles nothing, and
   the one glyph carrying `wpn-on` takes the highlight. It keeps the weapon
   rows' 1.45, not the 1.24 the grenades use, so a knife grows like a gun. */
/* ROOM FOR THE ONE THAT GROWS. The glyphs scale from their RIGHT edge
   (transform-origin: 100% 50%, inherited from the strip), so a selected knife
   expanded 33px straight into the Zeus parked beside it -- a transform never
   reserves space, so nothing moved out of the way. Growing from the centre
   halves the intrusion to ~17px, and a 22px gap absorbs it. Only ever one of
   the two is scaled, so the gap only has to clear one side. */
.cs2wp .weapon-selection-item-icon.per-item { gap: 22px; }
.cs2wp .per-item .weapon-selection-item-icon-main {
  opacity: 0.75; filter: none; transform: none; transform-origin: 50% 50%;
  transition: transform 0.12s ease-out, opacity 0.12s, filter 0.12s; }
.cs2wp .weapon-row--selected .per-item .weapon-selection-item-icon-main {
  opacity: 0.75; filter: none; transform: none; }
.cs2wp .weapon-row .per-item .weapon-selection-item-icon-main.wpn-on {
  opacity: 1; filter: brightness(1.5); transform: scale(1.45); }

/* THE SLOT NUMBER RIDES THE GLYPH'S TOP-RIGHT CORNER. Positioned against
   .weapon-selection-item, which wraps only the glyphs, so it lands on the
   icon rather than on the row. Absolute placement also retires the old
   line-box centring fight: Valve's `vertical-align: top` and
   `margin-bottom: 5px` cannot move a box that has an explicit top/right. */
```

```
.cs2wp .weapon-row-number { position: absolute; top: -7px; right: -16px;
  min-width: 14px; height: auto; opacity: 0.6;
  font-size: 18px; line-height: 1; color: var(--wash, #fff);
  display: flex; align-items: center; justify-content: flex-end;
  margin: 0; text-shadow: 0 1px 3px rgba(0, 0, 0, 0.9); }
/* THE SELECTED COLOUR IS CS2'S OWN, and it was going unused. Valve's rule
   for a chosen weapon is `filter: brightness(1.5); opacity: 1.0` against the
   unselected `opacity: 0.8` -- so the highlight is a BRIGHTER wash, not just
   a less transparent one. We had only ever copied the opacity half, which is
   why every glyph sat at the same orange and nothing looked picked. */
.cs2wp .weapon-row--selected .weapon-selection-item-icon-main {
  filter: brightness(1.5); opacity: 1; }
.cs2wp .weapon-row--selected .weapon-row-number { opacity: 1; }
.cs2wp .HUD--team--ct .weapon-row--selected .hud-colorize-wash--hsv {
  --wash: rgb(150, 200, 250); }
.cs2wp .HUD--team--terrorist .weapon-row--selected .hud-colorize-wash--hsv {
  --wash: #eabe54; }

/* THE NAME IS WHITE, not the team colour -- it is a label, and reading it
   against the gold glyphs is the whole point. Its height is reserved on every
   row even while hidden, so the column does not jump as the label fades in
   and out under whichever weapon is selected. */
/* `width: auto` IS LOAD-BEARING. Valve's own rule is `width: 1px` with
   `overflow: visible` -- a zero-width anchor the label hangs off to the left.
   Pairing that 1px with our `overflow: hidden` clipped the name down to a
   single column of pixels. The box sizes to its text instead, and the column's
   flex-end alignment right-aligns it under the glyph. */
.cs2wp .weapon-selection-item-name { position: static; flex: 0 0 auto;
  width: auto; max-width: 250px; height: 17px; display: flex;
  align-items: center; justify-content: flex-end; margin: 0; opacity: 0;
  overflow: visible; transition: opacity 0.12s; }
.cs2wp .weapon-row--selected .weapon-selection-item-name { opacity: 1; }
/* the grenade row's icons are taller than a single glyph once one of them is
   expanded, so its label needs more clearance than the gun rows do */
.cs2wp .weapon-row.nade-row .weapon-selection-item-name { margin-top: 6px; }
.cs2wp .weapon-selection-item-name-text { font-size: 16px; white-space: nowrap;
  position: static; flex: 0 0 auto; text-align: right; letter-spacing: 0.4px;
  line-height: 17px; color: #ffffff;
  text-shadow: 0 1px 3px rgba(0, 0, 0, 0.9); }

/* SLOT 4 COUNTS IN PIPS. CS2 sizes that row by how many you hold
   (grenade-bg-pip-width-3/4/5); the count itself is dots, not a number. */
.cs2wp .weapon-selection-item-count { display: none; }
.cs2wp .weapon-selection-item-pips { display: flex; gap: 3px;
  align-items: center; margin-top: 1px; }
/* THE DOT STANDS WHERE THE GLYPH WILL GO. Slot 4 is four fixed-width cells
   -- the carry limit -- and each one holds either a grenade's icon or, while
   that slot is empty, a dot in the icon's own position. Picking a grenade up
```

```
    replaces the dot in place. The cells are narrower than a gun's 74px so the
    four of them read as one group rather than a row across the screen. */
  .cs2wp .nade-cell { width: 48px; height: 40px; display: flex;
    align-items: center; justify-content: center; flex: 0 0 auto; }
  .cs2wp .nade-cell .weapon-selection-item-icon-main { width: 48px; height: 40px; }
  .cs2wp .weapon-selection-item-icon.nade-cells { gap: 0; }
  /* THE EMPTY DOTS ARE DARK, NOT TEAM-COLOURED. A washed dot reads as a small
    lit thing -- as if something were there -- which is the opposite of what an
    empty carry slot should say. Near-black at 62% lets the world through and
    reads as a hole. Same 7px as before, and the same in every state: a dot
    means "empty" whether or not slot 4 is the one in your hands. */
  .cs2wp .nade-dot { width: 7px; height: 7px; border-radius: 50%;
    background: rgba(12, 14, 17, 0.92); opacity: 1; box-shadow: none; }

  /* THE OBJECTIVE ROW SITS OUT TO THE LEFT. Valve's own
    `@define objective-container-position-4: -225px` with
    `.weapon-row.gear-slot--4, .weapon-row.kit { transform: translateX(...) }`
    -- gear hangs away from the weapon column. Only the defuse kit takes it
    now; the bomb is slot 5 and belongs in the column with its number. */
  /* -189px, not Valve's -225px: measured, the kit glyph sat 43px further left
    than the bomb that now rides the slot-4 line, so the two objectives read as
    two unrelated strays. This lands the kit directly under the bomb. */
  .cs2wp .weapon-row.kit { transform: translateX(-189px); }
  /* the grenade rows keep the weapon column's position -- only the objective
    row hangs out to the left */
  .cs2wp .weapon-row.nade-row { transform: none; }

  #hud.inmenu #cs2weapons, #hud.teamselect #cs2weapons { display: none; }

  #statr { position: absolute; right: 16px; bottom: 14px; text-align: right;
    background: linear-gradient(180deg, rgba(10,13,16,0.0), rgba(10,13,16,0.55)); padding:
6px 16px 8px;
    border-radius: 4px; }
  #wname { font-size: 12px; letter-spacing: 2px; opacity: 0.8; text-transform: uppercase; }
  #ammo { font-size: 38px; font-weight: 700; font-family: var(--num-font);
    text-shadow: 0 1px 3px rgba(0,0,0,0.9); }
  #ammo .res { font-size: 20px; opacity: 0.6; }
  #slots { margin-top: 3px; }
  #slots span { display: inline-block; width: 19px; height: 19px; line-height: 19px; text-align:
center;
    background: rgba(0,0,0,0.45); margin-left: 4px; border-radius: 2px; font-size: 11px;
opacity: 0.55; }
  #slots span.on { background: var(--accent-dim); opacity: 1; outline: 1px solid var(--accent); }

  /* CS2-style match bar: [CT] [clock] [T] segments */
  /* The score/timer block is Valve's own markup styled by
    ui/cs2_teamcounter.css. Only its placement on OUR screen lives here. */
```

```
#scorebar { flex: none; }
/* THE PLATE IS A BACKDROP, SO IT MUST NOT SIZE THE BLOCK. Valve's
   #ScoreAndTimeAndBomb is `height: fit-children` around the timer and score
   rows (~62px), and Panorama clips the 106px plate inside it. In CSS the
   plate was a grid child in the same cell, so `fit-content` measured IT --
   the block grew to 106px and the plate hung 44px below the cards. Taking it
   out of flow leaves the block at its text height and the clip does the rest.
   It keeps Valve's 106px so the mask stays calibrated (below); only the
   bottom of that mask is cropped away, which is what CS2 shows. */
#scorebar .pid-ScoreAndTimeAndBombBG { position: absolute; top: 0; left: 50%;
  transform: translateX(-50%); height: 72px; }
/* SHORTENING THE PLATE WITHOUT BREAKING ITS MASK.
   score-time-mask.svg is 106x130: solid band 0->39.92 (the timer strip),
   then two columns fading to transparent at 130. Stretched with
   `mask-size: 100% 100%` the band scales with the box, so any height under
   ~104px shrinks the band below the 32px timer and the digits fall off it.
   Pinning the mask to a FIXED 112px height keeps the band at 34.4px
   (39.92/130 * 112) no matter how short the box is.
   The box is then 72px, and a second mask layer -- a gradient -- finishes
   the fade inside those 72px so the bottom edge is soft instead of the ~46%
   alpha cut the SVG alone would leave. `intersect` shows a pixel only where
   BOTH masks keep it, so Valve's shape (band, 2px gutter, columns) survives.
   The gradient holds full strength to 82% and only softens the last sliver. */
/* OUR OWN PLATE. Valve fills this `#000000f0` and cuts its shape with
   score-time-mask.svg (a solid timer band plus two fading columns); both are
   replaced by a soft dark panel with rounded lower corners, a faint lit line
   along the top where it meets the team cards, and a fade at the bottom so
   there is no hard edge -- solid enough that white digits read against a
   bright skybox, sheer enough that the world still moves behind it.
   The mask must be cleared with the `mask` SHORTHAND: killing mask-image
   alone leaves mask-size and mask-composite behind and the old shape
   returns. */
#scorebar .equipinfo--score-time__bg {
  background: linear-gradient(180deg,
      rgba(33, 36, 42, 0.88) 0%,
      rgba(33, 36, 42, 0.84) 55%,
      rgba(33, 36, 42, 0.68) 88%,
      rgba(33, 36, 42, 0.50) 100%);
  border-radius: 0 0 9px 9px;
  box-shadow: inset 0 1px 0 rgba(255, 255, 255, 0.10);
  -webkit-backdrop-filter: blur(3px); backdrop-filter: blur(3px);
  -webkit-mask: none; mask: none; }
/* ...and it must NOT be clipped to the block. The mask fades the plate from
   opaque at 42/130 to transparent at 130/130; cutting that off at the text's
   bottom (~62 of 106px) stops it at ~77% alpha, which reads as a hard black
   brick instead of a fade. Out of flow it costs no layout height, so letting
   it overflow gives the soft bottom edge without the gap underneath. */
#scorebar .pid-ScoreAndTimeAndBomb { overflow: visible; }
```

```
/* #BombStatus is an overlay too (Valve gives it y:-23px and 80px of height
   inside a flow-children:none parent). Left in flow its 80px would size the
   block exactly like the plate did, so it comes out of flow as well -- its
   own translate carries Valve's -23px offset. */
/* absolute so its 80px cannot size the block -- but KEEP Valve's own
   `top: -23px`. Overriding that to 0 dropped the icon 23px, which parked it
   over the scores instead of the black band. With -23 the icon's centre
   lands at 17px and the band's centre is 17.2px. */
#scorebar .pid-BombStatus { position: absolute; top: -23px; left: 0; right: 0; }
/* CS2 offsets this icon (x: 30% on a 50%-wide image) because its own
   BombStatus panel carries more than we draw. On its own it reads as simply
   off-centre, so it is centred here -- a deliberate deviation. */
/* Sized to SIT INSIDE the black band, not just centre on it. Valve's
   `height: 60%` of the 80px BombStatus is 48px, and the mask's solid band is
   39.92/130 * 112 = 34.4px -- so the icon overhung the black top and bottom.
   26px leaves ~4px of black above and below it. */
/* icon + countdown, centred together in the band. The panel keeps Valve's
   -23px offset and 80px height, so centring inside it lands on the band. */
#scorebar .pid-BombStatus { display: flex; align-items: center;
  justify-content: center; gap: 4px; }
/* BIGGER AND BRIGHTER THAN VALVE'S WASH. At 26px in #b80000 on the black
   plate the icon was there but read as nothing ("the bomb icon is not
   showing"): the countdown's own red at 30px is what you can actually see. */
#scorebar .pid-BombStatus .bomb_planted { position: static; left: auto;
  width: 30px; height: 30px; flex: none; --wash: #ff2d20; }
#scorebar .bomb-time { font-size: 22px; font-weight: 700; color: #ff2d20;
  line-height: 1; flex: none; }
/* The C4 PULSES the way CS2's does (Valve's `bombDet`: opacity 0.5 -> 1 ->
   0.5 at 0.8 s, 0.5 s under 20 s, 0.3 s under 10 s -- hud.js retags the tier
   as the fuse shortens). It never dims past half, so it stays readable; the
   countdown beside it does not blink at all, so it can be read. */
#scorebar .bomb-time { animation: none; opacity: 1; }

/* THE PLATE'S HEIGHT IS CALIBRATED TO ITS MASK -- do not "shorten" it.
   score-time-mask.svg is 106x130: a solid full-width band from 0 to 39.92
   (the timer strip), then two 52-wide columns split by a 2px gutter, each
   fading to transparent downward (the score backdrops). Stretched over
   Valve's 106px container that band lands at 39.92/130 * 106 = 32.6px --
   exactly the 32px timer. Shrinking the box to 68px shrank the band to 21px
   and pushed the timer off it onto the split columns. The plate extends
   below the scores because the mask FADES it out there; that fade is the
   look, not overhang. */
#hud.nofps #fps { display: none !important; }   /* Settings > Show FPS: Off */
/* THE TOP-RIGHT ROW: fps readout + site badge in one flex row. The readout's
   width changes with every reading (position, draw calls, render scale), so
   a fixed right offset either overlapped the badge or wasted space; as flex
   siblings it always ends one gap short of the badge, whatever it says. */
```

```
  #topright { position: absolute; top: 6px; right: 12px; display: flex; align-items: center; gap:
8px; pointer-events: none; }
  #fps { text-align: right; font-size: 11px; opacity: 0.7; white-space: nowrap;
    background: rgba(10,14,18,0.5); padding: 4px 8px; border-radius: 3px; }
  /* the site badge: the site's name, at the right end of the row */
  #sitebadge { display: flex; align-items: center; gap: 7px;
    padding: 4px 9px; border-radius: 8px; background: rgba(10,14,18,0.45); pointer-events:
none; user-select: none; }
  /* the badge is the menu's #logo wordmark at badge size: same font, 900 italic,
     letter-spacing 2px-at-40px = 0.05em, the .IO in accent green at 24/40 = 0.6em */
  #sitebadge .sb-name { font-weight: 900; font-style: italic; font-size: 19px; letter-spacing:
0.05em;
    color: #e8eef2; text-shadow: 0 1px 5px rgba(0,0,0,0.7); line-height: 1; }   /* the menu's text
colour, as #logo inherits it */
  #sitebadge .sb-name span { color: var(--accent); font-size: 0.6em; }

  /* CS2 KILL FEED, 1:1 from panorama/styles/hud/huddeathnotice.vcss.
     Every number below is Valve's, at Panorama's 1080p design height: the
     72px top margin and 10px right padding on the container, 3px between
     rows, 3px corner radius, 6/10/3/10 content padding, 16px labels, 24px
     weapon/modifier icons, 20px square honour icons, and the in-air icon's
     deliberate -4px/-14px overhang. `hud-blur-bg-color` resolves to #000000a0
     in panorama/styles/csgostyles.css -- it is a blur behind glass in CS2,
     which a canvas HUD cannot do, so the alpha carries it alone. */
  #killfeed { position: absolute; top: 72px; right: 10px; display: flex; flex-direction: column;
    align-items: flex-end; }
  .kf { background: #000000a0; border-radius: 3px; padding: 6px 10px 3px 10px; margin-top:
3px;
    display: flex; align-items: center; font-size: 16px; line-height: 1;
    transition: opacity 1s ease-out; }
  /* CS2 draws the two rows you are in completely differently, and they are not
     the same thing: DeathNotice_Killer (you got the kill) is a red-bordered
     near-black row with heavier, wider-tracked text; DeathNotice_Victim (you
     died) is a dark red fill with no border. */
  /* the red border is on `.DeathNoticeBGBorder`, a sibling panel behind the
     content, so in CS2 it changes neither the row's size nor where the text
     sits. An inset shadow reproduces that exactly; a real `border` would have
     needed the padding compensating and still shifted the row by 2px. */
  .kf.kf-killer { box-shadow: inset 0 0 0 2px #e10000; background: #000000e7; }
  .kf.kf-killer span { font-size: 15px; font-weight: 900; letter-spacing: 0.5px; }
  .kf.kf-victim { background: #630606d2; }
  .kf span { margin: 0 2px 2px 2px; max-width: 160px; max-height: 32px; overflow: hidden;
    text-overflow: ellipsis; white-space: nowrap; text-shadow: 1px 1px 1px #000; font-weight:
700; }
  .kf .ct { color: #6f9ce6; }      /* @define CTColor */
  .kf .t  { color: #eabe54; }      /* @define TColor  */
  .kf .wep { color: #888888; }     /* @define FadedColor */
  /* one size for every icon in the row: CS2's `.DeathNoticeIcon`. `.HonorIcon`
```

```
    (20px square) exists in the stylesheet but is applied to nothing in
    huddeathnotice.vxml, so revenge and domination are 24px like the rest. */
  .kficon, .kfhs { height: 24px; width: auto; margin: -2px 2px 0 2px; vertical-align: middle; }
  .kfair { margin-right: -4px; margin-top: -14px; }
  .kf.fade { opacity: 0; }
  /* the .2s ease-out slide the rows below a retiring one get in CS2 */
  .kf.collapse { height: 0 !important; margin-top: 0; padding-top: 0; padding-bottom: 0;
    opacity: 0; overflow: hidden;
    transition: height 0.2s ease-out, margin-top 0.2s ease-out, padding 0.2s ease-out, opacity
0.2s ease-out; }

  /* 128px, not 17%: the buy block is centred and ~64% of the height tall, so
    its top edge sits at ~17% of the height (159px on a 934px pane, 219px on
    a 1290px window) -- at 17% the round text ("Round 1 -- plant the bomb",
    "GO GO GO!") printed straight behind the block's money bar. The text now
    stacks in PIXELS under the top plate like the freeze-time line does:
    plate 0-106, "Buy period" 110-125 (#freezeov), this at 128-158, the buy
    block from 159 up. Percentages moved with the window; the plate and the
    block's top edge in pixels do not. */
  /* ...and CENTRED in the gap between that line and the block, not jammed
    under the line ("a bit too high"): the block's top edge is ~17% of the
    height, the line ends at 125px, the text is 30px tall, so the middle of the
    gap is (125 + 17%) / 2 - 15 = 8.5% + 47px. 127px on a 934px pane (as before),
    157px on a 1290px window. */
  #announce { position: absolute; top: calc(8.5% + 47px); width: 100%; text-align: center;
font-size: 25px; font-weight: 700;
    letter-spacing: 0.5px; text-shadow: 0 2px 6px rgba(0,0,0,0.85); opacity: 0; transition:
opacity 0.4s; }
  #reward { position: absolute; top: 56%; width: 100%; text-align: center; font-size: 17px;
font-weight: 700;
    color: var(--money); text-shadow: 0 1px 4px rgba(0,0,0,0.85); opacity: 0; transition: opacity
0.3s; }

  #dmgov { position: absolute; inset: 0; opacity: 0; background:
    radial-gradient(ellipse at center, rgba(200,0,0,0) 55%, rgba(200,0,0,0.55) 100%); }
  #flashov { position: absolute; inset: 0; background: #fff; opacity: 0; z-index: 60;
pointer-events: none; }
  /* CS2 sniper scope, from CS2's OWN HUD art.
    The pieces live in the PANORAMA image tree -- panorama/images/hud/scope/ --
    not in materials/. That folder is the whole answer:
      scope_circle  the aperture: a HARD-edged transparent disc on black, one
                    texture, no mirroring, ~3% feather
      scope_lens    the glass: a gentle warm vignette (alpha 59 at centre,
                    198 in the corners). NOT DRAWN -- see the .sc-mask block
      scope_line_blur  the hairline, stretched on both axes
    The materials/sprites/scope_arc quadrant is a much softer 7.4% edge and is
    NOT what the HUD draws; everything under models/weapons/shared/scope/ is
    the 3D lens on the weapon model.
```

```
   The lens is a SQUARE, centred, sized off the viewport HEIGHT -- see
   SCOPE_H in hud.js for the fraction and why it is not 1. scope_circle's disc
   is 0.941 of its half-width, so 106.3% puts its edge exactly on the lens
   edge. The black around it is the lens's own box-shadow. The hairlines run
   the FULL SCREEN, past the aperture, which is where CS2 draws them too (and
   black on black is invisible out there in any case).
   Every geometry value here is overwritten per-resize by _snapScopeLens();
   what the stylesheet holds is only the pre-measure fallback. */
/* THE HUD SITS ON TOP OF THE SCOPE, NOT UNDERNEATH IT.
   The blackout around the aperture is the lens's own `box-shadow` -- a
   100vmax spread of solid #000 -- so it covers every HUD child the browser
   paints BEFORE it, and #scopeov is built two-thirds of the way down the HUD
   tree. Scoping therefore swallowed the radar, the killfeed, the hitmarker,
   the damage arcs, the target ID and the announcements: exactly the readouts
   you most want while holding an angle, and all of them are visible in CS2's
   own scoped frame.
   Ordering it by z-index instead of by DOM position says what is actually
   true: the aperture is part of the VIEW, and the HUD is drawn over the view.
   #hud is a stacking context (position: fixed + z-index: 10) with no
   background of its own, so a negative z-index puts these two behind every
   other HUD child while still keeping them above the canvas.
   The smoke tint goes one layer further down for the same reason -- it is
   what being inside a smoke looks like, so it belongs INSIDE the aperture;
   painted over the surround it would wash the whole scope out to grey. */
#scopeov { position: absolute; inset: 0; display: none; overflow: hidden; z-index: -1; }
#smokeov { z-index: -2; }
/* THE SIDE BLACKOUT HAS TO OVERLAP THE LENS, NOT ABUT IT.
   The lens is centred with left:50% + translateX(-50%), so whenever
   (viewportWidth - viewportHeight) is ODD it lands on a HALF pixel -- e.g.
   1079x836 puts its edges at 121.5 and 957.5. The element's own paint is
   clipped at that boundary and the surrounding box-shadow starts at it, and
   the two do not always composite to a full pixel: the result is a hairline
   of the live scene showing down one side of the scope. The inset ring paints
   the last 2px INSIDE the lens solid black, which bridges the seam. It is
   invisible otherwise -- scope_circle is already black out at that radius. */
#scopeov .sc-lens { position: absolute; top: 0; bottom: 0; left: 50%;
  aspect-ratio: 1 / 1; transform: translateX(-50%); overflow: hidden;
  box-shadow: 0 0 0 100vmax #000, inset 0 0 0 2px #000; }
#scopeov i { position: absolute; display: block; }
/* NO GLASS LAYER. It used to draw scope_lens.png -- CS2's photographed lens
   vignette -- masked to a ring around the aperture. There is no mask width
   that works: the art is a broad photographic falloff, so any band wide
   enough to read as a lens rim is also wide enough to read as a black edge
   eating the sight picture, and because the photo's vignette is not radially
   even it ate hardest at the top and the two bottom quarters. Tightening it
   twice only made the band thinner, never absent. CS2's own scoped frame has
   a HARD edge, so the honest match is no rim at all.
```

```
    THE APERTURE IS CUT HARD, AND A HAIR INSIDE THE LENS BOX.
    scope_circle.png still lays down the black, but its alpha ramp is a ~3%
    feather that upscales to a visibly soft edge at this size, so the gradient
    on top of it does the actual cutting: clear to 95% of the aperture radius,
    solid by 96%. The 1% is only there to keep the edge from aliasing into a
    staircase. Cutting at 96% rather than 100% also pulls the visible circle
    that last touch inward, which is what puts the old soft rim OUTSIDE the
    sight picture instead of inside it. Effective diameter is therefore
    0.96 * SCOPE_H of the viewport height, not SCOPE_H -- so raising or
    lowering SCOPE_H is the knob for the scope's size, and this 96% stays put.

    The art goes through --ap rather than being named inline, because
    _preloadScopeArt() swaps in a decoded blob: URL at boot and an inline
    `background-image` would replace BOTH layers -- taking the cut with it. */
  #scopeov .sc-mask { inset: 0; --ap: url(textures/scope_circle.png);
    background:
      radial-gradient(circle closest-side at center, transparent 0 95%, #000 96%),
      var(--ap) center/106.3% 106.3% no-repeat; }
  /* SHARP hairlines. The file is named scope_line_BLUR for a reason -- it is a
    pre-blurred line, and stretching it across the screen is what made the
    crosshair look soft while standing still. CS2's scope crosshair is a hard
    thin black line; the engine draws it as a solid rect, which is why the
    panorama folder ships no sharp version to extract. Two device pixels. */
  /* The hairlines BLUR with inaccuracy (CS2): razor sharp when you are still
    and settled, softening as movement or air opens the cone, so the scope
    itself tells you the shot is not trustworthy. Driven from the real scoped
    cone in hud.updateCrosshair -- see there for the curve. */
  #scopeov .sc-line { left: 50%; top: 50%; background: #000; will-change: filter; }
  #scopeov .sc-line.v { width: 2px; height: 200vmax; transform: translate(-50%, -50%); }
  #scopeov .sc-line.h { height: 2px; width: 200vmax; transform: translate(-50%, -50%); }

  #respawn { position: absolute; inset: 0; display: none; flex-direction: column; align-items:
center;
    justify-content: center; background: rgba(60,0,0,0.25); font-size: 32px; font-weight: 800;
gap: 8px;
    text-shadow: 0 2px 8px rgba(0,0,0,0.9); }
  #respawn .small { font-size: 16px; font-weight: 400; opacity: 0.85; }

  /* ---- CS2 scoreboard ------------------------------------------------
    THE PANEL IS NOT STYLED HERE ANY MORE. Every rule that draws it now comes
    from ui/cs2_scoreboard.css, which tools/cs2_panorama_css.py generates from
    Valve's own panorama/styles/scoreboard.vcss (452 rules) -- the same route
    the top player strip already takes. What used to live here was a set of
    vh values transcribed by hand out of that file; transcription is how the
    panel ended up close but never right.

    Only its PLACEMENT ON OUR SCREEN belongs here: Panorama centres .sb-main
```

```
    in a full-screen root, and we have to give it that root. `zoom` on .cs2sb
    rescales Valve's 1080p-reference px, so the box it occupies is already in
    scaled units -- inset:0 plus its own horizontal/vertical centring does the
    rest. */
  #scoreboard { display: none; position: absolute; inset: 0; z-index: 6;
    pointer-events: none; }
  /* Panorama centres .sb-main inside a full-screen root; this is that root.
    The centring must happen OUTSIDE .cs2sb, because .cs2sb carries the
    zoom -- a percentage width on a zoomed box is a percentage of the SCALED
    space, which is how the panel ended up hanging off the left edge. */
  #scoreboard.on { display: grid; place-items: center; }
  #scoreboard > .cs2sb { display: grid; place-items: center; }
  /* Valve sizes CSGOAvatarImage from the engine side (it is a real panel type
    that measures its own texture), so the sheet gives it only background-size.
    In a browser it needs the box too -- the cell is already square. */
  .cs2sb .sb-row__cell--avatar .CSGOAvatarImage { width: 100%; height: 100%;
    background-position: center; }
  /* Valve hides the meta buttons behind `.mouse-active-visible` (opacity 0
    until the cursor is live on the panel). CS2 has a cursor on the scoreboard;
    this game holds TAB with the mouse locked, so that state never arrives and
    the buttons would never show. Shown at the opacity CS2 fades them to. */
  /* Valve sets the server line at 14px and right-aligns it; only the size is
    changed here -- with the button group gone it carries that row alone. The
    alignment stays Valve's (horizontal-align: right). */
  .cs2sb .pid-id-sb-meta__labels__server-viewers { font-size: 17px; }
  /* THE TEAM LOGO BEHIND THE SCORE, and the ping column's header glyph.
    Both are artwork CS2 supplies from the engine rather than from a rule --
    `sb-team-logo-background--CT` appears in scoreboard.vxml with no matching
    declaration in any panorama sheet -- so the sizing is ours even though the
    art is Valve's (ui/sb_logo_ct.svg, ui/sb_logo_t.svg, ui/sb_ping4.svg).
    Both are washed, so they take the same per-team tint as every other icon. */
  .cs2sb .sb-team__info__score .sb-team-logo { width: 76%; height: 76%;
    align-self: center; justify-self: center; opacity: 0.22; }
  .cs2sb .sb-row__cell--ping .sb-ping-header { width: 29px; height: 25px;
    align-self: center; justify-self: center; opacity: 0.55; }

  /* bomb mode HUD */
  #progresswrap { position: absolute; left: 50%; bottom: 26%; transform: translateX(-50%);
width: 300px;
    text-align: center; }
  #progresslabel { font-size: 12px; font-weight: 700; letter-spacing: 3px; margin-bottom: 6px;
    text-shadow: 0 1px 4px rgba(0,0,0,0.9); }
  #progressouter { height: 8px; background: rgba(0,0,0,0.6); border-radius: 2px; overflow:
hidden;
    border: 1px solid rgba(255,255,255,0.22); }
  #progressinner { height: 100%; width: 0%; background: var(--accent); }
  #usehint { position: absolute; left: 50%; bottom: 32%; transform: translateX(-50%);
font-size: 15px;
```

```
    font-weight: 600; background: rgba(10,13,16,0.65); padding: 8px 18px; border-radius: 4px;
opacity: 0;
    transition: opacity 0.2s; white-space: nowrap; }
  /* CS2 has no giant countdown digit: the freeze counts down on the team
     counter's own timer. This overlay sat at 56px -- straight across the lower
     half of Valve's 106px plate -- which is why the plate looked missing during
     the countdown. The digit is gone; the buy hint drops below the plate. */
  #freezeov { position: absolute; top: 110px; width: 100%; display: none; flex-direction:
column;   /* 110: just under the 106px plate, so #announce fits between it and the buy block
*/
    align-items: center; pointer-events: none; }
  .fz-num { display: none; }
  .fz-sub { font-size: 13px; opacity: 0.85; letter-spacing: 1px; text-shadow: 0 1px 4px
rgba(0,0,0,0.85); }
  #spectatebar { position: absolute; left: 50%; bottom: 12%; transform: translateX(-50%);
font-size: 14px;
    letter-spacing: 1px; background: rgba(10,13,16,0.75); padding: 10px 22px; border-radius:
4px; }
  #spectatebar b { color: var(--accent); }

  /* buy menu — CS2 dark panel */
  /* ============ buy menu: CS2's panorama/styles/buymenu.css, in CSS
============
     950px left block at 18/18/22/24/18 % columns, radial-gradient item cards
     with the key top-left / name top-right / price bottom-right, the info
     panel to the right of the columns beside the agent, nav bar along the
     bottom. The game is dimmed, not blurred (see the pause note below). */
  #buymenu { display: none; position: absolute; inset: 0; background: rgba(0,0,0,0.5);
    pointer-events: auto !important; font-family: 'Stratum2', 'Stratum2 TF', sans-serif; color:
#fff;
    /* THE BLOCK AND THE AGENT ARE ONE GROUP, CENTRED. The block is --bmw
wide;
       the agent gets a strip --bmagent wide, --bmgap to its right; the pair is
       centred, so the block's left margin equals the strip's right margin.
       main.js stands the agent in the middle of that strip (it reads the
       block's rect, so these numbers live here only). The old layout parked
       the block at the top-left and the agent at the far right edge. */
    --bmw: min(52vw, 950px); --bmgap: 40px; --bmagent: 40vh; }
  /* --bmshift (hud.js fit) nudges the whole group right: centred as a group the
     block's own centre sits at 39% of the width whatever its size, and the user
     asked for it closer to the middle. 5vw puts it at ~44% with the agent still
     clear of the right edge. */
  .bm-left { position: absolute; left: calc(50% - (var(--bmw) + var(--bmgap) + var(--bmagent)) /
2 + var(--bmshift, 0px)); top: 50%;
    transform: translateY(-50%) scale(var(--bms, 1)); transform-origin: 50% 50%;
    width: var(--bmw); display: flex; flex-direction: column; }
  .bm-info { display: flex; align-items: center; height: 40px; padding: 0 14px; background:
rgba(0,0,0,0.62);
```

```
    font-family: 'Stratum2 Bold TF', 'Stratum2'; }
  .bm-money { color: #e2c46a; font-size: 24px; min-width: 130px; font-family: 'Stratum2 Bold
TF'; }
  .bm-timer { margin: 0 auto; font-size: 17px; color: #d6d6d6; }
  .bm-timer-val { margin-left: 10px; color: #fff; font-family: 'Stratum2 Regular Monodigit',
'Stratum2 Mono'; }
  .bm-min { font-size: 14px; color: #9a9a9a; }
  .bm-body { display: flex; align-items: flex-start; background: rgba(26,26,26,0.78); padding:
10px 4px 14px; }
  .bm-col { padding: 0 10px; border-left: 1px solid rgba(255,255,255,0.045); }
  .bm-col:first-child { border-left: 0; }
  .cc-equipment, .cc-secondary, .cc-grenade { width: 18%; }
  .cc-smg { width: 22%; }
  .cc-rifle { width: 24%; }
  .bm-col-head { display: flex; align-items: baseline; gap: 9px; height: 30px; margin-bottom:
6px; }
  .bm-key { font-family: 'Stratum2 Mono'; font-size: 13px; color: #8a8a8a; }
  .bm-col-title { font-family: 'stratum2 condensed', 'Stratum2'; font-size: 22px; color: #e4e4e4;
}
  .bm-col.sel .bm-key, .bm-col.sel .bm-col-title { color: #fff; text-shadow: 0 0 10px
rgba(255,255,255,0.45); }
  .bm-item { position: relative; display: block; width: 100%; height: 72px; margin-bottom: 6px;
padding: 4px 10px;
    border: 1px solid rgba(0,0,0,0.65); border-radius: 5px; color: #fff; cursor: pointer; text-align:
left;
    background: radial-gradient(circle at 50% 50%, rgba(141,141,141,0.22) 0%,
rgba(85,85,85,0.22) 100%);
    transition: filter 0.12s; }
  .bm-item:hover { filter: brightness(2.0); }
  .bm-item-key { position: absolute; left: 8px; top: 5px; font-family: 'Stratum2 Mono'; font-size:
12px; color: #9a9a9a; }
  .bm-item-name { position: absolute; right: 10px; top: 5px; max-width: 78%; overflow:
hidden; white-space: nowrap; text-overflow: ellipsis;
    font-family: 'stratum2 condensed', 'Stratum2'; font-size: 16px; color: #e6e6e6; text-align:
right; }
  .bm-icon { position: absolute; left: 12px; right: 12px; top: 25px; height: 30px; display: block;
    background: var(--tint, #fff); -webkit-mask: var(--icon) center / contain no-repeat; mask:
var(--icon) center / contain no-repeat; }
  .bm-price { position: absolute; right: 10px; bottom: 5px; font-family: 'Stratum2 Regular
Monodigit', 'Stratum2 Mono'; font-size: 14px; color: #fff; }
  .bm-item.cant { background: rgba(43,43,43,0.9); }
  .bm-item.cant .bm-icon { background: #474747; }
  .bm-item.cant .bm-price, .bm-item.cant .bm-item-name { color: #808080; }
  .bm-item.own { border-color: rgba(255,255,255,0.85); }
  /* THE DROPPED-WEAPONS PANEL, the way CS2 draws it: a separate box a little
     below the buy grid and as wide as it, dark, with a big, LEGIBLE "Dropped
     Weapons" title across its middle while nothing lies nearby (CS2's is light
     grey, thin, letter-spaced -- ours used to be 10% white, which nobody could
```

```
    read), and buy-style tiles inside it when guns do. The box keeps its
    height either way, so the menu never jumps; and its empty state is `bare`,
    because the stylesheet's generic .empty (inventory lists) adds a 60px top
    margin and 0.6 opacity -- that rule matching this box was the extra gap
    and the dimming the user saw. */
  .bm-ground { position: relative; margin-top: 8px; min-width: 0; min-height: 150px;
box-sizing: border-box; padding: 10px 14px;
    background: rgba(26,26,26,0.78); }
  .bm-ground-title { position: absolute; inset: 0; display: flex; align-items: center;
justify-content: center; pointer-events: none;
    font-family: 'Stratum2 Thin', 'Stratum2'; font-size: 44px; letter-spacing: 6px; color:
rgba(255,255,255,0.42);
    white-space: nowrap; overflow: hidden; }
  .bm-ground:not(.bare) .bm-ground-title { display: none; }
  .bm-ground-list { position: relative; display: flex; flex-wrap: wrap; align-content: flex-start;
gap: 8px; }
  /* a dropped gun is a tile like the buy tiles: count top-left, name top-right, icon across the
middle */
  .bm-ground-entry { position: relative; display: block; width: 150px; height: 72px; padding:
4px 10px; border-radius: 5px; cursor: pointer;
    border: 1px solid rgba(0,0,0,0.65); color: #fff; text-align: left; font: inherit;
    background: radial-gradient(circle at 50% 50%, rgba(141,141,141,0.22) 0%,
rgba(85,85,85,0.22) 100%); transition: filter 0.12s; }
  .bm-ground-entry:hover { filter: brightness(2.0); }
  .bm-ground-entry .bm-icon { position: absolute; left: 12px; right: 12px; top: 25px; height:
30px; width: auto; }
  .bm-ground-name { position: absolute; right: 10px; top: 5px; max-width: 78%; overflow:
hidden; white-space: nowrap; text-overflow: ellipsis;
    font-family: 'stratum2 condensed', 'Stratum2'; font-size: 16px; color: #e6e6e6; }
  .bm-ground-count { position: absolute; left: 8px; top: 5px; font-family: 'Stratum2 Mono';
font-size: 12px; color: #9a9a9a; }
  /* the close button at the top right of the block (Esc does the same) */
  .bm-close { margin-left: 12px; width: 34px; height: 30px; flex: 0 0 auto; display: flex;
align-items: center; justify-content: center;
    border: 1px solid rgba(255,255,255,0.28); border-radius: 3px; background:
rgba(255,255,255,0.07); color: #e0e0e0;
    font: inherit; font-size: 17px; line-height: 1; cursor: pointer; }
  .bm-close:hover { background: rgba(255,255,255,0.2); color: #fff; }
  /* with the 3D agent up the frame itself is dimmed behind him (main.js
     _buyDim), so the DOM backdrop would only dim the agent a second time */
  #buymenu.dim3d { background: transparent; }
  /* well clear of the bottom HUD (health, emblem, ammo): the row used to sit
     at 64px and printed straight over the emblem and the health figure */
  .bm-nav { position: absolute; left: 0; right: 0; bottom: calc(104px + 22px * var(--bms, 1));
display: flex; justify-content: center; align-items: center; gap: 28px;
    font-family: 'Stratum2 Bold TF', 'Stratum2'; font-size: calc(13px * var(--bms, 1));
letter-spacing: 0.5px; color: #c8c8c8; }
```

```
  .bm-nav button { background: transparent; border: 0; color: #c8c8c8; cursor: pointer; font:
inherit; letter-spacing: inherit; }
  .bm-nav button:hover { color: #fff; }
  #hud.inmenu #buymenu { display: none !important; }

  /* ============ loadout tab (CS2's loadout_grid, made obvious) ============
     Big slot cards that say CHANGE when hovered, a centred chooser window with
     large tiles, one click picks and closes, a toast confirms. The page is
     dimmed so the lobby character does not sit behind the icons. */
  #tab-loadout { overflow-y: auto; background: rgba(5,7,10,0.74); }
  /* BIGGER, BY REQUEST: the grid scales with the viewport height the way the
     buy menu does (--los, set by hud.js renderLoadout: 1 at 1080p, up to 1.4)
     on top of larger cards and text; the page scrolls, so nothing is lost. */
  /* NO SECOND ZOOM HERE. This page used to scale itself off innerHeight/1080
     (--los, hud.js renderLoadout) back when the menu around it was fixed px.
     The menu now scales as a whole (#menu zoom: var(--ms)), so keeping this
     multiplied the two together -- the columns grew past the window and the
     fifth row of every column ran off the bottom. One scale for everything. */
  #lo-body { position: relative; padding-bottom: 14px; }
  #lo-intro { text-align: center; font-size: 15px; color: #c9d3db; margin: 2px auto 8px;
max-width: 880px; line-height: 1.38; }
  #lo-intro b { color: #fff; }
  #lo-teams { display: flex; justify-content: center; gap: 10px; margin: 0 0 10px; }
  #lo-teams button { background: rgba(255,255,255,0.05); color: #cfd8de; border: 1px solid
rgba(255,255,255,0.12); padding: 9px 26px;
    border-radius: 5px; cursor: pointer; font-size: 15px; font-weight: 700; letter-spacing: 1px; }
  #lo-teams button.ct.sel { background: rgba(125,184,240,0.18); border-color: #7db8f0; color:
#fff; }
  #lo-teams button.t.sel { background: rgba(234,190,84,0.18); border-color: #eabe54; color:
#fff; }
  #lo-teams button:not(.sel):hover { background: rgba(255,255,255,0.11); }
  #lo-grid { display: flex; flex-wrap: wrap; justify-content: center; align-items: flex-start; gap:
18px; }
  .lo-col { width: 250px; }
  .lo-col.fixed { opacity: 0.8; }
  .lo-title { font-family: 'stratum2 condensed', 'Stratum2'; font-size: 20px; letter-spacing: 1px;
text-transform: uppercase; color: #a9bccc; margin: 6px 0 6px; display: flex; align-items:
baseline; gap: 8px; }
  .lo-fixedtag { font-family: inherit; font-size: 12px; letter-spacing: 0.5px; text-transform: none;
color: #7f8b95; }
  .lo-sub { font-size: 12.5px; color: #8fa1b0; margin: 4px 0 4px; letter-spacing: 0.3px; }
  .lo-slot { position: relative; display: block; width: 100%; height: 88px; margin-bottom: 8px;
padding: 6px 10px; text-align: left;
    border: 1px solid rgba(255,255,255,0.10); border-radius: 6px; color: #fff; cursor: pointer;
    background: radial-gradient(circle at 50% 50%, rgba(141,141,141,0.22) 0%,
rgba(85,85,85,0.22) 100%); transition: filter 0.12s, border-color 0.12s; }
  .lo-slot.fixed { height: 60px; cursor: default; }
  .lo-slot:not(.fixed):hover { filter: brightness(1.6); border-color: rgba(255,255,255,0.35); }
```

```
  .lo-slot.sel { border-color: var(--accent); box-shadow: 0 0 0 1px var(--accent); }
  .lo-num { position: absolute; left: 9px; top: 6px; font-family: 'Stratum2 Mono'; font-size: 13px;
color: #a0a0a0; }
  .lo-name { position: absolute; right: 10px; top: 6px; max-width: 80%; overflow: hidden;
white-space: nowrap; text-overflow: ellipsis;
    font-family: 'stratum2 condensed', 'Stratum2'; font-size: 17px; color: #eaeaea; }
  .lo-icon { position: absolute; left: 14px; right: 14px; top: 30px; height: 38px; display: block;
    background: var(--tint, #fff); -webkit-mask: var(--icon) center / contain no-repeat; mask:
var(--icon) center / contain no-repeat; }
  .lo-slot.fixed .lo-icon { top: 19px; height: 28px; }
  .lo-skin { position: absolute; right: 10px; bottom: 6px; font-size: 12px; color: #8fb3d9;
max-width: 62%; overflow: hidden; white-space: nowrap; text-overflow: ellipsis; }
  .lo-change { position: absolute; left: 9px; bottom: 6px; font-size: 11px; font-weight: 700;
letter-spacing: 1px; color: #0b0f14;
    background: var(--accent); border-radius: 3px; padding: 2px 6px; opacity: 0; transition:
opacity 0.12s; }
  .lo-slot:not(.fixed):hover .lo-change { opacity: 1; }
  #lo-actions { text-align: center; margin-top: 9px; }
  #lo-reset { background: rgba(255,255,255,0.07); color: #fff; border: 1px solid
rgba(255,255,255,0.14); padding: 11px 22px; border-radius: 4px; cursor: pointer; font-size:
14px; letter-spacing: 1px; }
  #lo-reset:hover { background: rgba(255,255,255,0.16); }
  .lo-hint { display: block; margin-top: 6px; font-size: 13px; opacity: 0.6; }
  #lo-toast { position: fixed; left: 50%; bottom: 40px; transform: translate(-50%, 12px);
background: var(--accent); color: #0b0f14; font-weight: 700;
    font-size: 13px; padding: 10px 18px; border-radius: 6px; opacity: 0; pointer-events: none;
transition: opacity 0.18s, transform 0.18s; z-index: 30; }
  #lo-toast.show { opacity: 1; transform: translate(-50%, 0); }
  /* the chooser */
  #lo-modal { position: fixed; inset: 0; z-index: 25; background: rgba(2,4,6,0.72); display: flex;
align-items: center; justify-content: center; }
  .lo-modal-card { width: min(1100px, 92vw); max-height: 84vh; display: flex; flex-direction:
column; background: #12171c; border: 1px solid rgba(255,255,255,0.12);
    border-radius: 8px; box-shadow: 0 20px 60px rgba(0,0,0,0.6); }
  .lo-modal-head { display: flex; align-items: center; justify-content: space-between; padding:
14px 18px 10px; border-bottom: 1px solid rgba(255,255,255,0.08); }
  .lo-modal-title { font-size: 20px; font-weight: 800; letter-spacing: 2px; }
  .lo-modal-sub { font-size: 13.5px; color: #a9bccc; margin-top: 3px; }
  .lo-modal-close { background: rgba(255,255,255,0.08); color: #fff; border: 0; width: 34px;
height: 34px; border-radius: 6px; cursor: pointer; font-size: 15px; }
  .lo-modal-close:hover { background: rgba(255,255,255,0.18); }
  .lo-pool { display: grid; grid-template-columns: repeat(auto-fill, minmax(230px, 1fr)); gap:
12px; padding: 14px 18px; overflow-y: auto; }
  /* a <button> centres its content vertically; the name and blurb must sit at the top, over the
art */
  .lo-opt { position: relative; display: flex; flex-direction: column; align-items: stretch;
justify-content: flex-start; height: 150px; padding: 8px 12px; text-align: left; border: 1px solid
rgba(255,255,255,0.10); border-radius: 6px; color: #fff; cursor: pointer;
```

```
    background: radial-gradient(circle at 50% 50%, rgba(141,141,141,0.22) 0%,
rgba(85,85,85,0.22) 100%); transition: filter 0.12s, border-color 0.12s; }
  .lo-opt:hover { filter: brightness(1.55); border-color: rgba(255,255,255,0.4); }
  .lo-opt.sel { border-color: var(--accent); box-shadow: 0 0 0 1px var(--accent); }
  /* already in another slot: clearly greyed, so it reads as "taken" at a glance
     (0.72 alone was too close to an available card) */
  .lo-opt.used { opacity: 0.5; filter: grayscale(0.7); }
  .lo-opt.used:hover { opacity: 0.65; filter: grayscale(0.5) brightness(1.3); }
  .lo-opt.used .lo-state.used { opacity: 1; }
  .lo-opt-name { display: block; font-family: 'stratum2 condensed', 'Stratum2'; font-size: 18px;
line-height: 1.15; color: #f2f2f2; }
  .lo-opt-tip { display: block; font-size: 12.5px; line-height: 1.2; color: #93a4b3; margin-top:
2px; white-space: nowrap; overflow: hidden; text-overflow: ellipsis; }
  .lo-opt .lo-icon { top: 62px; height: 44px; left: 16px; right: 16px; }
  .lo-opt .lo-price { position: absolute; left: 12px; bottom: 7px; font-family: 'Stratum2 Regular
Monodigit', 'Stratum2 Mono'; font-size: 14px; color: #e2c46a; }
  .lo-opt-skin { position: absolute; right: 12px; bottom: 26px; font-size: 12px; color: #8fb3d9;
max-width: 60%; overflow: hidden; white-space: nowrap; text-overflow: ellipsis; text-align:
right; }
  .lo-state { position: absolute; right: 9px; bottom: 7px; font-size: 11px; font-weight: 700;
letter-spacing: 1px; padding: 2px 7px; border-radius: 3px; }
  .lo-state.cur { background: var(--accent); color: #0b0f14; }
  .lo-state.used { background: rgba(255,255,255,0.14); color: #dfe7ec; }
  .lo-modal-foot { padding: 10px 18px 14px; font-size: 13.5px; color: #9fb2c2; border-top: 1px
solid rgba(255,255,255,0.08); }
  @media (max-width: 1100px) { .lo-col { width: 190px; } .lo-slot { height: 74px; } }

  /* ============ pause ============ */
  /* No screen dim. This used to paint rgba(8,11,14,0.78) over everything,
     which is most of a stop on the whole frame -- the map went almost black
     behind the panel. The panel has its own solid background, so it stays
     perfectly readable without darkening the game behind it. */
  #pause { position: absolute; inset: 0; display: none; align-items: center; justify-content:
center;
    background: transparent; pointer-events: auto !important; }
  /* --panel-solid, not --panel: the translucent one was tuned to sit on top of
     the full-screen dim above, and without that dim the map showed straight
     through the buttons. The panel carries its own contrast now. */
  #pause .panel { background: var(--panel-solid); border-radius: 8px; padding: 32px 42px;
    border: 1px solid rgba(255,255,255,0.07); min-width: 470px; }
  /* Pause neither dims nor blurs the game. There used to be two blurs to pick
     between here -- a CSS backdrop-filter on medium/low, and postfx.js's
     PauseBlurShader inside the render pipeline on High, because a fullscreen
     backdrop-filter re-blurs the WebGL canvas every compositor frame (~9
     dropped frames/sec at 1440p). Neither runs now, so the switch is gone. */
  #pause h2 { font-size: 24px; letter-spacing: 4px; margin-bottom: 20px; text-align: center; }
  .mbtn { display: block; width: 100%; margin-bottom: 9px; background:
rgba(255,255,255,0.06); color: #e8eef2;
```

```
    border: 1px solid rgba(255,255,255,0.1); padding: 13px; border-radius: 4px; cursor:
pointer; font-size: 14px;
    letter-spacing: 1px; }
  .mbtn:hover { background: var(--accent-dim); border-color: var(--accent); }
  .key { background: rgba(255,255,255,0.12); border-radius: 3px; padding: 2px 7px; font-size:
11px; }
  .hint { margin-top: 14px; font-size: 11.5px; opacity: 0.45; text-align: center; line-height: 1.7; }
  /* HOW TO PLAY: the pause overlay's second panel (hud.js openHowTo), and the
     same pages under KEY BINDINGS in the home menu's Settings (.settings-howto).
     The pause panel is wider than the button column, and only its TEXT scrolls,
     so the tabs and BACK stay on screen however short the window is. */
  #pause .phowto { display: none; flex-direction: column; width: min(660px, 94vw); min-width:
0;
    max-height: calc(100% - 32px); padding: 26px 30px; }
  #pause .phowto h2 { margin-bottom: 14px; }
  .qrow.htabs { margin-bottom: 14px; }
  .qrow.htabs button { padding: 9px 6px; font-size: 12px; letter-spacing: 1px; cursor: pointer; }
  #pause .htbody { flex: 1 1 auto; min-height: 0; overflow-y: auto; overscroll-behavior: contain;
    padding-right: 8px; margin-bottom: 14px; }
  .htbody { font-size: 13.5px; line-height: 1.55; color: #cfd8de; text-align: left; }
  .htbody h3 { font-size: 12px; letter-spacing: 2px; color: var(--accent); margin: 16px 0 6px; }
  .htbody h3:first-child { margin-top: 0; }
  .htbody p { margin: 0 0 8px; }
  .htbody ul { margin: 0 0 8px; padding-left: 18px; }
  .htbody li { margin-bottom: 5px; }
  .htbody b.ct { color: var(--ct); }
  .htbody b.t { color: var(--t); }
  .htrow { display: flex; align-items: baseline; justify-content: space-between; gap: 14px;
    padding: 6px 0; border-bottom: 1px solid rgba(255,255,255,0.06); }
  .htrow > span:last-child { text-align: right; }
  .htrow .key { white-space: nowrap; }
  .htnote { font-size: 12px; opacity: 0.6; margin-top: 12px; }
  #pause .htfoot { display: flex; gap: 10px; }
  #pause .htfoot .mbtn { margin-bottom: 0; }
  /* the home menu's copy only: in game the pause menu has its own HOW TO PLAY */
  #menu.pausemode .settings-howto { display: none; }
  /* CHANGE KEYBINDS lands on the list: a short accent pulse shows where to click */
  @keyframes bindflash { 0%, 100% { box-shadow: 0 0 0 0 rgba(139,197,63,0); } 30% {
box-shadow: 0 0 0 3px var(--accent); } }
  #bindlist.bindflash { animation: bindflash 1.2s ease-in-out 2; border-radius: 6px; }

  /* ============ main menu (deadshot style) ============ */
  /* ONE SCALE FOR THE WHOLE MENU (hud.js _syncMenuScale sets --ms from the
     window against a 1200x860 design size). inset: 0 still fills the viewport
     under zoom -- percentages resolve in the zoomed space -- so nothing here
     needs compensating. */
  #menu { position: absolute; inset: 0; display: none; pointer-events: auto !important;
    zoom: var(--ms, 1);
```

```
    background: linear-gradient(180deg, rgba(5,7,10,0.45) 0%, rgba(5,7,10,0.2) 30%,
rgba(5,7,10,0.35) 100%); }
  #topnav { position: absolute; top: 0; left: 0; right: 0; height: 92px; display: flex; align-items:
flex-start;
    justify-content: space-between; padding: 14px 26px 0; background:
linear-gradient(180deg, rgba(5,7,10,0.85), rgba(5,7,10,0.35) 80%, transparent); }
  .nav-side { width: 220px; padding-top: 10px; }
  .nav-side.right { text-align: right; display: flex; gap: 16px; justify-content: flex-end;
align-items: center; }
  .patch { font-size: 12px; opacity: 0.7; }
  /* NEWS sits beside the version label. It is its OWN element, not part of
     .patch, because .patch is display:none under 900px -- folding the button
     into it would take the button away on a phone too. */
  #newsbtn, #fsbtn { display: inline-block; margin-top: 5px; padding: 3px 10px; font-size:
10.5px;
    letter-spacing: 1.1px; font-weight: 700; color: #cfd8de; cursor: pointer;
    background: rgba(255,255,255,0.06); border: 1px solid rgba(255,255,255,0.14);
    border-radius: 4px; transition: background .14s, color .14s; }
  #newsbtn:hover, #fsbtn:hover { background: rgba(255,255,255,0.16); color: #fff; }
  #newsbtn { padding: 4px 13px; font-size: 12px; }      /* NEWS a size up from FULLSCREEN
(user's call) */
  /* FULLSCREEN sits UNDER NEWS (a block, so it takes its own line) and only on
     the home menu: in a match RESUME takes full screen back by itself, and the
     pause menu's shorter top bar has no room for a second row. hud.js hides it
     while the page is already full screen. */
  /* Lowered this far it hangs a few px below the 92px top bar, where the tab
     page (a later sibling, so painted on top) would swallow clicks on its
     bottom edge -- lift the button above the page. The overlays are z 60+. */
  /* 13, not 16: NEWS grew 3px taller, and the user wanted this button left
     exactly where it was on screen before that. */
  #fsbtn { display: flex; align-items: center; gap: 6px; margin-top: 13px;
    position: relative; z-index: 2; }
  /* the four-corner full-screen mark, drawn in the text's own colour so it
     follows the hover (no emoji in this interface). SHORT ARMS, BUTT CAPS: the
     first drawing had arms 3.5 of a 10-unit side with square caps, which add
     half a stroke to every end -- at this size the gaps closed and it read as
     a plain square. Here the gap (5) is wider than an arm (3.5). */
  #fsbtn svg { width: 12px; height: 12px; flex: none; fill: none; stroke: currentColor;
    stroke-width: 1.7; stroke-linecap: butt; }
  #menu.pausemode #fsbtn { display: none !important; }
  #newsov { display: none; position: fixed; inset: 0; z-index: 60; flex-direction: column;
    align-items: center; justify-content: center; gap: 14px; background: rgba(5,7,9,0.92); }
  #news-close { width: auto; min-width: 150px; display: inline-block; margin: 0; }
  #news-body { width: min(560px, 92vw); max-height: 74vh; overflow-y: auto;
    background: rgba(12,15,19,0.96); border: 1px solid rgba(255,255,255,0.1);
    border-radius: 6px; padding: 22px 24px; }
  #news-body h2 { margin: 0 0 2px; font-size: 21px; letter-spacing: 1px; }
  .news-sub { margin: 0 0 16px; color: #8b969e; font-size: 12.5px; letter-spacing: 0.6px; }
```

```
  .news-list { margin: 0; padding-left: 18px; }
  .news-list li { margin-bottom: 10px; font-size: 13px; line-height: 1.5; color: #c3ccd3; }
  .news-list b { color: #e8eef2; }
  @media (max-width: 900px) { #newsbtn { margin-top: 0; } }
  #navcenter { text-align: center; }
  #logo { font-size: 40px; font-weight: 900; font-style: italic; letter-spacing: 2px; line-height: 1;
    text-shadow: 0 2px 10px rgba(0,0,0,0.7); }
  #logo span { color: var(--accent); font-size: 24px; }
  #tabs { display: flex; gap: 4px; justify-content: center; margin-top: 8px; }
  #tabs button { background: transparent; color: #cfd8de; border: 0; border-bottom: 3px solid
transparent;
    padding: 9px 16px 10px; cursor: pointer; font-size: 14px; font-weight: 700; letter-spacing:
1px; }
  #tabs button:hover { color: #fff; }
  #tabs button.sel { color: #fff; border-bottom-color: #fff; background: rgba(255,255,255,0.05);
}
  #navname { font-weight: 800; font-size: 16px; }
  .rankchip { display: inline-block; margin-left: 8px; padding: 2px 8px; border-radius: 4px;
    background: linear-gradient(180deg, rgba(139,197,63,0.22), rgba(139,197,63,0.08));
    border: 1px solid rgba(139,197,63,0.45); color: var(--accent);
    font-size: 10.5px; font-weight: 800; letter-spacing: 1px; vertical-align: 2px; }
  #coins { font-weight: 700; color: var(--money); font-size: 15px; }
  #coins i, .chal-reward i, .case-price i {
    font-style: normal; display: inline-flex; align-items: center; justify-content: center;
    width: 15px; height: 15px; border-radius: 50%; vertical-align: -2px;
    background: radial-gradient(circle at 34% 28%, #ffffff, #e2e9f0 34%, #a2b2c2 70%,
#74848f);
    color: #414d58; font-size: 10.5px; font-weight: 900; line-height: 1;
    box-shadow: 0 0 7px rgba(210,232,252,0.6), inset 0 -1px 2px rgba(25,35,45,0.45), inset 0
1px 1px rgba(255,255,255,0.8);
  }
  #coins i { width: 21px; height: 21px; font-size: 14px; margin-left: 3px; }

  .tabpage { position: absolute; inset: 92px 0 0 0; display: none; }
  .tabpage.sel { display: block; }
  /* the case grid outgrows the window: scroll it (a page-level scrollbar would
     drag the header and tabs with it) */
  #tab-cases { overflow-y: auto; padding-bottom: 40px; }
  /* ...and so does SETTINGS. Fourteen rows plus the key bindings run ~1450px,
     and with no scroller everything past the fold -- the bot options, both
     resets, every key binding -- was simply unreachable in a desktop window
     (the phone query below already made .tabpage scroll; desktop never did).
     The room under the last row is #settingsbox's bottom margin. */
  #tab-settings { overflow-y: auto; }
  /* Same story for the loadout, the tallest page there is: five columns, then
     RESET TO <TEAM> DEFAULT LOADOUT and its buy-menu hint under them. The page
     box is 768 design px whenever the window is height-bound, and the stack
     wanted 837, so the reset button crossed the bottom edge by 15px and the
```

```
     hint by 40 -- with no desktop scroll to reach either. Its own scroll for
     the very short windows, and a tighter header (title, intro, team toggle,
     column headings) so it fits without one at the sizes people actually use. */
  #tab-loadout { overflow-y: auto; }
  #tab-loadout .pagetitle { margin-top: 10px; }
  .pagetitle { text-align: center; font-size: 22px; letter-spacing: 4px; margin-top: 18px;
    text-shadow: 0 2px 8px rgba(0,0,0,0.7); }

  /* play tab */
  #challenges { position: absolute; left: 0; top: 60px; width: 300px; background:
rgba(8,11,14,0.72);
    padding: 18px 20px; border-radius: 0 8px 8px 0; }
  .chal-tabs { display: flex; gap: 8px; margin-bottom: 12px; }
  .chal-tabs span { background: rgba(255,255,255,0.08); padding: 6px 18px; border-radius:
4px; font-weight: 700;
    font-size: 13px; opacity: 0.6; }
  .chal-tabs span.sel { opacity: 1; background: rgba(255,255,255,0.16); }
  #challenges h3 { font-size: 16px; margin-bottom: 10px; border-bottom: 1px solid
rgba(255,255,255,0.2); padding-bottom: 8px; }
  .chal { margin-bottom: 14px; }
  .chal-top { display: flex; justify-content: space-between; font-size: 13.5px; font-weight: 700;
margin-bottom: 5px; }
  .chal-bar { height: 7px; background: rgba(255,255,255,0.12); border-radius: 4px; overflow:
hidden; }
  .chal-bar i { display: block; height: 100%; background: #fff; border-radius: 4px; }
  .chal-reward { text-align: right; font-size: 12px; color: var(--money); margin-top: 3px;
font-weight: 700; }
  /* 6% put the name down on the agent's head once the lobby body came up
     (LOBBY_LIFT, main.js): 9px between the two on a short window. The % is of
     .tabpage, whose box is a fixed 768 design px whenever the window is
     height-bound, so 4% is the same ~15px lift at every one of those sizes. */
  #charname { position: absolute; left: 50%; top: 4%; transform: translateX(-50%); font-size:
19px;
    font-weight: 800; text-shadow: 0 2px 8px rgba(0,0,0,0.85); }
  #playbottom { position: absolute; left: 50%; bottom: 3%; transform: translateX(-50%); width:
460px;
    text-align: center; }
  #quickopts { display: flex; flex-direction: column; gap: 5px; margin-bottom: 12px; }
  .qrow { display: flex; gap: 5px; justify-content: center; }
  .qrow button { flex: 1; background: rgba(10,13,16,0.65); color: #cfd8de; border: 1px solid
rgba(255,255,255,0.1);
    padding: 8px 6px; border-radius: 3px; cursor: pointer; font-size: 12.5px; }
  .qrow button:hover { background: rgba(255,255,255,0.14); }
  .qrow button.sel { background: var(--accent-dim); border-color: var(--accent); color: #fff; }
  /* a greyed placeholder button (Ranked): not selectable, a click only explains */
  .qrow button.soon, .qrow button.soon:hover { background: rgba(10,13,16,0.4); color:
rgba(207,216,222,0.38); border-color: rgba(255,255,255,0.05); cursor: not-allowed; }
```

```
  #mode-toast { text-align: center; font-size: 12px; color: var(--accent); height: 0; opacity: 0;
overflow: visible; transition: opacity .2s; margin-top: 2px; }
  #mode-toast.show { opacity: 1; height: 16px; }
  #btn-play { width: 100%; background: linear-gradient(180deg, #55aee8, #2f7fc4); color: #fff;
font-size: 34px;
    font-weight: 800; border: 0; padding: 14px; border-radius: 4px; cursor: pointer;
letter-spacing: 4px;
    text-shadow: 0 2px 4px rgba(0,0,0,0.4); box-shadow: 0 4px 18px rgba(60,140,220,0.35); }
  #btn-play:hover { background: linear-gradient(180deg, #66bdf4, #3a8cd2); }
  /* PLAY, WHILE THE MATCH LOADS (hud.js setPlayLoading / setJoinProgress).
     Pressing PLAY starts the characters, the map and the first weapons loading
     with the menu still up, and until the team screen appears nothing on
     screen moved -- the button read as dead. The loading is unchanged; this
     only SHOWS it: the label becomes the stage and the percent, a bar fills
     along the bottom edge, and a sheen keeps travelling across it so the long
     map download (where the number holds still) still reads as work. */
  #btn-play { position: relative; overflow: hidden; }
  #btn-play .pl-stage, #btn-play .pl-bar { display: none; }
  #btn-play.loading { cursor: progress; pointer-events: none; font-size: 22px; letter-spacing:
3px; padding: 12px 14px 20px;
    background: linear-gradient(180deg, #3f7fae, #275f8f); box-shadow: 0 4px 18px
rgba(60,140,220,0.2); }
  #btn-play.loading .pl-stage { display: block; margin-top: 3px; font-size: 11px; font-weight:
700; letter-spacing: 2px; opacity: 0.85; }
  #btn-play.loading .pl-bar { display: block; position: absolute; left: 0; right: 0; bottom: 0;
height: 7px; background: rgba(0,0,0,0.35); }
  #btn-play.loading .pl-bar b { display: block; height: 100%; width: 0%; background: #e9f4ff;
transition: width .35s ease-out; }
  #btn-play.loading .pl-bar::after { content: ''; position: absolute; top: 0; bottom: 0; width: 28%;
left: -30%;
    background: linear-gradient(90deg, transparent, rgba(255,255,255,0.55), transparent);
animation: plsheen 1.25s linear infinite; }
  @keyframes plsheen { to { left: 102%; } }
  #playsub { display: flex; gap: 8px; margin-top: 8px; }
  .ghostbtn { flex: 1; background: rgba(120,128,136,0.35); color: #d8dee4; border: 0;
padding: 10px;
    border-radius: 4px; font-size: 18px; font-weight: 700; opacity: 0.6; }
  #online { margin-top: 12px; font-size: 15px; font-weight: 700; text-shadow: 0 1px 4px
rgba(0,0,0,0.8); }
  /* THE COMMUNITY CARD, bottom-left (#menufoot below is bottom-right).
     Discord's modern brand colour is Blurple #5865F2 -- NOT the older #7289DA
     it replaced, which is the one most copies of this widget still use. */
  /* THE CARD IS SIZED BY ITS HEADING. "Join the community!!" is ~20 characters
     of 800-weight text, so it needs roughly 10.4x the font size in width -- at
     26px that is ~270px of line, and the card has to stay wider than that plus
     its padding or the heading wraps to two lines. 340px leaves 306px inside. */
  /* HOME SCREEN ONLY. On the loadout it sat on top of the Equipment column --
     that page fills the width with five columns and has no spare bottom-left
```

```
    corner. hud.js stamps #menu[data-tab] on every tab switch. */
  #menu:not([data-tab="play"]) #discordcard { display: none; }
  /* 340/26/23 -> 250/19/18, settled over three passes: 20% down read right,
     a second 18% went too far, this is the step back between them. Every part
     moves together (width, padding, heading, button text, gap and the mark)
     so it stays the same card at a different size; changing the text alone
     leaves a large empty box around it. */
  #discordcard { position: absolute; bottom: 14px; left: 20px; width: 250px;
    background: rgba(18,21,26,0.92); border: 1px solid rgba(255,255,255,0.08);
    border-radius: 8px; padding: 12px 12px 13px; text-align: center; }
  #discordcard .dc-head { font-size: 19px; font-weight: 800; letter-spacing: 0.2px;
    color: #f2f6f9; margin-bottom: 10px; white-space: nowrap; }
  #discordcard .dc-btn { display: flex; align-items: center; justify-content: center; gap: 9px;
    background: #5865F2; color: #fff; border-radius: 6px; padding: 10px 11px;
    text-decoration: none; font-weight: 800; font-size: 18px; letter-spacing: 1.4px;
    transition: background .14s, transform .14s; }
  #discordcard .dc-btn:hover { background: #4752c4; transform: translateY(-1px); }
  #discordcard .dc-btn svg { width: 27px; height: 21px; flex: 0 0 auto; }
  @media (max-width: 900px) { #discordcard { width: 184px; bottom: 8px; left: 10px; padding:
9px; }
    #discordcard .dc-head { font-size: 14px; margin-bottom: 7px; }
    #discordcard .dc-btn { font-size: 13px; padding: 8px 8px; }
    #discordcard .dc-btn svg { width: 21px; height: 16px; } }
  #menufoot { position: absolute; bottom: 10px; right: 20px; display: flex; gap: 18px; font-size:
13px;
    opacity: 0.6; font-weight: 600; }
  /* Contact is a real link (contact.html, in a new tab so the loaded game stays
     open); it wears the footer's own look rather than the browser's blue. */
  #menufoot a { color: inherit; text-decoration: none; cursor: pointer; }
  #menufoot a:hover { text-decoration: underline; }

  /* cases tab */
  #caselist { display: flex; gap: 18px; justify-content: center; margin-top: 40px; flex-wrap:
wrap; padding: 0 40px; }
  .casecard { width: 185px; background: rgba(10,13,16,0.85); border: 1px solid
rgba(255,255,255,0.08);
    border-radius: 8px; padding: 16px 14px; text-align: center; }
  .case-art { height: 90px; position: relative; margin-bottom: 10px; perspective: 300px; }
  .case-img { width: 100%; height: 100%; object-fit: contain; transition: transform 0.25s ease;
    filter: drop-shadow(0 6px 10px rgba(0,0,0,0.5)); }
  .casecard:hover .case-img { transform: rotateX(10deg) rotateY(-7deg) scale(1.07); }
  .case-body { position: absolute; left: 22px; right: 22px; bottom: 6px; height: 52px;
border-radius: 5px;
    background: linear-gradient(180deg, var(--ct2, var(--ct)) 0%, #14181c 130%);
background-color: var(--ct);
    background: linear-gradient(180deg, var(--ct) 0%, #171b20 140%); box-shadow: inset 0
-8px 14px rgba(0,0,0,0.5); }
```

```
  .case-lid { position: absolute; left: 14px; right: 14px; bottom: 52px; height: 22px;
border-radius: 6px 6px 2px 2px;
    background: linear-gradient(180deg, #3a4048, #22262c); border-bottom: 3px solid
#ffd24a; }
  .casecard[data-case] .case-body { background: linear-gradient(180deg, var(--ct), #171b20
140%); }
  .case-name { font-weight: 800; font-size: 14.5px; margin-bottom: 4px; }
  /* the "what's inside" button: a quiet circle in the card's corner until hover */
  .casecard { position: relative; }
  .case-info { position: absolute; top: 6px; right: 6px; width: 20px; height: 20px;
    border-radius: 50%; border: 1px solid rgba(255,255,255,0.22); background:
rgba(10,13,16,0.75);
    color: #cfd8de; font: 700 12px/1 Georgia, serif; cursor: pointer; opacity: 0.5;
    transition: opacity .15s, background .15s; z-index: 2; }
  .casecard:hover .case-info { opacity: 1; }
  .case-info:hover { background: var(--accent-dim); border-color: var(--accent); color: #fff; }
  /* the panel itself */
  #caseinfo { display: none; position: fixed; inset: 0; z-index: 60; flex-direction: column;
    align-items: center; justify-content: center; gap: 14px; background: rgba(5,7,9,0.92); }
  /* the panel's CLOSE is a button, not a menu row: .mbtn is display:block
     width:100%, which stretched it the full 860 px of the panel */
  #cinf-close { width: auto; min-width: 150px; display: inline-block; margin: 0; }
  #cinf-body { max-height: 74vh; overflow-y: auto; width: min(860px, 92vw);
    background: rgba(12,15,19,0.96); border: 1px solid rgba(255,255,255,0.1);
    border-radius: 6px; padding: 20px 22px; }
  .caseinfo h2 { margin: 0 0 2px; font-size: 22px; letter-spacing: 1px; }
  .ci-sub { margin: 0 0 16px; color: #8b969e; font-size: 12.5px; }
  .ci-tier { margin-bottom: 14px; }
  .ci-head { display: flex; justify-content: space-between; align-items: baseline;
    border-left: 3px solid var(--oc, #666); padding-left: 8px; margin-bottom: 6px; }
  .ci-head b { color: var(--oc, #ddd); font-size: 13.5px; letter-spacing: 0.4px; }
  .ci-head span { color: #7d8790; font-size: 11.5px; }
  .ci-items { display: flex; flex-wrap: wrap; gap: 6px; padding-left: 11px; }
  /* EACH ENTRY SHOWS THE SKIN, not just its name: the same rendered picture
     the case reel and the locker draw, so you can see what you are chasing */
  .ci-item { font-size: 11px; color: #c8d0d6; background: rgba(255,255,255,0.04);
    border-left: 2px solid var(--oc, #666); border-radius: 2px; padding: 4px 7px 5px;
    width: 104px; display: flex; flex-direction: column; align-items: center; gap: 3px; }
  .ci-item img { width: 92px; height: 69px; object-fit: contain; display: block; }
  .ci-item span { text-align: center; line-height: 1.25; }
  /* the chip is clickable end to end; the magnifier is the affordance that
     says so, and it only shows on hover so 650 of them do not fight the art */
  .ci-item { position: relative; cursor: pointer; }
  .ci-view { position: absolute; top: 3px; right: 3px; width: 22px; height: 22px;
    border-radius: 50%; border: 0; background: rgba(8,11,14,0.72); color: #dfe7ec;
    font-size: 11px; line-height: 22px; padding: 0; cursor: pointer; opacity: 0;
    transition: opacity .14s, background .14s; }
  .ci-item:hover .ci-view { opacity: 1; }
```

```
  .ci-view:hover { background: rgba(255,255,255,0.2); }
  .ci-item:hover { background: rgba(255,255,255,0.09); }
  .ci-dud { opacity: 0.62; }
  .ci-dud .ci-head b { color: #96a0a8; }
  .case-price { color: var(--money); font-weight: 700; font-size: 14px; margin-bottom: 10px; }
  .case-open { width: 100%; background: linear-gradient(180deg, #98d24a, #78ad2e);
border: 0; color: #10230a;
    font-weight: 800; padding: 9px; border-radius: 4px; cursor: pointer; letter-spacing: 2px; }
  .case-open:hover { filter: brightness(1.1); }

  /* case opening overlay */
  #caseopen { position: absolute; inset: 0; display: none; flex-direction: column; align-items:
center;
    justify-content: center; background: rgba(4,6,9,0.96); z-index: 20; gap: 22px; }
  /* THE REEL IS CS2'S OWN. Converted from panorama/styles/popups/
     popup_capability_decodable.vcss (layout popup_capability_decodable.vxml,
     snippet ScrollItem), number for number. Two copies of the same list ride
     over each other, centred in a panel as tall as the screen and 4:3 wide:
       - the OUTER list: 320 x 224 px cards, brightness .5, softened, seen
         through case-opening-outer.svg -- a sheet with a circular hole that
         also fades out toward the panel's left and right edges;
       - the MAGNIFIED list: 360 x 270 px cards at full brightness with a
         1 px #444 border, seen only through case-opening.svg, the circle,
         over a 50 % black disc. That disc is the circle.
     Every card is a radial grey ground; the rarity colour rises through its
     bottom 40 % (Valve's grey gradient, washed by the rarity colour: grey 145
     -> the colour at 57 %); a 12 px rarity bar sits at its foot (white ->
     grey 200 radial, washed: the colour -> 78 % of it); the item render is
     drawn last across the full width, and there is no name. The centre bar
     is 4 x 268 px of Valve's warningColor #b1af2d. Both lists carry the
     bluedots texture at 2 % (baked into bluedots_2pct.png). Panorama lays out
     at 1080p and scales by screen height, so each px here is (Valve's px /
     1080) of the viewport height: --u is one 1080p pixel. hud.js measures the
     cards' pitch off the layout, so these are the only numbers. */
  /* ...divided by the menu's own zoom (#menu is zoomed as a whole, --ms), so
     the sizes come out in SCREEN pixels as Valve's do. */
  #caseopen { --u: calc(100vh / 1080 / var(--ms, 1)); }
  /* No overflow clip on the panel itself: its edges land on fractional
     pixels (centred, zoomed), and a clip there left a one-pixel sliver of
     the outer list's cards unmasked down the panel's left edge -- "a tiny
     line with light". The masks already confine the lists to the panel's
     box, and #caseopen clips at the viewport. */
  #co-open { position: absolute; left: 50%; top: 50%; height: 100%; width: calc(1440 *
var(--u));
    translate: -50% -50%; }
  #caseopen { overflow: hidden; }
  /* .popup-decodable-opening.hidden: folded flat and gone. Valve's hidden
     state also paints a white radial, but it sits under opacity 0 and the
```

```
    base rule carries no transition, so in CS2 it is never seen -- the reel
    simply appears. A fade of that white on the way IN was "too much flash". */
  #co-open.hidden { opacity: 0; transform: scaleY(0); transition: transform 0.25s ease-in,
opacity 0.1s ease-in; }
  .co-list { position: absolute; inset: 0;
    -webkit-mask: url(ui/cases/case-opening-outer.svg) 0 0 / 100% 100% no-repeat;
    mask: url(ui/cases/case-opening-outer.svg) 0 0 / 100% 100% no-repeat;
    background: url(ui/cases/bluedots_2pct.png) 0 0 / calc(360 * var(--u)) calc(360 * var(--u))
repeat; }
  .co-list--mag { -webkit-mask-image: url(ui/cases/case-opening.svg); mask-image:
url(ui/cases/case-opening.svg);
    background-color: rgba(0,0,0,0.5); }
  .co-items { position: absolute; left: 0; top: 50%; translate: 0 -50%; display: flex; will-change:
transform; }
  .co-tile { position: relative; flex: 0 0 auto; overflow: hidden;
    width: calc(320 * var(--u)); height: calc(224 * var(--u)); margin: 0 calc(10 * var(--u));
    background: radial-gradient(ellipse 50% 50% at 50% 50%, rgba(145,145,145,0.75),
rgba(100,100,110,0.75));
    filter: brightness(0.5) blur(1px); }
  .co-tile.mag { width: calc(360 * var(--u)); height: calc(270 * var(--u)); filter: none;
    border: 1px solid rgb(68,68,68); border-radius: 2px; }
  .co-tint { position: absolute; left: 0; right: 0; bottom: 0; height: 40%;
    background: linear-gradient(to top, color-mix(in srgb, var(--rc) 56.9%, #000),
rgba(255,255,255,0)); }
  .co-rarity { position: absolute; left: 0; right: 0; bottom: 0; height: calc(12 * var(--u));
    background: radial-gradient(ellipse 50% 120% at 50% 50%, var(--rc), color-mix(in srgb,
var(--rc) 78.4%, #000));
    box-shadow: -2px -2px 4px 4px rgba(65,65,65,0.25); }
  .co-tile img { position: absolute; left: 0; top: 50%; width: 100%; height: auto; transform:
translateY(-50%); }
  /* the spin itself: the popup sits on a blurred screen (popupbackground="blur")
     and the panel behind the reel is darkened to .4 (popup-inspect-modelpanel_darken_blur)
*/
  #caseopen.spin { background: rgba(4,6,9,0.55); -webkit-backdrop-filter: blur(10px)
brightness(0.4); backdrop-filter: blur(10px) brightness(0.4); }
  #caseopen.spin #co-title { position: absolute; top: calc(44 * var(--u)); left: 0; right: 0;
text-align: center; }
  #caseopen.spin #co-wallet { position: absolute; bottom: calc(40 * var(--u)); left: 0; right: 0;
text-align: center; }
  /* THE UNLOCK BEAT SHOWS THE CASE ITSELF, so the backdrop has to let the
     canvas through. #caseopen is rgba(4,6,9,0.96) — a wall the 3D crate spins
     behind, mounted and lit and invisible. Same vignette trick .reveal3d uses
     for the won skin: clear in the middle, solid at the edges so the menu
     underneath stays unreadable. Reverts to the solid backdrop the moment the
     reel starts, which is when the crate is swapped out for the spin. */
  #caseopen.prespin { background: radial-gradient(circle at 50% 46%,
      rgba(4,6,9,0.08) 0%, rgba(4,6,9,0.45) 34%, rgba(4,6,9,0.95) 76%); }
  #caseopen.prespin #co-wallet { opacity: 0.85; }
```

```
  /* ...AND THE MENU BEHIND IT HAS TO GO. Clearing the backdrop let the canvas
     through, but it also let the case GRID through: the crate turned with
     "Arms Deal Case" and a row of cards showing straight over it. Same fix
     .reveal3d uses for the won skin — hide the tabs and chrome for the beat,
     so the case is alone in the frame. */
  #menu.prespinmode #tab-cases, #menu.prespinmode #tab-locker, #menu.prespinmode
#tab-play,
  #menu.prespinmode #topnav, #menu.prespinmode #menufoot,
  #menu.prespinmode #discordcard { visibility: hidden; }
  .co-unlock { display: inline-block; letter-spacing: 3px; animation: copulse 0.95s ease-in-out
infinite; }
  @keyframes copulse { 0%, 100% { opacity: 0.55; } 50% { opacity: 1; } }
  #reelmarker { position: absolute; left: 50%; top: 50%; margin-left: calc(-2 * var(--u));
margin-top: calc(-134 * var(--u));
    width: calc(4 * var(--u)); height: calc(268 * var(--u)); background: #b1af2d;
    box-shadow: -2px -2px 4px 4px rgba(65,65,65,0.25); }
  .skintile { position: relative; width: 120px; height: 100%; margin: 0 4px; flex: 0 0 auto;
overflow: hidden;
    background: #14181d; border-radius: 4px; display: flex; flex-direction: column; align-items:
center;
    justify-content: center; border: 1px solid rgba(255,255,255,0.07); }
  .st-bg { position: absolute; inset: 0; width: 100%; height: 100%; opacity: 0.5; }
  /* A KNIFE ROW OPENS WITH ITS BLADE (hud.js builds it), the same shape as the
     Default tile that opens every other weapon's row. Not a click target --
     there is no bare Bayonet to equip -- so it takes neither the pointer nor
     the hover lift the owned tiles get. */
  .lk-grid .skintile.modelhead { cursor: default; background: #101418; }
  .lk-grid .skintile.modelhead:hover { transform: none; box-shadow: none;
    border-color: rgba(255,255,255,0.07); }
  .lk-grid .skintile.modelhead .st-name { opacity: 0.75; font-weight: 600; }
  .st-icon { position: relative; height: 34px; width: auto; filter: drop-shadow(0 2px 3px
rgba(0,0,0,0.8)); }
  /* CS2's own item render. Wider and shorter than the silhouette icons because
     that is the shape Valve renders them at (512x384, shipped here at 256x192). */
  .st-art { height: auto; width: 100%; max-height: 62px; object-fit: contain; }
  /* THE ART GETS THE TILE'S WIDTH. `.lk-grid .st-icon` below caps every tile
     image at 38 px tall, which for a 4:3 render is 51 px wide on a 126 px
     card -- "the skin images are too small". The render is the whole point
     of the card, so it takes 58 px of height (77 px wide) and the card grows
     to hold it; the Default silhouettes keep their own size. Three classes
     deep so it outranks the .st-icon rule that follows it. */
  .lk-grid .skintile .st-art { height: 58px; max-height: 58px; margin-top: 10px; }
  /* the item's condition + float, which is half of what identifies it */
  .st-cond { font-size: 9.5px; letter-spacing: 0.4px; opacity: 0.62;
    font-family: var(--num-font); margin-top: 1px; }
  /* StatTrak(TM) -- CS2 marks the item itself, in its orange */
  .st-tag { position: absolute; top: 5px; right: 6px; font-size: 8.5px; font-weight: 800;
    letter-spacing: 0.4px; color: #cf6a32; background: rgba(0,0,0,0.55);
```

```
    border: 1px solid rgba(207,106,50,0.5); border-radius: 3px; padding: 1px 3px; }
  .skintile.stattrak .st-name { color: #e08a4e; }
  /* the unbox reveal shows the real art and the item's own line */
  .rv-art { width: min(46vw, 420px); margin: 6px auto 2px; display: block; }
  /* Valve's own render of the finish, shown over the 3D object. This is the
     skin -- the model behind it is painted from a sampled palette and cannot
     show the artwork itself. */
  .in-art { display: block; width: min(52vw, 560px); margin: 0 auto 4px;
    filter: drop-shadow(0 8px 26px rgba(0,0,0,0.85)); }
  .rv-sub, .in-sub { font-size: 11.5px; opacity: 0.7; letter-spacing: 0.4px;
    font-family: var(--num-font); margin-top: 3px; }
  /* Side-gear tiles (knife / gloves) draw CS2's vector MASKED so it can take a
     team colour -- same mechanism as .buyicon and #casebtn .caseico.
     THE BOX HAS TO BE WIDE, NOT SQUARE. `.st-icon` next door is an <img> at
     `height: 38px; width: auto`, so it sizes by HEIGHT and lets the aspect
     ratio set the width -- an AK lands at 105x38. A mask has no intrinsic
     size, so a square box plus `contain` fits by the SHORT side instead: the
     knife is 76.8x32 in its own viewBox, so 38x38 rendered it 38x16, a third
     the size of every weapon beside it. Gloves are square (32x32) and looked
     right, which is exactly why it went unnoticed. Give it a box wider than
     any icon can need at this height (the widest is the AK at 2.77:1 -> 105px)
     and `contain` then fits by height, matching the <img> exactly. */
  .st-glove, .st-sideicon { position: relative; width: 100px; height: 34px; display: block;
    background: var(--tint, #fff);
    -webkit-mask: var(--icon) center / contain no-repeat;
    mask: var(--icon) center / contain no-repeat; }
  .lk-grid .st-glove, .lk-grid .st-sideicon { width: 112px; height: 38px; }
  .st-name { position: relative; font-size: 10.5px; font-weight: 700; text-align: center; padding:
4px 6px 8px;
    text-shadow: 0 1px 3px #000; line-height: 1.25; }
  .st-bar { position: absolute; left: 0; right: 0; bottom: 0; height: 5px; background: var(--rc); }
  #revealcard { position: relative; display: none; flex-direction: column; align-items: center;
gap: 6px;
    background: #14181d; border: 2px solid var(--rc); border-radius: 10px; padding: 20px
40px;
    box-shadow: 0 0 40px color-mix(in srgb, var(--rc) 50%, transparent); }
  #rv-bg { width: 130px; height: 130px; border-radius: 8px; opacity: 0.9; }
  .rv-icon { height: 52px; margin-top: -95px; margin-bottom: 40px; filter: drop-shadow(0 3px
5px rgba(0,0,0,0.9)); }
  .rv-glove { font-size: 50px; margin-top: -105px; margin-bottom: 46px; }
  .rv-name { font-size: 19px; font-weight: 800; }
  .rv-rarity { font-size: 13px; font-weight: 700; letter-spacing: 2px; text-transform: uppercase; }
  .rv-equip { font-size: 11.5px; opacity: 0.6; }
  #co-btns { display: none; gap: 12px; }
  #co-close, #co-again { width: 220px; }
  #co-again:disabled { opacity: 0.4; cursor: default; }
  #co-wallet { font-size: clamp(12.5px, 1vw, 16px); letter-spacing: 1px; opacity: 0.8; margin:
10px 0 4px; }
```

```
  #co-wallet b { color: var(--accent); font-size: clamp(14px, 1.1vw, 18px); }
  #co-wallet i, #co-again i { font-style: normal; opacity: 0.7; }
  /* 3D reveal: pin the wallet strip + buttons to the bottom edge so the
     opened weapon owns the middle of the screen (CS2 reveal framing) */
  /* (the reveal's wallet and buttons sit in the CS2 button row now: #co-btns
     takes .cs2ins-bottom at the reveal and #co-wallet moves inside it) */

  /* inventory tab — CS2-style flowing grid per category */
  .lk-cat { margin-bottom: 26px; }
  .lk-cat > h3 { font-size: 13px; letter-spacing: 3px; color: var(--accent); opacity: 0.9;
    border-bottom: 1px solid rgba(139,197,63,0.25); padding-bottom: 6px; margin-bottom:
12px; }
  #lockerlist { max-width: 1240px; margin: 26px auto 0; padding: 0 30px; overflow-y: auto;
max-height: calc(100% - 90px); }
  /* each weapon is its own little panel inside the category — tiles of the
     same gun sit together, guns sit apart ("too clustered" fix) */
  .lk-grid { display: flex; flex-wrap: wrap; gap: 18px 20px; }
  .lk-wep { display: flex; gap: 7px; padding: 8px; background: rgba(255,255,255,0.028);
    border: 1px solid rgba(255,255,255,0.055); border-radius: 7px; }
  .lk-grid .skintile { width: 126px; height: 132px; margin: 0; cursor: pointer;
    transition: transform 0.12s, box-shadow 0.12s; }
  .lk-grid .skintile:hover { transform: translateY(-3px); box-shadow: 0 8px 18px
rgba(0,0,0,0.45);
    border-color: #fff; }
  .lk-grid .skintile.equipped { border: 2px solid var(--accent); box-shadow: 0 0 12px
rgba(139,197,63,0.4); }
  .st-wep { position: absolute; top: 0; left: 0; right: 0; padding: 4px 6px 10px; font-size: 9.5px;
    font-weight: 700; letter-spacing: 0.6px; text-transform: uppercase; opacity: 0.75; text-align:
left;
    background: linear-gradient(rgba(0,0,0,0.55), transparent); white-space: nowrap; overflow:
hidden;
    text-overflow: ellipsis; z-index: 1; pointer-events: none; }
  .lk-grid .st-icon { height: 38px; margin-top: 8px; }
  .lk-grid .skintile.gear .st-icon { height: 42px; }
  .lk-grid .skintile.gear .st-name { opacity: 0.55; font-weight: 600; }
  .empty { text-align: center; opacity: 0.6; margin-top: 60px; line-height: 2; font-size: 15px; }

  /* settings tab */
  #settingsbox { max-width: 520px; margin: 30px auto 40px; background: rgba(10,13,16,0.8);
padding: 26px 30px;
    border-radius: 8px; border: 1px solid rgba(255,255,255,0.07); }
  /* In game the page opens from the pause menu, and #pause-back is fixed over its
     bottom edge (26px up, ~40px tall): leave room to scroll the last row clear of
     it. Phones set their own margin in the query below. */
  #menu.pausemode #settingsbox { margin-bottom: 90px; }
  .srow { display: flex; align-items: center; gap: 14px; margin-bottom: 16px; }
  .srow label { width: 120px; font-size: 11px; letter-spacing: 1.5px; opacity: 0.6; }
  .srow input[type=range] { flex: 1; accent-color: var(--accent); }
```

```
  .srow span { width: 44px; font-size: 13px; }
  /* the FPS readout doubles as a text field -- click it and type a number */
  #fps-val, .numval { width: 74px; cursor: text; padding: 2px 5px; border-radius: 3px;
            border: 1px solid transparent; outline: none; }
  #fps-val:hover, .numval:hover { border-color: rgba(255,255,255,0.22); background:
rgba(255,255,255,0.05); }
  #fps-val:focus, .numval:focus { border-color: var(--accent); background:
rgba(255,255,255,0.09); }
  .srow input[type=text], #opt-name { flex: 1; background: rgba(255,255,255,0.07); border:
1px solid rgba(255,255,255,0.15);
    color: #fff; padding: 9px 12px; border-radius: 4px; font-size: 14px; }
  .srow .qrow { flex: 1; }
  /* bot count and bot skill mean nothing with the bots switched off */
  #menu.nobots .srow.botdep { opacity: 0.35; pointer-events: none; }
  /* no text selection anywhere (kills the iOS tap-loupe); inputs stay editable */
  html, body { -webkit-user-select: none; user-select: none; -webkit-touch-callout: none; }
  input, textarea { -webkit-user-select: auto; user-select: auto; }
  .tbtn svg { width: 52%; height: 52%; pointer-events: none; display: block; }

  /* cases shortcut under the radar */
  /* Sits BELOW the radar, derived from the dial rather than pinned: the radar
     is --rd-inset from the corner and 250px tall at Valve's 1080p reference,
     both scaled by --cs2-ui-scale, so a fixed `top: 200px` fell inside it as
     soon as the dial took CS2's real size. 12px of clearance under the rim. */
  /* THE CASE BUTTON WEARS A FADE. The three stops and their positions are the
     game's own Fade finish, not a hand-picked gradient: PAINTERS.fade in
     skins.js lays c1/c2/c3 down at 0 / 0.55 / 1, and these are the stops the
     Fade skins in SKINS use (`knife_fade`, `gloves_fade`) -- yellow into
     magenta into violet. So the button is painted by the same recipe that
     paints a Fade in the world, which is what makes it read as one. */
  #casebtn { position: absolute; left: 16px; z-index: 6;
    width: auto; min-width: 56px; height: 38px; padding: 0 8px; box-sizing: border-box;
    top: calc((var(--rd-inset, 14px) + 250px) * var(--cs2-ui-scale, 1) + 12px);
    display: flex; align-items: center; justify-content: center; gap: 4px; cursor: pointer;
    background:
      linear-gradient(180deg, rgba(255,255,255,0.30) 0%, rgba(255,255,255,0) 46%),
      linear-gradient(135deg, #f8d838 0%, #e848a8 55%, #4838e8 100%);
    border: 1px solid rgba(255,255,255,0.30); border-radius: 8px;
    /* white, because no single ink reads across yellow AND violet -- the
       shadow is what carries it over the pale end */
    color: #ffffff; text-shadow: 0 1px 2px rgba(0,0,0,0.65);
    box-shadow: 0 2px 8px rgba(0,0,0,0.42), inset 0 -1px 3px rgba(0,0,0,0.28);
    /* FULL COLOUR AT ANY BALANCE. This used to drop to saturate(0.5)
       brightness(0.82) below 250 coins, the price of one case, and only
       return to full paint once you could afford one. It was the only chip
       on the HUD with a washed-out state and nothing on screen explained
       it, so it read as a broken or disabled button rather than as a price
       signal. The wallet no longer changes how the button is painted; the
```

```
      only thing left that marks an affordable case is the glow `.afford`
      adds below, which is a shadow and does not touch the colours. */
    filter: none;
    pointer-events: auto;
    transition: filter 0.25s, box-shadow 0.25s, transform 0.12s ease-out; }
  /* the case glyph is masked so it still takes the button's `color` */
  #casebtn .caseico { width: 21px; height: 21px; flex: 0 0 auto;
    background: currentColor;
    -webkit-mask: var(--icon) center / contain no-repeat;
    mask: var(--icon) center / contain no-repeat;
    filter: drop-shadow(0 1px 2px rgba(0,0,0,0.6)); }
  /* no plate behind the key -- the button's own text-shadow is what carries it
     over the pale end of the gradient */
  #casebtn .casekey { font-size: 11px; font-weight: 800; line-height: 1; }
  #casebtn .casekey:empty { display: none; }
  /* a full wallet adds the glow and nothing else -- no `filter` here, or the
     two states would differ in paint again (see the base rule above). */
  #casebtn.afford {
    box-shadow: 0 2px 10px rgba(0,0,0,0.42), 0 0 14px rgba(232,72,168,0.34),
                inset 0 -1px 3px rgba(0,0,0,0.28); }
  #casebtn:hover { filter: saturate(1.15) brightness(1.1);
    transform: translateY(-1px);
    box-shadow: 0 4px 14px rgba(0,0,0,0.5), 0 0 20px rgba(232,72,168,0.5),
                inset 0 -1px 3px rgba(0,0,0,0.28); }
  #casebtn:active { transform: translateY(0) scale(0.96); }
  /* HIDDEN IN BOTH MENU STATES, like every other piece of HUD. This listed
     only `.inmenu`, so the button sat on the team-select and loading screens
     with no radar under it to belong to -- it just was not noticeable while it
     was a dark slab. */
  #hud.inmenu #casebtn, #hud.teamselect #casebtn { display: none; }
  /* touch: same derivation, just the bigger tap target */
  body.touchmode #casebtn { min-width: 62px; height: 44px; }

  /* buy-zone chip: shows when buying is possible (bomb mode) */
  /* clear of the money line, which now sits at CS2's 22px */
  /* BESIDE THE MONEY, NOT ABOVE IT. left/top are written by the HUD tick from
     the money's measured box (see updateBuyHint) -- the figure is 42px type and
     its width changes with the amount, so a fixed offset would either overlap
     "16000"orleaveaholeafter"800". These values are only the fallback
     for the frame before the first measurement. */
  #buyhint { position: absolute; left: 16px; display: none; align-items: center; gap: 7px;
    bottom: calc(78px * var(--cs2-ui-scale, 1));
    background: rgba(13,17,21,0.72); border: 1px solid rgba(139,197,63,0.5); color:
var(--accent);
    padding: 5px 11px; border-radius: 5px; font-size: 12px; font-weight: 700; letter-spacing:
1.2px; }
  #buyhint b { background: var(--accent); color: #10150c; border-radius: 3px; padding: 1px
6px; font-size: 11px; }
```

```
  #hud.inmenu #buyhint, #hud.teamselect #buyhint { display: none !important; }

  /* soft CS2-style vignette: grounds the frame, free (no render cost) */
  #vignette {
    position: fixed; inset: 0; z-index: 5; pointer-events: none;
    background: radial-gradient(ellipse 108% 96% at 50% 46%, transparent 62%,
rgba(8,10,14,0.32) 100%);
  }

  /* ================= mobile / touch ================= */
  #touchui {
    /* `viewport-fit=cover` is set on the viewport meta, so the page extends
       UNDER the notch and the home indicator. Nothing used env() before, which
       on a landscape iPhone puts the gear and the aim button beneath the
       rounded corner / Dynamic Island. Inset the control layer by the safe
       area; the look and move ZONES deliberately still span the full screen. */
    position: fixed; z-index: 40; display: none;
    top: env(safe-area-inset-top, 0px); right: env(safe-area-inset-right, 0px);
    bottom: env(safe-area-inset-bottom, 0px); left: env(safe-area-inset-left, 0px);
    pointer-events: none; user-select: none; -webkit-user-select: none;
    -webkit-tap-highlight-color: transparent; font-family: inherit;
  }
  .tz { position: absolute; bottom: 0; height: 78%; pointer-events: auto; touch-action: none; }
  .tz-move { left: 0; width: 42%; }
  .tz-look { right: 0; width: 58%; }
  .stick-base, .stick-nub {
    position: fixed; pointer-events: none; border-radius: 50%; z-index: 41;
  }
  /* CONTROL SIZES SCALE WITH SCREEN HEIGHT.
     They were fixed px, tuned against a ~620px-tall viewport. A landscape
     phone is ~393px tall, so the SAME pixels ate 1.6x the relative space:
     measured at a 2.17:1 aspect the stick was 33% of screen height, the fire
     button 25%, and two pairs actually COLLIDED (stick/left-fire 10x35px,
     fire/crouch 18x9px). Each size is now clamp(tappable-floor, the vh that
     reproduces the tuned proportion at 620px, the original px) -- so a tall
     screen is unchanged and a short one shrinks instead of cramming. The
     floors keep every control at or above a comfortable touch target. */
  .stick-base { width: clamp(84px, 18.1vh, 112px); height: clamp(84px, 18.1vh, 112px);
    border: 2px solid rgba(255,255,255,0.25); background: rgba(255,255,255,0.05); }
  .stick-nub { width: clamp(40px, 8.4vh, 52px); height: clamp(40px, 8.4vh, 52px);
    background: rgba(255,255,255,0.3); border: 2px solid rgba(255,255,255,0.5); }
  .tbtn {
    position: absolute; pointer-events: auto; touch-action: none; z-index: 42;
    display: flex; align-items: center; justify-content: center;
    border-radius: 50%; color: rgba(255,255,255,0.85);
    background: rgba(20,26,32,0.4); border: 2px solid rgba(255,255,255,0.22);
    font-weight: 700; letter-spacing: 0.06em;
  }
```

```
  .tbtn.held, .tbtn.on { background: var(--accent-dim); border-color: var(--accent); color:
var(--accent); }
  .tbtn-fire  { right: 3.5%; bottom: 14%; width: clamp(64px, 13.5vh, 84px); height: clamp(64px,
13.5vh, 84px); font-size: 15px; }
  .tbtn-firel { left: 3%; bottom: 36%; width: clamp(46px, 9.4vh, 58px); height: clamp(46px,
9.4vh, 58px); font-size: 11px; opacity: 0.8; }
  .tbtn-aim   { right: 4%; bottom: 1%; width: clamp(46px, 9.0vh, 56px); height: clamp(46px,
9.0vh, 56px); font-size: 12px; }
  .tbtn-jump  { right: 2.5%; bottom: 40%; width: clamp(46px, 9.4vh, 58px); height:
clamp(46px, 9.4vh, 58px); font-size: 20px; }
  .tbtn-crouch{ right: 12.5%; bottom: 36%; width: clamp(42px, 8.1vh, 50px); height:
clamp(42px, 8.1vh, 50px); font-size: 18px; }
  .tbtn-reload{ right: 26%; bottom: 26%; width: clamp(40px, 7.4vh, 46px); height: clamp(40px,
7.4vh, 46px); font-size: 14px; }
  .tbtn-use   { right: 17.5%; bottom: 23%; width: clamp(40px, 7.4vh, 46px); height:
clamp(40px, 7.4vh, 46px); font-size: 14px; }
  .tbtn-buy   { left: 2.5%; bottom: 22%; width: clamp(38px, 7.1vh, 44px); height: clamp(38px,
7.1vh, 44px); font-size: 15px; color: var(--money); }
  .tbtn-pause { right: 1.5%; top: 4%; width: clamp(34px, 6.5vh, 40px); height: clamp(34px,
6.5vh, 40px); font-size: 17px; border-radius: 10px; }
  .slotstrip {
    position: absolute; left: 50%; transform: translateX(-50%); bottom: 2%;
    display: flex; gap: 6px; pointer-events: auto; touch-action: none; z-index: 42;
  }
  .tslot {
    width: clamp(36px, 6.5vh, 40px); height: clamp(32px, 5.5vh, 34px); border-radius: 7px;
display: flex; align-items: center; justify-content: center;
    background: rgba(20,26,32,0.45); border: 1px solid rgba(255,255,255,0.2);
    color: rgba(255,255,255,0.8); font-size: 13px; font-weight: 700;
  }
  /* spectating / death cam: gameplay controls hide — only the pause gear
     stays, and the look zone keeps handling tap-to-switch-target */
  #touchui.spec .tz-move, #touchui.spec .stick-base, #touchui.spec .stick-nub,
  #touchui.spec .tbtn:not(.tbtn-pause), #touchui.spec .slotstrip { display: none !important; }
  /* MENU OPEN: same idea, and it is what made settings unusable on a phone.
     #touchui sits at z-index 40 with the look/move zones spanning the whole
     screen, so with the panel open a tap anywhere but the far left column hit
     .tz and dragged the view instead of pressing the control under the finger.
     The gear stays -- it is now the way back out. */
  body.menuopen #touchui .tz, body.menuopen #touchui .stick-base,
  body.menuopen #touchui .stick-nub, body.menuopen #touchui .slotstrip,
  body.menuopen #touchui .tbtn:not(.tbtn-pause) { display: none !important; }
  .rotateov {
    position: fixed; inset: 0; z-index: 300; display: none;
    flex-direction: column; align-items: center; justify-content: center; gap: 8px;
    background: rgba(8,10,13,0.96); color: #fff; font-size: 20px; font-weight: 800;
letter-spacing: 0.12em;
  }
```

```
  .rotateov div { font-size: 54px; animation: rotspin 2.4s ease-in-out infinite; }
  .rotateov span { font-size: 12px; font-weight: 400; color: rgba(255,255,255,0.55);
letter-spacing: 0.05em; }
  @keyframes rotspin { 0%, 55% { transform: rotate(0deg); } 75%, 100% { transform:
rotate(90deg); } }

  /* PHONES: the two strips plus the score bar need ~533px of a single row and
     a phone has 375. CS2 has no portrait layout to copy here, so drop both
     strips onto a second row directly under the bar rather than letting them
     run off both edges (measured at 375px: CT started at -74, T ended at 415). */
  /* #hud-prefixed so this wins over the max-width:980px block below, which
     matches too and would otherwise take it on source order alone. */


  /* compact HUD on small screens (elements use ids via el()) */
  @media (max-width: 980px) {
    /* Handhelds shrink the dial but keep CS2's GEOMETRY: the same 25/65/250
       proportions, taken down by a single factor. Pinning 150px at (8,8) was
       throwing the radar off CS2's position entirely -- and because the query
       is max-width, a windowed desktop under 980px got the phone layout too. */
    #radar { --rd: calc(var(--cs2-ui-scale, 1) * 0.62);
      left: calc(var(--rd-inset) * var(--rd)); top: calc(var(--rd-inset) * var(--rd));
      width: calc(250px * var(--rd)); height: calc(250px * var(--rd)); }
    /* the dial is 0.62 here, so the button under it has to shrink by the same
       factor or it would sit in a gap */
    #casebtn { top: calc((var(--rd-inset, 14px) + 250px)
      * var(--cs2-ui-scale, 1) * 0.62 + 10px); }
    /* NO size overrides for the player strip any more. It is authored in vh
       from CS2's own values, so it already scales with the viewport -- pinning
       it to 30px here was overriding CS2's 54px card and undoing the extract. */
    #scorebar { font-size: 12px !important; }
    /* 92px was tuned against an older, narrower bar and now runs the strips
       under it: the bar is 221px wide, so each side needs at least 111px. */
    #hp { font-size: 24px !important; }
    #ammo { font-size: 20px !important; }
    #money, #wname { font-size: 13px !important; }
    /* Panorama's px are at a 1080p design height and scale with the viewport;
       a phone gets the same layout at a smaller size rather than a different one. */
    #killfeed .kf { font-size: 11px; padding: 4px 7px 2px 7px; }
    #killfeed .kficon, #killfeed .kfhs { height: 17px; }
    #killfeed { top: 46px; }
    #topright { right: 54px !important; top: 4px !important; gap: 6px !important; }   /* clear of the
pause button */
    #fps { font-size: 9px !important; }
    #sitebadge { padding: 2px 6px !important; }
    #sitebadge .sb-name { font-size: 14px !important; }
    #buymenu { width: 96vw !important; max-width: 96vw !important; max-height: 86vh
!important; overflow-y: auto !important; }
```

```
  body.touchmode #statr { right: 118px !important; bottom: 10px !important; }
  body.touchmode #statl { left: 60px !important; }
  #killcard { transform: translateX(-50%) scale(0.85) !important; }
  #menu { overflow-y: auto; }

  /* NO MENU REFLOW ON A SMALL WINDOW ANY MORE.
     The menu is zoomed as a single unit (hud.js _syncMenuScale -> #menu's
     `zoom: var(--ms)`), so a small window gets the SAME layout smaller
     instead of a different one. These rules did the opposite: they re-sized
     the nav to 60px, dropped the logo to 22px, hid the challenges panel and
     re-anchored the play column -- so dragging the window narrower changed
     the design rather than its scale, and under the zoom they also shrank a
     second time on top of it.
     The scroll affordance stays: a very short window can still run out of
     height even with everything scaled down. */
  .tabpage { overflow-y: auto; }
  /* team select fits a landscape phone */
  #teamsel h1 { font-size: 17px; letter-spacing: 4px; }
  #teamsel .tsmap { font-size: 10px; margin-top: -6px; }
  #teamsel .tscards { gap: 14px; }
  .tscard { width: 204px; height: 232px; }
  .tscard * { font-size: 90%; }
  /* settings / bind list compact */
  .bindrow { padding: 2px 0; font-size: 11.5px; }
  #bindlist { max-height: 46vh; overflow-y: auto; }
  /* THE SETTINGS PANEL HAD NO WAY TO SCROLL. `.tabpage` is position:absolute,
     so it contributes nothing to #menu's scroll height -- the box measured
     645px inside a 360px landscape viewport and everything past the fold was
     simply unreachable. Make the page its own scroller and shrink the rows
     so most of it fits without scrolling at all. Scoped to .pausemode: this
     is the in-game overlay, not the main menu. */
  #menu.pausemode #topnav { height: 62px; padding-top: 8px; }
  #menu.pausemode .tabpage { inset: 62px 0 0 0; overflow-y: auto;
    -webkit-overflow-scrolling: touch; overscroll-behavior: contain; }
  #menu.pausemode .pagetitle { display: none; }        /* 40px of "SETTINGS" above a panel
reached from a gear */
  #menu.pausemode #settingsbox { max-width: none; margin: 6px 12px 48px;
    padding: 8px 12px; }                              /* 58px clears #pause-back (39px tall at
bottom:10) */
  #menu.pausemode .srow { gap: 8px; margin-bottom: 5px; }
  #menu.pausemode .srow label { width: 88px; font-size: 9.5px; letter-spacing: 0.8px; }
  #menu.pausemode .srow span { width: 38px; font-size: 12px; }
  #menu.pausemode .srow input[type=text], #menu.pausemode #opt-name { padding: 6px
9px; font-size: 13px; }
  #menu.pausemode #pause-back { bottom: 10px; padding: 9px 20px; font-size: 12px; }
  /* TWO COLUMNS. A landscape phone is wide and short -- the panel measured
     590px tall in a 298px page, so one column per row wasted the entire
     width and forced a scroll for every setting. Paired up it clears the
```

```
      fold. `label + control` stays on one line inside each cell. */
    body.touchmode #menu.pausemode #settingsbox {
      display: grid; grid-template-columns: repeat(2, minmax(0, 1fr)); gap: 0 18px;
      align-content: start; }
    /* 14 rows is too many for two columns once the video settings are in --
       a wide landscape phone takes three and the panel clears #pause-back,
       which otherwise floats over the last row and swallows its taps. */
    @media (min-width: 700px) {
      body.touchmode #menu.pausemode #settingsbox { grid-template-columns: repeat(3,
minmax(0, 1fr)); }
      body.touchmode #menu.pausemode .srow label { width: 76px; }
    }
    body.touchmode #menu.pausemode .srow { margin-bottom: 5px; min-width: 0; }
    body.touchmode #menu.pausemode .srow .qrow { min-width: 0; flex: 1; }
    body.touchmode #menu.pausemode .qrow button { padding: 5px 2px; font-size: 9.5px;
      min-width: 0; flex: 1; }
    body.touchmode #menu.pausemode .setsub,
    body.touchmode #menu.pausemode #bindlist,
    body.touchmode #menu.pausemode #binds-reset { grid-column: 1 / -1; }
    /* KEY BINDINGS ARE DEAD WEIGHT ON A PHONE -- there is no keyboard to bind
       to, and the list was the single tallest thing in the panel. */
    body.touchmode #menu.pausemode .setsub,
    body.touchmode #menu.pausemode #bindlist,
    body.touchmode #menu.pausemode #binds-reset { display: none; }
    /* the FPS readout is a text FIELD and its value can be the word
       "Unlimited" -- the 38px .srow span width broke it over three lines */
    body.touchmode #menu.pausemode #fps-val, body.touchmode #menu.pausemode
.numval { width: 62px; font-size: 10.5px; text-align: center; }
    /* labels wrap to two lines at this width ("CROSSHAIR FOLLOWS SHOTS");
       tighten the leading so a wrapped label does not grow its row */
    body.touchmode #menu.pausemode .srow label { line-height: 1.15; }
    body.touchmode #menu.pausemode .srow { align-items: center; min-height: 26px; }
  }

  /* ==================== THE COMPACT MENU (small desktop windows)
====================
     hud.js _syncMenuScale puts `.compact` on #menu when the one-scale layout
     would shrink below 0.72 (a window under about 1008x619), and lays the menu
     out on a 920x518 canvas instead of 1400x860. A game portal shows the game
     in a box as small as 800x450; there the normal layout's 12px labels were
     6px, and here they are 10.4px.
     The SPACE these rules have is the window divided by that scale: 920x518 at
     the smallest, more when the window is not 16:9 (a tall narrow one gives
     920x1180, a wide short one 1800x518), so everything is anchored to an edge
     or centred -- nothing is placed by a fixed x.
     SAME MENU, SAME PARTS. Only what cannot fit is re-seated: the play column
     moves to the right-hand side (at the bottom-centre it covered the agent
     from the chest down once the window was this short), the challenges panel
```

```
    narrows to the strip left of the agent, and the top bar loses 14px.
    Never on a handheld, never above the threshold. */
  #menu.compact #topnav { height: 78px; padding: 8px 14px 0; }
  #menu.compact .tabpage { inset: 78px 0 0 0; }
  #menu.compact .nav-side { width: 186px; flex: none; padding-top: 4px; }
  #menu.compact .nav-side.right { gap: 10px; }
  #menu.compact .patch { font-size: 11.5px; white-space: nowrap; }
  #menu.compact #newsbtn { margin-top: 4px; padding: 3px 11px; font-size: 11.5px; }
  #menu.compact #fsbtn { margin-top: 6px; font-size: 11.5px; }
  #menu.compact #logo { font-size: 30px; letter-spacing: 1.5px; }
  #menu.compact #logo span { font-size: 18px; }
  /* the seven tabs have 521px: 920 less the bar's padding and the two 186px sides */
  #menu.compact #tabs { margin-top: 5px; gap: 0; }
  #menu.compact #navcenter #tabs button { padding: 6px 5px 7px; font-size: 12px;
letter-spacing: 0.4px; }
  #menu.compact #tabs [data-tab="market"]::after { content: 'MARKET'; }
  #menu.compact #navname { font-size: 14px; }
  #menu.compact .rankchip { font-size: 11.5px; margin-left: 0; padding: 2px 7px;
letter-spacing: 0.6px; white-space: nowrap; }
  #menu.compact #coins { font-size: 14px; white-space: nowrap; }
  /* play tab: challenges | agent | play column */
  #menu.compact #challenges { top: 6px; width: 216px; padding: 12px 14px; }
  #menu.compact .chal-tabs { margin-bottom: 9px; gap: 6px; }
  #menu.compact .chal-tabs span { padding: 5px 13px; font-size: 12px; }
  #menu.compact #challenges h3 { font-size: 14px; margin-bottom: 8px; padding-bottom:
6px; }
  #menu.compact .chal { margin-bottom: 9px; }
  #menu.compact .chal-top { font-size: 12.5px; margin-bottom: 4px; }
  #menu.compact .chal-bar { height: 6px; }
  #menu.compact #charname { top: 2%; font-size: 16px; }
  #menu.compact #playbottom { left: auto; right: 14px; bottom: auto; top: 46%;
    transform: translateY(-50%); width: 336px; }
  #menu.compact #quickopts { margin-bottom: 9px; }
  #menu.compact .qrow button { padding: 8px 3px; font-size: 12px; white-space: nowrap; }
  #menu.compact #btn-play { font-size: 28px; padding: 11px; letter-spacing: 3px; }
  #menu.compact #btn-play.loading { font-size: 18px; padding: 9px 12px 16px; }
  #menu.compact #discordcard { width: 190px; bottom: 8px; left: 10px; padding: 9px; }
  #menu.compact #discordcard .dc-head { font-size: 13.5px; margin-bottom: 6px; }
  #menu.compact #discordcard .dc-btn { font-size: 12.5px; padding: 7px 8px; }
  #menu.compact #discordcard .dc-btn svg { width: 20px; height: 15px; }
  #menu.compact #menufoot { bottom: 8px; right: 14px; gap: 14px; font-size: 12px; }
  /* the footer links float over the page; on the scrolling tabs that put them
     across a row of tiles, so in this layout they stay on the play tab */
  #menu.compact:not([data-tab="play"]) #menufoot { display: none; }
  #menu.compact .pagetitle { margin-top: 10px; font-size: 19px; letter-spacing: 3px; }
  /* loadout: all five columns on one row (5 x 168 + 4 x 10 = 880 of 920); at
     190 the fifth wrapped to a row of its own 500px further down the page */
  #menu.compact #lo-grid { gap: 10px; }
```

```
  #menu.compact .lo-col { width: 168px; }
  #menu.compact .lo-slot { height: 72px; }
  #menu.compact .lo-slot.fixed { height: 56px; }
  #menu.compact .lo-icon { top: 27px; height: 32px; }
  #menu.compact .lo-name { font-size: 15.5px; }
  #menu.compact .lo-title { font-size: 17px; }
  #menu.compact #lo-intro { font-size: 13px; margin-bottom: 6px; }
  #menu.compact #lo-teams button { padding: 7px 18px; font-size: 13px; }
  /* the in-match settings panel: its phone rules (88px labels at 9.5px, a 38px
     value column that broke "Unlimited" over three lines) were sized for a
     much lower scale than this layout runs at */
  #menu.compact.pausemode .srow label { width: 116px; font-size: 11px; }
  #menu.compact.pausemode .srow span, #menu.compact.pausemode #fps-val,
  #menu.compact.pausemode .numval { width: 66px; font-size: 12px; }
  /* THE INSPECT AND CASE-OPENING SCREENS are drawn in 1080p units scaled by the
     window's height (--u), which at 450px tall made the condition / pattern /
     float line and the wallet 7-8px. The unit gets a floor instead: below a
     670px-tall window it stops shrinking, so that line is 12px and the button
     row 15px, and the reel (270 units tall) is still only 167px of the 450. */
  #menu.compact #inspectov, #menu.compact #caseopen { --u: calc(max(100vh / 1080,
0.62px) / var(--ms, 1)); }

  /* THE BUY MENU IN A SMALL WINDOW (hud.js `fit` puts .compact on it and picks
     one scale). Full 950px design width, so the cards keep room for their
     names; shorter cards and a shorter dropped-weapons box, so the block is
     492px tall instead of 680 and the scale the height allows is higher; and
     the small print a size up, since that scale is about 0.63 at 800x450:
     names and prices come out at 10px where they were under 6. */
  #buymenu.compact { --bmw: 950px; --bmgap: 24px; --bmagent: 30vh;
    /* the old small-screen rule (96vw wide, 86vh tall, its own scroller) is
       from the menu before this one and breaks `inset: 0`: the block's 50%
       and the hints' `bottom` were being measured in a box 63px short */
    width: auto !important; max-width: none !important; max-height: none !important; overflow:
visible !important; }
  /* the wallet beside the BUY key: the 980px rule pins it at 13px for a phone,
     which under this window's 0.6 HUD scale is 7.8px */
  #hud.compact-win #money, #hud.compact-win #wname { font-size: 18px !important; }
  /* the block runs corner to corner in a window this small */
  #hud.buy-compact #radar, #hud.buy-compact #casebtn { visibility: hidden; }
  #buymenu.compact .bm-left { top: calc(50% - 20px); }
  #buymenu.compact .bm-info { height: 34px; }
  #buymenu.compact .bm-min { font-size: 16px; }
  #buymenu.compact .bm-col-head { height: 26px; }
  #buymenu.compact .bm-key { font-size: 14px; }
  #buymenu.compact .bm-item { height: 60px; }
  #buymenu.compact .bm-item-key { font-size: 14px; top: 3px; }
  #buymenu.compact .bm-item-name { font-size: 17px; top: 2px; }
  #buymenu.compact .bm-icon { top: 22px; height: 24px; }
```

```
  #buymenu.compact .bm-price { font-size: 16px; bottom: 2px; }
  #buymenu.compact .bm-ground { min-height: 64px; padding: 6px 12px; }
  #buymenu.compact .bm-ground-title { font-size: 26px; letter-spacing: 4px; }
  #buymenu.compact .bm-ground-entry { height: 52px; }
  #buymenu.compact .bm-ground-entry .bm-icon { top: 20px; height: 22px; }
  /* the key hints: their own size (they followed --bms down to 8px) and a seat
     just above the bottom HUD row, under the raised block */
  #buymenu.compact .bm-nav { bottom: 56px; gap: 16px; font-size: 11px; }

  /* ============ CS2 MENU OVERHAUL (main-menu only, HUD untouched)
============
     Valve Panorama language: Stratum2 condensed uppercase micro-labels,
     1px rgba(255,255,255,.09) borders, #1e2126 panels with top highlight,
     green #8bc53f primary. Lays OVER existing rules (later in cascade). */
  #menu {
    font-family: 'Stratum2', 'Segoe UI', sans-serif;
    background:
      radial-gradient(120% 90% at 50% 10%, rgba(0,0,0,0) 40%, rgba(4,6,8,0.55) 100%),
      linear-gradient(90deg, rgba(5,7,10,0.88) 0%, rgba(5,7,10,0.55) 22%, rgba(5,7,10,0) 45%,
rgba(5,7,10,0) 55%, rgba(5,7,10,0.55) 78%, rgba(5,7,10,0.88) 100%),
      linear-gradient(180deg, rgba(5,7,10,0.6) 0%, rgba(5,7,10,0.15) 28%, rgba(5,7,10,0.3)
100%);
  }
  #topnav {
    height: 64px; padding: 10px 22px 0;
    background: linear-gradient(180deg, #20242a 0%, #1a1d22 100%);
    border-bottom: 1px solid rgba(255,255,255,0.09);
    box-shadow: 0 1px 0 rgba(0,0,0,0.6), 0 8px 28px rgba(0,0,0,0.45);
  }
  .nav-side { width: 250px; padding-top: 6px; }
  .patch { font-family: 'Stratum2 Condensed', 'Stratum2', sans-serif; font-size: 11px;
    letter-spacing: 1.6px; text-transform: uppercase; opacity: 0.55; }
  #newsbtn, #fsbtn {
    font-family: 'Stratum2 Condensed', 'Stratum2', sans-serif; text-transform: uppercase;
    letter-spacing: 1.4px; background: #262b31; border: 1px solid rgba(255,255,255,0.11);
    border-radius: 3px; box-shadow: inset 0 1px 0 rgba(255,255,255,0.06);
  }
  #newsbtn:hover, #fsbtn:hover { background: #31373e; border-color: rgba(255,255,255,0.2);
}
  #navcenter #logo, #logo {
    font-family: 'Stratum2 Black', 'Stratum2', sans-serif; font-style: italic;
    font-size: 30px; letter-spacing: 1px; color: #f2f5f7;
    text-shadow: 0 2px 0 rgba(0,0,0,0.55), 0 4px 18px rgba(0,0,0,0.6);
  }
  #logo span { color: var(--accent); font-size: 20px; font-family: 'Stratum2 Bold', 'Stratum2',
sans-serif; }
  #tabs { margin-top: 4px; gap: 2px; }
  #navcenter #tabs button, #tabs button {
```

```
    font-family: 'Stratum2 Condensed', 'Stratum2', sans-serif; text-transform: uppercase;
    font-size: 14px; letter-spacing: 2.2px; color: #9aa7b4; padding: 8px 15px 9px;
    border-bottom: 2px solid transparent; border-radius: 0; background: transparent;
  }
  #navcenter #tabs button:hover, #tabs button:hover { color: #fff; background:
rgba(255,255,255,0.04); }
  #navcenter #tabs button.sel, #tabs button.sel {
    color: #fff; border-bottom-color: var(--accent); background: rgba(139,197,63,0.08);
  }
  .nav-side.right { align-items: center; }
  #navname { font-family: 'Stratum2 Bold', 'Stratum2', sans-serif; font-size: 15px;
letter-spacing: 0.6px;
    background: #262b31; border: 1px solid rgba(255,255,255,0.11); border-radius: 3px;
    padding: 6px 12px; box-shadow: inset 0 1px 0 rgba(255,255,255,0.06); }
  .rankchip { background: rgba(139,197,63,0.12); border: 1px solid rgba(139,197,63,0.5); }
  #coins { font-family: 'Stratum2 Bold', 'Stratum2', sans-serif; background: #262b31;
    border: 1px solid rgba(255,255,255,0.11); border-radius: 3px; padding: 6px 12px;
    box-shadow: inset 0 1px 0 rgba(255,255,255,0.06); }
  .tabpage .pagetitle, .pagetitle {
    font-family: 'Stratum2 Condensed', 'Stratum2', sans-serif; text-transform: uppercase;
    letter-spacing: 5px; color: #dfe5ea; text-shadow: 0 2px 0 rgba(0,0,0,0.5);
  }
  /* play column as one CS2 card */
  #playbottom {
    width: 476px; background: rgba(24,27,32,0.88); border: 1px solid rgba(255,255,255,0.1);
    border-radius: 6px; padding: 16px 16px 14px; bottom: 2.5%;
    box-shadow: inset 0 1px 0 rgba(255,255,255,0.07), 0 18px 50px rgba(0,0,0,0.55);
    -webkit-backdrop-filter: blur(10px); backdrop-filter: blur(10px);
  }
  #charname {
    font-family: 'Stratum2 Black', 'Stratum2', sans-serif; text-transform: uppercase;
    letter-spacing: 3px; font-size: 17px; color: #e8eef2;
    text-shadow: 0 2px 0 rgba(0,0,0,0.6), 0 0 26px rgba(139,197,63,0.25);
  }
  #quickopts { gap: 6px; margin-bottom: 12px; }
  .qrow { gap: 6px; }
  .qrow button {
    font-family: 'Stratum2 Condensed', 'Stratum2', sans-serif; text-transform: uppercase;
    letter-spacing: 1.6px; font-size: 13px; background: #262b31; color: #b9c2ca;
    border: 1px solid rgba(255,255,255,0.1); border-radius: 3px; padding: 9px 6px;
    box-shadow: inset 0 1px 0 rgba(255,255,255,0.06); transition: all .12s;
  }
  .qrow button:hover { background: #31373e; color: #fff; border-color: rgba(255,255,255,0.2);
}
  .qrow button.sel {
    background: linear-gradient(180deg, rgba(139,197,63,0.28), rgba(139,197,63,0.14));
    border-color: var(--accent); color: #fff;
    box-shadow: inset 0 1px 0 rgba(255,255,255,0.12), 0 0 14px rgba(139,197,63,0.25);
```

```
  }
  #btn-play {
    font-family: 'Stratum2 Black', 'Stratum2', sans-serif; text-transform: uppercase;
    background: linear-gradient(180deg, #9bd44f 0%, #7ab52f 55%, #679e27 100%);
    border: 1px solid #557f22; border-bottom: 3px solid #4a6f1e; border-radius: 3px;
    font-size: 30px; letter-spacing: 6px; text-indent: 6px; padding: 13px;
    text-shadow: 0 2px 0 rgba(0,0,0,0.35); color: #10160a;
    box-shadow: inset 0 1px 0 rgba(255,255,255,0.4), 0 6px 26px rgba(139,197,63,0.35);
  }
  #btn-play:hover { background: linear-gradient(180deg, #a8de5e 0%, #84bd36 55%,
#6fa72c 100%); filter: none; }
  #btn-play:active { transform: translateY(1px); border-bottom-width: 2px; }
  #playsub .ghostbtn, .ghostbtn {
    font-family: 'Stratum2 Condensed', 'Stratum2', sans-serif; text-transform: uppercase;
    letter-spacing: 2px; font-size: 15px; background: #262b31; opacity: 1; color: #9aa7b4;
    border: 1px solid rgba(255,255,255,0.1); border-radius: 3px;
    box-shadow: inset 0 1px 0 rgba(255,255,255,0.06);
  }
  #online {
    font-family: 'Stratum2 Condensed', 'Stratum2', sans-serif; text-transform: uppercase;
    letter-spacing: 2.4px; font-size: 12.5px; color: #8bc53f;
    text-shadow: 0 0 12px rgba(139,197,63,0.4);
  }
  /* tactical overview: the selected map's radar, framed like sight glass.
     Built by the menu director; hidden below the rail breakpoint. */
  #mappreview { display: none; }
  @media (min-width: 1100px) {
    #menu:not(.pausemode):not(.compact) #mappreview { display: block; position: relative;
      border: 1px solid rgba(255,255,255,0.14); border-radius: 3px; overflow: hidden;
      margin-bottom: 12px; background: #10131a;
      box-shadow: inset 0 1px 0 rgba(255,255,255,0.07), 0 8px 26px rgba(0,0,0,0.5); }
    #mappreview img { display: block; width: 100%; height: 148px; object-fit: cover;
object-position: center;
      filter: saturate(0.82) contrast(1.06) brightness(0.94);
      opacity: 1; transition: opacity 0.25s ease-out; }
    #mappreview.swap img { opacity: 0; }
    #mappreview::before, #mappreview::after { content: ''; position: absolute; width: 14px;
height: 14px;
      z-index: 2; pointer-events: none; }
    #mappreview::before { left: 6px; top: 6px; border-left: 2px solid var(--accent); border-top:
2px solid var(--accent); }
    #mappreview::after { right: 6px; top: 6px; border-right: 2px solid var(--accent); border-top:
2px solid var(--accent); }
    #maplabel { position: absolute; left: 0; right: 0; bottom: 0; z-index: 2;
      display: flex; justify-content: space-between; align-items: center; padding: 5px 10px;
      font-family: 'Stratum2 Condensed', 'Stratum2', sans-serif; font-size: 11px; letter-spacing:
2.4px;
      color: #e8eef2; background: linear-gradient(180deg, transparent, rgba(5,7,10,0.88)); }
```

```
    #maplabel .ml-dim { color: #8b969e; letter-spacing: 1.6px; }
  }
  /* mode intel: one contextual line under the deployment block */
  #modeintel { display: none; }
  @media (min-width: 1100px) {
    #menu:not(.pausemode):not(.compact) #modeintel { display: block;
      font-family: 'Stratum2 Condensed', 'Stratum2', sans-serif; font-size: 11.5px;
letter-spacing: 1.8px;
      color: #8b969e; margin: 8px 2px 0; text-transform: uppercase;
      border-left: 2px solid var(--accent); padding-left: 8px; min-height: 15px; }
    #modeintel b { color: #dfe5ea; font-weight: 400; }
  }
  /* command shell: slimmer bar, left-docked brand, tighter tabs */
  @media (min-width: 1100px) {
    #menu:not(.pausemode):not(.compact) #topnav { height: 52px; padding: 7px 22px 0; }
    #menu:not(.pausemode):not(.compact) #navcenter #logo,
#menu:not(.pausemode):not(.compact) #logo { font-size: 22px; }
    #menu:not(.pausemode):not(.compact) #logo span { font-size: 15px; }
    #menu:not(.pausemode):not(.compact) #navcenter { text-align: left; margin-left: 8px; }
    #menu:not(.pausemode):not(.compact) #tabs { margin-top: 1px; justify-content: flex-start; }
    #menu:not(.pausemode):not(.compact) #navcenter #tabs button,
    #menu:not(.pausemode):not(.compact) #tabs button { font-size: 12px; padding: 6px 11px
7px; letter-spacing: 1.8px; }
    #menu:not(.pausemode):not(.compact) .tabpage { inset: 64px 0 0 0; }
  }
  /* footer links all but vanish on the play tab; the game owns the screen */
  #menu[data-tab="play"]:not(.pausemode) #menufoot { opacity: 0.22; }
  /* challenges card */
  #challenges {
    background: rgba(24,27,32,0.88); border: 1px solid rgba(255,255,255,0.1);
    border-left: none; border-radius: 0 6px 6px 0; top: 110px; width: 308px;
    box-shadow: inset 0 1px 0 rgba(255,255,255,0.07), 0 18px 50px rgba(0,0,0,0.5);
    -webkit-backdrop-filter: blur(10px); backdrop-filter: blur(10px);
  }
  .chal-tabs span { font-family: 'Stratum2 Condensed', 'Stratum2', sans-serif;
    text-transform: uppercase; letter-spacing: 1.6px; border-radius: 3px; }
  .chal-tabs span.sel { background: rgba(139,197,63,0.16); color: #fff; }
  #challenges h3 { font-family: 'Stratum2 Condensed', 'Stratum2', sans-serif;
    text-transform: uppercase; letter-spacing: 2.4px; border-bottom-color:
rgba(139,197,63,0.35); }
  .chal-top { font-family: 'Stratum2', 'Stratum2', sans-serif; }
  .chal-bar { height: 5px; background: rgba(255,255,255,0.1); }
  .chal-bar i { background: linear-gradient(90deg, #7ab52f, #9bd44f); box-shadow: 0 0 10px
rgba(139,197,63,0.5); }
  .chal-reward { font-family: 'Stratum2 Bold', 'Stratum2', sans-serif; }
  /* discord + footer quieter so PLAY owns the screen */
  #discordcard { background: rgba(24,27,32,0.88); border: 1px solid rgba(255,255,255,0.1);
    box-shadow: inset 0 1px 0 rgba(255,255,255,0.07), 0 12px 30px rgba(0,0,0,0.5);
```

```
    -webkit-backdrop-filter: blur(10px); backdrop-filter: blur(10px); }
  #discordcard .dc-head { font-family: 'Stratum2 Condensed', 'Stratum2', sans-serif;
    text-transform: uppercase; letter-spacing: 1.8px; }
  #menufoot { font-family: 'Stratum2 Condensed', 'Stratum2', sans-serif;
    text-transform: uppercase; letter-spacing: 1.6px; opacity: 0.45; }

  /* ============ CINEMATIC MENU REDESIGN (home menu only) ============
     Composition: left command rail (operator → config → PLAY) + right intel
     rail, environment owns center-right. Motion: staged boot entrance,
     directional commit transition, transform/opacity-only micro-interactions.
     Scoped to :not(.pausemode):not(.compact) where layout changes, so the
     in-match pause menu and small-window layouts keep working systems. */
  #menu:not(.pausemode) .tabpage { inset: 76px 0 0 0; }
  /* ---- atmosphere layers (below UI, above 3D) ---- */
  #dustfx { position: absolute; inset: 0; z-index: 0; pointer-events: none; opacity: 0;
    transition: opacity 2.4s ease 0.15s; }
  #menu.menu-live #dustfx { opacity: 0.85; }
  #menu::after { /* ultra-subtle film grain, static tile stepped slowly */
    content: ''; position: absolute; inset: -40px; z-index: 1; pointer-events: none; opacity: 0.05;
    background-image: url("data:image/svg+xml,%3Csvg xmlns='http://www.w3.org/2000/svg'
width='140' height='140'%3E%3Cfilter id='n'%3E%3CfeTurbulence type='fractalNoise'
baseFrequency='0.9' numOctaves='2'/%3E%3C/filter%3E%3Crect width='140' height='140'
filter='url(%23n)' opacity='1'/%3E%3C/svg%3E");
    animation: grain 1.1s steps(3) infinite; }
  @keyframes grain { 0% { transform: translate(0,0); } 33% { transform: translate(-12px,8px);
}
    66% { transform: translate(10px,-10px); } 100% { transform: translate(0,0); } }
  #menu.menu-live::after { opacity: 0.05; }
  /* ---- boot entrance: frame first, then rail top→bottom, PLAY lands last ---- */
  @keyframes mFadeDown { from { opacity: 0; transform: translateY(-14px); } to { opacity: 1;
transform: none; } }
  @keyframes mFadeUp { from { opacity: 0; transform: translateY(16px); } to { opacity: 1;
transform: none; } }
  @keyframes mFadeLeft { from { opacity: 0; transform: translateX(-22px); } to { opacity: 1;
transform: none; } }
  @keyframes mFadeRight { from { opacity: 0; transform: translateX(22px); } to { opacity: 1;
transform: none; } }
  @keyframes mSettle { from { opacity: 0; transform: translateY(14px) scale(0.985); } to {
opacity: 1; transform: none; } }
  #menu:not(.pausemode) #topnav { animation: mFadeDown 0.55s
cubic-bezier(0.22,0.9,0.24,1) 0.05s both; }
  #menu:not(.pausemode) #charname { animation: mFadeLeft 0.5s
cubic-bezier(0.22,0.9,0.24,1) 0.3s both; }
  #menu:not(.pausemode) #challenges { animation: mFadeLeft 0.5s
cubic-bezier(0.22,0.9,0.24,1) 0.42s both; }
  #menu:not(.pausemode) #quickopts { animation: mFadeUp 0.45s
cubic-bezier(0.22,0.9,0.24,1) 0.55s both; }
```

```
  #menu:not(.pausemode) #mappreview { animation: mFadeUp 0.45s
cubic-bezier(0.22,0.9,0.24,1) 0.58s both; }
  #menu:not(.pausemode) #opt-outfit { animation: mFadeUp 0.45s
cubic-bezier(0.22,0.9,0.24,1) 0.63s both; }
  #menu:not(.pausemode) #btn-play { animation: mSettle 0.5s cubic-bezier(0.22,0.9,0.24,1)
0.72s both; }
  #menu:not(.pausemode) #playsub { animation: mFadeUp 0.45s
cubic-bezier(0.22,0.9,0.24,1) 0.82s both; }
  #menu:not(.pausemode) #online { animation: mFadeUp 0.45s cubic-bezier(0.22,0.9,0.24,1)
0.9s both; }
  #menu:not(.pausemode) #discordcard { animation: mFadeUp 0.45s
cubic-bezier(0.22,0.9,0.24,1) 1s both; }
  #menu:not(.pausemode) #menufoot { animation: mFadeUp 0.45s
cubic-bezier(0.22,0.9,0.24,1) 1.05s both; }
  /* tab arrivals: short rise, no stagger (communicates arrival, not boot) */
  #menu:not(.pausemode) .tabpage.sel > * { animation: mFadeUp 0.28s
cubic-bezier(0.22,0.9,0.24,1) both; }
  #menu:not(.pausemode) #tab-play.sel > *:nth-child(2) { animation-delay: 0.05s; }
  #menu:not(.pausemode) #tab-play.sel > *:nth-child(3) { animation-delay: 0.1s; }
  /* ---- asymmetric rail composition (wide screens only) ---- */
  @media (min-width: 1100px) {
    #menu:not(.pausemode):not(.compact) #charname { left: 56px; transform: none;
text-align: left; top: 104px; }
    #menu:not(.pausemode):not(.compact) #charname::before { content: 'OPERATOR //
READY'; display: block;
      font-family: 'Stratum2 Condensed', 'Stratum2', sans-serif; font-size: 11px; letter-spacing:
3px;
      color: var(--accent); opacity: 0.85; margin-bottom: 4px; font-weight: 400; }
    #menu:not(.pausemode):not(.compact) #playbottom { left: 56px; transform: none; width:
400px;
      text-align: left; bottom: 40px; }
    #menu:not(.pausemode):not(.compact) #challenges { left: auto; right: 56px; top: 110px;
width: 292px;
      border-left: none; border-radius: 6px 0 0 6px; }
    #menu:not(.pausemode):not(.compact) #discordcard { left: auto; right: 20px; bottom: 46px;
}
    #menu:not(.pausemode):not(.compact) #quickopts::before { content: 'DEPLOYMENT';
display: block;
      font-family: 'Stratum2 Condensed', 'Stratum2', sans-serif; font-size: 11px; letter-spacing:
3px;
      color: #8b969e; margin-bottom: 6px; }
  }
  /* ---- PLAY: physical primary ---- */
  #btn-play .pl-label { display: inline-block; transition: letter-spacing 0.18s ease-out, transform
0.18s ease-out; }
  #btn-play::after { /* idle sheen: one faint pass every 9s */
    content: ''; position: absolute; top: 0; bottom: 0; width: 34%; left: -40%;
    background: linear-gradient(100deg, transparent, rgba(255,255,255,0.14), transparent);
```

```
    animation: playsheen 9s ease-in-out infinite; pointer-events: none; }
  @keyframes playsheen { 0%, 88% { left: -40%; } 96%, 100% { left: 108%; } }
  #playbottom:has(#btn-play:hover) { border-color: rgba(139,197,63,0.4);
    box-shadow: inset 0 1px 0 rgba(255,255,255,0.07), 0 18px 60px rgba(0,0,0,0.6), 0 0 30px
rgba(139,197,63,0.12); }
  #btn-play:hover { transform: translateY(-1px); }
  #btn-play:hover .pl-label { letter-spacing: 8px; transform: translateX(1px); }
  #btn-play:hover::after { animation: playhover 0.85s ease-out; }
  @keyframes playhover { from { left: -40%; } to { left: 108%; } }
  #btn-play:active { transform: translateY(1px) scale(0.985); }
  #btn-play:focus-visible { outline: 2px solid var(--accent); outline-offset: 3px; }
  /* ---- option micro-interactions: selected tick + sweep ---- */
  .qrow button { transition: background 0.15s ease-out, color 0.15s, border-color 0.15s,
transform 0.15s ease-out; overflow: hidden; }
  .qrow button:hover { transform: translateY(-1px); }
  .qrow button:active { transform: translateY(0px) scale(0.98); }
  .qrow button:focus-visible { outline: 2px solid var(--accent); outline-offset: 2px; }
  #tabs button { transition: color 0.15s, background 0.15s; }
  #tabs button:focus-visible { outline: 2px solid var(--accent); outline-offset: -2px; }
  .ghostbtn, .mbtn, .case-open { transition: background 0.15s, transform 0.15s ease-out,
border-color 0.15s; }
  .ghostbtn:hover, .mbtn:hover, .case-open:hover { transform: translateY(-1px); }
  .ghostbtn:active, .mbtn:active, .case-open:active { transform: scale(0.98); }
  /* locked option nudge (communicates denial with motion, paired with denied sfx) */
  @keyframes mnudge { 0%,100% { transform: translateX(0); } 25% { transform:
translateX(-4px); }
    55% { transform: translateX(3px); } 80% { transform: translateX(-1px); } }
  .qrow button.nudged { animation: mnudge 0.3s ease-out; }
  /* ---- PLAY commit: UI recedes, background pushes, focus narrows ---- */
  #menu { transition: none; }
  #menu.play-commit #topnav, #menu.play-commit #challenges,
  #menu.play-commit #discordcard, #menu.play-commit #menufoot,
  #menu.play-commit #charname { opacity: 0.25; transition: opacity 0.4s ease-out; }
  #menu.play-commit #quickopts, #menu.play-commit #opt-outfit,
  #menu.play-commit #playsub, #menu.play-commit #online,
  #menu.play-commit #mappreview, #menu.play-commit #modeintel { opacity: 0; transform:
translateY(10px);
    transition: opacity 0.3s ease-out, transform 0.35s cubic-bezier(0.22,0.9,0.24,1); }
  #menu.play-commit #playbottom { box-shadow: inset 0 1px 0 rgba(255,255,255,0.07),
      0 18px 70px rgba(0,0,0,0.7), 0 0 46px rgba(139,197,63,0.22);
    transition: box-shadow 0.4s ease-out; }
  #menu.play-commit #dustfx { opacity: 0.25; transition: opacity 0.5s ease-out; }
  @media (prefers-reduced-motion: reduce) {
    #menu::after, #btn-play::after { animation: none !important; }
    #menu:not(.pausemode) #topnav, #menu:not(.pausemode) #charname,
    #menu:not(.pausemode) #challenges, #menu:not(.pausemode) #quickopts,
    #menu:not(.pausemode) #opt-outfit, #menu:not(.pausemode) #btn-play,
    #menu:not(.pausemode) #playsub, #menu:not(.pausemode) #online,
```

```
    #menu:not(.pausemode) #discordcard, #menu:not(.pausemode) #menufoot,
    #menu:not(.pausemode) .tabpage.sel > * { animation-duration: 0.01s !important;
animation-delay: 0s !important; }
  }
  /* ============ PERFORMANCE OVERLAY (diagnostics + adaptive director) ====
     Fixed HUD chrome, Stratum2/condensed micro-type, transform/opacity-only.
     #perfchip: collapsed 1-line readout. #perfmon: expanded panel (F8).
     pointer-events limited to the widgets themselves. */
  #perfchip, #perfmon { position: fixed; z-index: 46; font-family: 'Stratum2 Condensed',
'Stratum2', sans-serif;
    color: #cfd8de; -webkit-backdrop-filter: blur(8px); backdrop-filter: blur(8px); }
  #perfchip { right: 12px; top: 76px; background: rgba(18,21,26,0.82);
    border: 1px solid rgba(255,255,255,0.11); border-radius: 3px; padding: 5px 10px;
    font-size: 12.5px; letter-spacing: 1.2px; cursor: pointer; user-select: none;
    box-shadow: inset 0 1px 0 rgba(255,255,255,0.06); pointer-events: auto; white-space:
nowrap; }
  #perfchip b { color: #fff; font-weight: 400; }
  #perfchip .pBad { color: #e05a4e; } #perfchip .pWarn { color: #eabe54; } #perfchip .pOk {
color: #8bc53f; }
  #perfchip:hover { border-color: rgba(139,197,63,0.5); }
  #perfmon { right: 12px; top: 112px; width: 264px; background: rgba(15,18,22,0.9);
    border: 1px solid rgba(255,255,255,0.11); border-radius: 4px; padding: 10px 12px 11px;
    font-size: 12px; letter-spacing: 0.8px; display: none; pointer-events: auto;
    box-shadow: inset 0 1px 0 rgba(255,255,255,0.06), 0 12px 34px rgba(0,0,0,0.55); }
  #perfmon.open { display: block; }
  #perfmon h4 { font-size: 11px; letter-spacing: 2.4px; color: #8b969e; margin: 0 0 8px;
    display: flex; justify-content: space-between; align-items: center; }
  #perfmon h4 button { background: none; border: 0; color: #8b969e; cursor: pointer;
font-size: 13px; padding: 0 2px; }
  #perfmon h4 button:hover { color: #fff; }
  .pmrow { display: flex; justify-content: space-between; padding: 1.5px 0; }
  .pmrow span:first-child { color: #8b969e; }
  .pmrow span:last-child { color: #e8eef2; font-variant-numeric: tabular-nums; }
  .pmrow span:last-child.warn { color: #eabe54; } .pmrow span:last-child.bad { color:
#e05a4e; }
  .pmrow span:last-child.good { color: #8bc53f; }
  .pmsec { margin-top: 7px; padding-top: 7px; border-top: 1px solid rgba(255,255,255,0.09); }
  #pmevents { margin: 6px 0 0; padding: 0; list-style: none; font-size: 11px; color: #9aa7b4; }
  #pmevents li { padding: 1px 0; white-space: nowrap; overflow: hidden; text-overflow:
ellipsis; }
  #pmevents li b { color: #e8eef2; font-weight: 400; }
  #pmadapt { width: 100%; margin-top: 8px; cursor: pointer; border-radius: 3px; padding: 7px;
    font-family: inherit; font-size: 12px; letter-spacing: 2px; text-transform: uppercase;
    background: rgba(139,197,63,0.14); border: 1px solid rgba(139,197,63,0.5); color: #fff; }
  #pmadapt.off { background: #262b31; border-color: rgba(255,255,255,0.14); color:
#9aa7b4; }
  #pmadapt:hover { filter: brightness(1.15); }
```

```
  #pmlow, #pmlite { width: 100%; margin-top: 6px; cursor: pointer; border-radius: 3px;
padding: 7px;
    font-family: inherit; font-size: 12px; letter-spacing: 2px; text-transform: uppercase;
    background: #262b31; border: 1px solid rgba(255,255,255,0.14); color: #9aa7b4; }
  #pmlow.on { background: rgba(224,90,76,0.14); border-color: rgba(224,90,76,0.55); color:
#fff; }
  #pmlite.on { background: rgba(125,184,240,0.14); border-color: rgba(125,184,240,0.55);
color: #fff; }
  #pmlow:hover, #pmlite:hover { filter: brightness(1.2); }
  @media (max-width: 900px) { #perfmon { width: 220px; right: 8px; top: 104px; } }
  /* ============ JOINSCREEN (match cache warmer + join progress) ============
     Fullscreen only while match assets are being fetched and parsed. During
     team select it collapses to a non-blocking top strip so the CT/T cards
     stay clickable. The bar moves with transform only; no layout work. */
  #joinscreen { position: fixed; inset: 0; z-index: 65; display: none;
    align-items: center; justify-content: center; padding: 24px;
    background: radial-gradient(circle at 50% 38%, rgba(24,34,44,0.97), rgba(12,15,19,0.98));
    color: #e8eef2; font-family: var(--hud-font); }
  #joinscreen.show { display: flex; }
  #joinscreen.compact { background: transparent; align-items: flex-start; pointer-events:
none; }
  #joinscreen .js-panel { width: min(440px, calc(100vw - 32px)); pointer-events: auto;
    background: rgba(13,17,22,0.94); border: 1px solid rgba(255,255,255,0.12);
    border-radius: 8px; padding: 18px 20px 16px;
    box-shadow: 0 18px 60px rgba(0,0,0,0.6); }
  #joinscreen.compact .js-panel { width: min(360px, calc(100vw - 32px)); padding: 10px 14px
9px; }
  #joinscreen .js-kicker { font-size: 10px; letter-spacing: 3px; color: var(--accent);
margin-bottom: 6px; }
  #joinscreen .js-title { font-size: 20px; font-weight: 800; letter-spacing: 1px; margin-bottom:
4px; }
  #joinscreen.compact .js-title { display: none; }
  #joinscreen .js-stage { font-size: 11px; letter-spacing: 2px; opacity: 0.75; margin-bottom:
10px; }
  #joinscreen .js-bar { position: relative; height: 8px; overflow: hidden; border-radius: 4px;
    background: rgba(255,255,255,0.1); border: 1px solid rgba(255,255,255,0.12); }
  #joinscreen .js-fill { position: absolute; inset: 0; transform: scaleX(0); transform-origin: left
center;
    background: linear-gradient(90deg, #8bc53f, #c4e58a); }
  #joinscreen .js-row { display: flex; align-items: center; justify-content: space-between;
margin-top: 8px; }
  #joinscreen .js-pct { font-family: var(--num-font); font-size: 18px; font-weight: 700; }
  #joinscreen .js-cancel { display: none; background: rgba(255,255,255,0.08); color: #e8eef2;
    border: 1px solid rgba(255,255,255,0.16); border-radius: 4px; padding: 6px 12px;
    font-size: 11px; letter-spacing: 1px; cursor: pointer; }
  #joinscreen.preloading .js-cancel { display: inline-block; }
  #joinscreen.compact .js-cancel { display: none !important; }
  #joinscreen .js-sub { margin-top: 8px; font-size: 11px; line-height: 1.5; opacity: 0.68;
```

```
    overflow: hidden; display: -webkit-box; -webkit-line-clamp: 3; -webkit-box-orient: vertical; }
  #joinscreen.compact .js-sub { -webkit-line-clamp: 2; }
  /* Constrained devices: HUD backdrop blur is re-painted every compositor
     frame. Keep the layout, drop only the recurring blur cost. */
  html.js-lowfx #radar, html.js-lowfx #menu, html.js-lowfx #perfmon,
  html.js-lowfx #caseopen.spin {
    -webkit-backdrop-filter: none; backdrop-filter: none; background-color:
rgba(10,13,16,0.88); }
  /* Locker grids can hold thousands of painted tiles. Skip offscreen paint
     while keeping each tile's fixed box, so scrolling stays cheap. */
  .lk-grid .skintile { content-visibility: auto; contain-intrinsic-size: 126px 132px; }
  @media (prefers-reduced-motion: reduce) {
    #joinscreen .js-fill { transition: none; }
  }

  /* ============ PROJECT VERA BRAND SYSTEM ============
     Vera keeps the tactical layout and HUD readability, but replaces the old
     green portal treatment with a cooler violet command-console identity. */
  :root {
    --vera-violet: #a855f7;
    --vera-violet-bright: #c084fc;
    --vera-indigo: #4f46e5;
    --vera-ink: #0c0718;
  }
  #menu {
    background:
      radial-gradient(80% 80% at 74% 22%, rgba(88, 28, 135, 0.22), transparent 62%),
      radial-gradient(55% 70% at 18% 74%, rgba(67, 56, 202, 0.12), transparent 68%),
      linear-gradient(90deg, rgba(5, 3, 12, 0.94), rgba(12, 7, 24, 0.55) 42%, rgba(12, 7, 24,
0.78));
  }
  #topnav {
    background: linear-gradient(180deg, rgba(29, 18, 50, 0.96), rgba(18, 12, 33, 0.96));
    border-bottom-color: rgba(192, 132, 252, 0.2);
  }
  #navcenter #logo, #logo {
    display: inline-flex; align-items: center; gap: 9px; color: #f7f3ff;
    letter-spacing: 2.8px; text-shadow: 0 0 24px rgba(168, 85, 247, 0.22);
  }
  #logo .vera-logo-mark {
    display: inline-flex; width: 25px; height: 25px; border-radius: 7px; overflow: hidden;
    box-shadow: 0 0 16px rgba(168, 85, 247, 0.45); flex: 0 0 auto;
  }
  #logo .vera-logo-mark img { display: block; width: 100%; height: 100%; object-fit: cover; }
  #logo .vera-word { color: #f7f3ff; }
  #logo .vera-word span { color: var(--vera-violet-bright); font-size: 0.52em; letter-spacing:
1.6px; }
  #sitebadge .vera-hud-label { color: #f7f3ff; font-weight: 900; letter-spacing: 0.08em; }
```

```
  #tabs button.sel, #navcenter #tabs button.sel {
    border-bottom-color: var(--vera-violet-bright); background: rgba(168, 85, 247, 0.12);
  }
  #navname, #coins, #newsbtn, #fsbtn, .qrow button, .ghostbtn {
    background: rgba(35, 24, 55, 0.86); border-color: rgba(192, 132, 252, 0.18);
  }
  #navname:hover, #coins:hover, #newsbtn:hover, #fsbtn:hover, .qrow button:hover,
.ghostbtn:hover {
    background: rgba(62, 40, 90, 0.9); border-color: rgba(216, 180, 254, 0.38);
  }
  #playbottom, #challenges, #discordcard {
    background: linear-gradient(145deg, rgba(25, 15, 43, 0.92), rgba(11, 8, 21, 0.88));
    border-color: rgba(192, 132, 252, 0.2);
    box-shadow: inset 0 1px 0 rgba(255,255,255,0.08), 0 18px 52px rgba(0,0,0,0.58), 0 0
34px rgba(109, 40, 217, 0.1);
  }
  #charname { text-shadow: 0 2px 0 rgba(0,0,0,0.6), 0 0 26px rgba(168, 85, 247, 0.32); }
  #charname::before, #online, #modeintel, .js-kicker { color: var(--vera-violet-bright)
!important; }
  .qrow button.sel {
    background: linear-gradient(180deg, rgba(168, 85, 247, 0.34), rgba(79, 70, 229, 0.18));
    border-color: var(--vera-violet-bright); box-shadow: inset 0 1px 0 rgba(255,255,255,0.14),
0 0 16px rgba(168, 85, 247, 0.26);
  }
  #btn-play {
    background: linear-gradient(135deg, #c084fc 0%, #9333ea 52%, #5b21b6 100%);
    border-color: #d8b4fe; border-bottom-color: #4c1d95; color: #fff;
    box-shadow: inset 0 1px 0 rgba(255,255,255,0.42), 0 7px 30px rgba(126, 34, 206, 0.42);
  }
  #btn-play:hover { background: linear-gradient(135deg, #d8b4fe 0%, #a855f7 52%, #6d28d9
100%); }
  #playbottom:has(#btn-play:hover) { border-color: rgba(192, 132, 252, 0.48); box-shadow:
inset 0 1px 0 rgba(255,255,255,0.08), 0 18px 60px rgba(0,0,0,0.6), 0 0 34px
rgba(168,85,247,0.22); }
  .chal-tabs span.sel { background: rgba(168, 85, 247, 0.18); }
  .chal-bar i { background: linear-gradient(90deg, #7c3aed, #c084fc); box-shadow: 0 0 10px
rgba(168, 85, 247, 0.52); }
  #mappreview::before, #mappreview::after { border-color: var(--vera-violet-bright); }
  #modeintel { border-left-color: var(--vera-violet-bright); }
  #menufoot a:hover { color: var(--vera-violet-bright); }
  #perfchip:hover { border-color: rgba(192, 132, 252, 0.55); }
  #joinscreen .js-fill { background: linear-gradient(90deg, #7c3aed, #c084fc); }
  #logo .vera-logo-mark, #sitebadge .vera-hud-mark { background: var(--vera-ink); }
  #sitebadge .vera-hud-mark { display: inline-flex; width: 19px; height: 19px; border-radius:
5px; overflow: hidden; vertical-align: -5px; box-shadow: 0 0 12px rgba(168,85,247,0.42); }
  #sitebadge .vera-hud-mark img { width: 100%; height: 100%; object-fit: cover; }
</style>
</head>
```

```
<body>
  <div id="game"></div>
<div id="vignette"></div>
  <script>
  /* OFFLINE DIAGNOSTICS: log every failing fetch/XHR URL so a [startGame]
     "Failed to fetch" shows WHICH file is missing instead of a bare TypeError.
     Zero behaviour change on success. */
  (function () {
    try {
      var _f = window.fetch;
      window.fetch = function () {
        var url = arguments.length && arguments[0];
        var key = typeof url === 'string' ? url : (url && url.url) || '';
        return _f.apply(this, arguments).then(function (r) {
          if (!r.ok) console.error('[fetch http!=ok]', r.status, key);
          return r;
        }, function (e) {
          console.error('[fetch threw]', key, e);
          throw e;
        });
      };
    } catch (e) {}
  })();
  </script>
  <script>
  /* PERFMON: diagnostics overlay + adaptive quality director.
     - Sampler: rAF deltas into a fixed ring (zero per-frame allocation).
     - Overlay: 4Hz text updates. F8 or chip click toggles the panel.
     - Director: every 2.5s while playing, steps aniso -> renderScale ->
       quality (quality only in engine AUTO mode, never overriding a manual
       pick) with hold/cooldown hysteresis. Drives the game's OWN setters,
       the same functions its settings UI calls. No bundle edits. */
  (function () {
    'use strict';
    var N = 240;
    var ring = new Float32Array(N);
    var head = 0, count = 0, lastT = 0;
    var worst = 0, worstT = 0;
    var sorted = new Float32Array(N);
    function loop(t) {
      requestAnimationFrame(loop);
      if (!lastT) { lastT = t; return; }
      var d = t - lastT; lastT = t;
      if (d <= 0 || d > 2000) return;
      ring[head] = d; head = (head + 1) % N;
      if (count < N) count++;
      if (d > worst || t - worstT > 10000) { worst = d; worstT = t; }
    }
```

```
  requestAnimationFrame(loop);
  function percentile(p) {
    if (!count) return 0;
    var n = count < N ? count : N;
    for (var i = 0; i < n; i++) sorted[i] = ring[(head - n + i + N * 2) % N];
    var sub = Array.prototype.slice.call(sorted.subarray(0, n));
    sub.sort(function (a, b) { return a - b; });
    return sub[Math.min(n - 1, Math.floor(p * n))];
  }
  function avg() {
    if (!count) return 0;
    var n = count < N ? count : N, s = 0;
    for (var i = 0; i < n; i++) s += ring[(head - n + i + N * 2) % N];
    return s / n;
  }
  /* --- DOM --- */
  var chip = document.createElement('div');
  chip.id = 'perfchip'; chip.title = 'Performance (F8 for details)';
  chip.innerHTML = '<b>--</b> FPS · -- ms';
  document.body.appendChild(chip);
  var mon = document.createElement('div');
  mon.id = 'perfmon';
  mon.innerHTML = '<h4>PERFORMANCE <button id="pmclose"
title="Close">×</button></h4>' +
    '<div class="pmrow"><span>FPS / FRAME</span><span id="pmfps">--</span></div>' +
    '<div class="pmrow"><span>AVG · P95 · MAX</span><span
id="pmms">--</span></div>' +
    '<div class="pmrow"><span>QUALITY</span><span id="pmq">--</span></div>' +
    '<div class="pmrow"><span>RENDER SCALE</span><span id="pmrs">--</span></div>'
+
    '<div class="pmrow"><span>ANISO</span><span id="pman">--</span></div>' +
    '<div class="pmrow"><span>PIXEL RATIO</span><span id="pmpr">--</span></div>' +
    '<div class="pmrow"><span>BLOOM</span><span id="pmbl">--</span></div>' +
    '<div class="pmsec"></div>' +
    '<div class="pmrow"><span>DRAW / TRIS</span><span id="pmdc">--</span></div>' +
    '<div class="pmrow"><span>GEO / TEX / PROG</span><span
id="pmmm">--</span></div>' +
    '<div class="pmrow"><span>HEAP</span><span id="pmheap">--</span></div>' +
    '<div class="pmrow"><span>SLOW / FAST FRM</span><span
id="pmsf">--</span></div>' +
    '<div class="pmsec"></div>' +
    '<div class="pmrow"><span>ADAPTIVE</span><span id="pmad">--</span></div>' +
    '<ul id="pmevents"></ul>' +
    '<button id="pmadapt">ADAPTIVE: ON</button>' +
    '<button id="pmlow">LOW-SPEC: OFF</button>' +
    '<button id="pmlite">LITE MAPS: OFF</button>';
  document.body.appendChild(mon);
  var el = {};
```

```
['pmfps','pmms','pmq','pmrs','pman','pmpr','pmbl','pmdc','pmmm','pmheap','pmsf','pmad'].forEach(function (id) {
      el[id] = mon.querySelector('#' + id);
    });
    var evUl = mon.querySelector('#pmevents');
    var adaptBtn = mon.querySelector('#pmadapt');
    var lowBtn = mon.querySelector('#pmlow');
    var liteBtn = mon.querySelector('#pmlite');
    function toggle(open) {
      mon.classList.toggle('open', open === undefined ? !mon.classList.contains('open') : !!open);
    }
    chip.addEventListener('click', function () { toggle(); });
    mon.querySelector('#pmclose').addEventListener('click', function () { toggle(false); });
    document.addEventListener('keydown', function (e) {
      if (e.code === 'F8' && !e.ctrlKey && !e.metaKey && !e.altKey) {
        var tag = (e.target && e.target.tagName) || '';
        if (tag !== 'INPUT' && tag !== 'TEXTAREA') { e.preventDefault(); toggle(); }
      }
    });
    function logEvent(msg) {
      try {
        var li = document.createElement('li');
        var t = new Date();
        var hh = String(t.getHours()), mm = String(t.getMinutes()), ss = String(t.getSeconds());
        if (hh.length < 2) hh = '0' + hh; if (mm.length < 2) mm = '0' + mm; if (ss.length < 2) ss = '0' + ss;
        li.innerHTML = '<b>' + hh + ':' + mm + ':' + ss + '</b> ' + msg;
        while (evUl.children.length >= 4) evUl.removeChild(evUl.firstChild);
        evUl.appendChild(li);
      } catch (e) {}
    }
    function fmtTris(n) {
      if (n >= 1000000) return (n / 1000000).toFixed(2) + 'M';
      if (n >= 1000) return (n / 1000).toFixed(1) + 'k';
      return String(n);
    }
    function clsForMs(ms) { return ms > 26 ? 'bad' : (ms > 17.5 ? 'warn' : 'good'); }
    /* --- adaptive director state --- */
    var ADAPT_KEY = 'vera_adaptive';
    var adaptive = true;
    try { adaptive = localStorage.getItem(ADAPT_KEY) !== '0'; } catch (e) {}
    var manual = { aniso: false, rscale: false, quality: false, bots: false };
    var suppressBotFlag = false;
    var badStreak = 0, goodStreak = 0, cooldownUntil = 0, actedAt = 0;
    var playingSince = 0, lastState = '';
    var LOW_KEY = 'vera_lowspec';
```

```
var lowSpec = false;
try { lowSpec = localStorage.getItem(LOW_KEY) === '1'; } catch (e) {}
function paintLowBtn() {
  lowBtn.textContent = 'LOW-SPEC: ' + (lowSpec ? 'ON' : 'OFF');
  lowBtn.classList.toggle('on', lowSpec);
}
paintLowBtn();
lowBtn.addEventListener('click', function () {
  lowSpec = !lowSpec;
  try { localStorage.setItem(LOW_KEY, lowSpec ? '1' : '0'); } catch (e) {}
  paintLowBtn();
  logEvent(lowSpec ? 'low-spec <b>on</b> (bots may drop to 5)' : 'low-spec <b>off</b>');
  try { window.__menuSfx && window.__menuSfx('uiclick'); } catch (e) {}
});
function paintLiteBtn() {
  var lite = false;
  try { lite = new URLSearchParams(location.search).get('mapfile') === 'lite'; } catch (e) {}
  liteBtn.textContent = 'LITE MAPS: ' + (lite ? 'ON' : 'OFF');
  liteBtn.classList.toggle('on', lite);
}
paintLiteBtn();
liteBtn.addEventListener('click', function () {
  try {
    var u = new URL(location.href);
    if (u.searchParams.get('mapfile') === 'lite') u.searchParams.delete('mapfile');
    else u.searchParams.set('mapfile', 'lite');
    location.href = u.toString();
  } catch (e) {}
});
var actionStack = [];
var lastSnap = null, lastSlow = 0;
var ANISO_ORDER = [1, 4, 8, 16];
var RS_ORDER = ['performance', 'balanced', 'quality'];
var Q_ORDER = ['low', 'medium', 'high'];
function paintAdaptBtn() {
  adaptBtn.textContent = 'ADAPTIVE: ' + (adaptive ? 'ON' : 'OFF');
  adaptBtn.classList.toggle('off', !adaptive);
}
paintAdaptBtn();
adaptBtn.addEventListener('click', function () {
  adaptive = !adaptive;
  try { localStorage.setItem(ADAPT_KEY, adaptive ? '1' : '0'); } catch (e) {}
  paintAdaptBtn();
  logEvent(adaptive ? 'adaptive director <b>on</b>' : 'adaptive director <b>off</b>');
  try { window.__menuSfx && window.__menuSfx('uiclick'); } catch (e) {}
});
document.addEventListener('click', function (e) {
  var t = e.target;
```

```
      if (!t || !t.closest) return;
      if (t.closest('#opt-aniso')) manual.aniso = true;
      else if (t.closest('#opt-rscale')) manual.rscale = true;
      else if (t.closest('#opt-quality')) manual.quality = true;
      else if (t.closest('#opt-bots')) { if (!suppressBotFlag) manual.bots = true; }
      else if (t.closest('#settings-reset')) { manual.aniso = manual.rscale = manual.quality =
manual.bots = false; logEvent('manual flags cleared'); }
    }, true);
    function syncRows() {
      try { var g = window.game; if (g && g.hud && g.hud._syncSettingsRows)
g.hud._syncSettingsRows(); } catch (e) {}
    }
    function announce(msg) {
      try { var g = window.game; if (g && g.hud && g.hud.announce) g.hud.announce(msg,
2200); } catch (e) {}
    }
    function snapshot() {
      var g = window.game;
      if (!g || !g.renderer) return null;
      var info = null;
      try { info = g.renderer.info; } catch (e) {}
      var pr = 0, prLen = 0, prIdx = -1;
      try {
        if (g._prSteps && g._prSteps.length) { prLen = g._prSteps.length; prIdx = g._prIdx; pr =
g._prSteps[g._prIdx]; }
        else pr = g.renderer.getPixelRatio();
      } catch (e) {}
      var bloom = null;
      try { bloom = g.postfx ? !!g.postfx.bloomOn : null; } catch (e) {}
      var heap = 0;
      try { heap = performance.memory ? performance.memory.usedJSHeapSize / 1048576 :
0; } catch (e) {}
      return { quality: g.quality, renderScale: g.renderScale, aniso: g.anisoPref,
        auto: !!g._gfxAuto, pr: pr, prLen: prLen, prIdx: prIdx, bloom: bloom,
        slow: g._slowFrames || 0, fast: g._fastFrames || 0,
        state: g.state, joining: !!g._joining,
        draw: info && info.render ? info.render.calls : 0,
        tris: info && info.render ? info.render.triangles : 0,
        geo: info && info.memory ? info.memory.geometries : 0,
        tex: info && info.memory ? info.memory.textures : 0,
        prog: info && info.programs ? info.programs.length : 0,
        heap: heap };
    }
    function stepDown(s, reasons) {
      var g = window.game;
      if (!g) return false;
      // Reduce the settings that affect every rendered pixel first. Anisotropic
      // filtering is comparatively cheap, so changing it before resolution
```

```
  // used to leave slow machines struggling for several governor cycles.
  var ri = RS_ORDER.indexOf(g.renderScale);
  if (!manual.rscale && ri > 0) {
    var rv = RS_ORDER[ri - 1];
    try { g.setRenderScale(rv); syncRows(); } catch (e) { return false; }
    actionStack.push('rscale'); logEvent('render scale → <b>' + rv + '</b> (' + reasons + ')');
    announce('AUTO-TUNE: RENDER SCALE ' + rv.toUpperCase()); return true;
  }
  var qi = Q_ORDER.indexOf(g.quality);
  if (!manual.quality && g._gfxAuto && qi > 0) {
    var qv = Q_ORDER[qi - 1];
    try { g.setQuality(qv); syncRows(); } catch (e) { return false; }
    actionStack.push('quality'); logEvent('quality → <b>' + qv + '</b> (' + reasons + ')');
    announce('AUTO-TUNE: QUALITY ' + qv.toUpperCase()); return true;
  }
  var ai = ANISO_ORDER.indexOf(g.anisoPref);
  if (!manual.aniso && ai > 0) {
    var nv = ANISO_ORDER[ai - 1];
    try { g.setAniso(nv); syncRows(); } catch (e) { return false; }
    actionStack.push('aniso'); logEvent('aniso → <b>' + nv + 'x</b> (' + reasons + ')');
    announce('AUTO-TUNE: TEXTURE FILTER ' + nv + 'X'); return true;
  }
  // last resort, LOW-SPEC opt-in only: fewer bots via the game's own
  // settings button (same pipeline as a manual click). One-way: never
  // raised back automatically, gameplay stays the player's call.
  if (lowSpec && !manual.bots) {
    try {
      var row = document.querySelector('#opt-bots');
      var b5 = row && [...row.children].find(function (x) { return x.dataset.v === '5'; });
      var cur = row && row.querySelector('.sel');
      if (b5 && (!cur || cur.dataset.v !== '5')) {
        suppressBotFlag = true;
        b5.click();
        suppressBotFlag = false;
        logEvent('bots → <b>5</b> (' + reasons + ', low-spec, stays until you change it)');
        announce('AUTO-TUNE: BOTS 5 (LOW-SPEC)'); return true;
      }
    } catch (e) { return false; }
  }
  return false;
}
function stepUp() {
  var g = window.game;
  if (!g || !actionStack.length) return false;
  var what = actionStack.pop();
  try {
    if (what === 'aniso' && !manual.aniso) {
      var ai = ANISO_ORDER.indexOf(g.anisoPref);
```

```
        if (ai >= 0 && ai < ANISO_ORDER.length - 1) {
          g.setAniso(ANISO_ORDER[ai + 1]); syncRows();
          logEvent('aniso → <b>' + ANISO_ORDER[ai + 1] + 'x</b> (recovered)'); return true;
        }
      } else if (what === 'rscale' && !manual.rscale) {
        var ri = RS_ORDER.indexOf(g.renderScale);
        if (ri >= 0 && ri < RS_ORDER.length - 1) {
          g.setRenderScale(RS_ORDER[ri + 1]); syncRows();
          logEvent('render scale → <b>' + RS_ORDER[ri + 1] + '</b> (recovered)'); return true;
        }
      } else if (what === 'quality' && !manual.quality && g._gfxAuto) {
        var qi = Q_ORDER.indexOf(g.quality);
        if (qi >= 0 && qi < Q_ORDER.length - 1) {
          g.setQuality(Q_ORDER[qi + 1]); syncRows();
          logEvent('quality → <b>' + Q_ORDER[qi + 1] + '</b> (recovered)'); return true;
        }
      }
    } catch (e) { return false; }
    return false;
  }
  function directorTick() {
    try {
      var g = window.game;
      if (!g || !adaptive) return;
      var playing = g.state === 'playing' && !g._joining && !document.hidden;
      var s = snapshot();
      if (s && lastSnap) {
        // external change (user or engine tier governor): respect it, reset streaks
        if (s.quality !== lastSnap.quality && !g._gfxAuto) manual.quality = true;
        if (s.renderScale !== lastSnap.renderScale) manual.rscale = true;
        if (s.aniso !== lastSnap.aniso) manual.aniso = true;
        if (s.quality !== lastSnap.quality || s.renderScale !== lastSnap.renderScale || s.aniso
!== lastSnap.aniso) {
          badStreak = 0; goodStreak = 0;
          // my own step lands here on the next tick; only log truly external ones
          if (performance.now() - actedAt > 7000) logEvent('external change respected');
        }
      }
      lastSnap = s;
      var now = performance.now();
      if (!playing || !s) { badStreak = 0; goodStreak = 0; lastState = ''; return; }
      if (lastState !== 'playing') playingSince = now;
      lastState = 'playing';
      var p95 = percentile(0.95);
      var slowAdv = s.slow > lastSlow; lastSlow = s.slow;
      // Fast-start: react to a sustained frame-time warning within seconds.
      // Resolution/quality changes happen before texture filtering, so this
      // protects input responsiveness instead of waiting through many small
```

```
      // low-impact adjustments.
      var need = (now - playingSince < 45000) ? 1 : 2;
      if (p95 > 20 && slowAdv) {
        badStreak++; goodStreak = 0;
        if (badStreak >= need && now >= cooldownUntil) {
          if (stepDown(s, 'p95 ' + p95.toFixed(1) + 'ms')) {
            badStreak = 0; goodStreak = 0; cooldownUntil = now + 8000; actedAt = now;
          } else { badStreak = 0; cooldownUntil = now + 60000; logEvent('floor reached,
holding'); }
        }
      } else if (p95 < 12.5) {
        goodStreak++; badStreak = 0;
        if (goodStreak >= 48 && now >= cooldownUntil) {
          if (stepUp()) { goodStreak = 0; cooldownUntil = now + 12000; actedAt = now; }
          else goodStreak = 0;
        }
      } else { badStreak = 0; goodStreak = 0; }
    } catch (e) {}
  }
  setInterval(directorTick, 2500);
  /* --- 4Hz overlay refresh (cached nodes, tabular numbers) --- */
  setInterval(function () {
    try {
      var n = count < N ? count : N;
      var a = avg(), p95 = percentile(0.95);
      var fps = a > 0 ? 1000 / a : 0;
      var s = snapshot();
      var chipCls = a > 26 ? 'pBad' : (a > 17.5 ? 'pWarn' : 'pOk');
      chip.innerHTML = '<b class="' + chipCls + '">' + (fps ? fps.toFixed(0) : '--') + '</b> FPS ·
' + (a ? a.toFixed(1) : '--') + ' ms';
      if (!mon.classList.contains('open')) return;
      el.pmfps.textContent = (fps ? fps.toFixed(0) : '--') + ' fps';
      el.pmfps.className = chipCls;
      el.pmms.textContent = a.toFixed(1) + ' · ' + p95.toFixed(1) + ' · ' + worst.toFixed(1);
      el.pmms.className = clsForMs(p95);
      if (s) {
        el.pmq.textContent = (s.quality || '?') + (s.auto ? ' auto' : ' manual');
        el.pmrs.textContent = s.renderScale || '?';
        el.pman.textContent = (s.aniso || '?') + 'x';
        el.pmpr.textContent = (s.pr ? s.pr.toFixed(2) : '?') + (s.prLen ? ' [' + (s.prIdx + 1) + '/' +
s.prLen + ']' : '');
        el.pmbl.textContent = s.bloom === null ? 'n/a' : (s.bloom ? 'on' : 'off');
        el.pmdc.textContent = s.draw + ' / ' + fmtTris(s.tris);
        el.pmmm.textContent = s.geo + ' / ' + s.tex + ' / ' + s.prog;
        el.pmheap.textContent = s.heap ? s.heap.toFixed(0) + ' MB' : 'n/a';
        el.pmsf.textContent = s.slow + ' / ' + s.fast;
        el.pmad.textContent = adaptive ? 'on' : 'off';
        el.pmad.className = adaptive ? 'good' : '';
```

```
      }
    } catch (e) {}
  }, 250);
  window.__perfmon = {
    toggle: toggle,
    setAdaptive: function (on) {
      adaptive = !!on;
      try { localStorage.setItem(ADAPT_KEY, adaptive ? '1' : '0'); } catch (e) {}
      paintAdaptBtn();
    },
    snapshot: snapshot,
    stats: function () { return { avg: avg(), p95: percentile(0.95), max: worst, n: count }; }
  };
})();
</script>
<script>
/* MENU DIRECTOR: atmosphere + transitions + sfx hooks. No game logic;
   all state changes stay in main.js. Hooks: window.__menuSfx(name) and
   document 'menu-sfx' CustomEvents (detail=name). Sounds: uihover (hover),
   uiclick (PLAY commit), denied (locked options). */
(function () {
  'use strict';
  var reduceMotion = false;
  try { reduceMotion = matchMedia('(prefers-reduced-motion: reduce)').matches; } catch (e)
{}
  function sfx(name) {
    try { document.dispatchEvent(new CustomEvent('menu-sfx', { detail: name })); } catch (e)
{}
    try {
      var g = window.game;
      if (g && g.audio && typeof g.audio.play === 'function') g.audio.play(name);
    } catch (e) {}
  }
  window.__menuSfx = sfx;
  /* tactical overview data: hoisted to director scope so every menu
     listener (boot, clicks, tabs) shares one definition */
  var RADAR = { oasis: 'ui/radar_de_mirage.png', dusker: 'ui/radar_de_dust2.png', dune:
'ui/radar_de_dust2.png' };
  var INTEL = {
    defusal: '<b>BOMB DEFUSE</b> // 5V5 · BREACH, PLANT, DEFEND THE SITES',
    dm: '<b>TEAM DEATHMATCH</b> // RESPAWNS ACTIVE · MOST ELIMINATIONS
WINS',
    '': '<b>RANKED</b> // COMING SOON'
  };
  function mapKey(btn) {
    var v = ((btn.dataset && btn.dataset.v) || '').toLowerCase();
    if (RADAR[v]) return v;
    var t = (btn.textContent || '').toLowerCase();
```

```
    if (t.indexOf('oasis') >= 0) return 'oasis';
    if (t.indexOf('dune') >= 0 || t.indexOf('dusk') >= 0) return 'dusker';
    return 'oasis';
  }
  function modeKey(btn) {
    var v = ((btn.dataset && btn.dataset.v) || '').toLowerCase();
    if (v === 'defusal' || v === 'dm') return v;
    var t = (btn.textContent || '').toLowerCase();
    if (t.indexOf('deathmatch') >= 0) return 'dm';
    if (t.indexOf('defuse') >= 0) return 'defusal';
    return '';
  }
  /* --- atmosphere: drifting dust, transform-only, paused when hidden --- */
  function startDust(menu) {
    if (reduceMotion) return;
    try {
      var c = document.createElement('canvas');
      c.id = 'dustfx';
      menu.insertBefore(c, menu.firstChild);
      var ctx = c.getContext('2d');
      var W = 0, H = 0, parts = [], raf = 0, last = 0;
      function size() {
        var r = menu.getBoundingClientRect();
        W = c.width = Math.max(2, Math.floor(r.width / 2));
        H = c.height = Math.max(2, Math.floor(r.height / 2));
        c.style.width = '100%'; c.style.height = '100%';
      }
      function spawn(n) {
        parts.push({ x: Math.random() * W, y: H * 0.15 + Math.random() * H * 0.85,
          r: 0.5 + Math.random() * 1.4, vx: -(0.02 + Math.random() * 0.08),
          vy: -(0.015 + Math.random() * 0.05), a: 0.05 + Math.random() * 0.22,
          tw: Math.random() * 6.28, ts: 0.2 + Math.random() * 0.7 });
        if (parts.length > 40) parts.shift();
      }
      var i;
      size();
      for (i = 0; i < 34; i++) { spawn(); parts[i].x = Math.random() * W; parts[i].y =
Math.random() * H; }
      addEventListener('resize', size);
      function frame(t) {
        raf = 0;
        var menuVisible = menu.style.display !== 'none' && getComputedStyle(menu).display
!== 'none';
        if (document.hidden || !menuVisible) {
          // fully parked: no rAF wakeups, re-check twice a second
          setTimeout(function () { raf = requestAnimationFrame(frame); }, 500);
          return;
        }
```

```
        var dt = Math.min(0.05, (t - last) / 1000 || 0.016);
        last = t;
        if (c.width !== Math.floor(menu.clientWidth / 2)) size();
        ctx.clearRect(0, 0, W, H);
        ctx.fillStyle = '#cfd8de';
        for (var k = 0; k < parts.length; k++) {
          var p = parts[k];
          p.x += p.vx * dt * 60; p.y += p.vy * dt * 60; p.tw += p.ts * dt;
          if (p.x < -4) { p.x = W + 3; p.y = Math.random() * H; }
          if (p.y < -4) { p.y = H + 3; p.x = Math.random() * W; }
          var a = p.a * (0.6 + 0.4 * Math.sin(p.tw));
          ctx.globalAlpha = a < 0 ? 0 : (a > 0.5 ? 0.5 : a);
          ctx.beginPath(); ctx.arc(p.x, p.y, p.r, 0, 6.283); ctx.fill();
        }
        ctx.globalAlpha = 1;
      raf = requestAnimationFrame(frame);
    }
    raf = requestAnimationFrame(frame);
  } catch (e) {}
}
/* --- wire once #menu exists (built dynamically by main.js) --- */
var wired = false;
function wire() {
  if (wired) return;
  var menu = document.querySelector('#menu');
  if (!menu) return;
  wired = true;
  startDust(menu);
  // menu-live gates atmosphere fade-in after first paint
  requestAnimationFrame(function () { requestAnimationFrame(function () {
    menu.classList.add('menu-live');
  });
  // tactical overview + mode intel (play column game-world feedback)
  // (RADAR/INTEL/mapKey/modeKey live in director scope above)
  try {
    var pb = menu.querySelector('#playbottom');
    if (pb && !menu.querySelector('#mappreview')) {
      var pv = document.createElement('div');
      pv.id = 'mappreview';
      var startBtn = menu.querySelector('#opt-map .sel') || menu.querySelector('#opt-map
button');
      var sk = startBtn ? mapKey(startBtn) : 'oasis';
      var nm = startBtn ? (startBtn.textContent || '').trim().toUpperCase() : 'OASIS';
      pv.innerHTML = '<img alt=""><div id="maplabel"><span>' + nm +
        '</span><span class="ml-dim">TAC-OVERVIEW</span></div>';
      var img = pv.querySelector('img');
      img.src = RADAR[sk];
      pb.insertBefore(pv, pb.firstChild);
```

```
        var intel = document.createElement('div');
        intel.id = 'modeintel';
        var modeBtn = menu.querySelector('#opt-mode .sel') ||
menu.querySelector('#opt-mode button');
        intel.innerHTML = INTEL[modeBtn ? modeKey(modeBtn) : 'defusal'];
        var qo = menu.querySelector('#quickopts');
        if (qo && qo.parentNode === pb) pb.insertBefore(intel, qo.nextSibling);
        else pb.appendChild(intel);
      }
    } catch (e) {} });
    var lastHover = 0;
    menu.addEventListener('mouseover', function (e) {
      var b = e.target && e.target.closest ? e.target.closest('button:not(:disabled)') : null;
      if (!b || !menu.contains(b)) return;
      var now = performance.now();
      if (now - lastHover < 70) return;
      lastHover = now;
      sfx('uihover');
    });
    menu.addEventListener('click', function (e) {
      var t = e.target;
      if (!t || !t.closest) return;
      if (t.closest('#btn-play')) {
        // immediate commit confirmation: recede UI, narrow focus
        menu.classList.add('play-commit');
        sfx('uiclick');
        return;
      }
      if (t.closest('.qrow button.soon')) {
        var b = t.closest('.qrow button.soon');
        b.classList.remove('nudged');
        void b.offsetWidth; // restart nudge animation
        b.classList.add('nudged');
        sfx('denied');
        var mi = menu.querySelector('#modeintel');
        if (mi && b.closest('#opt-mode')) mi.innerHTML = INTEL[''];
        return;
      }
      var mapBtn = t.closest('#opt-map button');
      if (mapBtn) {
        try {
          var pv2 = menu.querySelector('#mappreview');
          if (pv2) {
            var k = mapKey(mapBtn);
            var im = pv2.querySelector('img');
            var lb = pv2.querySelector('#maplabel span');
            pv2.classList.add('swap');
            setTimeout(function () {
```

```
            im.src = RADAR[k];
            if (lb) lb.textContent = (mapBtn.textContent || '').trim().toUpperCase();
            im.onload = function () { pv2.classList.remove('swap'); };
            setTimeout(function () { pv2.classList.remove('swap'); }, 600);
          }, 200);
        }
      } catch (e) {}
      return;
    }
    var modeBtn = t.closest('#opt-mode button');
    if (modeBtn && !modeBtn.classList.contains('soon')) {
      try {
        var mi2 = menu.querySelector('#modeintel');
        if (mi2) mi2.innerHTML = INTEL[modeKey(modeBtn)];
      } catch (e) {}
      return;
    }
  }, true);
  // leaving commit state when team select closes back to menu
  // (observe #hud only: cheap, avoids per-frame HUD class churn)
  function watchHud() {
    var hud = document.querySelector('#hud');
    if (!hud) { setTimeout(watchHud, 500); return; }
    var obs = new MutationObserver(function () {
      try {
        if (hud.classList.contains('inmenu') && menu.classList.contains('play-commit') &&
            !document.querySelector('#teamsel')) {
          menu.classList.remove('play-commit');
        }
      } catch (e) {}
    });
    try { obs.observe(hud, { childList: true, attributes: true, attributeFilter: ['class'] }); } catch
(e) {}
  }
  watchHud();
 }
 if (document.readyState === 'loading') {
  document.addEventListener('DOMContentLoaded', function () {
    var iv = setInterval(function () {
      if (document.querySelector('#menu')) { clearInterval(iv); wire(); }
    }, 200);
  });
 }
 var iv0 = setInterval(function () {
  if (document.querySelector('#menu')) { clearInterval(iv0); wire(); }
 }, 200);
})();
</script>
```

```
  <script src="./src/vera-brand.js"></script>
  <script src="./src/joinscreen.js" defer></script>
  <script type="module" fetchpriority="high" src="./src/main.js"></script>
  <script src="./src/vera-performance.js"></script>
  <script src="./src/vera-network-config.js?v=vera21"></script>
  <script type="module" src="./src/network/multiplayer.js?v=vera20"></script>
</body>
</html>
```