Endpoint	Test type	Test Case Description
Validate the	responses for each	test case, checking the HTTP status codes, response times, and the response bodies for correctness.
	Positive	Test creating a pet with valid data.
		Test getting a pet by ID.
		Test updating a pet's data.
		Test deleting a pet by ID.
	Negative	Test creating a pet with invalid data (e.g., negative ID, non-existent category).
		Test getting a pet by non-existent ID.
		Test updating a pet with non-existent ID.
		Test deleting a pet by non-existent ID.
	Edge Case	Test creating a pet with maximum allowed data size.
Pet		Test updating a pet with maximum allowed data size.
	Positive	Test creating an order with valid data.
		Test getting an order by ID.
		Test deleting an order by ID.
	Negative	Test creating an order with invalid data (e.g., negative ID, non-existent pet).
		Test getting an order by non-existent ID.
		Test deleting an order by non-existent ID.
	Edge Case	Test creating a user with maximum allowed data size.
Store		Test updating a user with maximum allowed data size.
	Positive	Test creating a user with valid data.
		Test getting a user by username.
		Test updating a user's data.
		Test deleting a user by username.
	Negative	Test creating a user with invalid data (e.g., negative ID, invalid username).
		Test getting a user by non-existent username.
		Test updating a user with non-existent username.
		Test deleting a user by non-existent username.
	Edge Case	Test creating a user with maximum allowed data size.
User		Test updating a user with maximum allowed data size.