$(10000001)_2$
Approach a beginning

Gunter Liszewski

Belfast, August 2018

Outline

Gunter Liszewski
©2018

Introduction
This here
Talking about
The Admiral inn

Methods
Type to set
Revising time
Flow of the works

About this

Start right here

About this

Start right here

A $(129)_{10}$, $(81)_{16}$, same thing, different looks

About this

Start right here

A $(129)_{10}$, $(81)_{16}$, same thing, different looks

B What will be here?

About this

Start right here

A $(129)_{10}$, $(81)_{16}$, same thing, different looks

B What will be here?

C How?

About this

Start right here

A $(129)_{10}$, $(81)_{16}$, same thing, different looks

B What will be here?

C How?

D Thoughts!

The point is this...

Because of this, there is that

$$\sum_{k=0}^{n} k^2 = \frac{n(n+1)(2n+1)}{6}$$

for example, $n = 2$

Then $\sum_{0 \le k \le 2} k^2$ gives $0 + 1 + 4 = 5$, and on the other side $n = 2$ and $\frac{n(n+1)(2n+1)}{6}$ sets as $\frac{2(2+1)(2 \times 2+1)}{6}$, or in concrete $\frac{2 \times 3 \times 5}{6}$, or even just 5.

or on the other page

Fifteen men on the dead man's chest—
Yo-ho-ho, and a bottle of rum!

Typing this

Gunter Liszewski
©2018

Just type

```
te doc/129.tex
```

Keep track, revise

Gunter Liszewski
©2018

A distributed control thing might help these revisions

```
te this.thing \git add this.thing \...
```

Set a working pattern

Type, remember, review, ...

```
te ...; git add --all; git commit ...; \rubber --pdf
...; git stash -a \git checkout gh-p...; git stash
apply \git commit ...;git push \https://the-number.github.io/
```