

$(10000001)_2$

Approach to a beginning

Gunter Liszewski

Belfast, August 2018

## Introduction

This here  
Talking about  
The Admiral inn

## Introduction

This here  
Talking about  
The Admiral inn

# About this

(10000001)<sub>2</sub>

Gunter Liszewski  
©2018

## Introduction

### This here

Talking about

The Admiral inn

Start right here

Start right here

A  $(129)_{10}$ ,  $(81)_{16}$ , same thing, different looks

Start right here

A  $(129)_{10}$ ,  $(81)_{16}$ , same thing, different looks

B What will be here?

Start right here

A  $(129)_{10}$ ,  $(81)_{16}$ , same thing, different looks

B What will be here?

C How?

Start right here

A  $(129)_{10}$ ,  $(81)_{16}$ , same thing, different looks

B What will be here?

C How?

D **Thoughts!**

# The point is this...

$(10000001)_2$

Gunter Liszewski  
©2018

Introduction

This here

**Talking about**

The Admiral inn

Because of this, there is that

$$\sum_{k=0}^n k^2 = \frac{n(n+1)(2n+1)}{6}$$



for example,  $n = 2$

$(10000001)_2$

Gunter Liszewski  
©2018

Introduction

This here

Talking about

The Admiral inn

Then  $\sum_{0 \leq k \leq 2} k^2$  gives  $0 + 1 + 4 = 5$ , and on the other side  
 $n = 2$  and  $\frac{n(n+1)(2n+1)}{6}$  sets as  $\frac{2(2+1)(2 \times 2 + 1)}{6}$ , or in concrete  
 $\frac{2 \times 3 \times 5}{6}$ , or even just 5.

Introduction

This here

Talking about

**The Admiral inn**

*Fifteen men on the dead man's chest—  
Yo-ho-ho, and a bottle of rum!*