$(10000001)_2$

Who? Gunter Liszewski

When? Belfast, August 2018

 $(10000001)_2$

Gunter Liszewski

 $(10000001)_2$

Gunter Liszewski

2 / 4

A $(129)_{10}$, $(81)_{16}$, same thing, looks different

 $(10000001)_2$

Gunter Liszewski

2 / 4

- A $(129)_{10}$, $(81)_{16}$, same thing, looks different
- B What will be here?

 $(10000001)_2$

Gunter Liszewski

2 / 4

- A $(129)_{10}$, $(81)_{16}$, same thing, looks different
- B What will be here?
- C How?

Gunter Liszewski

- A $(129)_{10}$, $(81)_{16}$, same thing, looks different
- B What will be here?
- C How?
- D Thoughts!

Gunter Liszewski

Because of this, there is that

$$\sum_{k=0}^{n} k^2 = \frac{n(n+1)(2n+1)}{6}$$

for example, n = 2

 $(10000001)_2$

Gunter Liszewski

4 / 4

Then $\sum_{0 \le k \le 2} = 0 + 1 + 4 = 5$, and, on the other side $n = 2 \frac{n(n+1)(2n+1)}{6}$ sets as $\frac{2(2+1)(22+1)}{6}$ or in concrete $\frac{235}{6}$, or even just 5.