

DOCUMENT CONTROL

=====

Document ID : POL-2021-012
Document Title : Disaster Recovery Policy
Document Type : Policy
Version : 2.6
Status : Active
Effective Date : 01-Jan-2021
Review Date : 01-Jan-2022
Owner : Business Continuity Office
Author : Deepak Nair
Approved By : Rajesh Venkatraman, Service Delivery Manager (NexaTel)
Classification : Internal – NexaTel Managed Services
Last Revised : 22-Aug-2023

REVISION HISTORY

=====

Version	Date	Author	Summary of Changes
1.0	01-Jan-2021	Deepak Nair	Initial Release
2.6	22-Aug-2023	Deepak Nair	Added regional details and RTO/RPO

1. PURPOSE

=====

This policy defines the disaster recovery classification, command structure, failover procedures, and testing requirements for managed environments.

2. SCOPE

=====

All Asterion managed environments hosting NexaTel services.

3. POLICY STATEMENT

=====

3.1 DR Classification by Tier

- tier_0 services: Active-active deployment in ap-south-1 (Mumbai) and me-central-1 (Abu Dhabi). Automatic failover.
- tier_1 services: Active-passive deployment with 15-minute failover target.
- tier_2 services: Cold standby with manual failover within 4 hours.

3.2 RTO/RPO commitments

Must match RTO/RPO targets specified in POL-2021-006.

4. PROCEDURES

=====

4.1 Disaster Declaration

4.1.1 A disaster can only be declared by the NOC Bridge Lead (Lakshmi Narayanan) or Service Delivery Manager (Rajesh Venkatraman).

4.2 DR Testing Cadence

- 4.2.1 tier_0: Full DR test every 6 months.
- 4.2.2 tier_1: Full DR test every 12 months.
- 4.2.3 tier_2: Full DR test every 18 months.

5. RELATED DOCUMENTS

=====

- POL-2021-006 (Backup and Restore SLA Policy)
- POL-2021-046 (Business Continuity Policy)