user		
PK	user_id: INTEGER	
UK1	external_key:UUID	

organization	
PK	**organization_id: INTEGER**
UK1	external_key:UUID

UK2 | oauth_key::NVARCHAR (30 char long with oauth keys)

UK3 | display_name: NVARCHAR(50 char long)

name: NVARCHAR

location:NVARCHAR

created: TIMESTAMP

email:: NVARCHAR (NULL)

phone_number:: NVARCHAR (NULL)

A user may be in many o
and an organizati
may contain multiple
An organization can
multiple owners and
can own multiple orgar

The user can use multiple functions
to navigate the application,research and favorite organizations.
Those functionnalities must be accessed by a user.

history	
PK	**history_id : INTEGER**
	user_favorite : NVARCHAR
	message: NVARCHAR
	search: NVARCHAR
FK1	user_id : INTEGER

name: NVARCHAR

about: NVARCHAR

mission: NVARCHAR

created :TIMESTAMP

FK1 | owner_id: INTEGER

organization
ion
users.
have
a user
nizations.

An organization is a place where many volunteer opportunities may exist,
no volunteer opportunity is able to exist without an organization.

opportunity	
PK	**opportunity_id: INTEGER**
UK1	external_key:UUID
	name: NVARCHAR
	title:NVARCHAR
	needed_skill: NVARCHAR
	description: NVARCHAR
	calendar: TIME STAMP WITH TIME ZONE
	available_position: INTEGER
FK1	organIzation_id: INTEGER