Django Data Models Summary & Relationships

This document contains the complete data model schema and relationship diagrams for all applications in this project.

Entity Relationship Diagram (ERD)

Entity Relationship Diagram Summary

Apps & Models Specification

App: `apps.members`

Model: `Member`

Field Name	Type	R M	Attributes / Constraint
`firsttimers`	`ForeignKey`		Reverse FK, null=True
`connectgroupmember`	`ForeignKey`		Reverse FK, null=True
`attendance`	`ForeignKey`		Reverse FK, null=True
`eventparticipation`	`ForeignKey`		Reverse FK, null=True
`growthtrackenrollment`	`ForeignKey`		Reverse FK, null=True
`directorates_led`	`ForeignKey`		Reverse FK, null=True
`departments_led`	`ForeignKey`		Reverse FK, null=True
`departments_assisted`	`ForeignKey`		Reverse FK, null=True

`departmentmembership`	`ForeignKey`		`DepartmentM`	Reverse FK, null=True
`units_led`	`ForeignKey`		`Unit`	Reverse FK, null=True
`unit_memberships`	`ForeignKey`		`UnitMembers`	Reverse FK, null=True
`id`	`UUIDField`			PK, unique=Tru
`first_name`	`CharField`			
`last_name`	`CharField`			
`phone_number`	`CharField`			unique=Tru
`email`	`CharField`			null=True, blank=True unique=Tru
`gender`	`CharField`			null=True, blank=True
`birthday`	`CharField`			null=True, blank=True
`date_joined`	`DateTimeField`			null=True, blank=True

Model: `FirstTimers`

Field Name	Type	R M	Attributes / Constraint
`id`	`BigAutoField`		blank=True PK, unique=Tru
`member`	`ForeignKey`		`Member` ForeignKey
`service_id`	`ForeignKey`		`Service` ForeignKey null=True, blank=True
`service_name`	`CharField`		
`service_date`	`DateField`		

created_at	DateTimeField			blank=True

App: apps.pastors

Model: Pastor

Field Name	Type	R	M	Attributes / Constraint
connectgrouppastor	ForeignKey			Connect Grou Reverse FK, null=True
id	BigAutoField			blank=True PK, unique=Tru
first_name	CharField			
last_name	CharField			
phone	CharField			
email	CharField			unique=Tru

App: apps.connect_groups

Model: ConnectGroup

Field Name	Type	R	M	Attributes / Constraint
connectgroupmember	ForeignKey			Connect Grou Reverse FK, null=True
connectgrouppastor	ForeignKey			Connect Grou Reverse FK, null=True
id	BigAutoField			blank=True PK, unique=Tru
name	CharField			
description	TextField			blank=True
meeting_day	CharField			
meeting_time	TimeField			

created_at	DateTimeField			blank=True

Model: ConnectGroupMember

Field Name	Type	R	M	Attributes / Constraint
id	BigAutoField			blank=True PK, unique=Tru
connect_group	ForeignKey			ConnectGro ForeignKey
member	ForeignKey			Member ForeignKey
joined_at	DateField			
left_at	DateField			null=True, blank=True

Model: ConnectGroupPastor

Field Name	Type	R	M	Attributes / Constraint
id	BigAutoField			blank=True PK, unique=Tru
connect_group	ForeignKey			ConnectGro ForeignKey
pastor	ForeignKey			Pastor ForeignKey
start_date	DateField			
end_date	DateField			null=True, blank=True

App: apps.services

Model: ServiceType

Field Name	Type	R	M	Attributes / Constraint
id	BigAutoField			blank=True PK, unique=Tru

`name`	`CharField`			
`description`	`TextField`			blank=True
`is_recurring`	`BooleanField`			

Model: `Service`

Field Name	Type	R	M	Attributes / Constraints
`firsttimers`	`ForeignKey`			`FirstTimers` Reverse FK, null=True
`attendance`	`ForeignKey`			`Attendance` Reverse FK, null=True
`event`	`ForeignKey`			`Event` Reverse FK, null=True
`id`	`UUIDField`			PK, unique=Tru
`name`	`CharField`			
`theme`	`CharField`			null=True, blank=True
`location`	`CharField`			null=True, blank=True
`created_at`	`DateTimeField`			blank=True

App: `apps.attendance`

Model: `Attendance`

Field Name	Type	R	M	Attributes / Constraints
`id`	`UUIDField`			PK, unique=Tru
`member`	`ForeignKey`			`Member` ForeignKey
`service`	`ForeignKey`			`Service` ForeignKey null=True, blank=True

service_type	CharField			
service_date	DateField			
created_at	DateTimeField			blank=True

App: apps.events

Model: Event

Field Name	Type	R	M	Attributes / Constraint
eventparticipation	ForeignKey			EventPartic Related FK, null=True
id	BigAutoField			blank=True PK, unique=Tru
service	ForeignKey			Service ForeignKey
event_type	CharField			
description	TextField			
created_at	DateTimeField			blank=True

Model: EventParticipation

Field Name	Type	R	M	Attributes / Constraint
id	BigAutoField			blank=True PK, unique=Tru
event	ForeignKey			Event ForeignKey
member	ForeignKey			Member ForeignKey null=True, blank=True
participant_name	CharField			
role	CharField			

App: apps.growth_track

Model: `GrowthTrack`

Field Name	Type	R	M	Attributes / Constraints
`growthtrackenrollment`	`ForeignKey`			`GrowthTrack` Reverse FK, null=True
`id`	`BigAutoField`			blank=True PK, unique=Tru
`cohort_name`	`CharField`			
`start_date`	`DateField`			
`end_date`	`DateField`			
`status`	`CharField`			choices
`created_at`	`DateTimeField`			blank=True

Model: `GrowthTrackEnrollment`

Field Name	Type	R	M	Attributes / Constraints
`id`	`BigAutoField`			blank=True PK, unique=Tru
`growth_track`	`ForeignKey`			`GrowthTrack` ForeignKey
`member`	`ForeignKey`			`Member` ForeignKey
`enrollment_date`	`DateField`			
`status`	`CharField`			choices
`graduation_date`	`DateField`			null=True, blank=True

App: `apps.departments`

Model: `Directorate`

Field Name	Type	R	M	Attributes / Constraints

departments	ForeignKey	Department	reverse FK, null=True
id	BigAutoField		blank=True, PK, unique=True
name	CharField		unique=True
description	TextField		blank=True
director	ForeignKey	Member	ForeignKey, null=True, blank=True
created_at	DateTimeField		blank=True

Model: `Department`

Field Name	Type	Related M	Attributes / Constraints
departmentmembership	ForeignKey	DepartmentMembership	reverse FK, null=True
units	ForeignKey	Unit	reverse FK, null=True
id	BigAutoField		blank=True, PK, unique=True
name	CharField		unique=True
description	TextField		blank=True
directorate	ForeignKey	Directorate	ForeignKey
hod	ForeignKey	Member	ForeignKey, null=True, blank=True
assistant_hod	ForeignKey	Member	ForeignKey, null=True, blank=True
created_at	DateTimeField		blank=True

Model: `DepartmentMembership`

Field Name	Type	R M	Attributes / Constraints
id	BigAutoField		blank=True PK, unique=Tru
member	ForeignKey	Member	ForeignKey
department	ForeignKey	Department	ForeignKey
joined_at	DateField		
is_active	BooleanField		

Model: `Unit`

Sub-division / Unit inside a Department. Example: Media department → Live Streaming, Camera, Graphics, etc.

Field Name	Type	R	M	Attributes / Constraint
`memberships`	`ForeignKey`		`Un`	`reverse` `FK, null=True`
`id`	`BigAutoField`			`blank=True PK, unique=Tru`
`name`	`CharField`			
`description`	`TextField`			`blank=True`
`department`	`ForeignKey`		`Department`	`ForeignKey`
`unit_head`	`ForeignKey`		`Member`	`ForeignKey null=True, blank=True`
`created_at`	`DateTimeField`			`blank=True`

Model: `UnitMembership`

Many-to-many link between Member ↔ Unit (similar to DepartmentMembership)

Field Name	Type	R	M	Attributes / Constraint
`id`	`BigAutoField`			`blank=True PK, unique=Tru`
`member`	`ForeignKey`		`Member`	`ForeignKey`
`unit`	`ForeignKey`		`Un`	`ForeignKey`
`joined_at`	`DateField`			
`is_active`	`BooleanField`			
`role`	`CharField`			`blank=True`