

Microsoft Hyper-V (AZ-800)

300 Professional Interview Questions & Answers

Administering Windows Server Hybrid Core Infrastructure

SECTION 1: Hyper-V Fundamentals

Q1. What is Microsoft Hyper-V?

Answer: Hyper-V is Microsoft's hardware virtualization platform that allows you to create and manage virtual machines (VMs) on Windows Server and Windows client operating systems. It uses a hypervisor-based architecture to isolate VMs from the host OS, enabling efficient resource sharing.

Q2. What is the difference between Type 1 and Type 2 hypervisors?

Answer: Type 1 (bare-metal) hypervisors run directly on hardware (e.g., Hyper-V, VMware ESXi). Type 2 (hosted) hypervisors run on top of an OS (e.g., VMware Workstation, VirtualBox). Hyper-V is a Type 1 hypervisor, although it installs within Windows, the hypervisor layer runs beneath the OS.

Q3. What Windows Server versions support Hyper-V?

Answer: Hyper-V is supported on Windows Server 2008 R2 and later, including Windows Server 2012, 2012 R2, 2016, 2019, and 2022. It is also available on Windows 10/11 Pro, Enterprise, and Education editions as a client feature.

Q4. What are the hardware requirements for Hyper-V?

Answer: Hyper-V requires a 64-bit processor with Second Level Address Translation (SLAT), hardware-assisted virtualization (Intel VT-x or AMD-V), and Data Execution Prevention (DEP). A minimum of 4 GB RAM is recommended for the host.

Q5. What is the Hyper-V Management Service?

Answer: The Hyper-V Management Service (vmms.exe) is a Windows service responsible for managing virtual machine state, configuration, and lifecycle operations. It also handles communication with the Hyper-V hypervisor and worker processes.

Q6. What is a Generation 1 vs Generation 2 VM?

Answer: Generation 1 VMs use legacy BIOS firmware and emulated hardware for broader OS compatibility. Generation 2 VMs use UEFI firmware, support Secure Boot, and offer synthetic devices only, providing faster boot times and better performance — but require a compatible 64-bit OS.

Q7. What is a virtual switch in Hyper-V?

Answer: A virtual switch (vSwitch) is a software-based network switch that connects VMs to each other and/or the physical network. There are three types: External (physical network access), Internal (host-VM communication only), and Private (VM-to-VM only, no host access).

Q8. What is the role of the Integration Services in Hyper-V?

Answer: Integration Services (also called Enlightenments) are a set of drivers and services installed in guest VMs to improve performance and management capabilities. They include synthetic device drivers, heartbeat, time synchronization, data exchange, and guest shutdown services.

Q9. What is VHD vs VHDX?

Answer: VHD (Virtual Hard Disk) is the original Hyper-V disk format with a 2 TB maximum size. VHDX is the newer format supporting up to 64 TB, offering better performance, corruption resistance via journaling, and improved alignment for large sector disks. VHDX is recommended for Windows Server 2012 and later.

Q10. What are the types of virtual disks in Hyper-V?

Answer: Hyper-V supports Fixed (pre-allocated size), Dynamic (expands as data is written), Differencing (stores changes relative to a parent disk), and Pass-through (direct physical disk access) virtual disk types.

SECTION 2: VM Configuration & Management

Q11. How do you create a VM in Hyper-V?

Answer: VMs can be created via Hyper-V Manager (GUI), PowerShell (New-VM cmdlet), System Center VMM, or Windows Admin Center. You specify the VM name, generation, memory, network, and virtual disk during the creation wizard.

Q12. What is Dynamic Memory in Hyper-V?

Answer: Dynamic Memory allows Hyper-V to adjust the amount of RAM allocated to a VM at runtime based on demand. It uses Startup RAM, Minimum RAM, Maximum RAM, and a Memory Buffer percentage to balance memory across VMs efficiently.

Q13. What is Smart Paging in Hyper-V?

Answer: Smart Paging is a mechanism that uses disk space as temporary memory when a VM needs to restart but the physical host lacks enough RAM. It is only used during VM startup and is not meant for sustained workloads.

Q14. How do you configure vCPU settings for a VM?

Answer: In Hyper-V Manager, under VM Settings > Processor, you can set the number of virtual processors, the percentage of host CPU resources reserved (Reserve), the maximum CPU limit (Limit), and the relative weight for CPU scheduling.

Q15. What is NUMA in the context of Hyper-V?

Answer: Non-Uniform Memory Access (NUMA) is a hardware architecture where memory access times vary based on processor locality. Hyper-V supports virtual NUMA (vNUMA) topology to expose NUMA boundaries to guest VMs, improving performance for NUMA-aware workloads.

Q16. What is VM Configuration Version?

Answer: VM Configuration Version determines which Hyper-V features a VM can use. Each Windows Server release introduces a new configuration version. Upgrading the version enables new features but makes the VM incompatible with older Hyper-V hosts.

Q17. How do you upgrade the VM configuration version?

Answer: Use the Update-VMVersion PowerShell cmdlet or right-click the VM in Hyper-V Manager and select 'Upgrade Configuration Version'. Note: This is a one-way process and cannot be rolled back.

Q18. What is a VM Checkpoint (Snapshot)?

Answer: A checkpoint captures the state, data, and hardware configuration of a VM at a specific point in time. It can be used for rollback after testing or updates. Hyper-V supports Standard Checkpoints (saves VM state) and Production Checkpoints (uses VSS/fsfreeze for app-consistent backups).

Q19. What is the difference between Standard and Production Checkpoints?

Answer: Standard Checkpoints save the complete VM state including memory, making them suitable for dev/test. Production Checkpoints use Volume Shadow Copy Service (VSS) inside the guest to create application-consistent checkpoints, making them suitable for production workloads without saving memory state.

Q20. How do you export and import a VM in Hyper-V?

Answer: Export a VM using Hyper-V Manager (right-click > Export) or the Export-VM PowerShell cmdlet. Import uses the Import Virtual Machine wizard or Import-VM cmdlet. You can import as a copy (new ID) or restore (same ID) depending on the use case.

SECTION 3: Hyper-V Networking

oo

Q21. What is NIC Teaming in Hyper-V?

Answer: NIC Teaming (LBFO - Load Balancing and Failover) combines multiple physical NICs into a logical team for bandwidth aggregation and/or fault tolerance. In Windows Server 2022, Switch Embedded Teaming (SET) has become the preferred approach for vSwitch-based teaming.

Q22. What is Switch Embedded Teaming (SET)?

Answer: SET is an alternative NIC teaming solution integrated directly into the Hyper-V virtual switch. Unlike LBFO, SET works with RDMA-capable NICs and SR-IOV, supports up to 8 physical adapters, and is required for certain converged networking scenarios with RDMA.

Q23. What is SR-IOV in Hyper-V?

Answer: Single Root I/O Virtualization (SR-IOV) allows a physical PCIe device to present multiple virtual functions (VFs) directly to VMs, bypassing the hypervisor software stack. This enables near-native network performance for latency-sensitive or high-throughput workloads.

Q24. What is RDMA and its role in Hyper-V networking?

Answer: Remote Direct Memory Access (RDMA) enables network cards to transfer data directly to/from application memory without involving the CPU or OS, dramatically reducing latency and CPU overhead. Hyper-V supports SMB Direct (SMB over RDMA) for storage traffic and RDMA for live migration.

Q25. What is QoS in Hyper-V networking?

Answer: Quality of Service (QoS) in Hyper-V allows you to set minimum bandwidth guarantees and maximum limits for VM network adapters, ensuring critical VMs get necessary bandwidth and preventing any single VM from starving others.

Q26. What is a Virtual Machine Queue (VMQ)?

Answer: VMQ is a hardware feature that allows a physical NIC to deliver network packets directly to a VM's memory queue, bypassing the host network stack. This improves throughput and reduces CPU usage for high-traffic VMs.

Q27. What is the Hyper-V Extensible Switch?

Answer: The Hyper-V Extensible Switch is an extensible virtual switch architecture that allows third-party vendors to create switch extensions (forwarding, capture, filtering) that plug into the vSwitch pipeline via the Hyper-V switch extension driver model.

Q28. How do you configure VLANs for VMs in Hyper-V?

Answer: VLANs can be configured per-VM NIC using Hyper-V Manager (VM Settings > Network Adapter > Advanced Features) or PowerShell Set-VMNetworkAdapterVlan. You set the VLAN ID in Access mode or configure trunk mode for multiple VLANs.

Q29. What is MAC address spoofing and when is it used?

Answer: MAC address spoofing allows a VM to change its MAC address or use multiple MAC addresses on its NIC. It is required for scenarios like nested virtualization (Hyper-V inside a VM), certain NLB configurations, and when VMs need to act as network gateways.

Q30. What is DHCP Guard in Hyper-V?

Answer: DHCP Guard drops DHCP server messages from unauthorized VMs, preventing rogue DHCP servers from issuing IP addresses on the network. It is configured per VM network adapter and is part of Hyper-V's network port protection features.

SECTION 4: Hyper-V Storage

oo

Q31. What storage types does Hyper-V support?

Answer: Hyper-V supports local storage (direct-attached disks), SAN (Fibre Channel or iSCSI), SMB 3.0 file shares, Storage Spaces Direct (S2D), and cluster shared volumes (CSV). VMs can use virtual disks (VHD/VHDX) or physical pass-through disks.

Q32. What is a Cluster Shared Volume (CSV)?

Answer: CSV is a shared storage feature that allows multiple Hyper-V hosts in a failover cluster to simultaneously read and write to the same NTFS volume. This enables live migration and quick migration of VMs without the need to transfer storage ownership.

Q33. What is Storage Spaces Direct (S2D)?

Answer: Storage Spaces Direct uses local storage (SSDs, HDDs, NVMe) across multiple servers to create a highly available, software-defined storage pool. It is a key technology for hyperconverged infrastructure (HCI) running Hyper-V.

Q34. What is SMB 3.0 and why is it important for Hyper-V?

Answer: SMB 3.0 introduces features like SMB Direct (RDMA), SMB Multichannel, transparent failover, and encryption. Hyper-V can store VM files (VHD/VHDX, configuration) on SMB 3.0 shares, enabling scale-out file server scenarios for shared storage.

Q35. What is a differencing disk and when should it be used?

Answer: A differencing disk stores only the changes relative to a parent (base) disk. It is useful for test environments where multiple VMs share the same base OS image, reducing storage consumption. However, differencing disks can impact performance due to disk chain lookups.

Q36. What is pass-through disk in Hyper-V?

Answer: A pass-through disk gives a VM direct access to a physical disk, bypassing the virtualization layer. It offers maximum performance and is useful for SQL Server or other I/O-intensive workloads, but the disk cannot be shared between VMs and doesn't support snapshots.

Q37. How do you resize a VHDX file?

Answer: Use the Edit Virtual Hard Disk Wizard in Hyper-V Manager or the Resize-VHD PowerShell cmdlet. For expanding, the guest disk must also be extended using Disk Management or diskpart. Shrinking requires the disk to be compacted first and is more complex.

Q38. What is disk compaction in Hyper-V?

Answer: Compaction reduces the physical file size of a dynamic VHDX by removing unused space. It is done via the Edit Virtual Hard Disk Wizard (Compact option) or PowerShell. The VM should be offline or the guest tools should be running for best results.

Q39. What is Storage QoS in Hyper-V?

Answer: Storage QoS allows administrators to set minimum and maximum IOPS policies for VM virtual disks. This ensures fair storage I/O distribution across VMs and prevents noisy-neighbor problems. Policies can be applied via PowerShell or SCVMM.

Q40. What is a Scale-Out File Server (SOFS)?

Answer: SOFS is a Failover Cluster role that provides continuously available SMB file shares for Hyper-V VM storage. It uses CSV internally and supports transparent failover, ensuring VMs continue to access their storage even if a node fails.

SECTION 5: High Availability & Failover Clustering

oo

Q41. What is Hyper-V Failover Clustering?

Answer: Failover Clustering groups multiple Hyper-V hosts into a cluster where VMs can automatically restart on another node if a host fails. It provides high availability for virtual workloads with minimal downtime.

Q42. What is Live Migration?

Answer: Live Migration transfers a running VM from one Hyper-V host to another with no perceived downtime. It moves the VM's memory state over the network while keeping the VM running, then transfers execution. Storage can remain on shared storage or be migrated simultaneously.

Q43. What are the prerequisites for Live Migration?

Answer: Both hosts must be in the same domain, have compatible processors (or use processor compatibility mode), share the same virtual network names, have Hyper-V Live Migration enabled, and have appropriate delegation configured (Kerberos or CredSSP).

Q44. What is Quick Migration?

Answer: Quick Migration saves the VM state to disk, moves it to another host, and resumes from the saved state. It results in brief VM downtime (typically seconds) but has fewer prerequisites than Live Migration. It has been largely superseded by Live Migration.

Q45. What is Storage Live Migration?

Answer: Storage Live Migration moves a running VM's virtual disk files from one storage location to another without downtime. This can be used to move from one storage array to another, rebalance storage, or migrate off aging hardware.

Q46. What is Shared Nothing Live Migration?

Answer: Shared Nothing Live Migration allows you to move a VM (both compute and storage) from one Hyper-V host to another without any shared storage. Both memory and

disk data are transferred over the network while the VM continues running.

Q47. What is VM Priority in a Hyper-V cluster?

Answer: VM Priority determines the order in which VMs are started during cluster recovery. High-priority VMs start first, followed by medium and low-priority ones. This ensures critical services are restored before less important workloads.

Q48. What is a Preferred Owner in Hyper-V clustering?

Answer: Preferred Owner specifies which cluster node should host a VM under normal conditions. If the VM moves to another node (due to failover), the cluster can automatically move it back to the preferred owner once the node recovers.

Q49. What is Hyper-V Replica?

Answer: Hyper-V Replica provides asynchronous replication of VMs to a secondary (replica) site for disaster recovery. It replicates changed disk blocks at configurable intervals (as frequent as 30 seconds) and supports failover to the replica site if the primary fails.

Q50. What are the replication intervals supported by Hyper-V Replica?

Answer: Hyper-V Replica (introduced in Windows Server 2012 R2) supports replication intervals of 30 seconds, 5 minutes, and 15 minutes. The 30-second interval was introduced in Windows Server 2012 R2 to minimize recovery point objectives.

SECTION 6: Security Features

oo

Q51. What is Shielded VMs?

Answer: Shielded VMs are a security feature that protects Generation 2 VMs from unauthorized access or tampering by Hyper-V hosts, administrators, or malware. They use Virtual TPM (vTPM), BitLocker, and code integrity policies to ensure the VM only runs on attested, approved hosts.

Q52. What is the Host Guardian Service (HGS)?

Answer: HGS is a server role that provides attestation and key protection services for Shielded VMs. It ensures VMs are only decrypted and started on hosts that pass health attestation, preventing them from running on unauthorized or compromised Hyper-V hosts.

Q53. What is TPM attestation vs Host Key attestation?

Answer: TPM attestation uses the physical TPM chip on the Hyper-V host to prove its identity and health to HGS. Host Key attestation uses a pre-generated public/private key pair, which is simpler but less secure. TPM-based attestation is recommended for production environments.

Q54. What is a Virtual TPM (vTPM)?

Answer: A vTPM is a software-based emulation of a Trusted Platform Module presented to a Generation 2 VM. It enables guest OS features that require TPM, such as BitLocker Drive Encryption, Windows Hello, and secure boot-related functions, without needing a physical TPM per VM.

Q55. What is Secure Boot in Hyper-V?

Answer: Secure Boot is a UEFI feature available in Generation 2 VMs that prevents unauthorized boot loaders and OS kernels from loading. It verifies the digital signature of each boot component against a trusted database, protecting against rootkits and boot-level malware.

Q56. What is Code Integrity in Hyper-V context?

Answer: Virtualization-Based Security (VBS) enables Hyper-V to run the Windows kernel and privileged OS components in an isolated virtual environment, protecting them from attacks even if the OS kernel is compromised. Hypervisor-Protected Code Integrity (HVCI) is a VBS feature that ensures only trusted code runs in kernel mode.

Q57. How does Hyper-V protect against VM escape attacks?

Answer: Hyper-V uses hardware-based isolation via the hypervisor, strict separation of privilege levels, and features like VBS and HVCI to make it extremely difficult for malicious code in a VM to escape to the host. Shielded VMs add an additional layer of fabric protection.

Q58. What is Credential Guard and how does it relate to Hyper-V?

Answer: Credential Guard uses Hyper-V virtualization to isolate LSASS (Local Security Authority Subsystem Service) credentials in a secure container, preventing Pass-the-Hash and Pass-the-Ticket attacks. It is a VBS-based security feature that leverages the Hyper-V hypervisor.

Q59. What is Device Guard in Windows Server context?

Answer: Device Guard (now part of Windows Defender Application Control - WDAC) uses HVCI to enforce code integrity policies, ensuring only trusted, signed code runs in kernel and user mode. It leverages Hyper-V's VBS to protect the code integrity engine itself.

Q60. How do you audit Hyper-V administrative activities?

Answer: Hyper-V administrative activities can be audited via Windows Event Logs (Microsoft-Windows-Hyper-V-VMMS-Admin, Operational logs), PowerShell logging, and SCVMM audit trails. For compliance, integrate with SIEM tools like Microsoft Sentinel.

SECTION 7: Performance & Monitoring

Q61. What tools are used to monitor Hyper-V performance?

Answer: Tools include Performance Monitor (perfmon) with Hyper-V-specific counters, Resource Monitor, Task Manager (for host), Hyper-V Manager resource metering, Windows Admin Center, System Center Operations Manager (SCOM), and PowerShell cmdlets like Measure-VM.

Q62. What is Resource Metering in Hyper-V?

Answer: Resource Metering tracks per-VM resource consumption (CPU, memory, network, disk) over time. It is enabled per VM and data is collected by the VMMS service. Data can be retrieved using the Measure-VM PowerShell cmdlet for chargeback or capacity planning.

Q63. What is the Hyper-V Hypervisor Logical Processor performance counter?

Answer: This counter tracks the percentage of time the logical processor is busy running guest code, hypervisor code, or sitting idle. High guest run time with low hypervisor overhead indicates efficient virtualization. High root run time may indicate host overhead issues.

Q64. What causes VM memory ballooning and how do you address it?

Answer: Memory ballooning occurs when the host is under memory pressure and needs to reclaim memory from VMs. The balloon driver inside the guest inflates, freeing guest memory to the host. Address it by adding physical RAM, reducing VM count, or adjusting Dynamic Memory settings.

Q65. How do you identify CPU ready time issues in Hyper-V?

Answer: Use the Hyper-V Hypervisor Virtual Processor - CPU Wait Time in Microseconds per Dispatch counter. High values indicate VMs waiting for CPU time, suggesting the host is overcommitted. Reduce vCPU-to-pCPU ratio or move VMs to less-loaded hosts.

Q66. What is NUMA spanning and should it be enabled?

Answer: NUMA spanning allows VMs to use memory and processors across multiple NUMA nodes. While it provides flexibility for large VMs, it can degrade performance due to remote memory access latency. For performance-sensitive workloads, keep VMs within a single NUMA node.

Q67. What is the impact of over-provisioning vCPUs?

Answer: Assigning too many vCPUs to a VM can increase scheduler overhead and CPU ready time for all VMs on the host, as the hypervisor must find enough free physical cores. Match vCPU count to actual workload needs – most VMs perform better with fewer vCPUs.

Q68. How does Hyper-V handle CPU overcommitment?

Answer: Hyper-V uses a cooperative scheduler that time-slices physical CPUs among virtual processors. Unlike memory, Hyper-V does not enforce strict CPU isolation by default. CPU weights and limits (set via VM Settings > Processor) provide basic governance.

Q69. What are synthetic vs emulated devices in Hyper-V?

Answer: Synthetic devices use the VMBus (Virtual Machine Bus) channel for high-performance communication between the host and guest via Integration Services. Emulated devices simulate legacy hardware using software, offering compatibility but lower performance. Use synthetic devices whenever possible.

Q70. How do you collect VM performance data using PowerShell?

Answer: Use Get-VMResourceMeteringReport and Measure-VM to retrieve metering data. For real-time performance, use Get-Counter with Hyper-V performance counter sets. For historical data, configure Data Collector Sets in Performance Monitor.

SECTION 8: PowerShell & Automation

oo

Q71. What PowerShell module is used to manage Hyper-V?

Answer: The Hyper-V PowerShell module (import with Import-Module Hyper-V) provides cmdlets for managing VMs, virtual switches, virtual disks, and hosts. It is installed automatically when the Hyper-V role is installed.

Q72. How do you create a VM using PowerShell?

Answer: New-VM -Name 'VM1' -Generation 2 -MemoryStartupBytes 4GB -NewVHDPATH 'C:\VMs\VM1.vhdx' -NewVHDSIZEBytes 60GB -SwitchName 'External Switch'. Additional cmdlets like Add-VMNetworkAdapter and Set-VMProcessor can further configure the VM.

Q73. How do you start and stop VMs using PowerShell?

Answer: Start-VM -Name 'VM1' starts a VM. Stop-VM -Name 'VM1' initiates a graceful shutdown (requires Integration Services). Stop-VM -Name 'VM1' -Force performs a hard power off. Suspend-VM and Resume-VM pause and resume VMs.

Q74. How do you configure Live Migration via PowerShell?

Answer: Enable-VMMigration enables Live Migration. Set-VMHost -VirtualMachineMigrationEnabled \$true and Set-VMHost -VirtualMachineMigrationAuthenticationType Kerberos configure authentication. Move-VM performs the actual migration.

Q75. How do you manage VM checkpoints using PowerShell?

Answer: Checkpoint-VM creates a checkpoint. Get-VMSnapshot lists checkpoints. Restore-VMSnapshot reverts to a checkpoint. Remove-VMSnapshot deletes a checkpoint. Use -SnapshotType parameter to specify Standard or Production checkpoint type.

Q76. How do you configure Hyper-V Replica via PowerShell?

Answer: Enable-VMReplication -VMName 'VM1' -ReplicaServerName 'ReplicaHost' -AuthenticationType Kerberos -ReplicationFrequencySec 300 configures replication. Start-VMInitialReplication begins the initial sync. Get-VMReplication monitors replication status.

Q77. How do you configure a virtual switch using PowerShell?

Answer: New-VMSwitch -Name 'ExternalSwitch' -NetAdapterName 'Ethernet' -AllowManagementOS \$true creates an external switch. New-VMSwitch -Name 'InternalSwitch' -SwitchType Internal creates an internal switch. Get-VMSwitch lists all switches.

Q78. How do you get all running VMs on a host?

Answer: Get-VM | Where-Object {\$_.State -eq 'Running'} returns all running VMs. Get-VM -ComputerName 'HyperVHost' retrieves VMs from a remote host. Add-Member and Select-Object can customize the output for reports.

Q79. How do you export and import VMs using PowerShell?

Answer: Export-VM -Name 'VM1' -Path 'D:\VMExports' exports a VM. Import-VM -Path 'D:\VMExports\VM1\Virtual Machines*.vmcx' imports it. Use -Copy and -GenerateNewId to import as a copy with a new unique identifier.

Q80. How do you configure VM Resource Metering via PowerShell?

Answer: Enable-VMResourceMetering -VMName 'VM1' enables metering. Measure-VM -Name 'VM1' returns current resource usage data. Reset-VMResourceMetering resets the accumulated metrics. Use Get-VMResourceMeteringReport for detailed reports.

SECTION 9: Hyper-V in AZ-800 Exam Context

oo

Q81. What Hyper-V topics are covered in the AZ-800 exam?

Answer: AZ-800 (Administering Windows Server Hybrid Core Infrastructure) covers deploying and managing Hyper-V, configuring VM settings and storage, high availability with failover clustering, Hyper-V Replica, Live Migration, virtual networking, and integrating Hyper-V with Azure (Azure Stack HCI, Azure Arc).

Q82. What is Azure Stack HCI and how does it relate to Hyper-V?

Answer: Azure Stack HCI is a hyperconverged infrastructure OS built on the Windows Server core with Hyper-V and Storage Spaces Direct. It connects to Azure for management, updates, and hybrid services while running virtualized workloads on-premises using Hyper-V.

Q83. What is Windows Admin Center and how is it used with Hyper-V?

Answer: Windows Admin Center (WAC) is a browser-based management tool for Windows Server environments. It provides a modern interface for managing Hyper-V

hosts, VMs, virtual switches, and storage, and supports cluster management and integration with Azure services.

Q84. How does Azure Arc integrate with Hyper-V VMs?

Answer: Azure Arc allows on-premises Hyper-V VMs (running Windows/Linux) to be registered with Azure, enabling Azure Policy, Azure Monitor, Microsoft Defender for Cloud, and other Azure management services to apply to non-Azure VMs as if they were in Azure.

Q85. What is the role of WSUS with Hyper-V environments?

Answer: Windows Server Update Services (WSUS) provides centralized patch management for Hyper-V hosts and guest VMs. For clustered environments, Cluster-Aware Updating (CAU) automates the patching process, live-migrating VMs off nodes before patching and returning them afterward.

Q86. What is Cluster-Aware Updating (CAU)?

Answer: CAU automates the process of applying updates to failover cluster nodes without manual intervention. It orchestrates VM migration, node draining, update installation, rebooting, and validation in a rolling fashion to maintain cluster availability during patching.

Q87. How do you configure Hyper-V for a hybrid cloud scenario?

Answer: Deploy Azure Stack HCI or standard Hyper-V hosts, register with Azure via Windows Admin Center or Azure Arc, configure Azure Site Recovery for disaster recovery, use Azure Backup for VM protection, and leverage Azure Monitor for unified monitoring of on-premises and cloud workloads.

Q88. What is Azure Site Recovery and how does it extend Hyper-V Replica?

Answer: Azure Site Recovery (ASR) replicates Hyper-V VMs to Azure, enabling cloud-based disaster recovery. Unlike on-premises Hyper-V Replica, ASR eliminates the need for a secondary physical site and supports failover, test failover, and failback from Azure to on-premises.

Q89. What is the Hyper-V Integration Services update cycle?

Answer: Integration Services are now delivered through Windows Update rather than separate packages. The guest VM must have Windows Update access (directly or via WSUS) to receive IS updates. Check IS version using Get-VMIntegrationService or within the guest via Device Manager.

Q90. What exam skills are tested under 'Deploy and manage Hyper-V' in AZ-800?

Answer: Skills include: creating and configuring VMs (Generation 1/2, memory, CPU, networking), managing virtual switches, configuring storage (VHD/VHDX, pass-through, SMB), implementing Live Migration and Hyper-V Replica, enabling high availability with Failover Clustering, and using Windows Admin Center.

SECTION 10: Advanced Topics

oo

Q91. What is Nested Virtualization in Hyper-V?

Answer: Nested Virtualization allows a VM to run the Hyper-V role, enabling virtualization within virtualization. This is useful for development, testing, and training scenarios. Enable with Set-VMProcessor -ExposeVirtualizationExtensions \$true. MAC address spoofing must also be enabled.

Q92. What is Discrete Device Assignment (DDA)?

Answer: DDA allows a physical PCIe device (GPU, NVMe, network adapter) to be assigned directly to a VM with near-native performance, bypassing the hypervisor. It is useful for GPU-accelerated workloads, media processing, and high-performance storage.

Q93. What is RemoteFX and is it still supported?

Answer: RemoteFX was a GPU virtualization feature for Hyper-V that has been deprecated and removed in Windows Server 2022 and Windows 10 version 2004 due to security vulnerabilities. For GPU virtualization, use DDA or Partitioned GPU (P-GPU) for newer scenarios.

Q94. What is Hyper-V Network Virtualization (HNV)?

Answer: HNV provides software-defined networking capabilities, allowing multiple tenant virtual networks to run on a shared physical network without VLAN exhaustion. It uses NVGRE or VXLAN encapsulation to isolate tenant traffic and is a component of Software Defined Networking (SDN) in Windows Server.

Q95. What is Software Defined Networking (SDN) in Windows Server?

Answer: SDN decouples network control and data planes, managing network infrastructure programmatically. Windows Server SDN includes the Network Controller, Software Load Balancer (SLB), RAS Gateway, and HNV. It can be managed through SCVMM, Windows Admin Center, or REST APIs.

Q96. What is the Network Controller in SDN?

Answer: The Network Controller is the central management point for SDN, providing programmatic management of virtual and physical network infrastructure. It manages HNV policies, ACLs, QoS, load balancing rules, and gateway configurations through a RESTful API.

Q97. What is the Virtual Filtering Platform (VFP) in Hyper-V?

Answer: VFP is the packet processing engine inside the Hyper-V extensible switch. It provides a programmable, high-performance data path for network policy enforcement in SDN scenarios, used by Azure and Azure Stack HCI for scalable virtual network management.

Q98. What is the VMBus and how does it work?

Answer: VMbus is a high-performance, low-overhead communication channel between the Hyper-V host partition and guest VMs. It uses ring buffers in shared memory for data transfer, enabling synthetic device drivers to achieve near-native I/O performance without emulation overhead.

Q99. What is ReFS and its benefits for Hyper-V storage?

Answer: Resilient File System (ReFS) offers block cloning, which enables rapid VHDX creation and checkpointing by copying metadata rather than actual data. This makes checkpoint merges much faster and reduces storage I/O during VM operations. ReFS is recommended for Hyper-V storage on Windows Server 2016+.

Q100. What is Hyper-V's role in Windows Server 2022 compared to earlier versions?

Answer: Windows Server 2022 Hyper-V adds support for up to 4 PB of host memory, 240 TB per VM, TLS 1.3 for Live Migration encryption, hardware-based security improvements (Secured-core Server), improved VXLAN support, and better Azure Stack HCI integration, building on the solid foundation of earlier releases.

SECTION 11: Troubleshooting

Q101. How do you troubleshoot a VM that fails to start?

Answer: Check the Hyper-V event logs (Microsoft-Windows-Hyper-V-VMMS-Admin), verify sufficient host resources (RAM, disk space), confirm the VHD/VHDX files are accessible and not locked, validate VM configuration version compatibility, and ensure all required services (VMMS, VMSP) are running.

Q102. How do you recover a VM with a corrupted VHDX?

Answer: Use the Test-VHD PowerShell cmdlet to check VHD integrity. If corrupted, attempt repair with Repair-VHD. For severe corruption, restore from backup (Windows Server Backup, Azure Backup) or use the most recent checkpoint. Verify storage controller health and disk health before reattaching.

Q103. What do you do if Live Migration fails?

Answer: Check for constrained delegation configuration (if using Kerberos), verify processor compatibility or enable migration compatibility mode, ensure sufficient network bandwidth for migration, check for locked VHD files, verify firewall rules allow Live Migration ports (TCP 6600, 443), and review Hyper-V Live Migration event logs.

Q104. How do you troubleshoot Hyper-V Replica failures?

Answer: Monitor replication health with Get-VMReplication, check the Hyper-V Replica event log (Microsoft-Windows-Hyper-V-VMMS-Replication), verify network connectivity between primary and replica hosts, ensure firewall rules allow replication traffic (TCP 80/443), and check certificate validity if using HTTPS authentication.

Q105. What causes high disk I/O on a Hyper-V host?

Answer: Common causes include too many dynamic VHDX disks expanding simultaneously, excessive checkpoint merges, storage overcommitment, antivirus scanning virtual disk files on the host, insufficient storage throughput, or a noisy-neighbor VM consuming excessive IOPS. Use Storage QoS policies to mitigate.

Q106. How do you identify and resolve network packet loss in VMs?

Answer: Check VMQ configuration (too many VMQs can saturate NIC queues), verify RSS/VMQ offload settings, check for driver compatibility issues, review virtual switch event logs, use Get-NetAdapterStatistics for NIC-level counters, and consider disabling VMQ if it causes issues with certain workloads.

Q107. How do you troubleshoot Hyper-V cluster node eviction?

Answer: Review Cluster event logs and System event logs on the evicted node, check for network connectivity issues (cluster heartbeat failure), verify storage accessibility, check for host-level errors (hardware, BSOD), review cluster validation reports, and inspect the Failover Cluster Manager event view.

Q108. What is a 'split-brain' scenario in Hyper-V clustering?

Answer: Split-brain occurs when cluster nodes lose communication with each other but both believe they are the active owner of cluster resources. Hyper-V failover clusters use a quorum mechanism (disk witness, cloud witness, file share witness) to prevent split-brain and ensure only one partition keeps resources online.

Q109. How do you recover a Hyper-V host from a failed state?

Answer: Boot to Windows Recovery Environment if OS-level failure occurs, check and repair disk integrity with chkdsk, use System Restore or Windows Server Backup for OS recovery, restore VMMS configuration from backup, and verify VM inventories after recovery. If hardware failure, restore on new hardware using export/import.

Q110. What steps do you take when a VM loses network connectivity?

Answer: Check VM network adapter settings (correct vSwitch binding), verify VLAN configuration, test physical NIC team status, check IP configuration inside the guest, verify virtual switch health using Get-VMSwitch, check for NIC driver updates on the host, and review DHCP/DNS if IP-based.

SECTION 12: Backup and Disaster Recovery

Q111. What backup solutions are available for Hyper-V?

Answer: Options include Windows Server Backup (built-in, VSS-based), System Center DPM, Azure Backup (MABS agent or direct VM backup), Veeam, Commvault, Veritas, and third-party solutions. Azure Backup with the MARS or MABS agent provides cloud-integrated backup for Hyper-V VMs.

Q112. What is VSS (Volume Shadow Copy Service) in Hyper-V backup context?

Answer: VSS coordinates the creation of application-consistent backups by quiescing applications inside the guest VM before taking a snapshot. Hyper-V VSS integration requires the VSS Integration Service and VSS writers inside the guest to ensure database and application consistency.

Q113. What is the difference between online and offline Hyper-V backup?

Answer: Online backup uses VSS to take an application-consistent snapshot while the VM continues to run. Offline backup saves VM state (pauses the VM), takes the backup, and resumes. Production Checkpoints use online (VSS) methods, while Standard Checkpoints can save memory state (offline-like behavior).

Q114. What is Azure Backup for Hyper-V?

Answer: Azure Backup supports backing up Hyper-V VMs to Azure Recovery Services Vault using MABS (Microsoft Azure Backup Server) installed on-premises. It provides long-term retention, off-site backup, and recovery capabilities integrated with Azure's cloud infrastructure.

Q115. How does Hyper-V Replica work for DR?

Answer: Hyper-V Replica asynchronously replicates changed disk blocks from a primary VM to a replica VM on a secondary host. The replica VM is kept in a saved state and can be started (test failover or planned/unplanned failover) in case of disaster at the primary site.

Q116. What is a Planned Failover vs Unplanned Failover in Hyper-V Replica?

Answer: Planned Failover is used when the primary site is being taken offline intentionally (e.g., maintenance). Data is fully synchronized before failover, ensuring zero data loss. Unplanned Failover is initiated when the primary site fails unexpectedly and may result in data loss up to the last replication cycle.

Q117. What is Test Failover in Hyper-V Replica?

Answer: Test Failover allows you to start the replica VM in an isolated network to verify that failover will work correctly and the VM boots and operates properly, without impacting ongoing replication or the primary VM. It is a critical DR readiness practice.

Q118. What is Azure Site Recovery for Hyper-V?

Answer: ASR replicates on-premises Hyper-V VMs to Azure or a secondary on-premises site. For Azure replication, it uses the Site Recovery agent and Azure Recovery Services Vault. ASR supports automated failover, test failover, failback, and integration with Azure VM networking.

Q119. What is RTO and RPO in the context of Hyper-V DR?

Answer: Recovery Time Objective (RTO) is the maximum acceptable downtime; Recovery Point Objective (RPO) is the maximum acceptable data loss window. Hyper-V Replica with 30-second intervals offers RPO of ~30 seconds. ASR with continuous replication can achieve near-zero RPO with Azure as the recovery site.

Q120. How do you verify backup integrity for Hyper-V VMs?

Answer: Perform regular test restores to a separate environment, use application-consistent backup verification by starting the VM from backup, check VSS writer status in event logs after backup jobs, review backup software reports for warnings or errors, and validate backup catalog integrity using solution-specific tools.

SECTION 13: Installing & Configuring Hyper-V Role

oo

Q121. How do you install the Hyper-V role on Windows Server?

Answer: Install via Server Manager (Add Roles and Features > Hyper-V), PowerShell (Install-WindowsFeature -Name Hyper-V -IncludeManagementTools -Restart), or during Windows Server Core installation using the feature cmdlet. A reboot is required after installation.

Q122. How do you install Hyper-V on Windows Server Core?

Answer: Use PowerShell: Install-WindowsFeature -Name Hyper-V -IncludeManagementTools. Manage via Hyper-V Manager on a remote machine, PowerShell remoting, or Windows Admin Center connecting to the Core host.

Q123. What is the Hyper-V role vs Hyper-V Server?

Answer: The Hyper-V role can be added to full Windows Server (with or without GUI). Hyper-V Server was a free, standalone hypervisor (GUI-less) based on Windows Server Core with only the Hyper-V role. Hyper-V Server is discontinued; Azure Stack HCI is now the preferred free HCI platform from Microsoft.

Q124. What is Remote Desktop Services vs Hyper-V for desktop virtualization?

Answer: Remote Desktop Services (RDS) hosts multiple user sessions on shared OS instances (RDSH) or provides VDI using individual VM desktops (RDS VDI). Hyper-V is the underlying hypervisor that hosts VDI VMs in an RDS VDI deployment. They complement each other for desktop virtualization scenarios.

Q125. How do you configure Hyper-V host settings?

Answer: Use Hyper-V Manager (Hyper-V Settings) to configure default VM paths, Live Migration settings, NUMA topology, physical GPU configuration, and replication authorization. Equivalent PowerShell cmdlets include Set-VMHost for most settings.

Q126. What is Hyper-V Manager and what are its limitations?

Answer: Hyper-V Manager is a MMC-based GUI for managing Hyper-V hosts and VMs. Limitations include no native cluster-wide management (use Failover Cluster Manager), limited reporting capabilities, no built-in automation, and single-pane management of up to a few hosts. Windows Admin Center is the modern alternative.

Q127. What is System Center Virtual Machine Manager (SCVMM)?

Answer: SCVMM is an enterprise management solution for large Hyper-V environments. It provides multi-host management, VM templates, service templates, networking fabric management, SDN integration, self-service portals, and integration with other System Center products for comprehensive private cloud management.

Q128. How do you delegate Hyper-V administration?

Answer: Use RBAC through SCVMM user roles (Fabric Administrator, VM Administrator, Self-Service User), or use Windows Authorization Manager (AzMan) for granular Hyper-V permissions. For basic delegation, use local Hyper-V Administrators group membership on individual hosts.

Q129. What is the Hyper-V Administrators local group?

Answer: The Hyper-V Administrators local group grants non-administrator users access to manage VMs on a Hyper-V host. Members can create, configure, start, stop, and connect to VMs without having full local administrator rights on the host.

Q130. How do you remotely manage Hyper-V?

Answer: Remote management options include Hyper-V Manager (MMC snap-in on a management workstation), PowerShell Remoting (Enter-PSSession, Invoke-Command), Windows Admin Center, SCVMM console, and REST APIs (for Windows Admin Center/SCVMM). Ensure WinRM and firewall rules are configured for remote access.

SECTION 14: Clustering & Scale

oo

Q131. What is the maximum number of nodes in a Hyper-V failover cluster?

Answer: Windows Server 2019 and 2022 failover clusters support up to 64 nodes. Azure Stack HCI supports up to 16 nodes per cluster. The maximum number of clustered VMs per cluster is 8,000 in Windows Server 2019/2022.

Q132. What is the quorum in a Hyper-V failover cluster?

Answer: Quorum is the voting mechanism that determines which subset of cluster nodes constitutes a majority and can keep cluster resources online. It prevents split-brain scenarios. Quorum can use a disk witness, file share witness, or cloud witness (Azure Blob Storage) as a tiebreaker vote.

Q133. What is a Cloud Witness in failover clustering?

Answer: Cloud Witness uses Azure Blob Storage as a lightweight quorum witness. It is ideal for stretched clusters across two sites where you want a tiebreaker without a third physical site. It requires Azure storage account access and minimal network bandwidth.

Q134. What is Stretched Clustering in Hyper-V?

Answer: Stretched (geo-) clustering spans failover cluster nodes across two physical sites for site-level disaster recovery with automatic failover. Storage Replica synchronously replicates storage between sites. If one site fails, the cluster automatically fails over VMs to the surviving site.

Q135. What is Storage Replica and how does it integrate with Hyper-V?

Answer: Storage Replica replicates storage volumes between servers or sites at the block level, independent of the file system. In Hyper-V contexts, it is used to replicate CSV volumes for stretched clustering or to provide storage-level DR without relying on application-level replication.

Q136. What is VM Monitoring in Hyper-V failover clustering?

Answer: VM Monitoring tracks the health of services running inside cluster-aware VMs. If a monitored service (e.g., SQL Server) fails inside a clustered VM, Hyper-V can automatically restart the service or restart/failover the VM to another cluster node.

Q137. What is fault domain awareness in Windows Server clustering?

Answer: Fault domain awareness allows the cluster to understand the physical topology (chassis, rack, site) of nodes and distribute VMs across fault domains to improve resilience. If an entire rack or site fails, VMs are distributed to minimize co-located failures.

Q138. What is the Hyper-V VM density recommendation?

Answer: Microsoft supports up to 1,024 VMs per cluster node (up to 8,000 per cluster). In practice, VM density is limited by available CPU, memory, storage throughput, and network bandwidth. Over-dense hosts lead to resource contention and performance degradation.

Q139. What is Hyper-V host-level HA vs guest clustering?

Answer: Host-level HA (Failover Clustering) protects VMs by restarting them on another host if the host fails — the guest OS is unaware. Guest clustering runs Windows Server Failover Clustering inside VMs (e.g., SQL AlwaysOn, File Server clusters) for application-level HA independent of the virtualization layer.

Q140. What is VM Generation Version lock-in?

Answer: Once a VM is created as Generation 1 or Generation 2, its generation cannot be changed. Generation determines BIOS/UEFI firmware type and device support. Carefully plan VM generation based on guest OS requirements and desired features before deployment.

SECTION 15: Hyper-V and Azure Integration

oo

Q141. What is Azure Migrate and how does it work with Hyper-V?

Answer: Azure Migrate provides tools to discover, assess, and migrate on-premises Hyper-V VMs to Azure. The Azure Migrate appliance discovers VMs and their configurations, the Assessment tool evaluates readiness and cost estimates, and the Migration tool replicates VMs to Azure IaaS.

Q142. What methods are available to migrate Hyper-V VMs to Azure?

Answer: Primary methods include Azure Migrate (agent-based or agentless replication for Hyper-V VMs using Hyper-V Replication protocol), Azure Site Recovery as a migration tool, manual export/upload using Azure Import/Export service, and Azure Hybrid Benefit licensing for cost optimization.

Q143. What is Azure Hybrid Benefit for Windows Server?

Answer: Azure Hybrid Benefit allows customers with active Software Assurance on Windows Server licenses to use those licenses in Azure, significantly reducing VM costs (up to 40% savings). This is particularly relevant when migrating Hyper-V VMs from on-premises to Azure IaaS.

Q144. What is the Azure Connected Machine agent in Arc context?

Answer: The Azure Connected Machine agent (also called the Arc agent) is installed on on-premises servers (including Hyper-V guests) to register them with Azure Arc. Once registered, Azure management services (Policy, Monitor, Defender, Update Management) can be applied to the machines.

Q145. What is Azure Stack HCI vs Windows Server + Hyper-V?

Answer: Azure Stack HCI is a purpose-built HCI OS delivered as an Azure service, requiring Azure subscription and continuous Azure connectivity. Windows Server with Hyper-V is a traditional deployment model that does not require Azure connectivity.

Azure Stack HCI offers tighter Azure integration, Azure Benefit pricing, and regular feature updates.

Q146. What is Azure Monitor for on-premises Hyper-V hosts?

Answer: Azure Monitor can collect performance data and logs from on-premises Hyper-V hosts via the Azure Monitor Agent (AMA) or MMA (legacy). This enables centralized monitoring, alerts, dashboards, and log analytics for hybrid environments mixing Azure VMs and on-premises Hyper-V workloads.

Q147. What is Microsoft Defender for Cloud for Hyper-V VMs?

Answer: Microsoft Defender for Cloud provides cloud-native and hybrid security posture management and workload protection. When enabled for Azure Arc-connected Hyper-V VMs, it assesses security configurations, detects threats, and provides compliance reporting for on-premises workloads.

Q148. What is the Azure Update Manager and its role for Hyper-V?

Answer: Azure Update Manager (formerly Update Management in Azure Automation) provides centralized patch management for Azure VMs and Azure Arc-enabled servers, including on-premises Hyper-V guests registered with Arc. It supports scheduled patching, compliance reporting, and maintenance windows.

Q149. How does Hyper-V support containerization and Azure Kubernetes Service (AKS)?

Answer: Hyper-V provides Hyper-V isolation for Windows containers, running each container in a lightweight Hyper-V VM for stronger isolation. AKS on Azure Stack HCI (AKS-HCI) uses Hyper-V to run Kubernetes node VMs on-premises, bringing managed Kubernetes capabilities to on-premises infrastructure.

Q150. What is the Azure Extended Security Updates (ESU) program and Hyper-V relevance?

Answer: Azure ESU provides security updates for end-of-life OS versions (Windows Server 2012 R2, SQL Server 2012) at no additional cost when the workload runs as an Azure VM or is Arc-enabled. This allows organizations to extend Hyper-V guest lifecycle without immediate migration.

SECTION 16: Additional Interview Questions (151–300)

Q151. What is the purpose of the Hyper-V Worker Process (vmwp.exe)?

Answer: vmwp.exe (Virtual Machine Worker Process) is a separate process created for each running VM. It handles all VM-level operations including I/O, memory management, and device emulation. Running each VM in its own process provides fault isolation – if one VM crashes, only its worker process is affected.

Q152. What is the partition model in Hyper-V?

Answer: Hyper-V uses a partition model: the Root Partition (parent) runs Windows Server with direct hardware access and hosts the Hyper-V management stack. Child Partitions (guests) run VMs with no direct hardware access, communicating with hardware through the parent via VMBus enlightenments.

Q153. What is the Hypervisor Scheduler in Windows Server 2019+?

Answer: Windows Server 2019 introduced the Core Scheduler as the default, which schedules virtual processors in pairs aligned to physical core siblings, improving security against side-channel attacks (like Spectre/Meltdown). The Classic Scheduler (used in 2016) scheduled individual logical processors without sibling alignment.

Q154. What are Hyper-V best practices for SQL Server VMs?

Answer: Use fixed-size VHDX or pass-through disks, disable dynamic memory for SQL Server VMs, configure vNUMA to match physical NUMA topology, enable RDMA/SMB Direct for storage, separate OS/data/log/TempDB disks, size vCPUs appropriately (avoid over-provisioning), and use latest Integration Services.

Q155. What is VHD Set (.vhds) in Hyper-V?

Answer: VHD Set is a shared virtual disk format (.vhds) that allows multiple VMs to simultaneously access the same virtual disk, enabling shared storage for guest clustering (Windows Server Failover Cluster running inside VMs). It supports online resizing and checkpoints unlike shared VHDX (.vhdx in shared mode).

Q156. What is a Shared VHDX?

Answer: A Shared VHDX allows multiple VMs to access the same VHDX file simultaneously, providing shared storage for guest failover clustering. It is similar to VHD Set but is the older format. Shared VHDX must be placed on a CSV or SMB 3.0 share and does not support checkpoints.

Q157. What is Persistent Memory (PMEM) support in Hyper-V?

Answer: Hyper-V supports passing persistent memory (NVDIMM) directly to VMs, allowing guest applications to use byte-addressable persistent storage with near-DRAM speed. This benefits databases and workloads that benefit from high-speed persistent storage with durability.

Q158. What is Virtual PCI (vPCI) in Hyper-V?

Answer: Virtual PCI is the mechanism that presents emulated or synthetic PCI devices to Hyper-V guest VMs. For DDA (Discrete Device Assignment), vPCI passes real physical PCIe devices through to VMs with near-native performance.

Q159. How does Hyper-V handle VM time synchronization?

Answer: The Time Synchronization Integration Service syncs guest VM time with the Hyper-V host. For domain-joined VMs, it is recommended to use Windows Time Service (w32tm) syncing with domain controllers rather than host time sync, to ensure consistent time across the domain hierarchy. Disable host time sync for domain controllers.

Q160. What is VM Groups in Hyper-V?

Answer: VM Groups (introduced in Windows Server 2016) allow you to manage collections of VMs as a single unit. Management Groups contain VMs; Collection Groups contain Management Groups. They enable batch checkpoint operations (Checkpoint-VMGroup) and other group-level management actions.

Q161. What are some Hyper-V security hardening recommendations?

Answer: Recommendations include: use Generation 2 VMs with Secure Boot, implement Shielded VMs for sensitive workloads, enable VBS/HVCI on hosts, keep Integration Services updated, restrict Hyper-V admin access, audit all administrative actions, segment management networks, and regularly patch hosts and guests.

Q162. What is Hyper-V's support for Linux VMs?

Answer: Hyper-V supports a wide range of Linux distributions including RHEL, CentOS, Ubuntu, SUSE, Debian, and Oracle Linux. Linux Integration Services (LIS) are built into the Linux kernel (version 3.4+), providing synthetic device drivers, live backup, dynamic memory, and other integration features.

Q163. What is Enlightened I/O in Hyper-V?

Answer: Enlightened I/O refers to guest VM modifications (enlightenments) that make the VM aware it is running on Hyper-V, allowing it to use synthetic (high-performance)

device drivers via VMBus instead of emulated drivers. Windows and modern Linux guests include Hyper-V enlightenments for significantly improved I/O performance.

Q164. What is the difference between Hyper-V and VMware vSphere?

Answer: Both are enterprise hypervisors. Hyper-V integrates natively with Windows Server and Active Directory, uses PowerShell for automation, and connects to Azure for hybrid scenarios. VMware vSphere is platform-agnostic, has mature features like vMotion/DRS/HA, and uses vCenter for management. The choice depends on existing infrastructure, skills, and licensing.

Q165. What is hot-add memory and hot-add CPU in Hyper-V?

Answer: Hot-add allows adding memory or vCPUs to a running Generation 2 VM without restarting it. This requires the guest OS to support memory hot-add (Windows Server 2016+ 64-bit, modern Linux kernels). It is useful for scaling VMs dynamically without service interruption.

Q166. What is the maximum memory supported per VM in Hyper-V?

Answer: Windows Server 2022 Hyper-V supports up to 240 TB of RAM per VM. Practical limits depend on available host memory and workload requirements. Most production VMs use far less, but this supports in-memory databases and large-scale analytics workloads.

Q167. What is the maximum number of vCPUs per VM in Hyper-V?

Answer: Windows Server 2022 Hyper-V supports up to 2,048 virtual processors per VM. Generation 1 VMs support up to 64 vCPUs; Generation 2 VMs support up to 240 vCPUs (Windows Server 2019) or up to 2,048 (Windows Server 2022 with recent updates).

Q168. What is Kerberos Constrained Delegation (KCD) and why is it needed for Hyper-V?

Answer: KCD allows a service account to impersonate users to specific services on specific hosts. In Hyper-V, it is required for Live Migration when using Kerberos authentication, allowing the VMMS service on one host to authenticate to the VMMS service on another host on behalf of the initiating administrator.

Q169. What network ports does Hyper-V Live Migration use?

Answer: Live Migration uses TCP port 6600 for the Live Migration connection and TCP port 443 (HTTPS) for authentication depending on configuration. In clustered environments, CSV communications use additional ports. Configure firewall rules to allow these ports between cluster nodes.

Q170. What is a VM Saved State and when is it used?

Answer: Saved State captures the complete memory and CPU state of a running VM to disk, allowing it to be resumed later from exactly the same point. It is used by Quick Migration and when a VM is paused then saved. The save operation requires disk space equal to the VM's allocated RAM.

Q171. What is the difference between Pause and Save in Hyper-V?

Answer: Pausing a VM halts its execution while keeping its memory in RAM — it resumes instantly but occupies host memory. Saving writes memory state to disk and frees host RAM — resumption requires loading state back from disk and takes longer. Use Pause for brief suspensions and Save for longer periods.

Q172. How do you clone a VM in Hyper-V?

Answer: Hyper-V does not have a native clone function. You can clone by: exporting the VM and importing as a copy, using differencing disks from a sysprepped parent, using a SCVMM template, or using PowerShell to copy VHD/VHDX files and create a new VM.

Always sysprep Windows guests before cloning to avoid SID conflicts.

Q173. What is VM Templates in SCVMM context?

Answer: SCVMM VM Templates define a standardized VM configuration (hardware profile, OS profile, application configuration) that can be rapidly deployed as new VMs. Templates are built from sysprepped VHD/VHDX images and include hardware settings, network configuration, and optional post-deployment scripts.

Q174. What is Differencing Disk Chain performance impact?

Answer: Each additional differencing disk in a chain adds an extra lookup for every write operation (writes go to the child, reads traverse the chain). Deep chains (more than 3-4 levels) significantly degrade disk performance. Regularly merge checkpoints to keep chains shallow.

Q175. What is the default virtual disk controller type in Generation 2 VMs?

Answer: Generation 2 VMs use only SCSI controllers for virtual disks (including the boot disk). They do not have IDE controllers. This simplifies VM configuration and allows hot-adding SCSI disks to running VMs without a reboot.

Q176. What is the purpose of the Hyper-V Data Exchange (KVP) Integration Service?

Answer: The Key-Value Pair (KVP) Data Exchange Integration Service enables bidirectional exchange of small data items (key-value pairs) between the host and guest. The host can read guest OS information (hostname, IP addresses, OS version) and inject data into the guest, useful for automation and configuration.

Q177. What is VM heartbeat and why is it important?

Answer: The Heartbeat Integration Service sends periodic signals from the guest VM to the host, confirming the guest OS is running and responsive. Hyper-V failover clustering uses heartbeats to detect unresponsive VMs and trigger automatic restarts. A missing heartbeat may indicate OS hang or crash.

Q178. How do you configure VM automatic start and stop actions?

Answer: In Hyper-V Manager, under VM Settings > Automatic Start Action, configure whether the VM starts automatically with the host and the startup delay. Under Automatic Stop Action, configure whether the VM is saved, shut down gracefully, or powered off when the host shuts down.

Q179. What is the Hyper-V Power Plan?

Answer: The High Performance power plan is recommended for Hyper-V hosts to prevent CPU throttling due to power management. Balanced power plans may reduce CPU frequency during low load, causing latency spikes in VMs. Configure using `powercfg -setactive SCHEME_MIN` for best VM performance.

Q180. What is Enhanced Session Mode in Hyper-V?

Answer: Enhanced Session Mode uses RDP technology to provide a richer VM console experience including audio, clipboard, USB redirection, and dynamic resolution. It is available for Windows VMs with Desktop Experience and requires the VM Connection Transport set to Enhanced.

Q181. What are common performance counters to monitor for Hyper-V health?

Answer: Key counters include: Hyper-V Hypervisor Logical Processor - % Guest Run Time, % Hypervisor Run Time; Hyper-V Hypervisor Virtual Processor - CPU Wait Time per Dispatch; Hyper-V VM Vid Partition - Physical Pages Allocated; Hyper-V Virtual Storage Device - Queue Length, Read/Write Bytes/sec; and network adapter throughput/drops.

Q182. What is the impact of antivirus software on Hyper-V hosts?

Answer: Antivirus scanning of VHD/VHDX files, VM configuration files, and virtual switch directories can severely degrade Hyper-V performance and cause VM instability. Exclude Hyper-V-related files, directories, and processes from AV scanning, following Microsoft's Hyper-V antivirus exclusion guidelines.

Q183. What is the Hyper-V Socket (HvSocket)?

Answer: Hyper-V Socket (AF_HYPERV) is a socket interface for high-speed, low-overhead communication between Hyper-V host and VMs without using the network stack. It is used by Windows Subsystem for Linux (WSL2), Docker on Windows, and other tools requiring fast host-guest IPC.

Q184. How do you configure processor compatibility mode for Live Migration?

Answer: Enable processor compatibility mode via VM Settings > Processor > Compatibility or Set-VMProcessor -CompatibilityForMigrationEnabled \$true. This masks CPU features not available on older hosts, allowing VMs to migrate between hosts with different CPU generations (same family). It may slightly reduce CPU performance.

Q185. What is Boot from SAN in Hyper-V?

Answer: Boot from SAN allows Hyper-V hosts to boot their OS from a LUN presented via Fibre Channel or iSCSI SAN rather than a local disk. This simplifies stateless host deployment, enables rapid host recovery by re-presenting the LUN to a replacement host, and supports centralized storage management.

Q186. What is iSCSI and how is it used in Hyper-V environments?

Answer: iSCSI uses TCP/IP networks to transport SCSI block storage commands, allowing hosts to access SAN-like shared storage over standard Ethernet. Hyper-V hosts use iSCSI to connect to shared storage arrays for VMs, CSV volumes, and other shared storage needs, using the Microsoft iSCSI initiator or third-party solutions.

Q187. What is Fibre Channel (FC) and Virtual FC in Hyper-V?

Answer: Physical FC provides high-speed SAN access for Hyper-V hosts via HBAs. Virtual Fibre Channel (vFC) allows VMs to have their own virtual HBA that connects directly to a physical FC fabric, providing the VM with dedicated FC storage access without sharing through the host's file system.

Q188. What is MPIO (Multipath I/O) in Hyper-V context?

Answer: MPIO provides redundant paths from a host to a storage array via multiple HBAs or network adapters. If one path fails, I/O continues through remaining paths without interruption. MPIO also enables load balancing across paths. It is essential for highly available SAN-connected Hyper-V environments.

Q189. What is the VMM Library in SCVMM?

Answer: The VMM Library is a centralized repository for storing and managing resources used in VM deployments, including VHD/VHDX images, ISO files, templates, profiles, scripts, and update baselines. Library shares are accessed by VMM to rapidly provision new VMs from standardized images.

Q190. What is Fabric in SCVMM context?

Answer: Fabric refers to the underlying physical and virtual infrastructure managed by SCVMM, including servers (Hyper-V hosts, bare-metal), storage arrays, network fabric (physical switches, logical networks, IP pools), and library resources. Fabric management is a core SCVMM function for private cloud infrastructure.

Q191. What is a Hardware Profile in SCVMM?

Answer: A Hardware Profile defines the standardized virtual hardware settings for VMs (vCPU count, memory, boot order, network adapters, disk controllers) that can be applied consistently during VM deployment from templates. It separates hardware configuration from OS and application configuration.

Q192. What is a Guest OS Profile in SCVMM?

Answer: A Guest OS Profile defines the OS-level customization settings applied during VM deployment, including computer name (static or dynamic), domain join settings, local administrator credentials, product key, time zone, and RunOnce commands. It automates guest OS configuration at deployment.

Q193. What is the dynamic optimization feature in SCVMM?

Answer: Dynamic Optimization automatically balances VM load across cluster nodes based on configurable policies (CPU/memory thresholds). It uses Live Migration to move VMs between nodes to prevent resource contention and ensure optimal performance distribution without manual intervention.

Q194. What is Power Optimization in SCVMM?

Answer: Power Optimization automatically migrates VMs to fewer hosts during low-demand periods and powers off idle hosts to reduce energy consumption. When demand increases, hosts are powered back on using Wake-on-LAN or IPMI/DRAC. It reduces operational costs in variable-demand environments.

Q195. What is the Self-Service Portal in SCVMM?

Answer: SCVMM's Self-Service Portal (or App Controller/WAP integration) allows authorized users to deploy and manage their own VMs within predefined quotas and resource limits, without needing full infrastructure access. This enables departmental or developer self-service cloud capabilities.

Q196. What is Logical Networking in SCVMM?

Answer: Logical Networks in SCVMM abstract the physical network fabric into named networks with associated sites, IP pools, and VLANs. VM networks are created on top of logical networks, allowing VMs to be connected to network resources by name rather than physical VLAN IDs, simplifying provisioning and portability.

Q197. What is Update Management in SCVMM?

Answer: SCVMM Update Management integrates with WSUS to scan, download, and apply updates to managed servers and VMs. It uses update baselines to define required update levels and can use CAU for automated cluster patching while maintaining VM availability.

Q198. What is Bare Metal Provisioning in SCVMM?

Answer: Bare Metal Provisioning (BMP) allows SCVMM to deploy the Windows Server OS and Hyper-V role to unprovisioned physical servers using PXE boot, WDS, and the BMC (baseboard management controller). This enables rapid, automated deployment of new Hyper-V hosts at scale.

Q199. What is the role of IPMI/BMC in Hyper-V management?

Answer: IPMI (Intelligent Platform Management Interface) and BMC (Baseboard Management Controller) provide out-of-band management of physical Hyper-V hosts, enabling remote power on/off, hardware health monitoring, BIOS configuration, and KVM-over-IP console access independent of the host OS state.

Q200. What is VHDX journal and why is it important?

Answer: VHDX format uses a transaction journal that logs metadata changes before applying them. If the host crashes during a write operation, the journal allows VHDX to

recover to a consistent state on next mount, preventing disk corruption. This is a significant advantage over the older VHD format.

Q201. What is the default checkpoint type in Windows Server 2016+?

Answer: Windows Server 2016 changed the default checkpoint type to Production Checkpoints (VSS-based, application-consistent). In earlier versions, Standard Checkpoints (memory-state-inclusive) were the default. Production Checkpoints are safer for production workloads but require Integration Services support in the guest.

Q202. How do you perform an online VHDX resize without downtime?

Answer: Expand a VHDX attached to a Generation 2 VM (SCSI controller) while the VM is online using Resize-VHD PowerShell cmdlet or Hyper-V Manager. Then use Disk Management or diskpart inside the guest to extend the partition. Shrinking online is not supported and requires VM shutdown.

Q203. What is the Hyper-V Bandwidth Management feature?

Answer: Bandwidth Management in Hyper-V virtual switches allows setting minimum bandwidth (guaranteed) and maximum bandwidth (cap) per VM network adapter. This ensures service-level guarantees for critical VMs and prevents bandwidth hogging by less critical workloads in shared network environments.

Q204. What is Virtual Machine Bus (VMBus) channel version?

Answer: VMBus channels have version numbers that must be compatible between host and guest Integration Services. Newer channel versions enable more features and better performance. After updating Integration Services or upgrading Windows versions, the VMBus channel may upgrade automatically at VM restart.

Q205. What is Receive Segment Coalescing (RSC) and its benefit in Hyper-V?

Answer: RSC is a NIC offload feature that combines multiple small received TCP segments into larger ones before passing them to the OS, reducing CPU overhead for high-throughput workloads. Hyper-V supports RSC for virtual switch traffic, improving VM network performance especially for large data transfers.

Q206. How does Hyper-V support High Availability for file servers?

Answer: Use a Scale-Out File Server (SOFS) cluster as back-end storage for Hyper-V VMs. The SOFS provides continuously available SMB 3.0 file shares. Combine with CSV for the storage layer and NIC teaming/RDMA for network resilience to achieve fully redundant file server storage for Hyper-V.

Q207. What is the role of WMI in Hyper-V management?

Answer: Windows Management Instrumentation (WMI) provides the underlying management API for Hyper-V. The Hyper-V WMI provider (root\virtualization\v2 namespace) exposes all VM and host management capabilities. PowerShell Hyper-V cmdlets, SCVMM, and third-party tools use WMI APIs internally.

Q208. What is the Msvm_ComputerSystem WMI class?

Answer: Msvm_ComputerSystem represents a virtual machine in the Hyper-V WMI model. It exposes properties like Name, EnabledState, and HealthState, and methods for state transitions (RequestStateChange). Direct WMI access is useful for scripting and automation scenarios beyond standard PowerShell cmdlets.

Q209. What is Hyper-V Host NUMA topology exposure to guests?

Answer: Hyper-V can expose virtual NUMA (vNUMA) topology to guest VMs, reflecting the physical NUMA boundaries. NUMA-aware applications (SQL Server, large enterprise apps) can allocate memory locally within a NUMA node, avoiding cross-NUMA memory

access penalties that would occur if vNUMA is misconfigured or disabled.

Q210. What is the impact of Spectre/Meltdown mitigations on Hyper-V performance?

Answer: Spectre and Meltdown firmware and OS patches introduce overhead for kernel-user transitions and cross-VM memory access. The impact varies by workload – syscall-heavy workloads see more impact. Windows Server 2019+ with the Core Scheduler helps mitigate side-channel risks with lower performance impact than older workarounds.

Q211. What is a VM's GUID and where is it used?

Answer: Every Hyper-V VM has a globally unique identifier (GUID) that uniquely identifies it regardless of host or name. The GUID is used in VM configuration file names (GUID.vmcx), replication pairing, clustering resources, and WMI queries. It persists across exports/imports unless you choose to generate a new ID.

Q212. What is Virtual Machine Configuration (.vmcx) file?

Answer: .vmcx is the binary XML-based VM configuration file introduced in Windows Server 2016 (replacing .xml). It stores all VM hardware configuration, checkpoints, and settings. Binary format improves I/O performance for configuration reads/writes and offers better corruption protection.

Q213. What is the .vmrs file in Hyper-V?

Answer: .vmrs (Virtual Machine Runtime State) stores the saved state of a VM's memory when it is in a saved state (Quick Migration or explicit save). It is a binary file containing the complete memory contents and is typically the same size as the VM's assigned RAM.

Q214. What is a VM's runtime state file (.vmrs) vs checkpoint state file (.avhd/.avhdx)?

Answer: .vmrs stores the runtime saved state for a paused/saved VM. .avhd/.avhdx files are checkpoint differencing disks that store disk block changes since the checkpoint was taken. Together they form a complete checkpoint that can restore the VM to its state at the time of the checkpoint.

Q215. What is the VHDX sector size and why does it matter?

Answer: VHDX supports 512-byte and 4096-byte (4K) sector sizes. 4K sector sizes align with modern disk hardware (Advanced Format 4K native drives), improving I/O efficiency. Misaligned sector sizes can cause extra read-modify-write cycles, degrading performance on 4K native storage.

Q216. How do you configure Hyper-V replication over HTTPS?

Answer: Configure certificate-based HTTPS replication by enabling HTTPS authentication on the replica server (Set-VMReplicationServer), installing trusted certificates on both primary and replica hosts, and specifying HTTPS (port 443) when enabling replication with Enable-VMReplication -AuthenticationType Certificate.

Q217. What is the recovery history in Hyper-V Replica?

Answer: Recovery History allows Hyper-V Replica to retain multiple recovery points (additional recovery snapshots) on the replica VM, not just the latest replication state. Configure additional recovery points (up to 24 hours) using Enable-VMReplication -RecoveryHistory parameter for more granular recovery options.

Q218. What is the Extended Replication in Hyper-V?

Answer: Extended Replication creates a third-site replica by replicating from the replica server to an extended replica server. This provides a chain of Primary > Replica > Extended Replica, adding an extra tier of DR protection. Configure with Enable-VMReplication -AsReplica and Extend-VMReplication cmdlets.

Q219. How do you validate Hyper-V Replica health?

Answer: Use Get-VMReplication to check replication state (Normal, Error, Suspended, etc.), review Hyper-V-VMMS-Replication event log, monitor replication health in Hyper-V Manager's Replication tab, and check replication lag (time since last successful replication) to ensure RPO objectives are being met.

Q220. What is a Replica Broker role in Hyper-V clustering?

Answer: The Hyper-V Replica Broker is a cluster role that provides a single connection point for replication to a failover cluster. Instead of targeting individual cluster nodes, replication targets the broker's network name. If the active node changes, the broker transparently redirects replication to the new host.

Q221. What is the difference between Hyper-V Replica and DFS-R?

Answer: Hyper-V Replica replicates VM disk contents asynchronously at the Hyper-V management layer, keeping a replica VM ready for failover. DFS-R (Distributed File System Replication) replicates files at the file system level, suitable for file server data replication. They serve different purposes and can complement each other.

Q222. What is the Network QoS absolute vs weight-based mode?

Answer: Absolute mode sets specific Mbps minimum/maximum values per VM adapter. Weight-based mode assigns relative weights; VMs get bandwidth proportional to their weight during congestion. Absolute mode provides predictable guarantees; weight-based mode provides proportional fairness without fixed Mbps commitments.

Q223. What is VMQ (Virtual Machine Queue) and its configuration considerations?

Answer: VMQ enables hardware-accelerated packet delivery to VMs, but each VMQ consumes NIC resources (queues are limited). If too many VMs share a NIC with VMQ, some VMs may not get dedicated queues and fall back to the default queue. Balance VMQ assignment across NICs or use SR-IOV for critical high-traffic VMs.

Q224. What is RSS (Receive Side Scaling) in Hyper-V networking?

Answer: RSS distributes network receive processing across multiple CPU cores to prevent a single core from becoming a bottleneck for high-throughput workloads. In Hyper-V, RSS affects how the virtual switch distributes receive interrupts across the host's processors, improving overall network throughput.

Q225. How do you implement network separation for management traffic in Hyper-V?

Answer: Create dedicated physical NICs (or VLAN-tagged ports) for management traffic, Hyper-V Live Migration traffic, CSV/storage traffic, and VM traffic. Use separate virtual switches or VLAN isolation to prevent noisy VM traffic from impacting management and storage network latency.

Q226. What is IPAM (IP Address Management) and its role in Hyper-V environments?

Answer: IPAM (available as a Windows Server role) provides centralized IP address tracking, planning, and auditing across the organization. In Hyper-V environments, IPAM tracks IP addresses assigned to VMs, integrates with DHCP and DNS servers, and helps prevent address conflicts in large deployments.

Q227. What is the SLAT (Second Level Address Translation) requirement for Hyper-V?

Answer: SLAT is a CPU feature (Intel EPT or AMD RVI) that allows the hypervisor to translate guest physical addresses to host physical addresses in hardware, eliminating software-based shadow page table overhead. SLAT is mandatory for Hyper-V on Windows Server 2012 R2 and later, and dramatically improves VM memory management performance.

Q228. What is the Hyper-V Management Console remote connection setup?

Answer: To manage a remote Hyper-V host from Hyper-V Manager, enable WinRM (winrm quickconfig), add the remote host in Hyper-V Manager (Connect to Server), ensure DNS resolution works, configure firewall exceptions for remote management (port 135, 445, 5985/5986 for WinRM), and use appropriate credentials or configure Kerberos/CredSSP delegation.

Q229. How do you use Get-VMNetworkAdapter in troubleshooting?

Answer: Get-VMNetworkAdapter -VMName 'VM1' lists all network adapters for a VM including their MAC addresses, switch connections, VLAN settings, bandwidth limits, and VMQ status. Adding -ComputerName targets a remote host. This cmdlet is essential for diagnosing VM network configuration issues.

Q230. What is the VM Generation and how does it affect backup compatibility?

Answer: Generation 1 VMs with IDE boot disks require the guest OS to be shut down for certain backup operations (VSS may not support IDE VHDs in all scenarios). Generation 2 VMs with SCSI boot disks support online VSS-based backup more reliably. Always verify backup software Generation 2 support before deploying.

Q231. What is the live kernel dump feature in Windows Server and Hyper-V?

Answer: Windows Server 2019+ supports generating a complete kernel dump without crashing the system (using Task Manager or NtSystemDebugControl). In Hyper-V, this helps diagnose host-level issues (hangs, deadlocks) without forcing a VM restart, preserving VM availability during diagnosis.

Q232. What is the Hyper-V PowerShell Direct feature?

Answer: PowerShell Direct allows running PowerShell commands directly inside a VM from the Hyper-V host, bypassing the network stack entirely. Use Invoke-Command -VMName 'VM1' -ScriptBlock {Get-Service} to execute commands. This is useful when the VM's network is unavailable or misconfigured.

Q233. What is the Hyper-V Virtual Machine Connection (vmconnect.exe)?

Answer: vmconnect.exe is the VM console client for Hyper-V, providing keyboard-video-mouse (KVM) access to VMs independent of the network. In Enhanced Session Mode, it uses RDP internally for richer experience. In Basic Session Mode, it uses VMBus for direct console access, useful when the OS or network is not functional.

Q234. What is the Generation 2 VM boot process?

Answer: Generation 2 VMs boot via UEFI from a SCSI-attached VHDX. The UEFI firmware performs Secure Boot verification of the boot loader, then loads the OS. This eliminates BIOS legacy boot code, reduces boot time, and enables features like BitLocker with vTPM and UEFI-based Secure Boot enforcement.

Q235. What is the maximum VHDX file size and is it a hard limit?

Answer: VHDX supports a maximum virtual disk size of 64 TB. This is a hard format limit. For workloads exceeding this, use multiple virtual disks, pass-through disks, or physical storage accessed via iSCSI or Fibre Channel inside the VM.

Q236. How do you monitor Hyper-V Replica latency?

Answer: Monitor replication latency using Get-VMReplication | Select-Object Name, Health, LastReplicationTime and calculate time since last successful replication. Use performance counters (Hyper-V Replication - Replication Latency) and set up alerts in SCOM or Azure Monitor when latency exceeds RPO thresholds.

Q237. What is the ReFS block clone operation benefit for Hyper-V?

Answer: ReFS block cloning creates VHDX files by referencing existing data blocks without physically copying data, making checkpoint creation, VM cloning, and template deployment nearly instantaneous regardless of disk size. This dramatically speeds up operations that traditionally required copying gigabytes of data.

Q238. What is the impact of snapshots on VM performance?

Answer: Active checkpoints (with open .avhd/.avhdx differencing disks) add I/O overhead to every write operation (writes go to the child disk, reads may traverse the chain). Performance degrades proportionally to chain depth. For production VMs, minimize checkpoint use and merge regularly.

Q239. How do you automate checkpoint management in Hyper-V?

Answer: Use PowerShell scheduling (Task Scheduler + scripts) or SCVMM backup policies to automate checkpoint creation and removal. Script using Checkpoint-VM for creation and Get-VMSnapshot | Remove-VMSnapshot for cleanup, targeting VMs by name or tag. Set maximum checkpoint count using Set-VM -SnapshotFileLocation and policy settings.

Q240. What is the role of the VMMS service and what happens if it stops?

Answer: VMMS (Virtual Machine Management Service) is the core Hyper-V service managing all VM lifecycle operations. If VMMS stops, running VMs continue (they run in vmwp.exe worker processes), but no management operations (start, stop, migrate) can be performed until VMMS is restarted. Monitor VMMS health proactively.

Q241. What is VM Protection Groups in Hyper-V Replica?

Answer: VM Protection Groups in SCVMM allow grouping multiple VMs into a replication set that fails over together, maintaining application consistency across related VMs (e.g., web server + database server). This ensures all components of a multi-tier application are recovered to consistent states simultaneously.

Q242. What is the role of CPU weights in Hyper-V scheduling?

Answer: CPU weights (default 100, range 1-10000) determine relative CPU scheduling priority among VMs competing for physical CPU time. A VM with weight 200 gets twice the CPU time of one with weight 100 when contention occurs. Weights only matter during contention — unconstrained VMs can use all available CPU.

Q243. How do you configure the Live Migration network in PowerShell?

Answer: Use Set-VMHost -VirtualMachineMigrationPerformanceOption SMBTransport to enable SMB-based Live Migration for better performance. Use Set-VMHost -VMHostNetwork to specify which IP networks are used for migration traffic, prioritizing high-bandwidth, low-latency dedicated migration networks.

Q244. What is the maximum concurrent Live Migrations per host?

Answer: By default, Hyper-V allows 2 concurrent incoming and 2 concurrent outgoing Live Migrations per host. Adjust using Set-VMHost -MaximumVirtualMachineMigrations. Higher values are possible with sufficient network bandwidth but may impact VM and host performance during heavy migration loads.

Q245. What is SMB Multichannel and how does it benefit Hyper-V?

Answer: SMB Multichannel automatically uses multiple network adapters (or multiple paths on RDMA adapters) for SMB connections, providing bandwidth aggregation and fault tolerance. For Hyper-V VMs stored on SMB shares or for Live Migration over SMB, Multichannel dramatically improves throughput and resilience.

Q246. What is the default authentication protocol for Live Migration?

Answer: Kerberos is the default and recommended authentication protocol for Live Migration in domain environments. CredSSP (Credential Security Support Provider) is an alternative that requires the user to be locally logged on to the source host. Kerberos with constrained delegation is preferred for security and automation.

Q247. What is VLAN trunk mode for VM network adapters?

Answer: VLAN trunk mode allows a VM's network adapter to carry traffic for multiple VLANs simultaneously, tagging frames with 802.1Q VLAN IDs. This is required for VMs acting as virtual routers, firewalls, or network appliances that need to handle traffic for multiple VLANs.

Q248. How do you enable nested virtualization for a VM?

Answer: Run `Set-VMProcessor -VMName 'VM1' -ExposeVirtualizationExtensions $true` on the Hyper-V host. Also enable MAC address spoofing: `Set-VMNetworkAdapter -VMName 'VM1' -MacAddressSpoofing On`. Disable dynamic memory for the VM. The VM must be off when making these changes.

Q249. What is the Hyper-V Role Services list?

Answer: Hyper-V includes: Hyper-V Hypervisor (core), Virtual Machine Management Service (VMMS), Hyper-V Remote Management Tools (PowerShell module and MMC), VM Worker Processes, Guest Integration Services (in-guest components), and optional features like Remote Desktop Virtualization Host for VDI scenarios.

Q250. How do you configure Hyper-V on Windows Server Core without GUI?

Answer: Install with `Install-WindowsFeature Hyper-V -IncludeManagementTools`, configure using PowerShell cmdlets (`New-VMSwitch`, `Set-VMHost`, etc.), manage remotely via Hyper-V Manager MMC from a GUI workstation connected via Windows Remote Management, or use Windows Admin Center browser interface connecting to the Core host.

Q251. What are the Hyper-V network adapter advanced features?

Answer: Advanced features include: MAC address spoofing, DHCP Guard, Router Guard, Port Mirroring (source/destination), IEEE Priority tagging, Bandwidth Management (min/max), VMQ configuration, SR-IOV, and IPsec Task Offloading. These are configured per-adapter in VM Settings > Network Adapter > Advanced Features.

Q252. What is Port Mirroring in Hyper-V?

Answer: Port Mirroring copies all inbound and/or outbound network packets from a source VM adapter to a destination VM adapter, allowing a monitoring VM (running Wireshark, IDS, etc.) to capture and analyze VM network traffic without interrupting the source VM's communications.

Q253. What is Router Guard in Hyper-V?

Answer: Router Guard drops Router Advertisement and Router Redirection messages from VM network adapters, preventing rogue VMs from advertising themselves as routers and redirecting network traffic. It protects against accidental or malicious default gateway hijacking in the virtual network.

Q254. What is IEEE Priority tagging in Hyper-V?

Answer: IEEE Priority tagging (802.1p) embeds Quality of Service priority values into network frames at the VM adapter level. This allows downstream physical network switches to prioritize traffic from specific VMs based on the 802.1p Class of Service (CoS) value embedded in the tagged frames.

Q255. What is the role of the Hyper-V Host in Azure Stack HCI?

Answer: In Azure Stack HCI, each node runs Hyper-V as the hypervisor for VMs and Storage Spaces Direct for storage. Nodes are clustered using Windows Server Failover Clustering. Azure Stack HCI extends the stack with Azure connectivity for management, monitoring, billing, and cloud-based services.

Q256. What is the Windows Server CAL requirement for Hyper-V VMs?

Answer: Each Windows Server VM requires a CAL or must be covered by the host's license. Windows Server Standard license covers 2 VMs; Datacenter Edition covers unlimited VMs on the licensed host. Licensing strategy significantly impacts TCO when determining how many VMs to run per host.

Q257. What is the difference between physical and virtual NUMA in Hyper-V?

Answer: Physical NUMA is the actual hardware topology of CPUs and memory banks. Virtual NUMA (vNUMA) is Hyper-V's presentation of NUMA topology to guest VMs. vNUMA can be configured to match or optimize the physical NUMA boundaries, helping NUMA-aware applications allocate memory locally for best performance.

Q258. What is IPMI over LAN and its use in Hyper-V environments?

Answer: IPMI over LAN allows out-of-band management of Hyper-V hosts via the baseboard management controller (BMC) network interface. SCVMM uses IPMI or similar protocols (iDRAC, iLO, CIMC) for bare metal provisioning, power management, and hardware health monitoring of Hyper-V hosts.

Q259. How do you troubleshoot a high memory balloon in Hyper-V VMs?

Answer: Check host memory availability with Get-VMemory and Get-Counter for memory performance counters. If the host is memory-starved, VMs with Dynamic Memory enabled will have their balloon driver inflated. Add physical RAM, reduce VM count, lower VM memory minimums, or move VMs to less loaded hosts.

Q260. What is the VM priority for failover in Hyper-V clustering?

Answer: Failover priority settings in Failover Cluster Manager determine the order VMs restart on surviving nodes. High-priority VMs restart first. Configure using the Priority property in VM failover settings. Combined with preferred owners and failover policies, this ensures critical services recover before less important VMs.

Q261. How do you use Windows Admin Center to manage Hyper-V?

Answer: Install WAC as a gateway service, add the Hyper-V host as a managed server, and use the Virtual Machines extension to create, configure, start/stop, and connect to VMs via browser. WAC also provides cluster management, storage management, and Azure integration features in a modern unified interface.

Q262. What is the role of WDS (Windows Deployment Services) in Hyper-V bare metal provisioning?

Answer: WDS provides PXE boot and network-based OS deployment. In Hyper-V environments, WDS is used by SCVMM for bare metal provisioning of new Hyper-V hosts: the bare metal server PXE boots, WDS delivers a boot image, and SCVMM's agent installs Windows Server and the Hyper-V role automatically.

Q263. What is SDN Express in Windows Server?

Answer: SDN Express is a PowerShell script-based deployment tool that automates the deployment of Software Defined Networking components (Network Controller, SLB, Gateway) on Windows Server and Azure Stack HCI clusters. It simplifies what would otherwise be a complex multi-step manual SDN deployment process.

Q264. What is the difference between Type A and Type B VM configuration versions?

Answer: VM configuration version numbers correspond to Windows Server releases. Version 8.0 was introduced in Windows Server 2016; version 9.0 in Windows Server 2019; version 10.0 in Windows Server 2022. Higher versions enable new features but restrict migration to hosts running older Windows Server versions.

Q265. What is WSL2 and its relationship to Hyper-V?

Answer: Windows Subsystem for Linux 2 (WSL2) uses a lightweight Hyper-V virtual machine to run a real Linux kernel on Windows 10/11 and Windows Server 2022. WSL2 requires the Hyper-V hypervisor to be active (even if the Hyper-V role itself is not installed), using a Virtual Machine Platform feature.

Q266. How do you handle VM clock drift in Hyper-V?

Answer: Prevent clock drift by ensuring Integration Services time synchronization is properly configured, using Windows Time Service (w32tm) syncing with authoritative NTP sources inside domain-joined VMs, disabling host time sync for domain controllers (to avoid hierarchy conflicts), and monitoring VM time accuracy with Get-Date.

Q267. What is the Hyper-V Isolation Mode for containers?

Answer: Hyper-V isolation runs each Docker container in a lightweight Hyper-V VM, providing stronger kernel-level isolation between containers. This is in contrast to process isolation where containers share the host kernel. Hyper-V isolation is required when the container base image OS version doesn't match the host OS version.

Q268. What are the key differences in VM limits between Windows Server 2016 and 2022?

Answer: Windows Server 2022 increased vCPU support to 2,048 per VM, raised host memory to 48 TB (up from 24 TB in 2016), improved RDMA and RDMA-converged networking, enhanced TLS 1.3 support for Live Migration, and introduced hardware-based Secured-core Server features for better host security.

Q269. What is the Hyper-V Management API (WMI vs PowerShell)?

Answer: The underlying Hyper-V management API is based on WMI (root\virtualization\v2 namespace with classes like Msvm_ComputerSystem, Msvm_VirtualEthernetSwitch). PowerShell Hyper-V cmdlets provide a higher-level, more user-friendly abstraction over these WMI classes, handling complex WMI method chains automatically.

Q270. How do you configure Hyper-V for maximum VM density?

Answer: For maximum density: use dynamic memory with appropriate minimums, use Generation 2 VMs (less overhead), deploy VMs on ReFS volumes for fast checkpoint/clone operations, use SMB Direct for storage, configure NUMA-aware VM placement, monitor resource contention, and avoid over-provisioning vCPUs per VM.

Q271. What is the Microsoft Evaluation Center for Hyper-V testing?

Answer: Microsoft Evaluation Center provides free time-limited evaluation downloads of Windows Server and Hyper-V Server, allowing organizations to test Hyper-V features, configurations, and migration scenarios in lab environments before production deployment, reducing risk of issues in production.

Q272. What is Hyper-V VM Mobility in the context of AZ-800?

Answer: VM Mobility encompasses Live Migration (running VM moves between hosts), Storage Migration (moving VHD files), Shared Nothing Migration (compute + storage without shared storage), and Import/Export for offline moves. AZ-800 tests knowledge of when to use each method and its prerequisites and limitations.

Q273. What is the role of DNS in Hyper-V Live Migration?

Answer: DNS is critical for Live Migration as hosts must resolve each other's names for Kerberos authentication and network connectivity. Ensure forward and reverse DNS records are correct for all cluster nodes and host NICs used for Live Migration. DNS resolution failures are a common cause of Live Migration failures.

Q274. What is the Hyper-V Heartbeat timeout and how does it affect clustering?

Answer: Hyper-V monitors VM heartbeats via the Heartbeat Integration Service. If a VM's heartbeat is not received within the configured timeout (default ~5 minutes for clustered VMs), the cluster considers the VM unhealthy and may restart or failover the VM depending on policy. Tune this based on workload restart tolerance.

Q275. What is the impact of VM configuration version on host downgrade?

Answer: A VM configured with a higher configuration version cannot be migrated to or started on a Hyper-V host running an older Windows Server version. For example, a VM with configuration version 10.0 (Server 2022) cannot be moved to a Server 2019 host. Plan configuration version upgrades carefully in mixed-version environments.

Q276. What is a Production Checkpoint vs Application-Consistent Backup?

Answer: Both use VSS to achieve application consistency. Production Checkpoints create a VSS snapshot of the VM and store it as a Hyper-V checkpoint. Application-Consistent Backups use backup software (DPM, Azure Backup) to create VSS-consistent backup sets that can be archived and restored independently of the Hyper-V checkpoint chain.

Q277. What Hyper-V features are exclusive to Datacenter edition?

Answer: Most Hyper-V features are available in both Standard and Datacenter. Datacenter edition primarily differs in licensing (unlimited VMs), not features. However, Shielded VMs and Host Guardian Service deployment are typically associated with Datacenter-level deployments. Azure Stack HCI has its own separate licensing model.

Q278. What is the role of Active Directory in Hyper-V environments?

Answer: AD provides authentication and authorization for Hyper-V administrators, Kerberos-based Live Migration authentication, Group Policy for host and guest security configuration, DNS integration for name resolution, and SCVMM integration for role-based access control. A healthy AD is foundational to a well-functioning Hyper-V environment.

Q279. How do you implement DR testing for Hyper-V Replica?

Answer: Use Test Failover (Start-VMFailover -VMName 'VM1' -AsTest) to start the replica VM in an isolated network segment, verify application functionality, check data consistency, validate recovery procedures, then use Stop-VMFailover to clean up the test. Document results and update DR runbooks based on findings. Perform tests regularly.

Q280. What is Azure Automanage and its use for Hyper-V guests?

Answer: Azure Automanage automatically enrolls Azure VMs (and Arc-enabled servers including Hyper-V guests) into Azure best-practice services: Azure Backup, Azure Monitor, Microsoft Defender for Cloud, Update Management, Change Tracking, and Inventory — eliminating manual configuration of each service individually.

Q281. What is the Hyper-V Host resource pool and its purpose?

Answer: Host resource pools allow grouping of physical resources (CPU, memory, storage, network) into named pools that can be assigned to VMs or VM groups for resource governance. Used primarily through SCVMM, resource pools enable resource reservation, capacity planning, and controlled workload placement.

Q282. What is the Windows Server Failover Clustering validation wizard?

Answer: The Cluster Validation Wizard (Validate a Configuration in Failover Cluster Manager or Test-Cluster PowerShell cmdlet) runs comprehensive tests on proposed cluster nodes before cluster creation. It verifies network connectivity, storage compatibility, system configuration, and Hyper-V readiness. Always run validation before creating production clusters.

Q283. What is Direct Storage Access (DSA) in Hyper-V?

Answer: Direct Storage Access allows guest VMs to bypass the Hyper-V I/O stack for certain storage types (like NVMe), similar to DDA for PCIe devices. It provides near-native storage performance by enabling direct paths from the VM to the physical storage device.

Q284. What is UEFI Secure Boot template selection in Hyper-V?

Answer: When creating Generation 2 VMs, you select a Secure Boot template appropriate for the guest OS: Microsoft Windows (for Windows guests), Microsoft UEFI Certificate Authority (for non-Microsoft/shim-based Linux guests), or No Secure Boot (for other scenarios). Incorrect template selection causes boot failures.

Q285. How does Hyper-V support high-performance GPU workloads?

Answer: For GPU-intensive workloads, Hyper-V offers: Discrete Device Assignment (DDA) for direct GPU passthrough to VMs, RemoteFX vGPU (deprecated), Partitioned GPU (P-GPU/GPU-P) in Windows Server 2022 for sharing a single GPU among multiple VMs, and NVIDIA/AMD vGPU vendor solutions.

Q286. What is GPU Partitioning (GPU-P) in Windows Server 2022?

Answer: GPU Partitioning allows a single physical GPU to be divided into multiple virtual GPU partitions (up to 16), each assigned to a different VM. Unlike DDA (which assigns the entire GPU), GPU-P enables GPU resource sharing across VMs, making GPU resources more economically accessible for workloads like AI inference and VDI.

Q287. What is the Hyper-V role in Windows Sandbox?

Answer: Windows Sandbox uses Hyper-V technology (the Virtual Machine Platform feature) to create an isolated, disposable desktop environment. Each Sandbox session runs in a lightweight Hyper-V VM that is destroyed upon closure, providing a clean, isolated environment for testing untrusted software without risk to the host.

Q288. What is the impact of enabling VBS/HVCI on Hyper-V host performance?

Answer: VBS (Virtualization-Based Security) and HVCI (Hypervisor-Protected Code Integrity) use Hyper-V to protect OS components, adding a small performance overhead (typically 2-5% in benchmarks). For most workloads, the security benefit outweighs the performance cost. Performance-sensitive workloads should be tested.

Q289. What is the role of NTP in Hyper-V guest time management?

Answer: NTP (Network Time Protocol) synchronizes guest VM clocks with accurate time sources. In domain environments, domain controllers sync with external NTP, and all domain members sync with DCs. For Hyper-V guests, NTP via the domain hierarchy is preferred over host time sync to ensure consistent time across all domain members.

Q290. What is a VM Placement Policy in SCVMM?

Answer: VM Placement Policies (Dynamic Optimization policies, placement rules) in SCVMM govern where new VMs are deployed in a cluster. Rules can be based on resource availability, anti-affinity (keep VMs separate), affinity (keep VMs together), host ratings, and custom PowerShell placement scripts.

Q291. How do you use Hyper-V in a DevOps/CI-CD pipeline?

Answer: Hyper-V supports DevOps pipelines via: fast VM provisioning from templates (for test agents), differential disks for rapid cloning, PowerShell scripting for automation, Azure DevOps hosted agents on Hyper-V VMs, nested Hyper-V for Hyper-V-in-CI, and integration with Packer for image building automation.

Q292. What is the Recovery Point in Hyper-V Replica terminology?

Answer: A Recovery Point is a specific point-in-time snapshot of the replica VM's state. Hyper-V Replica maintains the latest recovery point automatically. With additional recovery history configured, multiple recovery points (up to 24) are retained, allowing recovery to states prior to the most recent replication cycle.

Q293. What is the SCVMM fabric health and how do you monitor it?

Answer: SCVMM Fabric Health covers the health state of all managed hosts, clusters, storage arrays, and network fabric components. Monitor via SCVMM console (Fabric workspace), PowerShell (Get-SCVMHost, Get-SCStorageArray), and SCOM integration. Unhealthy fabric components trigger automatic remediation workflows in mature deployments.

Q294. What is Windows Server Backup integration with Hyper-V?

Answer: Windows Server Backup provides VSS-based backup of Hyper-V VMs directly from the host without requiring agents in guests. Enable the Hyper-V VSS writer integration by installing Windows Server Backup and the Hyper-V role. Configure backup jobs targeting the volumes containing VM files. Recovery is performed at VM or individual file level.

Q295. How does Hyper-V handle VM mobility across different CPU architectures?

Answer: Hyper-V Live Migration between Intel and AMD processors is not directly supported due to different instruction set implementations. CPU compatibility mode masks extended CPU features for migration compatibility within the same CPU family but cannot bridge fundamentally different architectures. Use export/import for cross-architecture migration.

Q296. What is the role of Failover Cluster Manager in Hyper-V management?

Answer: Failover Cluster Manager provides cluster-wide management for Hyper-V clusters: viewing and managing clustered VM resources, configuring failover policies, managing nodes (pause, drain, resume), monitoring cluster health, configuring quorum, and managing CSV storage. It complements Hyper-V Manager for clustered environments.

Q297. What is the Hyper-V Extensible Switch architecture?

Answer: The Extensible Switch architecture provides a plugin framework for the Hyper-V virtual switch. Extension types include Capturing (packet inspection), Filtering (allow/block/modify), and Forwarding (custom routing). Third-party vendors (Cisco, VMware NSX) develop switch extensions for advanced networking in Hyper-V environments.

Q298. How do you prepare for an AZ-800 Hyper-V exam question on high availability?

Answer: Understand the difference between Hyper-V Replica (DR/async) and Failover Clustering (HA/sync), know when to use each, understand CSV and Scale-Out File Server roles, be able to configure Live Migration with its prerequisites, understand quorum and witness types, and know how Cluster-Aware Updating maintains availability during patching.

Q299. What are the key PowerShell cmdlets every Hyper-V administrator must know?

Answer: Essential cmdlets: New-VM, Set-VM, Get-VM, Start-VM, Stop-VM, New-VMSwitch, Set-VMNetworkAdapter, New-VHD, Resize-VHD, Checkpoint-VM, Remove-VMSnapshot, Enable-VMReplication, Move-VM, Export-VM, Import-VM, Get-VMIntegrationService, Set-VMProcessor, Set-VMMemory, Measure-VM, Enable-VMMigration.

Q300. What final advice would you give for succeeding in an AZ-800 Hyper-V interview?

Answer: Master the fundamentals: VM generation differences, virtual networking types, storage options, and high availability concepts. Practice PowerShell automation extensively. Understand the integration points with Azure (Arc, ASR, Azure Migrate, Azure Stack HCI). Know security features (Shielded VMs, Secure Boot, VBS). Study real-world troubleshooting scenarios. Review Microsoft documentation and practice in a lab environment with actual Hyper-V deployments to build hands-on confidence.