# Herded or Anchored? Testing Conformity in Machine Learning on a Decade of ICLR Submissions

by

Minghan Li

A report submitted for
Science Research Project (SCIE30001)

Supervisor: A/Prof Jianzhong Qi

in the
School of Computing and Information Systems
Faculty of Engineering and Information Technology
**THE UNIVERSITY OF MELBOURNE**

November 2026

THE UNIVERSITY OF MELBOURNE

# *Abstract*

School of Computing and Information Systems
Faculty of Engineering and Information Technology

Science Research Project (SCIE30001)

by Minghan Li

Machine learning is often said to herd: researchers chase what is hot, and review favours it. But a field can converge without copying. Researchers may instead stay close to a record: their own earlier work, or a topic they already know. We separate these two routes to conformity, imitation and continuity, and test the herding account where they predict different things. The data are 43,480 ICLR submissions (2017–2026), rejected and withdrawn papers included, with hypotheses registered before outcomes were read and re-tested on 11,099 held-out papers. The field did converge on foundation models, but convergence fits both routes, and how many topics look emergent depends on hindsight: 8 to 29, depending on the years a topic map is fitted on. Where the routes part, no herding is detectable. Researchers new to a topic propose methods more often than incumbents do, the reverse of our registered prediction. At review, crowded topics show neither a detectable premium nor a penalty, while papers far from their authors' earlier work are accepted less often (post hoc, confirmed on held-out papers). The conformity we can detect at ICLR points to a record, not to the crowd.

# Declaration of Authorship

I, Minghan Li, declare that this report titled, 'Herded or Anchored? Testing Conformity in Machine Learning on a Decade of ICLR Submissions' and the work presented in it are my own. I confirm that:

- The report comprises only my original work towards Science Research Project (SCIE30001) except where indicated in the preface;
- due acknowledgement has been made in the text to all other material used; and
- the report is within the word limit set for it, exclusive of tables, maps, bibliographies and appendices.

Signed: _____

Date: _____

# Preface

This report is the author's own work for Science Research Project (SCIE30001), carried out under the supervision of A/Prof Jianzhong Qi. It has not been submitted for another qualification and is unpublished material not submitted for publication.

# *Acknowledgements*

I thank my supervisor, A/Prof Jianzhong Qi, for guidance and feedback throughout this project.

# Contents

**Abstract** i

**Declaration of Authorship** ii

**Preface** iii

**Acknowledgements** iv

**List of Figures** vii

**List of Tables** viii

**Abbreviations** ix

**Symbols** x

**1 Introduction** 1

**2 Two Routes to Conformity** 4

Imitation. . . . 4
Continuity. . . . 4
Rivals, and when the predictions were written. . . . 4

**3 Data and Design** 6

Corpus. . . . 6
Instruments. . . . 6
Entry profiles. . . . 6
Two distances. . . . 7
Prospective measurement. . . . 7
Protocol. . . . 7

**4 The Field: What Is Fashion and What Lasts** 8

Waves. . . . 8
Emergence depends on hindsight. . . . 8
What lasts: a package. . . . 9

**5 Entry: Who Writes What** **10**
Newcomers propose methods. . . . . 10
Entering a topic, not ICLR. . . . . 10
Farther from earlier work. . . . . 11
Later onto the package. . . . . 12
What stays open. . . . . 12

**6 The Gate: Crowd or Record?** **14**
Does acceptance go with following the crowd? . . . . . 14
What does acceptance go with? . . . . . 15
Readings. . . . . 16

# List of Figures

1.1 Research waves at ICLR: share of discovery submissions listing each author keyword, 2018–2026; dots mark the peak. The eight keywords were chosen for display after their curves were known. Across the 68 most frequent keywords, 17 peaked in 2019–2024 with shares of at most half the peak both before it and in 2026. Uses no acceptance data. . . . . 2

4.1 (a) Emerging (bars) and declining (grey diamonds) topics on $k = 100$ maps fitted on different years, same 43,480 papers; right-hand labels: emerging count (share of 2024–2026 papers in emerging topics, 22.3% on the 2017–2020 map against 40.9% on the all-years map). All years (refit): the all-years map refitted with another seed. Topic size 'predicts' two-year growth only on the all-years map ($R^2$ 0.28 against $-0.03$; no paired test). (b) Share of submissions building on an FM (blue circles) and proposing a new architecture (orange squares); LLM labels. Inset: the registered test of the package shift, REPLICATED (held-out confirms direction, not size). Uses no acceptance data. . . . . 9

5.1 Entry contrasts within topic and year (pp) with 95% intervals: discovery (blue circles) and held-out (orange squares). Rows 1–2, newcomer minus incumbent papers, are registered and REPLICATED (held-out confirms direction, not size). Rows 3–5 are EXPLORATORY (discovery only): row 3 compares papers by topic newcomers with an ICLR record with incumbent papers (first-time teams controlled separately; class, FM and team-size controls); row 4 compares first-time teams with returning topic newcomers, and row 5 with all teams that have an ICLR record. Grey: the side the herding prediction expected. Uses no acceptance data. . . . . 12

6.1 Gate tests by reference point: discovery estimates (blue circles) and held-out declared tests (orange squares), 95% intervals; the held-out verdict is at right (supported: HELD-OUT SUPPORTED; uninformative: not supported and below the test's MDE80; not supported: a declared test without a registered MDE80). Each row has its own scale: pp for the far jump, insider, branded title and least-distant fifth; pp per log unit for crowding; per 0.1 cosine and per 10 percentile points for the two same-author slopes. Compare replication status, not size. Crowding was registered; title style had been explored before registration; the other rows were found post hoc in discovery. Each held-out test was declared before any held-out estimate for that question was computed. . . . . 17

# List of Tables

2.1 What each route predicts at the three sites. Lock-in and efficient choice also predict convergence on a package, so only entry and the gate can tell the routes apart. Imitation's entry and gate predictions were registered before outcomes were read; continuity's were written after the tests had run. . . . . 5

5.1 Entry: newcomer minus incumbent papers unless the row names other profiles; pp within topic and year. Held-out tests are one-sided and confirm direction, not size. [a]Registered supplementary variant, outside the support rule. [b]First-time team: no author has any earlier ICLR submission; returning topic newcomer: an author has one, in another topic (Appendix E). . . . . 11

6.1 The gate: pp within topic and year (topic edges and keywords: against the same year's other papers). Rows differ in population and unit: compare replication status, not size. Held-out tests are one-sided and confirm direction, not size. [a]Registered; predicted a penalty; MDE80 4.8. [b]Explored against acceptance before registration. Titles: the discovery estimate is not a test; held-out MDE80 3.2. Keywords: the discovery estimate is a declared post hoc test on a dimension already seen. [c]Holm across the six secondary held-out tests: topic edge 0.019, same author 0.026, insider 0.052, Emerging keywords 0.063. . . . . 15

# Abbreviations

| | |
|---|---|
| **CI** | Confidence interval (95% unless stated) |
| **FE** | Fixed effects |
| **FM** | Foundation model |
| **ICLR** | International Conference on Learning Representations |
| **LLM** | Large language model |
| **MDE80** | Minimum detectable effect at 80% power |
| **pp** | Percentage points |

# Symbols

| | | |
|---|---|---|
| $F_{\max}$ | closeness to the team's earlier ICLR work | cosine |
| $b$ | slope of later topic edges on earlier ones | – |
| $k$ | number of topics in a topic map | – |
| $\kappa$ | agreement between two labelling passes | – |

# Chapter 1

# Introduction

Machine learning is often said to herd. Between 2017 and 2026, yearly submissions to the International Conference on Learning Representations (ICLR) in our discovery corpus grew 40-fold, from 384 to 15,411. The share building on a foundation model (FM) rose from 0.3% to 54.4%, and the share proposing a new architecture fell from 24.5% to 7.5%. Keywords rose and fell (Figure 1.1): generative adversarial networks fell from 8.1% of submissions in 2018, and large language models reached 16.7% in 2026. The wave is NLP's too, as its researchers increasingly publish at ML venues [**?** ]. Whether science has fashions is an old question [**?** ]. Critics of ML scholarship point to incentives that favour short-term success [**?** ] and to convergence on what suits the field's hardware, benchmarks and foundation models [**?** **?** **?** ]; cascade and fashion theories explain waves by people taking their cue from others [**?** **?** **?** ].

Is the switch to FMs not herding enough? Convergence on a shared substrate is predicted by lock-in, by the efficient choice of a tool that works and by a bandwagon alike, so the curve cannot tell them apart. The herding question is about behaviour: what researchers write when they enter a topic, and what the review gate accepts. There, two routes to conformity part. *Imitation* takes its reference point from what others are doing now: what is popular, rising or recently accepted. *Continuity* takes it from a record: the team's own earlier work, or a topic that a team member already knows. Imitation makes teams alike; continuity keeps each team near its own past. We call work that conforms by continuity *anchored*.[1]

[1] 'Anchored' names a position relative to a record, not a mechanism. It is not the anchoring-and-adjustment heuristic [**?** ], the sense in which writing on herding in science uses the word [**?** ].





FIGURE 1.1: Research waves at ICLR: share of discovery submissions listing each author keyword, 2018–2026; dots mark the peak. The eight keywords were chosen for display after their curves were known. Across the 68 most frequent keywords, 17 peaked in 2019–2024 with shares of at most half the peak both before it and in 2026. Uses no acceptance data.

Read as herding, the waves make three claims: they are fashions; newcomers to a topic carry them by following others; and review favours following. We test each claim at its site, the field, entry to a topic and the acceptance gate, on 43,480 ICLR submissions from 2017–2026, rejected and withdrawn papers included. Hypotheses were registered before any full-corpus label existed, outcomes stayed sealed until one frozen run, and the main tests were run again on 11,099 held-out papers: a pre-registered out-of-sample replication, not a certified untouched holdout. Each finding carries one of three labels: REPLICATED (from a registered test, supported again on held-out papers), HELD-OUT SUPPORTED (found post hoc, then supported by a test declared before the held-out data were read) or EXPLORATORY (discovery only, or descriptive). Tests without a verdict are called inconclusive or uninformative (Chapter 3).

At the field level, keyword waves are real, but emergence depends on hindsight, and the durable shift, the FM package, fits every route. At entry, researchers new to a topic propose methods more often than incumbents, while, in the FM era, benchmark and evaluation work sits with incumbents: the opposite of the follow-on entry that herding implies, and of our own registered prediction. At the gate, no premium for crowded topics is detectable, the branded title's small premium lies below what the held-out test could detect, and what replicated, apart from regressing topic edges, is tied to the team's own record.

Prior work relates ICLR acceptance to prestige, process and research area [**? ? ? ?**

**?** ] and describes which papers start topics, who enters LLM research and how far researchers move from their own past work [**?** **?** **?** ]. To our knowledge, among the works we checked, none tests the herding account at entry and at the gate within one submission population, with registered hypotheses re-tested on held-out papers, as **?** ] did for a prestige gap. We contribute:

- **Entry.** A registered test of herding where imitation predicts it most sharply. Researchers entering a topic propose methods more often (+3.7 pp; REPLICATED). The surplus holds for researchers with ICLR work in other topics and predates the FM wave, while, in the FM era, benchmark and evaluation work sits with topic incumbents and larger teams (EXPLORATORY).
- **Gate.** Using every decided submission under double-blind review, rejected ones included, acceptance goes with closeness to the team's own record among teams that have one (far jump −5.4 pp, held-out −6.1; HELD-OUT SUPPORTED), not detectably with the crowd. **?** ] relate pivots to publication success; we add the accept/reject decision itself.
- **Method.** On the same papers, the number of emerging topics ranges from 8 to 29 depending on the years the topic map is fitted on (EXPLORATORY). Emergence is hard to judge before the fact [**?** **?** ], and a prospective signal has been tested [**?** ]; an early-window refit is a cheap check on trend claims.

# Chapter 2

# Two Routes to Conformity

**Imitation.** When outcomes are uncertain, organisations mimic one another [**?** ], individuals follow their predecessors and discard their own information [**?** **?** ], and herding protects a reputation when evaluators judge people against their peers [**?** ]; bandwagons can spread even when adopting brings no gain [**?** ]. In ML, benchmark use concentrates on a small set of datasets, increasingly so [**?** ]. Entrants to a topic face the most uncertainty, so imitation predicts that they flock to hot topics, adopt a rising package early, and write follow-on work that benchmarks or evaluates what others proposed. At the gate, if review favours following, papers in crowded topics, in the popular form or riding a wave are accepted more often.

**Continuity.** Search stays near existing competence [**?** **?** ], and taking up new knowledge depends on related prior knowledge [**?** ]. At entry, continuity predicts that incumbents consolidate a topic's record and that a new package travels with a record; on outsider accounts, entrants bring work from elsewhere [**?** **?** ]. At the gate, acceptance should track how close a paper stays to its team's record. **?** ] separate 'followers' of others' approaches from agents who ignore them; we borrow the distinction, not their welfare conclusions [**?** ].

**Rivals, and when the predictions were written.** Visible status, cumulative advantage and expertise [**?** **?** **?** ] also predict that acceptance goes with a team's record. Network diffusion, in which less connected actors adopt later [**?** ], also predicts

| Route (reference point) | Field | Entry | Gate |
|---|---|---|---|
| **Imitation** (others, now) | Convergence on a package | Entrants flock to hot topics, adopt the rising package early and write follow-on benchmark and evaluation work | A premium for crowded topics, the popular form and riding a wave |
| **Continuity** (a record) | Convergence on a package | Entrants bring other work; incumbents consolidate; the package travels with a record | Acceptance tracks closeness to the team's own record |

TABLE 2.1: What each route predicts at the three sites. Lock-in and efficient choice also predict convergence on a package, so only entry and the gate can tell the routes apart. Imitation's entry and gate predictions were registered before outcomes were read; continuity's were written after the tests had run.

that teams new to ICLR take up a package later, so that contrast cannot separate the routes. Imitation's entry and gate predictions (Table 2.1) are the herding hypotheses we registered before reading any outcome; continuity's were written after the tests had run. The distinction organises the tests; it did not generate them. To our knowledge, among the works we checked, the two routes have not been tested against each other at entry or at the gate.

# Chapter 3

# Data and Design

**Corpus.** The corpus comes from our own dated acquisitions of official OpenReview records (Appendix A): 43,480 discovery submissions with a usable abstract and 11,099 held-out papers. Acceptance tests use the 32,190 decided discovery papers from 2018–2026, 40.1% of them accepted, and 8,185 decided held-out papers from 2018–2026; withdrawn papers are left out.

**Instruments.** A *topic* is one of 100 spherical $k$-means clusters of SPECTER2 embeddings of title and abstract [**?** **?** ], fitted on all years unless another map is named. An LLM with a fixed codebook gives each paper one primary contribution type: a *method paper* proposes a method, including a new architecture, and a *measurement paper* contributes a dataset, benchmark or evaluation; an *FM paper* uses or adapts a large pre-trained model. A blind second pass agreed at $\kappa$ 0.93, and the author hand-checked a small random sample. This is consistency between LLM labellings, not human-level validity; zero-shot LLM labels reach only fair agreement with human coders on many tasks [**?** ].

**Entry profiles.** Entry status is relative to a topic and counts ICLR submissions only. In a *newcomer paper*, no author has an earlier ICLR submission, with any outcome, in the paper's topic [a topic-relative definition, as in **?** ]; otherwise it is an *incumbent paper*, and an author with such a submission is a *topic insider*. A newcomer paper comes from a *first-time team* if no author has any earlier ICLR submission, and from a *returning topic newcomer* if some author has one in another topic.

**Two distances.** Both distances use one centred SPECTER2 space, with different reference points. *Closeness to the team's own record*, $F_{\max}$, is the highest cosine between the paper and the mean of an author's earlier ICLR submissions since 2021, taken over the paper's *experienced authors*, those with such submissions [following **?** ]. *Distance from earlier ICLR work* is one minus the mean cosine to the ten nearest submissions of earlier years, as a percentile within topic and year.

**Prospective measurement.** Predictors use only the past: *prior FM adoption* is the FM share of the topic's previous-year papers, *crowding* is the log of one plus the topic's earlier papers, and a *hot topic* is in the top fifth of prior growth. Code links leak the outcome into 17.6% of accepted but 0.5% of rejected 2023–2026 abstracts [**?** ]; in discovery, the distance-based gate estimates hold without them (no link-removed text exists for held-out papers; Appendix F).

**Protocol.** Hypotheses, models and a support rule were registered before any full-corpus label existed. A hypothesis is supported if it has the predicted sign, a Holm-adjusted $p < 0.05$ in its family [**?** ], and that sign in at least 75% of counted variants and in both hindsight variants (a year-balanced map; the 2017–2020 map applied to 2021–2026 papers). Outcomes could be read only by committed code in one logged, gated run [**?** **?** ]. Post hoc analyses were declared before they were run, and their one-sided held-out tests before any held-out estimate for that question was computed. Models are linear probability models with topic and year fixed effects and topic-clustered errors. We disclose two weaknesses. Under a simulated null whose structure cuts across topics, the main entry tests rejected 12.6% and 10.0% of the time at a nominal 5%, which a wild cluster bootstrap [**?** ] did not fix (Appendix H). And keyword popularity and title style had been explored against acceptance on the discovery papers before registration: the discovery estimate for titles is not a test, and the keyword-timing tests probe a dimension already seen. A test that is not supported and whose estimate lies below its minimum detectable effect at 80% power (MDE80) is *uninformative*: it shows neither an association nor its absence. Supported held-out tests confirm a direction, not a size.

# Chapter 4

# The Field: What Is Fashion and What Lasts

Keyword waves are real, but how many topics look emergent depends on hindsight, and the one durable shift, the FM package, fits every route.

**Waves.** Author keywords need no topic map, and at their level the waves are real: of the 68 most frequent keywords, 17 rose and fell, peaking in 2019–2024 with shares of at most half the peak both before it and in 2026 (Figure 1.1; EXPLORATORY).

**Emergence depends on hindsight.** Histories of the field usually fit one topic model to the whole archive [**?** **?** **?** ], and dynamic topic models and BERTopic fit all years at once [**?** **?** ]. We call a topic *emerging* if its 2024–2026 share is at least three times its 2017–2020 share. On the same papers and pipeline, a map fitted on 2017–2020 finds 8 emerging topics and a map fitted on all years finds 29 (Figure 4.1a, Appendix C; EXPLORATORY). Two reasons combine, and we cannot separate them. A map fitted on all years leaks the future into the past, like temporal leakage in prediction [**?** ] and hindsight in judgement [**?** ]: with 69% of papers from 2024–2026, it is in effect a present-day map. And the early map cannot represent topics born after 2020. The two counts therefore bracket the number of emerging topics rather than fix it.





FIGURE 4.1: (a) Emerging (bars) and declining (grey diamonds) topics on $k = 100$ maps fitted on different years, same 43,480 papers; right-hand labels: emerging count (share of 2024–2026 papers in emerging topics, 22.3% on the 2017–2020 map against 40.9% on the all-years map). All years (refit): the all-years map refitted with another seed. Topic size 'predicts' two-year growth only on the all-years map ($R^2$ 0.28 against −0.03; no paired test). (b) Share of submissions building on an FM (blue circles) and proposing a new architecture (orange squares); LLM labels. Inset: the registered test of the package shift, REPLICATED (held-out confirms direction, not size). Uses no acceptance data.

**What lasts: a package.** The FM share rose every year from 2018 (Figure 4.1b). Where more of a topic's previous-year papers built on FMs, fewer of its papers proposed new architectures: −7.98 pp [−12.14, −3.82] for prior adoption from 0 to 100% in discovery and −11.0 [−18.1, −3.9] on held-out papers (REPLICATED; the held-out test confirms the direction, not the size). No detectable shift towards empirical or evaluation papers came with it (−0.63 [−3.64, +2.38]; not supported, inconclusive), and the association may also run the other way. The pattern matches accounts of NLP's paradigm shifts [**?** **?** **?** ]. But lock-in [**?** ], efficient choice [**?** ] and a bandwagon [**?** ] all predict such convergence, so the field level cannot tell imitation from continuity. Entry and the gate must.

# Chapter 5

# Entry: Who Writes What

Entry shows a division of labour: researchers entering a topic bring methods, while, in the FM era, benchmark and evaluation work sits with larger teams and topic incumbents. This is the opposite of the follow-on entry that the herding account implies.

**Newcomers propose methods.** We registered that newcomer papers, whose authors face the most uncertainty, would more often be follow-on work: benchmarks, datasets and evaluations of what others had proposed. Newcomer papers are 72.9% of the 42,325 papers from 2019–2026 with an author identifier. They are more often method papers, +3.71 pp [+2.61, +4.80] in discovery and +3.60 [+1.48, +5.71] held-out, and less often measurement papers, −1.70 [−2.46, −0.93] and −2.10 [−3.35, −0.85] (Table 5.1, Figure 5.1; REPLICATED). Our registered prediction thus failed in the opposite direction, and the reversed hypotheses, registered before any held-out data existed, held on held-out papers. All 10 counted variants agree, and the $t$-statistics (6.7 and −4.4) are large against the inflated test size (Appendix H). Much of the measurement gap is accounted for by team size: with log team size it shrinks to −0.54 [−1.11, +0.04] in discovery and −0.98 held-out, while the method gap does not move (+3.92 and +3.64).

**Entering a topic, not ICLR.** Newcomer papers split into first-time teams (26.3% of papers; median team of 3) and returning topic newcomers (46.7%; median 5); incumbent papers are the other 27.0% (median 5). Returning topic newcomers write method papers more often than incumbents, +3.43 pp [+2.31, +4.55], at the same median team size

| Contrast | Discovery [95% CI] | Held-out [95% CI] | Label |
|---|---|---|---|
| Method paper | +3.71<br>[+2.61, +4.80] | +3.60<br>[+1.48, +5.71] | REPLICATED |
| Measurement paper | −1.70<br>[−2.46, −0.93] | −2.10<br>[−3.35, −0.85] | REPLICATED |
| Measurement paper, with log team size[a] | −0.54<br>[−1.11, +0.04] | −0.98 | registered variant |
| Method: returning topic newcomer − incumbent[b] | +3.43<br>[+2.31, +4.55] | – | EXPLORATORY |
| Method: first-time team − returning topic newcomer[b] | +0.92<br>[−0.44, +2.29] | – | EXPLORATORY |
| Distance from earlier ICLR work, own work excluded (percentile points) | +4.33<br>[+3.44, +5.22] | – | EXPLORATORY |
| Flocking: incumbent share, hot − other topics | −0.73<br>[−2.68, +1.22] | not registered | inconclusive |

TABLE 5.1: Entry: newcomer minus incumbent papers unless the row names other profiles; pp within topic and year. Held-out tests are one-sided and confirm direction, not size. [a]Registered supplementary variant, outside the support rule. [b]First-time team: no author has any earlier ICLR submission; returning topic newcomer: an author has one, in another topic (Appendix E).

and also with team size controlled (+3.62). First-time teams do so by +4.35 [+2.82, +5.89], and the two newcomer profiles do not differ detectably (+0.92 [−0.44, +2.29]; all EXPLORATORY). The method surplus thus goes mainly with entering a topic, not with being new to ICLR or with small teams, and it is present in every era, so it predates the FM wave (Appendix E). The measurement gap is different. For first-time teams it is accounted for by team size (−2.24 [−3.24, −1.25] against incumbents, +0.09 [−0.63, +0.80] with team size); for returning topic newcomers part of it remains (−1.47, and −0.81 [−1.46, −0.16] with team size). It appears only in 2024–2026 (first-time teams against incumbents −2.75 [−4.07, −1.44]). In the FM era, then, benchmark and evaluation work sits with topic incumbents and larger teams; team size is the only resource we measure. NLP shows a parallel at the level of research trends, where tasks and methods lead and datasets follow [**?** ].

**Farther from earlier work.** Newcomer papers also sit farther from earlier ICLR work: +5.90 percentile points [+4.95, +6.85] within topic and year, +5.24 among method papers alone, and +4.33 [+3.44, +5.22] with the authors' own earlier papers excluded from the reference set (EXPLORATORY). Papers by topic newcomers with an ICLR record are also less likely than incumbent papers to have a same-year *twin*, an independent submission at cosine $\geq 0.70$ (with first-time teams controlled separately): −3.86 pp [−4.98, −2.74] (EXPLORATORY). The follow-on prediction expects newcomer papers to sit closer to earlier work, not farther. Writing method papers could itself imitate





FIGURE 5.1: Entry contrasts within topic and year (pp) with 95% intervals: discovery (blue circles) and held-out (orange squares). Rows 1–2, newcomer minus incumbent papers, are registered and REPLICATED (held-out confirms direction, not size). Rows 3–5 are EXPLORATORY (discovery only): row 3 compares papers by topic newcomers with an ICLR record with incumbent papers (first-time teams controlled separately; class, FM and team-size controls); row 4 compares first-time teams with returning topic newcomers, and row 5 with all teams that have an ICLR record. Grey: the side the herding prediction expected. Uses no acceptance data.

the venue's dominant genre, three quarters of ICLR papers, but newcomers' distance from earlier work tells against that reading. A method paper is a contribution type, and embedding distance is not originality: these measures give no sign that newcomers follow, and do not show that they are more original.

**Later onto the package.** In 2023–2026 topics at 5–50% prior FM adoption, first-time teams write FM papers less often than returning topic newcomers, by −4.58 pp [−6.55, −2.60] up to −14.71 [−19.82, −9.61] as adoption rises, while returning topic newcomers do not differ detectably from incumbents (Figure 5 in Appendix E). First-time teams also list young, rising *Emerging* keywords less often than teams with an ICLR record: −3.74 [−5.14, −2.35] (both EXPLORATORY). The package travels with an ICLR record, as absorptive capacity predicts [**?** ]; network diffusion predicts the same order, so this contrast does not discriminate.

**What stays open.** Whether entrants crowd into hot topics is unsettled: the registered flocking test, the incumbent share in hot against other topics, is inconclusive

(−0.73 [−2.68, +1.22]). At entry, no detectable difference fits the follow-on prediction.

# Chapter 6

# The Gate: Crowd or Record?

At the gate we detect no premium for following the crowd. Apart from topic edges, which regress, what replicated is tied to the team's own record, which continuity predicts and status and expertise predict too.

**Does acceptance go with following the crowd?** The registered crowding test predicted a penalty, and it is uninformative: −1.68 pp per log unit (natural log of one plus the topic's earlier papers) [−3.68, +0.32] in discovery and −1.51 [−5.20, +2.19] held-out, against an MDE80 of 4.8 (Table 6.1, Figure 6.1). Neither a penalty nor a premium is detectable, and held-out premiums above +2.19 pp per log unit lie outside the interval.

The plainest imitation-like spread in the corpus is in form. The share of titles that open with a short coined name and a colon rose from 10.9% in 2017 to 44.6% in 2026 (Appendix G). Within topic and year, with class, FM and team-size controls, such branded titles are accepted +1.74 pp [+0.37, +3.11] more often in discovery, which is not a test, since title style had been explored before registration. The declared held-out test gives +1.76 [−0.82, +4.34] (one-sided $p$ 0.089, MDE80 3.2): not supported, and uninformative, so the premium stays EXPLORATORY. Raw within-year gaps are larger (+3.3 in discovery, +4.0 held-out); about half goes with topic, type, FM use and team size. Titles can also be revised after the decision, which could create such a premium.

FM papers are accepted more often, +4.62 pp [+2.79, +6.44], with no detectable difference between late and early adopters: the premium changes by +0.19 [−0.96, +1.34]

| Acceptance and ... | Discovery [95% CI] | Held-out [95% CI] | Label |
|---|---|---|---|
| *Others: the crowd, the form, the package* | | | |
| Crowding, per log unit[a] | −1.68 [−3.68, +0.32] | −1.51 [−5.20, +2.19] | uninformative |
| Branded title[b] | +1.74 [+0.37, +3.11] | +1.76 [−0.82, +4.34] | EXPLORATORY |
| FM premium, per logit unit of prior adoption | +0.19 [−0.96, +1.34] | – | EXPLORATORY |
| Topic edge 2018–22 → 2024–26, slope[c] | 0.38 [0.18, 0.58] | 0.60 [0.32, 0.88] | HELD-OUT SUPPORTED |
| Emerging − Mainstream keyword[b,c] | +2.67 [+0.76, +4.58] | +3.25 [−0.18, +6.69] | EXPLORATORY |
| *The team's own record* | | | |
| Far jump: $F_{\max}$ p10 − median | −5.44 [−7.10, −3.78] | −6.09 [−9.32, −2.86] | HELD-OUT SUPPORTED |
| Same author, +0.1 cosine closer[c] | +0.55 [+0.21, +0.90] | +1.06 [+0.23, +1.89] | HELD-OUT SUPPORTED |
| One topic insider vs none[c] | +3.42 [+1.18, +5.66] | +3.88 [+0.28, +7.47] | HELD-OUT SUPPORTED |
| *The field's record* | | | |
| Least-distant fifth − middle fifth | −3.27 [−4.93, −1.60] | −0.13 [−3.50, +3.25] | uninformative |

TABLE 6.1: The gate: pp within topic and year (topic edges and keywords: against the same year's other papers). Rows differ in population and unit: compare replication status, not size. Held-out tests are one-sided and confirm direction, not size. [a]Registered; predicted a penalty; MDE80 4.8. [b]Explored against acceptance before registration. Titles: the discovery estimate is not a test; held-out MDE80 3.2. Keywords: the discovery estimate is a declared post hoc test on a dimension already seen. [c]Holm across the six secondary held-out tests: topic edge 0.019, same author 0.026, insider 0.052, Emerging keywords 0.063.

per logit unit (log-odds of the topic's prior FM adoption; EXPLORATORY), which fits rewarded imitation and efficient choice alike. A topic's *edge*, its acceptance minus that of all other papers of the same year (topics of the 2017–2020 map), is real but regresses: the 2018–2022 edge predicts the 2024–2026 edge with slope 0.38 [0.18, 0.58] among discovery papers, and the held-out papers' 2024–2026 edges regress on the discovery 2018–2022 edges with slope 0.60 [0.32, 0.88] (HELD-OUT SUPPORTED; two different comparisons). A favoured topic keeps part of its edge, not all of it, as expected when decisions carry a large arbitrary component [**?** **?** ]. Keyword timing is weak (EXPLORATORY; Appendix D): on held-out papers, *Emerging* keywords go with higher acceptance than old, flat *Mainstream* ones (+3.25 [−0.18, +6.69]), and acceptance may fall after a keyword's share peaks (−5.2 [−11.1, +0.7]; −1.7 without the six keywords inspected first). Neither shows the flat premium that rewarded imitation of what is popular predicts.

**What does acceptance go with?** The clearest pattern is the *far jump*. Among 20,430 decided 2023–2026 papers with an experienced author, acceptance at the 10th percentile of closeness to the team's own record minus that at the median is −5.44 pp

[−7.10, −3.78] in discovery and −6.09 [−9.32, −2.86] held-out, with power 0.89 (HELD-OUT SUPPORTED; the declared primary test). Adjusted acceptance rises with closeness up to the fourth fifth (Figure 6 in Appendix F). The far jump holds with a newcomer control (−5.0), although closeness correlates −0.57 with the newcomer flag. Holding the author fixed, a paper 0.1 closer in cosine to that author's earlier work goes with acceptance +0.55 pp [+0.21, +0.90] higher in discovery and +1.06 [+0.23, +1.89] held-out (HELD-OUT SUPPORTED; it survives a family-wise correction across the secondary tests). Controls for newcomer status and for co-authors' experience move it little (+0.48 and +0.50), though a confounder in co-author quality could also bias it: in a simulation reported in its declaration, such a confounder moved the estimate. Likewise, the same author is accepted about 1.4 pp less often [−2.7, −0.0] on a paper in a topic new to them (author fixed effects; EXPLORATORY).[1]

One topic insider on the team, against none, goes with +3.42 pp [+1.18, +5.66] in discovery and +3.88 [+0.28, +7.47] held-out, at fixed team size and number of experienced authors (HELD-OUT SUPPORTED). It does not survive the family-wise correction (Holm 0.052), and a status reading fits it as well: per head, an insider goes with only +0.58 pp more than an experienced author from another topic ($p$ 0.16; EXPLORATORY).

The field's record is undetermined (uninformative). In the same space, the least-distant fifth of papers against the middle fifth is −3.27 [−4.93, −1.60] in discovery but −0.13 [−3.50, +3.25] held-out, with power 0.47 (uninformative), and the within-author slope for distance from the field was not supported either. Of the distance-based tests, only the own-record associations replicated.

**Readings.** These associations are referenced to a record, as continuity predicts, but expertise, evaluator conservatism and visible status predict them as well [**?** **?** ]. Double-blind review does not rule status out: where reviewers see the authors, famous authors fare better [**?** ], and preprints can reveal who wrote a paper [**?** ]. Pivots have been related to publication success [**?** ]; we observe the accept/reject decision itself, for every decided submission.

[1] Newcomer papers as a whole are accepted 10.2 pp less often [−11.8, −8.7] within topic and year (EXPLORATORY), but that gap mostly reflects who writes them (Appendix F).





FIGURE 6.1: Gate tests by reference point: discovery estimates (blue circles) and held-out declared tests (orange squares), 95% intervals; the held-out verdict is at right (supported: HELD-OUT SUPPORTED; uninformative: not supported and below the test's MDE80; not supported: a declared test without a registered MDE80). Each row has its own scale: pp for the far jump, insider, branded title and least-distant fifth; pp per log unit for crowding; per 0.1 cosine and per 10 percentile points for the two same-author slopes. Compare replication status, not size. Crowding was registered; title style had been explored before registration; the other rows were found post hoc in discovery. Each held-out test was declared before any held-out estimate for that question was computed.