

Shared

Generated by Doxygen 1.8.14



# Contents

<b>1</b>	<b>Namespace Index</b>	<b>1</b>
1.1	Packages . . . . .	1
<b>2</b>	<b>Hierarchical Index</b>	<b>3</b>
2.1	Class Hierarchy . . . . .	3
<b>3</b>	<b>Class Index</b>	<b>7</b>
3.1	Class List . . . . .	7
<b>4</b>	<b>Namespace Documentation</b>	<b>11</b>
4.1	BarNone Namespace Reference . . . . .	11
4.2	BarNone.Shared Namespace Reference . . . . .	11
4.3	BarNone.Shared.Core Namespace Reference . . . . .	11
4.4	BarNone.Shared.DataConverter Namespace Reference . . . . .	12
4.5	BarNone.Shared.DataConverter.Core Namespace Reference . . . . .	12
4.6	BarNone.Shared.DataConverter.Lift Namespace Reference . . . . .	12
4.7	BarNone.Shared.DataConverters Namespace Reference . . . . .	12
4.8	BarNone.Shared.DataConverters.Core Namespace Reference . . . . .	13
4.9	BarNone.Shared.DataTransfer Namespace Reference . . . . .	13
4.10	BarNone.Shared.DataTransfer.Auth Namespace Reference . . . . .	14
4.11	BarNone.Shared.DataTransfer.Core Namespace Reference . . . . .	14
4.12	BarNone.Shared.DataTransfer.Core.Filter Namespace Reference . . . . .	14
4.12.1	Enumeration Type Documentation . . . . .	15

4.12.1.1	FilterOpType	15
4.13	BarNone.Shared.DataTransfer.Flex Namespace Reference	15
4.14	BarNone.Shared.DataTransfer.LiftData Namespace Reference	15
4.15	BarNone.Shared.DataTransfer.Response Namespace Reference	15
4.16	BarNone.Shared.DomainModel Namespace Reference	16
4.16.1	Enumeration Type Documentation	16
4.16.1.1	EJointTrackingStateType	17
4.16.1.2	EJointType	17
4.17	BarNone.Shared.DomainModel.Core Namespace Reference	17
4.18	BarNone.TheRack Namespace Reference	17
4.19	BarNone.TheRack.Core Namespace Reference	17
<b>5</b>	<b>Class Documentation</b>	<b>19</b>
5.1	BarNone.Shared.DataTransfer.Auth.AuthDTO Class Reference	19
5.1.1	Detailed Description	19
5.1.2	Property Documentation	19
5.1.2.1	Access_Token	19
5.1.2.2	Authorized	20
5.1.2.3	Expires_In	20
5.2	BarNone.Shared.DataConverter.Core.BaseConverter< TConverters > Class Template Reference	20
5.2.1	Detailed Description	21
5.2.2	Constructor & Destructor Documentation	21
5.2.2.1	BaseConverter()	21
5.2.3	Member Function Documentation	22
5.2.3.1	Init()	22
5.2.3.2	NewConversion()	22
5.2.3.3	Register< TData, TDTO, TConverter >()	22
5.2.4	Member Data Documentation	23

5.2.4.1	<a href="#">dataConverterMap</a>	23
5.2.4.2	<a href="#">dtoConverterMap</a>	23
5.2.5	<a href="#">Property Documentation</a>	23
5.2.5.1	<a href="#">Cache</a>	24
5.3	<a href="#">BarNone.Shared.DataConverter.Core.BaseDataConverter&lt; TData, TDTO, TConverters &gt; Class Template Reference</a>	24
5.3.1	<a href="#">Detailed Description</a>	25
5.3.2	<a href="#">Constructor &amp; Destructor Documentation</a>	25
5.3.2.1	<a href="#">BaseDataConverter()</a>	25
5.3.3	<a href="#">Member Function Documentation</a>	26
5.3.3.1	<a href="#">CreateDataModel() [1/2]</a>	26
5.3.3.2	<a href="#">CreateDataModel() [2/2]</a>	26
5.3.3.3	<a href="#">CreateDTO() [1/2]</a>	27
5.3.3.4	<a href="#">CreateDTO() [2/2]</a>	27
5.3.3.5	<a href="#">OnCreateDataModel()</a>	27
5.3.3.6	<a href="#">OnCreateDTO()</a>	28
5.3.4	<a href="#">Member Data Documentation</a>	28
5.3.4.1	<a href="#">context</a>	28
5.3.4.2	<a href="#">converterContext</a>	28
5.4	<a href="#">BarNone.Shared.DataConverter.Core.BaseDetailDataConverter&lt; TData, TDTO, TDetailDTO, T↔ Converters &gt; Class Template Reference</a>	29
5.4.1	<a href="#">Detailed Description</a>	29
5.4.2	<a href="#">Constructor &amp; Destructor Documentation</a>	30
5.4.2.1	<a href="#">BaseDetailDataConverter()</a>	30
5.4.3	<a href="#">Member Function Documentation</a>	30
5.4.3.1	<a href="#">CreateDataModel()</a>	30
5.4.3.2	<a href="#">CreateDTO()</a>	31
5.4.3.3	<a href="#">OnCreateDetailDataModel()</a>	31
5.4.3.4	<a href="#">OnCreateDetailDTO()</a>	32

5.5	BarNone.Shared.DataTransfer.Core.BaseDetailDTO< TDetailDTO > Class Template Reference . . . . .	32
5.5.1	Detailed Description . . . . .	32
5.6	BarNone.Shared.DataTransfer.Core.BaseDTO< TDTO > Class Template Reference . . . . .	33
5.6.1	Detailed Description . . . . .	33
5.6.2	Property Documentation . . . . .	34
5.6.2.1	ID . . . . .	34
5.6.2.2	UpdateFilter . . . . .	34
5.7	BarNone.Shared.DataConverters.Core.BaseEnumDataConverter< TType, TTypeDTO, TEType > Class Template Reference . . . . .	34
5.7.1	Detailed Description . . . . .	35
5.7.2	Constructor & Destructor Documentation . . . . .	35
5.7.2.1	BaseEnumDataConverter() . . . . .	35
5.7.3	Member Function Documentation . . . . .	36
5.7.3.1	OnCreateDataModel() . . . . .	36
5.7.3.2	OnCreateDTO() . . . . .	36
5.8	BarNone.Shared.DomainModel.Core.BaseEnumDomainModel< TType, TEType > Class Template Reference . . . . .	37
5.8.1	Detailed Description . . . . .	37
5.8.2	Constructor & Destructor Documentation . . . . .	38
5.8.2.1	BaseEnumDomainModel() [1/2] . . . . .	38
5.8.2.2	BaseEnumDomainModel() [2/2] . . . . .	38
5.8.3	Property Documentation . . . . .	38
5.8.3.1	ID . . . . .	38
5.8.3.2	Name . . . . .	39
5.8.3.3	Value . . . . .	39
5.9	BarNone.Shared.DataTransfer.Core.BaseParentDTO< TDTO, TDetailDTO > Class Template Reference . . . . .	39
5.9.1	Detailed Description . . . . .	39
5.9.2	Property Documentation . . . . .	40
5.9.2.1	Details [1/2] . . . . .	40

5.9.2.2	Details [2/2]	40
5.10	BarNone.Shared.DataTransfer.Core.BaseTypeDTO< TDTO > Class Template Reference	41
5.10.1	Detailed Description	41
5.10.2	Property Documentation	41
5.10.2.1	Name	42
5.10.2.2	Value	42
5.11	BarNone.Shared.DomainModel.BodyData Class Reference	42
5.11.1	Detailed Description	43
5.11.2	Property Documentation	43
5.11.2.1	BodyDataFrames	43
5.11.2.2	ID	43
5.11.2.3	RecordDate	43
5.11.2.4	UserID	43
5.12	BarNone.Shared.DataConverters.BodyDataConverter Class Reference	44
5.12.1	Detailed Description	44
5.12.2	Constructor & Destructor Documentation	44
5.12.2.1	BodyDataConverter()	44
5.12.3	Member Function Documentation	45
5.12.3.1	OnCreateDataModel()	45
5.12.3.2	OnCreateDetailDataModel()	45
5.12.3.3	OnCreateDetailDTO()	46
5.12.3.4	OnCreateDTO()	46
5.13	BarNone.Shared.DataTransfer.BodyDataDetailDTO Class Reference	46
5.13.1	Detailed Description	47
5.14	BarNone.Shared.DataTransfer.BodyDataDTO Class Reference	47
5.14.1	Detailed Description	47
5.15	BarNone.Shared.DomainModel.BodyDataFrame Class Reference	48
5.15.1	Detailed Description	48

5.15.2	Property Documentation	48
5.15.2.1	BodyData	48
5.15.2.2	BodyDataID	49
5.15.2.3	ID	49
5.15.2.4	Joints	49
5.15.2.5	TimeOfFrame	49
5.15.2.6	UserID	49
5.16	BarNone.Shared.DataConverters.BodyDataFrameConverter Class Reference	50
5.16.1	Detailed Description	50
5.16.2	Constructor & Destructor Documentation	50
5.16.2.1	BodyDataFrameConverter()	50
5.16.3	Member Function Documentation	51
5.16.3.1	OnCreateDataModel()	51
5.16.3.2	OnCreateDetailDataModel()	51
5.16.3.3	OnCreateDetailDTO()	52
5.16.3.4	OnCreateDTO()	52
5.17	BarNone.Shared.DataTransfer.BodyDataFrameDetailDTO Class Reference	52
5.17.1	Detailed Description	53
5.18	BarNone.Shared.DataTransfer.BodyDataFrameDTO Class Reference	53
5.18.1	Detailed Description	53
5.19	BarNone.Shared.DataConverters.Converters Class Reference	54
5.19.1	Member Function Documentation	54
5.19.1.1	Init()	54
5.19.2	Property Documentation	55
5.19.2.1	BodyData	55
5.19.2.2	BodyDataFrame	55
5.19.2.3	Joint	55
5.19.2.4	JointTrackingStateType	55



5.19.2.5	<a href="#">JointType</a>	56
5.19.2.6	<a href="#">Lift</a>	56
5.19.2.7	<a href="#">LiftFolder</a>	56
5.19.2.8	<a href="#">User</a>	56
5.19.2.9	<a href="#">Video</a>	56
5.20	<a href="#">BarNone.Shared.DataConverter.Core.Conversion Struct Reference</a>	57
5.20.1	<a href="#">Detailed Description</a>	57
5.21	<a href="#">BarNone.Shared.DataTransfer.Core.FilterDTO Class Reference</a>	57
5.21.1	<a href="#">Detailed Description</a>	58
5.21.2	<a href="#">Member Function Documentation</a>	58
5.21.2.1	<a href="#">CreateWhere()</a>	58
5.21.2.2	<a href="#">GetWhere()</a>	58
5.21.2.3	<a href="#">WhereFunc()</a>	58
5.21.3	<a href="#">Member Data Documentation</a>	59
5.21.3.1	<a href="#">serializer</a>	59
5.21.4	<a href="#">Property Documentation</a>	59
5.21.4.1	<a href="#">Where</a>	59
5.22	<a href="#">BarNone.Shared.DataTransfer.Flex.FlexDTO Class Reference</a>	60
5.22.1	<a href="#">Detailed Description</a>	60
5.22.2	<a href="#">Property Documentation</a>	60
5.22.2.1	<a href="#">Entities</a>	60
5.22.2.2	<a href="#">ID</a>	61
5.23	<a href="#">BarNone.Shared.DataTransfer.Flex.FlexEntityDTO Class Reference</a>	61
5.23.1	<a href="#">Detailed Description</a>	61
5.23.2	<a href="#">Property Documentation</a>	61
5.23.2.1	<a href="#">Entity</a>	61
5.23.2.2	<a href="#">Resource</a>	62
5.24	<a href="#">BarNone.Shared.DataConverter.Core.IConverter Interface Reference</a>	62

5.24.1 Detailed Description . . . . .	62
5.25 BarNone.Shared.DataConverter.Core.IDataConverter Interface Reference . . . . .	62
5.25.1 Detailed Description . . . . .	63
5.26 BarNone.Shared.Core.IDomainContext Interface Reference . . . . .	63
5.26.1 Detailed Description . . . . .	63
5.26.2 Property Documentation . . . . .	63
5.26.2.1 UserID . . . . .	63
5.27 BarNone.Shared.DomainModel.Core.IDomainModel Interface Reference . . . . .	64
5.27.1 Detailed Description . . . . .	64
5.28 BarNone.Shared.DomainModel.Core.IDomainModel Interface Reference . . . . .	64
5.28.1 Detailed Description . . . . .	64
5.29 BarNone.Shared.DataTransfer.Core.IDTO Interface Reference . . . . .	65
5.29.1 Detailed Description . . . . .	65
5.29.2 Property Documentation . . . . .	65
5.29.2.1 ID . . . . .	65
5.30 BarNone.Shared.DomainModel.Core.IOwnedDomainModel Interface Reference . . . . .	65
5.30.1 Detailed Description . . . . .	66
5.30.2 Property Documentation . . . . .	66
5.30.2.1 UserID . . . . .	66
5.31 BarNone.Shared.DataTransfer.Core.IParentDTO Interface Reference . . . . .	66
5.31.1 Detailed Description . . . . .	66
5.32 BarNone.Shared.DataTransfer.Core.IParentDTO Interface Reference . . . . .	67
5.32.1 Detailed Description . . . . .	67
5.33 BarNone.Shared.Core.ITrackable Interface Reference . . . . .	67
5.33.1 Detailed Description . . . . .	67
5.34 BarNone.Shared.Core.ITrackable Interface Reference . . . . .	68
5.34.1 Detailed Description . . . . .	68
5.35 BarNone.Shared.Core.ITrackableDetailDTO< TDetailDTO > Interface Template Reference . . . . .	68

5.35.1 Detailed Description . . . . .	68
5.36 BarNone.Shared.Core.ITrackableDTO Interface Reference . . . . .	69
5.36.1 Detailed Description . . . . .	69
5.37 BarNone.Shared.Core.ITrackableDTO Interface Reference . . . . .	69
5.37.1 Detailed Description . . . . .	70
5.38 BarNone.Shared.Core.IUntrackableDTO Interface Reference . . . . .	70
5.38.1 Detailed Description . . . . .	70
5.39 BarNone.Shared.Core.IUntrackableDTO Interface Reference . . . . .	70
5.39.1 Detailed Description . . . . .	71
5.40 BarNone.Shared.DomainModel.Joint Class Reference . . . . .	71
5.40.1 Detailed Description . . . . .	72
5.40.2 Property Documentation . . . . .	72
5.40.2.1 BodyDataFrame . . . . .	72
5.40.2.2 BodyDataFrameID . . . . .	72
5.40.2.3 ID . . . . .	72
5.40.2.4 JointTrackingStateType . . . . .	72
5.40.2.5 JointTrackingStateTypeID . . . . .	73
5.40.2.6 JointType . . . . .	73
5.40.2.7 JointTypeID . . . . .	73
5.40.2.8 UserID . . . . .	73
5.40.2.9 X . . . . .	73
5.40.2.10 Y . . . . .	73
5.40.2.11 Z . . . . .	74
5.41 BarNone.Shared.DataConverters.JointConverter Class Reference . . . . .	74
5.41.1 Detailed Description . . . . .	74
5.41.2 Constructor & Destructor Documentation . . . . .	75
5.41.2.1 JointConverter() . . . . .	75
5.41.3 Member Function Documentation . . . . .	75

5.41.3.1	<a href="#">OnCreateDataModel()</a>	75
5.41.3.2	<a href="#">OnCreateDetailDataModel()</a>	75
5.41.3.3	<a href="#">OnCreateDetailDTO()</a>	76
5.41.3.4	<a href="#">OnCreateDTO()</a>	76
5.42	<a href="#">BarNone.Shared.DataTransfer.JointDetailDTO Class Reference</a>	77
5.42.1	<a href="#">Detailed Description</a>	77
5.42.2	<a href="#">Property Documentation</a>	77
5.42.2.1	<a href="#">BodyDataFrame</a>	77
5.42.2.2	<a href="#">JointTrackingStateType</a>	78
5.42.2.3	<a href="#">JointType</a>	78
5.43	<a href="#">BarNone.Shared.DataTransfer.JointDTO Class Reference</a>	78
5.43.1	<a href="#">Detailed Description</a>	79
5.43.2	<a href="#">Property Documentation</a>	79
5.43.2.1	<a href="#">BodyDataFrameID</a>	79
5.43.2.2	<a href="#">ID</a>	79
5.43.2.3	<a href="#">JointTrackingStateTypeID</a>	79
5.43.2.4	<a href="#">JointTypeID</a>	79
5.43.2.5	<a href="#">X</a>	80
5.43.2.6	<a href="#">Y</a>	80
5.44	<a href="#">BarNone.Shared.DomainModel.JointTrackingStateType Class Reference</a>	80
5.44.1	<a href="#">Detailed Description</a>	81
5.44.2	<a href="#">Constructor &amp; Destructor Documentation</a>	81
5.44.2.1	<a href="#">JointTrackingStateType() [1/2]</a>	81
5.44.2.2	<a href="#">JointTrackingStateType() [2/2]</a>	81
5.44.3	<a href="#">Member Function Documentation</a>	81
5.44.3.1	<a href="#">operator EJointTrackingStateType()</a>	81
5.44.3.2	<a href="#">operator JointTrackingStateType()</a>	82
5.45	<a href="#">BarNone.Shared.DataConverters.JointTrackingStateTypeConverter Class Reference</a>	82

5.45.1 Detailed Description . . . . .	83
5.45.2 Constructor & Destructor Documentation . . . . .	83
5.45.2.1 JointTrackingStateTypeConverter() . . . . .	83
5.46 BarNone.Shared.DataTransfer.LiftData.JointTrackingStateTypeDTO Class Reference . . . . .	83
5.46.1 Property Documentation . . . . .	84
5.46.1.1 ID . . . . .	84
5.46.1.2 Name . . . . .	84
5.46.1.3 Value . . . . .	84
5.47 BarNone.Shared.DomainModel.JointType Class Reference . . . . .	85
5.47.1 Detailed Description . . . . .	85
5.47.2 Constructor & Destructor Documentation . . . . .	85
5.47.2.1 JointType() [1/2] . . . . .	86
5.47.2.2 JointType() [2/2] . . . . .	86
5.47.3 Member Function Documentation . . . . .	86
5.47.3.1 operator EJointType() . . . . .	86
5.47.3.2 operator JointType() . . . . .	86
5.48 BarNone.Shared.DataConverters.JointTypeConverter Class Reference . . . . .	88
5.48.1 Detailed Description . . . . .	88
5.48.2 Constructor & Destructor Documentation . . . . .	88
5.48.2.1 JointTypeConverter() . . . . .	88
5.49 BarNone.Shared.DataTransfer.LiftData.JointTypeDTO Class Reference . . . . .	89
5.49.1 Detailed Description . . . . .	89
5.49.2 Property Documentation . . . . .	89
5.49.2.1 ID . . . . .	90
5.49.2.2 Name . . . . .	90
5.49.2.3 Value . . . . .	90
5.50 BarNone.Shared.DomainModel.Lift Class Reference . . . . .	90
5.50.1 Detailed Description . . . . .	91

5.50.2	Property Documentation	91
5.50.2.1	BodyData	91
5.50.2.2	BodyDataID	91
5.50.2.3	ID	92
5.50.2.4	Name	92
5.50.2.5	Parent	92
5.50.2.6	ParentID	92
5.50.2.7	UserID	92
5.50.2.8	Video	92
5.50.2.9	VideoID	93
5.51	BarNone.Shared.DataConverters.LiftConverter Class Reference	93
5.51.1	Detailed Description	93
5.51.2	Constructor & Destructor Documentation	94
5.51.2.1	LiftConverter()	94
5.51.3	Member Function Documentation	94
5.51.3.1	OnCreateDataModel()	94
5.51.3.2	OnCreateDetailDataModel()	94
5.51.3.3	OnCreateDetailDTO()	95
5.51.3.4	OnCreateDTO()	95
5.52	BarNone.Shared.DataTransfer.LiftDetailDTO Class Reference	96
5.52.1	Detailed Description	96
5.52.2	Property Documentation	96
5.52.2.1	BodyData	96
5.52.2.2	Parent	97
5.52.2.3	Video	97
5.53	BarNone.Shared.DataTransfer.LiftDTO Class Reference	97
5.53.1	Detailed Description	98
5.53.2	Property Documentation	98

5.53.2.1	BodyDataID	98
5.53.2.2	ID	98
5.53.2.3	Name	98
5.53.2.4	ParentID	98
5.54	BarNone.Shared.DomainModel.LiftFolder Class Reference	99
5.54.1	Detailed Description	99
5.54.2	Property Documentation	99
5.54.2.1	ID	99
5.54.2.2	Lifts	100
5.54.2.3	Name	100
5.54.2.4	Parent	100
5.54.2.5	ParentID	100
5.54.2.6	SubFolders	100
5.54.2.7	UserID	101
5.55	BarNone.Shared.DataConverters.LiftFolderConverter Class Reference	101
5.55.1	Detailed Description	101
5.55.2	Constructor & Destructor Documentation	102
5.55.2.1	LiftFolderConverter()	102
5.55.3	Member Function Documentation	102
5.55.3.1	OnCreateDataModel()	102
5.55.3.2	OnCreateDetailDataModel()	102
5.55.3.3	OnCreateDetailDTO()	103
5.55.3.4	OnCreateDTO()	103
5.56	BarNone.Shared.DataTransfer.LiftFolderDetailDTO Class Reference	104
5.56.1	Property Documentation	104
5.56.1.1	Lifts	104
5.56.1.2	Parent	104
5.56.1.3	SubFolders	105

5.57 BarNone.Shared.DataTransfer.LiftFolderDTO Class Reference . . . . .	105
5.57.1 Property Documentation . . . . .	105
5.57.1.1 ID . . . . .	105
5.57.1.2 Name . . . . .	106
5.57.1.3 ParentID . . . . .	106
5.58 BarNone.TheRack.Core.MapEnum< TElement > Class Template Reference . . . . .	106
5.58.1 Detailed Description . . . . .	106
5.58.2 Constructor & Destructor Documentation . . . . .	107
5.58.2.1 MapEnum() . . . . .	107
5.58.3 Member Function Documentation . . . . .	107
5.58.3.1 operator int() . . . . .	107
5.58.3.2 operator MapEnum< TElement >() . . . . .	107
5.58.4 Member Data Documentation . . . . .	109
5.58.4.1 count . . . . .	109
5.58.4.2 Types . . . . .	109
5.58.5 Property Documentation . . . . .	109
5.58.5.1 Instance . . . . .	109
5.58.5.2 Value . . . . .	110
5.58.5.3 Values . . . . .	110
5.59 BarNone.Shared.DataTransfer.Response.ResponseEntityDTO< TDTO > Class Template Reference . . . . .	110
5.59.1 Detailed Description . . . . .	110
5.59.2 Property Documentation . . . . .	111
5.59.2.1 Entity . . . . .	111
5.60 BarNone.Shared.DataTransfer.Response.ResponseEnumerableDTO< TDTO > Class Template Reference . . . . .	111
5.60.1 Detailed Description . . . . .	111
5.60.2 Property Documentation . . . . .	112
5.60.2.1 Count . . . . .	112



5.60.2.2	Entities	112
5.61	BarNone.Shared.DataTransfer.Response.ResponseErrorDTO Class Reference	112
5.61.1	Detailed Description	112
5.61.2	Property Documentation	112
5.61.2.1	Message	113
5.62	BarNone.Shared.DataConverter.Core.ShareDataConverterCache Class Reference	113
5.62.1	Detailed Description	113
5.62.2	Constructor & Destructor Documentation	113
5.62.2.1	ShareDataConverterCache()	114
5.62.3	Member Function Documentation	114
5.62.3.1	AddConversion()	114
5.62.3.2	GetDataModelConversion()	114
5.62.3.3	GetDTOConversion()	115
5.62.4	Property Documentation	115
5.62.4.1	_converterCache	115
5.63	BarNone.Shared.DomainModel.User Class Reference	115
5.63.1	Detailed Description	116
5.63.2	Property Documentation	116
5.63.2.1	ID	116
5.63.2.2	Name	116
5.63.2.3	Password	116
5.63.2.4	UserName	117
5.64	BarNone.Shared.DataTransfer.UserChangePasswordDTO Class Reference	117
5.64.1	Detailed Description	117
5.64.2	Property Documentation	117
5.64.2.1	ID	118
5.64.2.2	NewPassword	118
5.64.2.3	OldPassword	118

5.64.2.4	RetypePassword	118
5.65	BarNone.Shared.DataConverters.UserConverter Class Reference	118
5.65.1	Detailed Description	119
5.65.2	Constructor & Destructor Documentation	119
5.65.2.1	UserConverter()	119
5.65.3	Member Function Documentation	119
5.65.3.1	OnCreateDataModel()	120
5.65.3.2	OnCreateDTO()	120
5.66	BarNone.Shared.DataTransfer.UserDTO Class Reference	120
5.66.1	Detailed Description	121
5.66.2	Property Documentation	121
5.66.2.1	ID	121
5.66.2.2	Name	121
5.66.2.3	Password	121
5.66.2.4	UserName	122
5.67	BarNone.Shared.DataConverter.Lift.VideoConverter Class Reference	122
5.67.1	Detailed Description	122
5.67.2	Constructor & Destructor Documentation	123
5.67.2.1	VideoConverter()	123
5.67.3	Member Function Documentation	123
5.67.3.1	OnCreateDataModel()	123
5.67.3.2	OnCreateDTO()	123
5.68	BarNone.Shared.DataTransfer.VideoDTO Class Reference	124
5.68.1	Detailed Description	124
5.68.2	Property Documentation	124
5.68.2.1	Data	125
5.68.2.2	ID	125
5.69	BarNone.Shared.DomainModel.VideoRecord Class Reference	125
5.69.1	Detailed Description	126
5.69.2	Property Documentation	126
5.69.2.1	Data	126
5.69.2.2	ID	126
5.69.2.3	Path	126
5.69.2.4	UserID	126
5.70	BarNone.Shared.DataTransfer.Core.Filter.WhereFilter Class Reference	127
5.70.1	Detailed Description	127
5.70.2	Property Documentation	127
5.70.2.1	Op	127
5.70.2.2	Property	127
5.70.2.3	Value	127





# Chapter 1

## Namespace Index

### 1.1 Packages

Here are the packages with brief descriptions (if available):

<a href="#">BarNone</a>	11
<a href="#">BarNone.Shared</a>	11
<a href="#">BarNone.Shared.Core</a>	11
<a href="#">BarNone.Shared.DataConverter</a>	12
<a href="#">BarNone.Shared.DataConverter.Core</a>	12
<a href="#">BarNone.Shared.DataConverter.Lift</a>	12
<a href="#">BarNone.Shared.DataConverters</a>	12
<a href="#">BarNone.Shared.DataConverters.Core</a>	13
<a href="#">BarNone.Shared.DataTransfer</a>	13
<a href="#">BarNone.Shared.DataTransfer.Auth</a>	14
<a href="#">BarNone.Shared.DataTransfer.Core</a>	14
<a href="#">BarNone.Shared.DataTransfer.Core.Filter</a>	14
<a href="#">BarNone.Shared.DataTransfer.Flex</a>	15
<a href="#">BarNone.Shared.DataTransfer.LiftData</a>	15
<a href="#">BarNone.Shared.DataTransfer.Response</a>	15
<a href="#">BarNone.Shared.DomainModel</a>	16
<a href="#">BarNone.Shared.DomainModel.Core</a>	17
<a href="#">BarNone.TheRack</a>	17
<a href="#">BarNone.TheRack.Core</a>	17



## Chapter 2

# Hierarchical Index

### 2.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

BarNone.Shared.DataTransfer.Auth.AuthDTO . . . . .	19
BarNone.Shared.DataConverter.Core.BaseConverter< Converters > . . . . .	20
BarNone.Shared.DataConverters.Converters . . . . .	54
BarNone.Shared.DataConverter.Core.BaseDataConverter< TType, TTypeDTO, Converters > . . . . .	24
BarNone.Shared.DataConverters.Core.BaseEnumDataConverter< TType, TTypeDTO, TEType > . . . . .	34
BarNone.Shared.DataConverter.Core.BaseDataConverter< User, UserDTO, Converters > . . . . .	24
BarNone.Shared.DataConverters.UserConverter . . . . .	118
BarNone.Shared.DataConverter.Core.BaseDataConverter< VideoRecord, VideoDTO, Converters > . . . . .	24
BarNone.Shared.DataConverter.Lift.VideoConverter . . . . .	122
BarNone.Shared.DataConverter.Core.BaseDetailDataConverter< BodyData, BodyDataDTO, BodyData↵ DetailDTO, Converters > . . . . .	29
BarNone.Shared.DataConverters.BodyDataConverter . . . . .	44
BarNone.Shared.DataConverter.Core.BaseDetailDataConverter< BodyDataFrame, BodyDataFrameDTO, BodyDataFrameDetailDTO, Converters > . . . . .	29
BarNone.Shared.DataConverters.BodyDataFrameConverter . . . . .	50
BarNone.Shared.DataConverter.Core.BaseDetailDataConverter< Joint, JointDTO, JointDetailDTO, Convert- ers > . . . . .	29
BarNone.Shared.DataConverters.JointConverter . . . . .	74
BarNone.Shared.DataConverter.Core.BaseDetailDataConverter< Lift, LiftDTO, LiftDetailDTO, Converters > .	29
BarNone.Shared.DataConverters.LiftConverter . . . . .	93
BarNone.Shared.DataConverter.Core.BaseDetailDataConverter< LiftFolder, LiftFolderDTO, LiftFolderDetail↵ DTO, Converters > . . . . .	29
BarNone.Shared.DataConverters.LiftFolderConverter . . . . .	101
BarNone.Shared.DataTransfer.Core.BaseDetailDTO< BodyDataDetailDTO > . . . . .	32
BarNone.Shared.DataTransfer.BodyDataDetailDTO . . . . .	46
BarNone.Shared.DataTransfer.Core.BaseDetailDTO< BodyDataFrameDetailDTO > . . . . .	32
BarNone.Shared.DataTransfer.BodyDataFrameDetailDTO . . . . .	52
BarNone.Shared.DataTransfer.Core.BaseDetailDTO< JointDetailDTO > . . . . .	32

BarNone.Shared.DataTransfer.JointDetailDTO . . . . .	77
BarNone.Shared.DataTransfer.Core.BaseDetailDTO< LiftDetailDTO > . . . . .	32
BarNone.Shared.DataTransfer.LiftDetailDTO . . . . .	96
BarNone.Shared.DataTransfer.Core.BaseDetailDTO< LiftFolderDetailDTO > . . . . .	32
BarNone.Shared.DataTransfer.LiftFolderDetailDTO . . . . .	104
BarNone.Shared.DataTransfer.Core.BaseDTO< FlexDTO > . . . . .	33
BarNone.Shared.DataTransfer.Flex.FlexDTO . . . . .	60
BarNone.Shared.DataTransfer.Core.BaseDTO< UserChangePasswordDTO > . . . . .	33
BarNone.Shared.DataTransfer.UserChangePasswordDTO . . . . .	117
BarNone.Shared.DataTransfer.Core.BaseDTO< UserDTO > . . . . .	33
BarNone.Shared.DataTransfer.UserDTO . . . . .	120
BarNone.Shared.DataTransfer.Core.BaseDTO< VideoDTO > . . . . .	33
BarNone.Shared.DataTransfer.VideoDTO . . . . .	124
BarNone.Shared.DataConverters.Core.BaseEnumDataConverter< JointTrackingStateType, JointTracking← StateTypeDTO, EJointTrackingStateType > . . . . .	34
BarNone.Shared.DataConverters.JointTrackingStateTypeConverter . . . . .	82
BarNone.Shared.DataConverters.Core.BaseEnumDataConverter< JointType, JointTypeDTO, EJointType > . .	34
BarNone.Shared.DataConverters.JointTypeConverter . . . . .	88
BarNone.Shared.DomainModel.Core.BaseEnumDomainModel< JointTrackingStateType, EJointTracking← StateType > . . . . .	37
BarNone.Shared.DomainModel.JointTrackingStateType . . . . .	80
BarNone.Shared.DomainModel.Core.BaseEnumDomainModel< JointType, EJointType > . . . . .	37
BarNone.Shared.DomainModel.JointType . . . . .	85
BarNone.Shared.DataTransfer.Core.BaseParentDTO< BodyDataDTO, BodyDataDetailDTO > . . . . .	39
BarNone.Shared.DataTransfer.BodyDataDTO . . . . .	47
BarNone.Shared.DataTransfer.Core.BaseParentDTO< BodyDataFrameDTO, BodyDataFrameDetailDTO > . .	39
BarNone.Shared.DataTransfer.BodyDataFrameDTO . . . . .	53
BarNone.Shared.DataTransfer.Core.BaseParentDTO< JointDTO, JointDetailDTO > . . . . .	39
BarNone.Shared.DataTransfer.JointDTO . . . . .	78
BarNone.Shared.DataTransfer.Core.BaseParentDTO< LiftDTO, LiftDetailDTO > . . . . .	39
BarNone.Shared.DataTransfer.LiftDTO . . . . .	97
BarNone.Shared.DataTransfer.Core.BaseParentDTO< LiftFolderDTO, LiftFolderDetailDTO > . . . . .	39
BarNone.Shared.DataTransfer.LiftFolderDTO . . . . .	105
BarNone.Shared.DataTransfer.Core.BaseTypeDTO< JointTrackingStateTypeDTO > . . . . .	41
BarNone.Shared.DataTransfer.LiftData.JointTrackingStateTypeDTO . . . . .	83
BarNone.Shared.DataTransfer.Core.BaseTypeDTO< JointTypeDTO > . . . . .	41
BarNone.Shared.DataTransfer.LiftData.JointTypeDTO . . . . .	89
BarNone.Shared.DataConverter.Core.Conversion . . . . .	57
BarNone.Shared.DataTransfer.Core.FilterDTO . . . . .	57
BarNone.Shared.DataTransfer.Flex.FlexEntityDTO . . . . .	61
BarNone.Shared.DataConverter.Core.IConverter . . . . .	62
BarNone.Shared.DataConverter.Core.BaseConverter< TConverters > . . . . .	20
BarNone.Shared.DataConverter.Core.IDataConverter . . . . .	62
BarNone.Shared.DataConverter.Core.BaseDataConverter< TData, TDTO, TConverters > . . . . .	24
BarNone.Shared.DataConverter.Core.BaseDetailDataConverter< TData, TDTO, TDetailDTO, T← Converters > . . . . .	29
BarNone.Shared.Core.IDomainContext . . . . .	63
BarNone.Shared.DomainModel.Core.IDomainModel . . . . .	64



BarNone.Shared.DomainModel.Core.IDomainModel< TDomainModel > . . . . .	64
BarNone.Shared.DomainModel.Core.IDomainModel< BodyData > . . . . .	64
BarNone.Shared.DomainModel.BodyData . . . . .	42
BarNone.Shared.DomainModel.Core.IDomainModel< BodyDataFrame > . . . . .	64
BarNone.Shared.DomainModel.BodyDataFrame . . . . .	48
BarNone.Shared.DomainModel.Core.IDomainModel< Joint > . . . . .	64
BarNone.Shared.DomainModel.Joint . . . . .	71
BarNone.Shared.DomainModel.Core.IDomainModel< Lift > . . . . .	64
BarNone.Shared.DomainModel.Lift . . . . .	90
BarNone.Shared.DomainModel.Core.IDomainModel< LiftFolder > . . . . .	64
BarNone.Shared.DomainModel.LiftFolder . . . . .	99
BarNone.Shared.DomainModel.Core.IDomainModel< TType > . . . . .	64
BarNone.Shared.DomainModel.Core.BaseEnumDomainModel< TType, TEType > . . . . .	37
BarNone.Shared.DomainModel.Core.IDomainModel< User > . . . . .	64
BarNone.Shared.DomainModel.User . . . . .	115
BarNone.Shared.DomainModel.Core.IDomainModel< VideoRecord > . . . . .	64
BarNone.Shared.DomainModel.VideoRecord . . . . .	125
BarNone.Shared.DataTransfer.Core.IDTO . . . . .	65
BarNone.Shared.DataTransfer.Core.IParentDTO< TDetailDTO > . . . . .	67
BarNone.Shared.DomainModel.Core.IOwnedDomainModel . . . . .	65
BarNone.Shared.DomainModel.BodyData . . . . .	42
BarNone.Shared.DomainModel.BodyDataFrame . . . . .	48
BarNone.Shared.DomainModel.Joint . . . . .	71
BarNone.Shared.DomainModel.Lift . . . . .	90
BarNone.Shared.DomainModel.LiftFolder . . . . .	99
BarNone.Shared.DomainModel.VideoRecord . . . . .	125
BarNone.Shared.DataTransfer.Core.IParentDTO . . . . .	67
BarNone.Shared.DataTransfer.Core.IParentDTO< TDetailDTO > . . . . .	67
BarNone.Shared.DataTransfer.Core.IParentDTO< TDetailDTO > . . . . .	67
BarNone.Shared.DataTransfer.Core.BaseParentDTO< TDTO, TDetailDTO > . . . . .	39
BarNone.Shared.Core.ITrackable . . . . .	68
BarNone.Shared.Core.ITrackable< T > . . . . .	68
BarNone.Shared.Core.ITrackableDTO< T > . . . . .	69
BarNone.Shared.DomainModel.Core.IDomainModel< TDomainModel > . . . . .	64
BarNone.Shared.Core.ITrackable< T > . . . . .	68
BarNone.Shared.Core.ITrackableDTO< T > . . . . .	69
BarNone.Shared.Core.ITrackable< TDomainModel > . . . . .	68
BarNone.Shared.DomainModel.Core.IDomainModel< TDomainModel > . . . . .	64
BarNone.Shared.Core.ITrackableDTO . . . . .	69
BarNone.Shared.Core.ITrackableDetailDTO< TDetailDTO > . . . . .	68
BarNone.Shared.Core.ITrackableDTO< T > . . . . .	69
BarNone.Shared.Core.ITrackableDTO< TDTO > . . . . .	69
BarNone.Shared.DataTransfer.Core.BaseDTO< TDTO > . . . . .	33
BarNone.Shared.DataTransfer.Core.BaseParentDTO< TDTO, TDetailDTO > . . . . .	39
BarNone.Shared.DataTransfer.Core.BaseTypeDTO< TDTO > . . . . .	41
BarNone.Shared.Core.IUntrackableDTO . . . . .	70
BarNone.Shared.Core.IUntrackableDTO< TDTO > . . . . .	70
BarNone.Shared.Core.IUntrackableDTO< TDetailDTO > . . . . .	70

BarNone.Shared.DataTransfer.Core.BaseDetailDTO< TDetailDTO > . . . . .	32
BarNone.TheRack.Core.MapEnum< TElement > . . . . .	106
BarNone.Shared.DataTransfer.Response.ResponseEntityDTO< TDTO > . . . . .	110
BarNone.Shared.DataTransfer.Response.ResponseEnumerableDTO< TDTO > . . . . .	111
BarNone.Shared.DataTransfer.Response.ResponseErrorDTO . . . . .	112
BarNone.Shared.DataConverter.Core.ShareDataConverterCache . . . . .	113
BarNone.Shared.DataTransfer.Core.Filter.WhereFilter . . . . .	127

## Chapter 3

# Class Index

### 3.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

<a href="#">BarNone.Shared.DataTransfer.Auth.AuthDTO</a>	
Authentication dto. . . . .	19
<a href="#">BarNone.Shared.DataConverter.Core.BaseConverter&lt; TConverters &gt;</a>	
Base Converter . . . . .	20
<a href="#">BarNone.Shared.DataConverter.Core.BaseDataConverter&lt; TData, TDTO, TConverters &gt;</a>	
Base Data Converter. . . . .	24
<a href="#">BarNone.Shared.DataConverter.Core.BaseDetailDataConverter&lt; TData, TDTO, TDetailDTO, TConverters &gt;</a>	
Base detail data converter. . . . .	29
<a href="#">BarNone.Shared.DataTransfer.Core.BaseDetailDTO&lt; TDetailDTO &gt;</a>	
Base detail dto. . . . .	32
<a href="#">BarNone.Shared.DataTransfer.Core.BaseDTO&lt; TDTO &gt;</a>	
Base dto. . . . .	33
<a href="#">BarNone.Shared.DataConverters.Core.BaseEnumDataConverter&lt; TType, TTypeDTO, TEType &gt;</a>	
Base enum data converter. . . . .	34
<a href="#">BarNone.Shared.DomainModel.Core.BaseEnumDomainModel&lt; TType, TEType &gt;</a>	
Base enum domain model. . . . .	37
<a href="#">BarNone.Shared.DataTransfer.Core.BaseParentDTO&lt; TDTO, TDetailDTO &gt;</a>	
Base parent dto. . . . .	39
<a href="#">BarNone.Shared.DataTransfer.Core.BaseTypeDTO&lt; TDTO &gt;</a>	
Base type dto. . . . .	41
<a href="#">BarNone.Shared.DomainModel.BodyData</a>	
Body domain model. . . . .	42
<a href="#">BarNone.Shared.DataConverters.BodyDataConverter</a>	
Body data converter. . . . .	44
<a href="#">BarNone.Shared.DataTransfer.BodyDataDetailDTO</a>	
Body data detail. . . . .	46
<a href="#">BarNone.Shared.DataTransfer.BodyDataDTO</a>	
Body data. . . . .	47
<a href="#">BarNone.Shared.DomainModel.BodyDataFrame</a>	
Body data frame domain model. . . . .	48
<a href="#">BarNone.Shared.DataConverters.BodyDataFrameConverter</a>	
Body data frame converter . . . . .	50

<a href="#">BarNone.Shared.DataTransfer.BodyDataFrameDetailDTO</a>	
Body data frame detail dto. . . . .	52
<a href="#">BarNone.Shared.DataTransfer.BodyDataFrameDTO</a>	
Body data frame dto. . . . .	53
<a href="#">BarNone.Shared.DataConverters.Converters</a>	54
<a href="#">BarNone.Shared.DataConverter.Core.Conversion</a>	
Conversion tracking object. . . . .	57
<a href="#">BarNone.Shared.DataTransfer.Core.FilterDTO</a>	
Filter dto. . . . .	57
<a href="#">BarNone.Shared.DataTransfer.Flex.FlexDTO</a>	
Flex dto. . . . .	60
<a href="#">BarNone.Shared.DataTransfer.Flex.FlexEntityDTO</a>	
Flex entity dto. . . . .	61
<a href="#">BarNone.Shared.DataConverter.Core.IConverter</a>	
Converter. . . . .	62
<a href="#">BarNone.Shared.DataConverter.Core.IDataConverter</a>	
Data Converter. . . . .	62
<a href="#">BarNone.Shared.Core.IDomainContext</a>	
Domain context. . . . .	63
<a href="#">BarNone.Shared.DomainModel.Core.IDomainModel</a>	
Domain Model . . . . .	64
<a href="#">BarNone.Shared.DomainModel.Core.IDomainModel&lt; TDomainModel &gt;</a>	
Generic domain model . . . . .	64
<a href="#">BarNone.Shared.DataTransfer.Core.IDTO</a>	
DTO interface . . . . .	65
<a href="#">BarNone.Shared.DomainModel.Core.IOwnedDomainModel</a>	
Domain model owned by user. . . . .	65
<a href="#">BarNone.Shared.DataTransfer.Core.IParentDTO</a>	
Parent dto. . . . .	67
<a href="#">BarNone.Shared.DataTransfer.Core.IParentDTO&lt; TDetailDTO &gt;</a>	
Parent dto. . . . .	67
<a href="#">BarNone.Shared.Core.ITrackable</a>	
An entity that is trackable as unique. . . . .	68
<a href="#">BarNone.Shared.Core.ITrackable&lt; T &gt;</a>	
An entity that is trackable as unique. . . . .	68
<a href="#">BarNone.Shared.Core.ITrackableDetailDTO&lt; TDetailDTO &gt;</a>	
An entity that is trackable as unique. . . . .	68
<a href="#">BarNone.Shared.Core.ITrackableDTO</a>	
An entity that is trackable as unique. . . . .	69
<a href="#">BarNone.Shared.Core.ITrackableDTO&lt; T &gt;</a>	
An entity that is trackable as unique. . . . .	69
<a href="#">BarNone.Shared.Core.IUntrackableDTO&lt; TDTO &gt;</a>	
An entity that is not trackable as unique. . . . .	70
<a href="#">BarNone.Shared.Core.IUntrackableDTO</a>	
An entity that is not trackable as unique. . . . .	70
<a href="#">BarNone.Shared.DomainModel.Joint</a>	
Joint domain model. . . . .	71
<a href="#">BarNone.Shared.DataConverters.JointConverter</a>	
Joint converter. . . . .	74
<a href="#">BarNone.Shared.DataTransfer.JointDetailDTO</a>	
Joint detail dto. . . . .	77
<a href="#">BarNone.Shared.DataTransfer.JointDTO</a>	
Joint dto. . . . .	78

BarNone.Shared.DomainModel.JointTrackingStateType	
Joint tracking state domain model. . . . .	80
BarNone.Shared.DataConverters.JointTrackingStateTypeConverter	
Joint tracking state type converter. . . . .	82
BarNone.Shared.DataTransfer.LiftData.JointTrackingStateTypeDTO	83
BarNone.Shared.DomainModel.JointType	
Joint type domain model . . . . .	85
BarNone.Shared.DataConverters.JointTypeConverter	
Joint type converter . . . . .	88
BarNone.Shared.DataTransfer.LiftData.JointTypeDTO	
Joint type dto. . . . .	89
BarNone.Shared.DomainModel.Lift	
Lift domain model. . . . .	90
BarNone.Shared.DataConverters.LiftConverter	
Lift converter. . . . .	93
BarNone.Shared.DataTransfer.LiftDetailDTO	
Lift details dto. . . . .	96
BarNone.Shared.DataTransfer.LiftDTO	
Lift dto. . . . .	97
BarNone.Shared.DomainModel.LiftFolder	
Lift domain model . . . . .	99
BarNone.Shared.DataConverters.LiftFolderConverter	
LiftFolder converter. . . . .	101
BarNone.Shared.DataTransfer.LiftFolderDetailDTO	104
BarNone.Shared.DataTransfer.LiftFolderDTO	105
BarNone.TheRack.Core.MapEnum< TElement >	106
BarNone.Shared.DataTransfer.Response.ResponseEntityDTO< TDTO >	
Entity DTO . . . . .	110
BarNone.Shared.DataTransfer.Response.ResponseEnumerableDTO< TDTO >	
Enumerable DTO . . . . .	111
BarNone.Shared.DataTransfer.Response.ResponseErrorDTO	
Error dto. . . . .	112
BarNone.Shared.DataConverter.Core.ShareDataConverterCache	
Share data converter cache. . . . .	113
BarNone.Shared.DomainModel.User	
User domain model. . . . .	115
BarNone.Shared.DataTransfer.UserChangePasswordDTO	117
BarNone.Shared.DataConverters.UserConverter	
User converter. . . . .	118
BarNone.Shared.DataTransfer.UserDTO	
User dto. . . . .	120
BarNone.Shared.DataConverter.Lift.VideoConverter	
Video converter. . . . .	122
BarNone.Shared.DataTransfer.VideoDTO	
Video dto. . . . .	124
BarNone.Shared.DomainModel.VideoRecord	
Video domain model. . . . .	125
BarNone.Shared.DataTransfer.Core.Filter.WhereFilter	
Where filter dto. . . . .	127



## Chapter 4

# Namespace Documentation

### 4.1 BarNone Namespace Reference

#### Namespaces

### 4.2 BarNone.Shared Namespace Reference

#### Namespaces

### 4.3 BarNone.Shared.Core Namespace Reference

#### Classes

- interface [IDomainContext](#)  
*Domain context.*
- interface [ITrackable](#)  
*An entity that is trackable as unique.*
- interface [ITrackableDetailDTO](#)  
*An entity that is trackable as unique.*
- interface [ITrackableDTO](#)  
*An entity that is trackable as unique.*
- interface [IUntrackableDTO](#)  
*An entity that is not trackable as unique.*

## 4.4 BarNone.Shared.DataConverter Namespace Reference

### Namespaces

## 4.5 BarNone.Shared.DataConverter.Core Namespace Reference

### Classes

- class [BaseConverter](#)  
*Base Converter*
- class [BaseDataConverter](#)  
*Base Data Converter.*
- class [BaseDetailDataConverter](#)  
*Base detail data converter.*
- struct [Conversion](#)  
*Conversion tracking object.*
- interface [IConverter](#)  
*Converter.*
- interface [IDataConverter](#)  
*Data Converter.*
- class [ShareDataConverterCache](#)  
*Share data converter cache.*

## 4.6 BarNone.Shared.DataConverter.Lift Namespace Reference

### Classes

- class [VideoConverter](#)  
*Video converter.*

## 4.7 BarNone.Shared.DataConverters Namespace Reference

### Namespaces

### Classes

- class [BodyDataConverter](#)  
*Body data converter.*
- class [BodyDataFrameConverter](#)  
*Body data frame converter*
- class [Converters](#)



- class [JointConverter](#)  
*Joint converter.*
- class [JointTrackingStateTypeConverter](#)  
*Joint tracking state type converter.*
- class [JointTypeConverter](#)  
*Joint type converter*
- class [LiftConverter](#)  
*Lift converter.*
- class [LiftFolderConverter](#)  
*LiftFolder converter.*
- class [UserConverter](#)  
*User converter.*

## 4.8 BarNone.Shared.DataConverters.Core Namespace Reference

### Classes

- class [BaseEnumDataConverter](#)  
*Base enum data converter.*

## 4.9 BarNone.Shared.DataTransfer Namespace Reference

### Namespaces

### Classes

- class [BodyDataDetailDTO](#)  
*Body data detail.*
- class [BodyDataDTO](#)  
*Body data.*
- class [BodyDataFrameDetailDTO](#)  
*Body data frame detail dto.*
- class [BodyDataFrameDTO](#)  
*Body data frame dto.*
- class [JointDetailDTO](#)  
*Joint detail dto.*
- class [JointDTO](#)  
*Joint dto.*
- class [LiftDetailDTO](#)  
*Lift details dto.*
- class [LiftDTO](#)  
*Lift dto.*
- class [LiftFolderDetailDTO](#)
- class [LiftFolderDTO](#)
- class [UserChangePasswordDTO](#)
- class [UserDTO](#)  
*User dto.*
- class [VideoDTO](#)  
*Video dto.*

## 4.10 BarNone.Shared.DataTransfer.Auth Namespace Reference

### Classes

- class [AuthDTO](#)  
*Authentication dto.*

## 4.11 BarNone.Shared.DataTransfer.Core Namespace Reference

### Namespaces

### Classes

- class [BaseDetailDTO](#)  
*Base detail dto.*
- class [BaseDTO](#)  
*Base dto.*
- class [BaseParentDTO](#)  
*Base parent dto.*
- class [BaseTypeDTO](#)  
*Base type dto.*
- class [FilterDTO](#)  
*Filter dto.*
- interface [IDTO](#)  
*DTO interface*
- interface [IParentDTO](#)  
*Parent dto.*

## 4.12 BarNone.Shared.DataTransfer.Core.Filter Namespace Reference

### Classes

- class [WhereFilter](#)  
*Where filter dto.*

### Enumerations

- enum [FilterOpType](#) { **Eq** = 1 }
- Filter comparisons.*

### 4.12.1 Enumeration Type Documentation

#### 4.12.1.1 FilterOpType

enum [BarNone.Shared.DataTransfer.Core.Filter.FilterOpType](#) [strong]

[Filter](#) comparisons.

## 4.13 BarNone.Shared.DataTransfer.Flex Namespace Reference

### Classes

- class [FlexDTO](#)  
*Flex dto.*
- class [FlexEntityDTO](#)  
*Flex entity dto.*

## 4.14 BarNone.Shared.DataTransfer.LiftData Namespace Reference

### Classes

- class [JointTrackingStateTypeDTO](#)
- class [JointTypeDTO](#)  
*Joint type dto.*

## 4.15 BarNone.Shared.DataTransfer.Response Namespace Reference

### Classes

- class [ResponseEntityDTO](#)  
*Entity DTO*
- class [ResponseEnumerableDTO](#)  
*Enumerable DTO*
- class [ResponseErrorDTO](#)  
*Error dto.*

## 4.16 BarNone.Shared.DomainModel Namespace Reference

### Namespaces

### Classes

- class [BodyData](#)  
*Body domain model.*
- class [BodyDataFrame](#)  
*Body data frame domain model.*
- class [Joint](#)  
*Joint domain model.*
- class [JointTrackingStateType](#)  
*Joint tracking state domain model.*
- class [JointType](#)  
*Joint type domain model*
- class [Lift](#)  
*Lift domain model.*
- class [LiftFolder](#)  
*Lift domain model*
- class [User](#)  
*User domain model.*
- class [VideoRecord](#)  
*Video domain model.*

### Enumerations

- enum [EJointTrackingStateType](#) { **NotTracked** = 0, **Inferred** = 1, **Tracked** = 2 }  
*Joint tracking state.*
- enum [EJointType](#) {  
**SpineBase** = 0, **SpineMid** = 1, **Neck** = 2, **Head** = 3,  
**ShoulderLeft** = 4, **ElbowLeft** = 5, **WristLeft** = 6, **HandLeft** = 7,  
**ShoulderRight** = 8, **ElbowRight** = 9, **WristRight** = 10, **HandRight** = 11,  
**HipLeft** = 12, **KneeLeft** = 13, **AnkleLeft** = 14, **FootLeft** = 15,  
**HipRight** = 16, **KneeRight** = 17, **AnkleRight** = 18, **FootRight** = 19,  
**SpineShoulder** = 20, **HandTipLeft** = 21, **ThumbLeft** = 22, **HandTipRight** = 23,  
**ThumbRight** = 24 }  
*Joint types.*

#### 4.16.1 Enumeration Type Documentation

## 4.16.1.1 EJointTrackingStateType

```
enum BarNone.Shared.DomainModel.EJointTrackingStateType [strong]
```

Joint tracking state.

## 4.16.1.2 EJointType

```
enum BarNone.Shared.DomainModel.EJointType [strong]
```

Joint types.

## 4.17 BarNone.Shared.DomainModel.Core Namespace Reference

### Classes

- class [BaseEnumDomainModel](#)  
*Base enum domain model.*
- interface [IDomainModel](#)  
*Domain Model*
- interface [IOwnedDomainModel](#)  
*Domain model owned by user.*

## 4.18 BarNone.TheRack Namespace Reference

### Namespaces

## 4.19 BarNone.TheRack.Core Namespace Reference

### Classes

- class [MapEnum](#)



## Chapter 5

# Class Documentation

### 5.1 BarNone.Shared.DataTransfer.Auth.AuthDTO Class Reference

Authentication dto.

#### Properties

- string [Access-Token](#) [get, set]  
*Gets or sets the access token.*
- int [Expires\\_In](#) [get, set]  
*Gets or sets the expires in.*
- bool [Authorized](#) [get, set]  
*Gets or sets a value indicating whether this [AuthDTO](#) is authorized.*

#### 5.1.1 Detailed Description

Authentication dto.

#### 5.1.2 Property Documentation

##### 5.1.2.1 Access-Token

```
string BarNone.Shared.DataTransfer.Auth.AuthDTO.Access-Token [get], [set]
```

Gets or sets the access token.

The access token.

### 5.1.2.2 Authorized

```
bool BarNone.Shared.DataTransfer.Auth.AuthDTO.Authorized [get], [set]
```

Gets or sets a value indicating whether this [AuthDTO](#) is authorized.

true if authorized; otherwise, false.

### 5.1.2.3 Expires\_In

```
int BarNone.Shared.DataTransfer.Auth.AuthDTO.Expires_In [get], [set]
```

Gets or sets the expires in.

The expires in.


The documentation for this class was generated from the following file:

- BarNone.Shared.DataTransfer/Auth/AuthDTO.cs

## 5.2 BarNone.Shared.DataConverter.Core.BaseConverter< TConverters > Class Template Reference

Base Converter

Inheritance diagram for BarNone.Shared.DataConverter.Core.BaseConverter< TConverters >:



### Public Member Functions

- [BaseConverter](#) ()  
*Initializes a new instance of the [BaseConverter< TConverters >](#) class.*
- [IDataConverter](#) **GetConverterFromData** (Type type)
- [IDataConverter](#) **GetConverterFromDTO** (Type type)

### Static Public Member Functions

- static TConverters [NewConversion](#) ([IDomainContext](#) context=null)  
*Creates a new converter.*



## Protected Member Functions

- TConverter [Register< TData, TDTO, TConverter >](#) (TConverter converter)  
*Registers the specified converter.*
- abstract void [Init](#) (IDomainContext context)  
*Initializes the specified context.*

## Properties

- [ShareDataConverterCache Cache](#) [get, private set]  
*Gets the cache of data converters.*

## Private Attributes

- Dictionary< Type, [IDataConverter](#) > [dataConverterMap](#)  
*The data converter map*
- Dictionary< Type, [IDataConverter](#) > [dtoConverterMap](#)  
*The dto converter map*

### 5.2.1 Detailed Description

Base Converter

Template Parameters

<a href="#">TConverters</a>	The type of the converters.
-----------------------------	-----------------------------

See also

[BarNone.Shared.DataConverter.Core.IConverter](#)

Type Constraints

***TConverters*** : [BaseConverter](#)< *TConverters* >  
***TConverters*** : *new()*

### 5.2.2 Constructor & Destructor Documentation

#### 5.2.2.1 BaseConverter()

[BarNone.Shared.DataConverter.Core.BaseConverter](#)< *TConverters* >.[BaseConverter](#) ( )

Initializes a new instance of the [BaseConverter<TConverters>](#) class.

### 5.2.3 Member Function Documentation

#### 5.2.3.1 Init()

```
abstract void BarNone.Shared.DataConverter.Core.BaseConverter< TConverters >.Init (
    IDomainContext context ) [protected], [pure virtual]
```

Initializes the specified context.

##### Parameters

<i>context</i>	The context.
----------------	--------------

#### 5.2.3.2 NewConversion()

```
static TConverters BarNone.Shared.DataConverter.Core.BaseConverter< TConverters >.NewConversion (
    IDomainContext context = null ) [static]
```

Creates a new converter.

##### Parameters

<i>context</i>	The context.
----------------	--------------

##### Returns

#### 5.2.3.3 Register< TData, TDTO, TConverter >()

```
TConverter BarNone.Shared.DataConverter.Core.BaseConverter< TConverters >.Register< TData, TDTO,
TConverter > (
    TConverter converter ) [protected]
```

Registers the specified converter.

##### Template Parameters

<i>TData</i>	The type of the data.
<i>TDTO</i>	The type of the dto.
<i>TConverter</i>	The type of the converter.

## Parameters

<i>converter</i>	The converter.
------------------	----------------

## Returns

TODO - Dont do this. Should just us properties to construct elements.... faster.

## Type Constraints

***TData : ITrackable< TData>***

***TData : new()***

***TDTO : ITrackableDTO< TDTO>***

***TDTO : new()***

***TConverter : IDataConverter***

## 5.2.4 Member Data Documentation

### 5.2.4.1 dataConverterMap

```
Dictionary<Type, IDataConverter> BarNone.Shared.DataConverter.Core.BaseConverter< TConverters  
>.dataConverterMap [private]
```

The data converter map

### 5.2.4.2 dtoConverterMap

```
Dictionary<Type, IDataConverter> BarNone.Shared.DataConverter.Core.BaseConverter< TConverters  
>.dtoConverterMap [private]
```

The dto converter map

## 5.2.5 Property Documentation

### 5.2.5.1 Cache

```
ShareDataConverterCache BarNone.Shared.DataConverter.Core.BaseConverter< TConverters >.Cache
[get], [private set]
```

Gets the cache of data converters.

The cache.


The documentation for this class was generated from the following file:

- BarNone.Shared.DataConverter/Core/Converters.cs

## 5.3 BarNone.Shared.DataConverter.Core.BaseDataConverter< TData, TDTO, TConverters > Class Template Reference

Base Data Converter.

Inheritance diagram for BarNone.Shared.DataConverter.Core.BaseDataConverter< TData, TDTO, TConverters >:



### Public Member Functions

- **BaseDataConverter** (TConverters [converterContext](#), [IDomainContext context](#))  
*Initializes a new instance of the [BaseDataConverter< TData, TDTO, TConverters >](#) class.*
- virtual TData **CreateDataModel** (TDTO dto)  
*Creates the data model.*
- virtual TDTO **CreateDTO** (TData data)  
*Creates the dto.*
- abstract TData **OnCreateDataModel** (TDTO dto)  
*Creates data model. Called when [create data model].*
- abstract TDTO **OnCreateDTO** (TData data)  
*Creates dto. Called when [create dto].*

### Protected Attributes

- TConverters [converterContext](#)  
*The converter context.*
- [IDomainContext context](#)  
*The context*

## Private Member Functions

- [ITrackable](#) IDataConverter. [CreateDataModel](#) ([ITrackableDTO](#) dto)  
*Creates the data model.*
- [ITrackableDTO](#) IDataConverter. [CreateDTO](#) ([ITrackable](#) data)  
*Creates the dto.*

### 5.3.1 Detailed Description

Base Data Converter.

#### Template Parameters

<i>TData</i>	The type of the data.
<i>TDTO</i>	The type of the dto.
<i>TConverters</i>	The type of the converters.

See also

[BarNone.Shared.DataConverter.Core.IDataConverter](#)

#### Type Constraints

***TData* : [ITrackable](#)< *TData*>**

***TData* : [new](#)()**

***TDTO* : [ITrackableDTO](#)< *TDTO*>**

***TDTO* : [new](#)()**

***TConverters* : [IConverter](#)**

### 5.3.2 Constructor & Destructor Documentation

#### 5.3.2.1 BaseDataConverter()

```
BarNone.Shared.DataConverter.Core.BaseDataConverter< TData, TDTO, TConverters >.BaseDataConverter  
(  
    TConverters converterContext,  
    IDomainContext context )
```

Initializes a new instance of the [BaseDataConverter](#)<TData, TDTO, TConverters> class.

#### Parameters

<i>converterContext</i>	The converter context.
<i>context</i>	The context.

Generated by Doxygen

### 5.3.3 Member Function Documentation

#### 5.3.3.1 CreateDataModel() [1/2]

```
virtual TData BarNone.Shared.DataConverter.Core.BaseDataConverter< TData, TDTO, TConverters >.CreateDataModel (
    TDTO dto ) [virtual]
```

Creates the data model.

##### Parameters

<i>dto</i>	The dto.
------------	----------

##### Returns

Reimplemented in [BarNone.Shared.DataConverter.Core.BaseDetailDataConverter< TData, TDTO, TDetailDTO, TConverters >](#).

#### 5.3.3.2 CreateDataModel() [2/2]

```
ITrackable IDataConverter. BarNone.Shared.DataConverter.Core.BaseDataConverter< TData, TDTO, TConverters >.CreateDataModel (
    ITrackableDTO dto ) [private]
```

Creates the data model.

##### Parameters

<i>dto</i>	The dto.
------------	----------

##### Returns

Implements [BarNone.Shared.DataConverter.Core.IDataConverter](#).

## 5.3.3.3 CreateDTO() [1/2]

```
virtual TDTO BarNone.Shared.DataConverter.Core.BaseDataConverter< TData, TDTO, TConverters >.CreateDTODTO (
    TData data ) [virtual]
```

Creates the dto.

## Parameters

<i>data</i>	The data.
-------------	-----------

## Returns

Reimplemented in [BarNone.Shared.DataConverter.Core.BaseDetailDataConverter< TData, TDTO, TDetailDTO, TConverters >](#).

## 5.3.3.4 CreateDTO() [2/2]

```
ITrackableDTO IDataConverter. BarNone.Shared.DataConverter.Core.BaseDataConverter< TData, TDTO, TConverters >.CreateDTO (
    ITrackable data ) [private]
```

Creates the dto.

## Parameters

<i>data</i>	The data.
-------------	-----------

## Returns

Implements [BarNone.Shared.DataConverter.Core.IDataConverter](#).

## 5.3.3.5 OnCreateDataModel()

```
abstract TData BarNone.Shared.DataConverter.Core.BaseDataConverter< TData, TDTO, TConverters >.OnCreateDataModel (
    TDTO dto ) [pure virtual]
```

Creates data model. Called when [create data model].

**Parameters**

<i>dto</i>	The dto.
------------	----------

**Returns****5.3.3.6 OnCreateDTO()**

```
abstract TDTO BarNone.Shared.DataConverter.Core.BaseDataConverter< TData, TDTO, TConverters >.OnCreateDTO (
    TData data ) [pure virtual]
```

Creates dto. Called when [create dto].

**Parameters**

<i>data</i>	The data.
-------------	-----------

**Returns****5.3.4 Member Data Documentation****5.3.4.1 context**

```
IDomainContext BarNone.Shared.DataConverter.Core.BaseDataConverter< TData, TDTO, TConverters >.context [protected]
```

The context

**5.3.4.2 converterContext**

```
TConverters BarNone.Shared.DataConverter.Core.BaseDataConverter< TData, TDTO, TConverters >.converterContext [protected]
```

The converter context.

The documentation for this class was generated from the following file:


- [BarNone.Shared.DataConverter/Core/BaseDataConverter.cs](#)



## 5.4 BarNone.Shared.DataConverter.Core.BaseDetailDataConverter< TData, TDTO, TDetailDTO, TConverters > Class Template Reference

Base detail data converter.

Inheritance diagram for BarNone.Shared.DataConverter.Core.BaseDetailDataConverter< TData, TDTO, TDetailDTO, TConverters >:



### Public Member Functions

- [BaseDetailDataConverter](#) (TConverters converterContext, IDomainContext context)  
*Initializes a new instance of the [BaseDetailDataConverter< TData, TDTO, TDetailDTO, TConverters>](#) class.*
- override TData [CreateDataModel](#) (TDTO dto)  
*Creates the data model.*
- override TDTO [CreateDTO](#) (TData data)  
*Creates the dto.*
- abstract void [OnCreateDetailDataModel](#) (TData data, TDetailDTO dto)  
*Creates detail data model. Called when [create detail data model].*
- abstract TDetailDTO [OnCreateDetailDTO](#) (TData data)  
*Creates detail dto. Called when [create detail dto].*

### Additional Inherited Members

#### 5.4.1 Detailed Description

Base detail data converter.

#### Template Parameters

<i>TData</i>	The type of the data.
<i>TDTO</i>	The type of the dto.
<i>TDetailDTO</i>	The type of the detail dto.
<i>TConverters</i>	The type of the converters.

See also

`BarNone.Shared.DataConverter.Core.BaseDataConverter<TData, TDTO, TConverters>`

#### Type Constraints

***TData*** : *ITrackable*<*TData*>  
***TData*** : *new*()  
***TDTO*** : *BaseParentDTO*  
***TDTO*** : *TDTO*  
***TDTO*** : *TDetailDTO*  
***TDTO*** : *new*()  
***TDetailDTO*** : *BaseDetailDTO*<*TDetailDTO*>  
***TDetailDTO*** : *new*()  
***TConverters*** : *IConverter*

## 5.4.2 Constructor & Destructor Documentation

### 5.4.2.1 BaseDetailDataConverter()

```
BarNone.Shared.DataConverter.Core.BaseDetailDataConverter< TData, TDTO, TDetailDTO, TConverters
>.BaseDetailDataConverter (
    TConverters converterContext,
    IDomainContext context )
```

Initializes a new instance of the `BaseDetailDataConverter<TData, TDTO, TDetailDTO, TConverters>` class.

#### Parameters

<i>converterContext</i>	The converter context.
<i>context</i>	The context.

## 5.4.3 Member Function Documentation

### 5.4.3.1 CreateDataModel()

```
override TData BarNone.Shared.DataConverter.Core.BaseDetailDataConverter< TData, TDTO, TDetailD←
TO, TConverters >.CreateDataModel (
    TDTO dto ) [virtual]
```

Creates the data model.

#### Parameters

<i>dto</i>	The dto.
------------	----------

#### Returns

Reimplemented from [BarNone.Shared.DataConverter.Core.BaseDataConverter< TData, TDTO, TConverters >](#).

#### 5.4.3.2 CreateDTO()

```
override TDTO BarNone.Shared.DataConverter.Core.BaseDetailDataConverter< TData, TDTO, TDetailDTO,  
TConverters >.CreateDTO (  
    TData data ) [virtual]
```

Creates the dto.

#### Parameters

<i>data</i>	The data.
-------------	-----------

#### Returns

Reimplemented from [BarNone.Shared.DataConverter.Core.BaseDataConverter< TData, TDTO, TConverters >](#).

#### 5.4.3.3 OnCreateDetailDataModel()

```
abstract void BarNone.Shared.DataConverter.Core.BaseDetailDataConverter< TData, TDTO, TDetailDTO,  
TConverters >.OnCreateDetailDataModel (  
    TData data,  
    TDetailDTO dto ) [pure virtual]
```

Creates detail data model. Called when [create detail data model].

#### Parameters

<i>data</i>	The data.
<i>dto</i>	The dto.

#### 5.4.3.4 OnCreateDetailDTO()

```
abstract TDetailDTO BarNone.Shared.DataConverter.Core.BaseDetailDataConverter< TData, TDTO, T↵
DetailDTO, TConverters >.OnCreateDetailDTO (
    TData data ) [pure virtual]
```

Creates detail dto. Called when [create detail dto].

##### Parameters

<i>data</i>	The data.
-------------	-----------

##### Returns


The documentation for this class was generated from the following file:

- BarNone.Shared.DataConverter/Core/BaseDetailDataConverter.cs

## 5.5 BarNone.Shared.DataTransfer.Core.BaseDetailDTO< TDetailDTO > Class Template Reference

Base detail dto.

Inheritance diagram for BarNone.Shared.DataTransfer.Core.BaseDetailDTO< TDetailDTO >:



### 5.5.1 Detailed Description

Base detail dto.

##### Template Parameters

<i>TDetailDTO</i>	The type of the detail dto.
-------------------	-----------------------------

See also

BarNone.Shared.Core.IUntrackableDTO<TDetailDTO>

Type Constraints

***TDetailDTO : IUntrackableDTO< TDetailDTO>***

***TDetailDTO : new()***


The documentation for this class was generated from the following file:

- BarNone.Shared.DataTransfer/Core/BaseDetailDTO.cs

## 5.6 BarNone.Shared.DataTransfer.Core.BaseDTO< TDTO > Class Template Reference

Base dto.

Inheritance diagram for BarNone.Shared.DataTransfer.Core.BaseDTO< TDTO >:



### Properties

- abstract int `ID` [get, set]  
*Gets or sets the identifier.*
- List< string > `UpdateFilter` [get, set]  
*Gets or sets the update filter.*

#### 5.6.1 Detailed Description

Base dto.

Template Parameters

<i>TDTO</i>	The type of the dto.
-------------	----------------------

See also

BarNone.Shared.Core.ITrackableDTO<TDTO>

## Type Constraints

***TDTO* : *ITrackableDTO*<*TDTO*>**

***TDTO* : *new()***

## 5.6.2 Property Documentation

## 5.6.2.1 ID

```
abstract int BarNone.Shared.DataTransfer.Core.BaseDTO< TDTO >.ID [get], [set]
```

Gets or sets the identifier.

The identifier.

## 5.6.2.2 UpdateFilter

```
List<string> BarNone.Shared.DataTransfer.Core.BaseDTO< TDTO >.UpdateFilter [get], [set]
```

Gets or sets the update filter.

The update filter.


The documentation for this class was generated from the following file:

- BarNone.Shared.DataTransfer/Core/BaseDTO.cs

## 5.7 BarNone.Shared.DataConverters.Core.BaseEnumDataConverter< TType, TTypeDTO, TEType > Class Template Reference

Base enum data converter.

Inheritance diagram for BarNone.Shared.DataConverters.Core.BaseEnumDataConverter< TType, TTypeDTO, TEType >:



## Public Member Functions

- [BaseEnumDataConverter](#) ([Converters converterContext](#), [IDomainContext context](#))  
*Initializes a new instance of the [BaseEnumDataConverter< TType, TTypeDTO, TEType>](#) class.*
- override [TType OnCreateDataModel](#) ([TTypeDTO dto](#))  
*Creates data model. Called when [create data model].*
- override [TTypeDTO OnCreateDTO](#) ([TType data](#))  
*Creates dto. Called when [create dto].*

## Additional Inherited Members

### 5.7.1 Detailed Description

Base enum data converter.

#### Template Parameters

<i>TType</i>	The type of the type.
<i>TTypeDTO</i>	The type of the type dto.
<i>TEType</i>	The type of the e type.

#### See also

[BarNone.Shared.DataConverter.Core.BaseDataConverter< TType, TTypeDTO, BarNone.Shared.DataConverters.↔ Converters>](#)

#### Type Constraints

***TType : BaseEnumDomainModel***  
***TType : TType***  
***TType : TEType***  
***TType : new()***  
***TTypeDTO : BaseTypeDTO< TTypeDTO>***  
***TTypeDTO : new()***  
***TEType : struct***

### 5.7.2 Constructor & Destructor Documentation

#### 5.7.2.1 BaseEnumDataConverter()

```
BarNone.Shared.DataConverters.Core.BaseEnumDataConverter< TType, TTypeDTO, TEType >.BaseEnumDataConverter  
(  
    Converters converterContext,  
    IDomainContext context )
```

Initializes a new instance of the [BaseEnumDataConverter< TType, TTypeDTO, TEType>](#) class.

**Parameters**

<i>converterContext</i>	The converter context.
<i>context</i>	The context.

**5.7.3 Member Function Documentation****5.7.3.1 OnCreateDataModel()**

```
override TType BarNone.Shared.DataConverters.Core.BaseEnumDataConverter< TType, TTypeDTO, TEType
>.OnCreateDataModel (
    TTypeDTO dto )
```

Creates data model. Called when [create data model].

**Parameters**

<i>dto</i>	The dto.
------------	----------

**Returns****5.7.3.2 OnCreateDTO()**

```
override TTypeDTO BarNone.Shared.DataConverters.Core.BaseEnumDataConverter< TType, TTypeDTO, TEType
>.OnCreateDTO (
    TType data )
```

Creates dto. Called when [create dto].

**Parameters**

<i>data</i>	The data.
-------------	-----------

**Returns**

The documentation for this class was generated from the following file:




- BarNone.Shared.DataConverter/Core/BaseEnumDataConverter.cs

## 5.8 BarNone.Shared.DomainModel.Core.BaseEnumDomainModel< TType, TEType > Class Template Reference

Base enum domain model.

Inheritance diagram for BarNone.Shared.DomainModel.Core.BaseEnumDomainModel< TType, TEType >:



### Public Member Functions

- [BaseEnumDomainModel](#) ()  
*Initializes a new instance of the [BaseEnumDomainModel< TType, TEType >](#) class.*
- [BaseEnumDomainModel](#) (TEType @enum)  
*Initializes a new instance of the [BaseEnumDomainModel< TType, TEType >](#) class.*

### Properties

- int [ID](#) [get, set]  
*Gets or sets the identifier.*
- int [Value](#) [get, set]  
*Gets or sets the value.*
- string [Name](#) [get, set]  
*Gets or sets the name.*

### 5.8.1 Detailed Description

Base enum domain model.

#### Template Parameters

<i>TType</i>	The type of the type.
<i>TEType</i>	The type of the e type.

See also

`BarNone.Shared.DomainModel.Core.IDomainModel<TType>`

#### Type Constraints

***TType*** : [\*BaseEnumDomainModel\*](#)

***TType*** : *TType*

***TType*** : *TEType*

***TType*** : *new()*

***TEType*** : *struct*

## 5.8.2 Constructor & Destructor Documentation

### 5.8.2.1 BaseEnumDomainModel() [1/2]

```
BarNone.Shared.DomainModel.Core.BaseEnumDomainModel< TType, TEType >.BaseEnumDomainModel ( )
```

Initializes a new instance of the [BaseEnumDomainModel<TType, TEType>](#) class.

### 5.8.2.2 BaseEnumDomainModel() [2/2]

```
BarNone.Shared.DomainModel.Core.BaseEnumDomainModel< TType, TEType >.BaseEnumDomainModel (
    TEType @ enum )
```

Initializes a new instance of the [BaseEnumDomainModel<TType, TEType>](#) class.

#### Parameters

<i>enum</i>	The enum.
-------------	-----------

## 5.8.3 Property Documentation

### 5.8.3.1 ID

```
int BarNone.Shared.DomainModel.Core.BaseEnumDomainModel< TType, TEType >.ID [get], [set]
```

Gets or sets the identifier.

The identifier.

## 5.8.3.2 Name

```
string BarNone.Shared.DomainModel.Core.BaseEnumDomainModel< TType, TEType >.Name [get], [set]
```

Gets or sets the name.

The name.

## 5.8.3.3 Value

```
int BarNone.Shared.DomainModel.Core.BaseEnumDomainModel< TType, TEType >.Value [get], [set]
```

Gets or sets the value.

The value.


The documentation for this class was generated from the following file:

- BarNone.Shared.DomainModel/Core/BaseEnumDomainModel.cs

## 5.9 BarNone.Shared.DataTransfer.Core.BaseParentDTO< TDTO, TDetailDTO > Class Template Reference

Base parent dto.

Inheritance diagram for BarNone.Shared.DataTransfer.Core.BaseParentDTO< TDTO, TDetailDTO >:



### Properties

- TDetailDTO [Details](#) [get, set]  
*Gets or sets the details.*
- dynamic IParentDTO. [Details](#) [get, set]  
*Gets or sets the details.*

### 5.9.1 Detailed Description

Base parent dto.

## Template Parameters

<i>TDTO</i>	The type of the dto.
<i>TDetailDTO</i>	The type of the detail dto.

## See also

BarNone.Shared.DataTransfer.Core.BaseDTO<TDTO>, BarNone.Shared.DataTransfer.Core.IParentDTO<T↔DetailDTO>

## Type Constraints

***TDTO* : [BaseDTO](#)<*TDTO*>**

***TDTO* : [new\(\)](#)**

***TDetailDTO* : [BaseDetailDTO](#)<*TDetailDTO*>**

***TDetailDTO* : [new\(\)](#)**

## 5.9.2 Property Documentation

## 5.9.2.1 Details [1/2]

`TDetailDTO BarNone.Shared.DataTransfer.Core.BaseParentDTO< TDTO, TDetailDTO >.Details [get], [set]`

Gets or sets the details.

The details.

## 5.9.2.2 Details [2/2]

`dynamic IParentDTO. BarNone.Shared.DataTransfer.Core.BaseParentDTO< TDTO, TDetailDTO >.Details [get], [set], [private]`

Gets or sets the details.

The details.


The documentation for this class was generated from the following file:

- BarNone.Shared.DataTransfer/Core/BaseParentDTO.cs

## 5.10 BarNone.Shared.DataTransfer.Core.BaseTypeDTO< TDTO > Class Template Reference

Base type dto.

Inheritance diagram for BarNone.Shared.DataTransfer.Core.BaseTypeDTO< TDTO >:



### Properties

- abstract int **Value** [get, set]  
*Gets or sets the value.*
- abstract string **Name** [get, set]  
*Gets or sets the name.*

### 5.10.1 Detailed Description

Base type dto.

#### Template Parameters

<i>TDTO</i>	The type of the dto.
-------------	----------------------

See also

BarNone.Shared.DataTransfer.Core.BaseDTO<TDTO>

#### Type Constraints

***TDTO* : [BaseTypeDTO](#)< *TDTO*>**

***TDTO* : [new\(\)](#)**

### 5.10.2 Property Documentation

### 5.10.2.1 Name

```
abstract string BarNone.Shared.DataTransfer.Core.BaseTypeDTO< TDTO >.Name [get], [set]
```

Gets or sets the name.

The name.

### 5.10.2.2 Value

```
abstract int BarNone.Shared.DataTransfer.Core.BaseTypeDTO< TDTO >.Value [get], [set]
```

Gets or sets the value.

The value.


The documentation for this class was generated from the following file:

- BarNone.Shared.DataTransfer/Core/BaseTypeDTO.cs

## 5.11 BarNone.Shared.DomainModel.BodyData Class Reference

Body domain model.

Inheritance diagram for BarNone.Shared.DomainModel.BodyData:



### Properties

- int **ID** [get, set]  
*Gets or sets the identifier.*
- int **UserID** [get, set]  
*Gets or sets the user identifier.*
- DateTime **RecordDate** [get, set]  
*Gets or sets the record date.*
- List< **BodyDataFrame** > **BodyDataFrames** [get, set]  
*Gets or sets the body data frames.*

### 5.11.1 Detailed Description

Body domain model.

See also

`BarNone.Shared.DomainModel.Core.IDomainModel<BarNone.Shared.DomainModel.BodyData>`, [BarNone.Shared.DomainModel](#).

### 5.11.2 Property Documentation

#### 5.11.2.1 BodyDataFrames

```
List<BodyDataFrame> BarNone.Shared.DomainModel.BodyData.BodyDataFrames [get], [set]
```

Gets or sets the body data frames.

The body data frames.

#### 5.11.2.2 ID

```
int BarNone.Shared.DomainModel.BodyData.ID [get], [set]
```

Gets or sets the identifier.

The identifier.

#### 5.11.2.3 RecordDate

```
DateTime BarNone.Shared.DomainModel.BodyData.RecordDate [get], [set]
```

Gets or sets the record date.

The record date.

#### 5.11.2.4 UserID

```
int BarNone.Shared.DomainModel.BodyData.UserID [get], [set]
```

Gets or sets the user identifier.

The user identifier.


The documentation for this class was generated from the following file:

- `BarNone.Shared.DomainModel/Body/BodyData.cs`

## 5.12 BarNone.Shared.DataConverters.BodyDataConverter Class Reference

Body data converter.

Inheritance diagram for BarNone.Shared.DataConverters.BodyDataConverter:



### Public Member Functions

- [BodyDataConverter](#) ([Converters](#) converterContext, [IDomainContext](#) context)  
*Initializes a new instance of the [BodyDataConverter](#) class.*
- override [BodyData OnCreateDataModel](#) ([BodyDataDTO](#) dto)  
*Creates data model. Called when [create data model].*
- override void [OnCreateDetailDataModel](#) ([BodyData](#) data, [BodyDataDetailDTO](#) dto)  
*Creates detail data model. Called when [create detail data model].*
- override [BodyDataDetailDTO OnCreateDetailDTO](#) ([BodyData](#) data)  
*Creates detail dto. Called when [create detail dto].*
- override [BodyDataDTO OnCreateDTO](#) ([BodyData](#) data)  
*Creates dto. Called when [create dto].*

### 5.12.1 Detailed Description

Body data converter.

See also

BarNone.Shared.DataConverter.Core.BaseDetailDataConverter<BarNone.Shared.DomainModel.BodyData, BarNone.Shared.DataTransfer.BodyDataDTO, BarNone.Shared.DataTransfer.BodyDataDetailDTO, BarNone.Shared.DataConverters.Converters>

### 5.12.2 Constructor & Destructor Documentation

#### 5.12.2.1 BodyDataConverter()

```

BarNone.Shared.DataConverters.BodyDataConverter.BodyDataConverter (
    Converters converterContext,
    IDomainContext context )
  
```

Initializes a new instance of the [BodyDataConverter](#) class.



## Parameters

<i>converterContext</i>	The converter context.
<i>context</i>	The context.

## 5.12.3 Member Function Documentation

## 5.12.3.1 OnCreateDataModel()

```
override BodyData BarNone.Shared.DataConverters.BodyDataConverter.OnCreateDataModel (
    BodyDataDTO dto )
```

Creates data model. Called when [create data model].

## Parameters

<i>dto</i>	The dto.
------------	----------

## Returns

## 5.12.3.2 OnCreateDetailDataModel()

```
override void BarNone.Shared.DataConverters.BodyDataConverter.OnCreateDetailDataModel (
    BodyData data,
    BodyDataDetailDTO dto )
```

Creates detail data model. Called when [create detail data model].

## Parameters

<i>data</i>	The data.
<i>dto</i>	The dto.

### 5.12.3.3 OnCreateDetailDTO()

```
override BodyDataDetailDTO BarNone.Shared.DataConverters.BodyDataConverter.OnCreateDetailDTO (
    BodyData data )
```

Creates detail dto. Called when [create detail dto].

#### Parameters

<i>data</i>	The data.
-------------	-----------

#### Returns

### 5.12.3.4 OnCreateDTO()

```
override BodyDataDTO BarNone.Shared.DataConverters.BodyDataConverter.OnCreateDTO (
    BodyData data )
```

Creates dto. Called when [create dto].

#### Parameters

<i>data</i>	The data.
-------------	-----------

#### Returns


The documentation for this class was generated from the following file:

- BarNone.Shared.DataConverter/Body/BodyDataConverter.cs

## 5.13 BarNone.Shared.DataTransfer.BodyDataDetailDTO Class Reference

Body data detail.

Inheritance diagram for BarNone.Shared.DataTransfer.BodyDataDetailDTO:



## Properties

- List< [BodyDataFrameDTO](#) > **OrderedFrames** [get, set]

### 5.13.1 Detailed Description

Body data detail.

#### See also

[BarNone.Shared.DataTransfer.Core.BaseDetailDTO<BarNone.Shared.DataTransfer.BodyDataDetailDTO>](#)


The documentation for this class was generated from the following file:

- [BarNone.Shared.DataTransfer/LiftData/BodyDataDTO.cs](#)

## 5.14 BarNone.Shared.DataTransfer.BodyDataDTO Class Reference

Body data.

Inheritance diagram for BarNone.Shared.DataTransfer.BodyDataDTO:



## Properties

- override int **ID** [get, set]
- DateTime **RecordTimeStamp** [get, set]

### 5.14.1 Detailed Description

Body data.

#### See also

[BarNone.Shared.DataTransfer.Core.BaseParentDTO<BarNone.Shared.DataTransfer.BodyDataDTO, BarNone.Shared.DataTransfer.BodyDataDetailDTO>](#)


The documentation for this class was generated from the following file:

- [BarNone.Shared.DataTransfer/LiftData/BodyDataDTO.cs](#)

## 5.15 BarNone.Shared.DomainModel.BodyDataFrame Class Reference

Body data frame domain model.

Inheritance diagram for BarNone.Shared.DomainModel.BodyDataFrame:



### Properties

- int **ID** [get, set]  
*Gets or sets the identifier.*
- int **UserID** [get, set]  
*Gets or sets the user identifier.*
- DateTime **TimeOfFrame** [get, set]  
*Gets or sets the time of frame.*
- List< **Joint** > **Joints** [get, set]  
*Gets or sets the joints.*
- int **BodyDataID** [get, set]  
*Gets or sets the body data identifier.*
- **BodyData** **BodyData** [get, set]  
*Gets or sets the body data.*

### 5.15.1 Detailed Description

Body data frame domain model.

See also

[BarNone.Shared.DomainModel.Core.IDomainModel<BarNone.Shared.DomainModel.BodyDataFrame>](#), [BarNone.Shared.DomainModel.Core.IOwnedDomainModel](#)

### 5.15.2 Property Documentation

#### 5.15.2.1 BodyData

**BodyData** BarNone.Shared.DomainModel.BodyDataFrame.BodyData [get], [set]

Gets or sets the body data.

The body data.

### 5.15.2.2 BodyDataID

```
int BarNone.Shared.DomainModel.BodyDataFrame.BodyDataID [get], [set]
```

Gets or sets the body data identifier.

The body data identifier.

### 5.15.2.3 ID

```
int BarNone.Shared.DomainModel.BodyDataFrame.ID [get], [set]
```

Gets or sets the identifier.

The identifier.

### 5.15.2.4 Joints

```
List<Joint> BarNone.Shared.DomainModel.BodyDataFrame.Joints [get], [set]
```

Gets or sets the joints.

The joints.

### 5.15.2.5 TimeOfFrame

```
DateTime BarNone.Shared.DomainModel.BodyDataFrame.TimeOfFrame [get], [set]
```

Gets or sets the time of frame.

The time of frame.

### 5.15.2.6 UserID

```
int BarNone.Shared.DomainModel.BodyDataFrame.UserID [get], [set]
```

Gets or sets the user identifier.

The user identifier.


The documentation for this class was generated from the following file:

- BarNone.Shared.DomainModel/Body/BodyDataFrame.cs

## 5.16 BarNone.Shared.DataConverters.BodyDataFrameConverter Class Reference

Body data frame converter

Inheritance diagram for BarNone.Shared.DataConverters.BodyDataFrameConverter:



### Public Member Functions

- [BodyDataFrameConverter](#) ([Converters](#) converterContext, [IDomainContext](#) context)  
*Initializes a new instance of the [BodyDataFrameConverter](#) class.*
- override [BodyDataFrame](#) [OnCreateDataModel](#) ([BodyDataFrameDTO](#) dto)  
*Creates data model. Called when [create data model].*
- override void [OnCreateDetailDataModel](#) ([BodyDataFrame](#) data, [BodyDataFrameDetailDTO](#) dto)  
*Creates detail data model. Called when [create detail data model].*
- override [BodyDataFrameDetailDTO](#) [OnCreateDetailDTO](#) ([BodyDataFrame](#) data)  
*Creates detail dto. Called when [create detail dto].*
- override [BodyDataFrameDTO](#) [OnCreateDTO](#) ([BodyDataFrame](#) data)  
*Creates dto. Called when [create dto].*

### 5.16.1 Detailed Description

Body data frame converter

See also

[BarNone.Shared.DataConverter.Core.BaseDetailDataConverter<BarNone.Shared.DomainModel.BodyData↔Frame, BarNone.Shared.DataTransfer.BodyDataFrameDTO, BarNone.Shared.DataTransfer.BodyData↔DetailDTO, BarNone.Shared.DataConverters.Converters>](#)

### 5.16.2 Constructor & Destructor Documentation

#### 5.16.2.1 BodyDataFrameConverter()

```

BarNone.Shared.DataConverters.BodyDataFrameConverter.BodyDataFrameConverter (
    Converters converterContext,
    IDomainContext context )
  
```

Initializes a new instance of the [BodyDataFrameConverter](#) class.

## Parameters

<i>converterContext</i>	The converter context.
<i>context</i>	The context.

## 5.16.3 Member Function Documentation

## 5.16.3.1 OnCreateDataModel()

```
override BodyDataFrame BarNone.Shared.DataConverters.BodyDataFrameConverter.OnCreateDataModel (
    BodyDataFrameDTO dto )
```

Creates data model. Called when [create data model].

## Parameters

<i>dto</i>	The dto.
------------	----------

## Returns

## 5.16.3.2 OnCreateDetailDataModel()

```
override void BarNone.Shared.DataConverters.BodyDataFrameConverter.OnCreateDetailDataModel (
    BodyDataFrame data,
    BodyDataFrameDetailDTO dto )
```

Creates detail data model. Called when [create detail data model].

## Parameters

<i>data</i>	The data.
<i>dto</i>	The dto.

### 5.16.3.3 OnCreateDetailDTO()

```
override BodyDataFrameDetailDTO BarNone.Shared.DataConverters.BodyDataFrameConverter.OnCreate←
DetailDTO (
    BodyDataFrame data )
```

Creates detail dto. Called when [create detail dto].

#### Parameters

<i>data</i>	The data.
-------------	-----------

#### Returns

### 5.16.3.4 OnCreateDTO()

```
override BodyDataFrameDTO BarNone.Shared.DataConverters.BodyDataFrameConverter.OnCreatedTO (
    BodyDataFrame data )
```

Creates dto. Called when [create dto].

#### Parameters

<i>data</i>	The data.
-------------	-----------

#### Returns


The documentation for this class was generated from the following file:

- BarNone.Shared.DataConverter/Body/BodyDataFrameConverter.cs

## 5.17 BarNone.Shared.DataTransfer.BodyDataFrameDetailDTO Class Reference

Body data frame detail dto.

Inheritance diagram for BarNone.Shared.DataTransfer.BodyDataFrameDetailDTO:





## Properties

- List< [JointDTO](#) > **Joints** [get, set]
- [BodyDataDTO](#) **BodyData** [get, set]

### 5.17.1 Detailed Description

Body data frame detail dto.

See also

[BarNone.Shared.DataTransfer.Core.BaseDetailDTO<BarNone.Shared.DataTransfer.BodyDataFrameDetailDT↔O>](#)


The documentation for this class was generated from the following file:

- BarNone.Shared.DataTransfer/LiftData/BodyDataFrameDTO.cs

## 5.18 BarNone.Shared.DataTransfer.BodyDataFrameDTO Class Reference

Body data frame dto.

Inheritance diagram for BarNone.Shared.DataTransfer.BodyDataFrameDTO:



## Properties

- override int **ID** [get, set]
- DateTime **TimeOfFrame** [get, set]
- TimeSpan **TimeUntilNextFrame** [get, set]
- int **BodyDataID** [get, set]

### 5.18.1 Detailed Description

Body data frame dto.

See also


[BarNone.Shared.DataTransfer.Core.BaseParentDTO<BarNone.Shared.DataTransfer.BodyDataFrameDTO, BarNone.Shared.DataTransfer.BodyDataFrameDetailDTO>](#)

The documentation for this class was generated from the following file:

- BarNone.Shared.DataTransfer/LiftData/BodyDataFrameDTO.cs

## 5.19 BarNone.Shared.DataConverters.Converters Class Reference

Inheritance diagram for BarNone.Shared.DataConverters.Converters:



### Protected Member Functions

- override void [Init](#) ([IDomainContext](#) context)  
*Initializes the specified context.*

### Properties

- [UserConverter](#) [User](#) [get, private set]  
*User Converter.*
- [LiftConverter](#) [Lift](#) [get, private set]  
*Lift Converter.*
- [LiftFolderConverter](#) [LiftFolder](#) [get, private set]  
*LiftFolder Converter.*
- [BodyDataConverter](#) [BodyData](#) [get, private set]  
*Body Converter.*
- [BodyDataFrameConverter](#) [BodyDataFrame](#) [get, private set]  
*BodyDataFrame Converter.*
- [JointConverter](#) [Joint](#) [get, private set]  
*Joint Converter.*
- [JointTypeConverter](#) [JointType](#) [get, private set]  
*Joint Converter.*
- [JointTrackingStateTypeConverter](#) [JointTrackingStateType](#) [get, private set]  
*JointTrackingState Converter.*
- [VideoConverter](#) [Video](#) [get, private set]  
*Video converter.*

### Additional Inherited Members

#### 5.19.1 Member Function Documentation

##### 5.19.1.1 Init()

```

override void BarNone.Shared.DataConverters.Converters.Init (
    IDomainContext context ) [protected]
  
```

Initializes the specified context.

## Parameters

<i>context</i>	The context.
----------------	--------------

TODO - pls no.

## 5.19.2 Property Documentation

### 5.19.2.1 BodyData

[BodyDataConverter](#) BarNone.Shared.DataConverters.Converters.BodyData [get], [private set]

Body Converter.

The body data.

### 5.19.2.2 BodyDataFrame

[BodyDataFrameConverter](#) BarNone.Shared.DataConverters.Converters.BodyDataFrame [get], [private set]

BodyDataFrame Converter.

The body data frame.

### 5.19.2.3 Joint

[JointConverter](#) BarNone.Shared.DataConverters.Converters.Joint [get], [private set]

Joint Converter.

The joint.

### 5.19.2.4 JointTrackingStateType

[JointTrackingStateTypeConverter](#) BarNone.Shared.DataConverters.Converters.JointTrackingStateType [get], [private set]

JointTrackingState Converter.

The type of the joint tracking state.

#### 5.19.2.5 JointType

`JointTypeConverter` BarNone.Shared.DataConverters.Converters.JointType [get], [private set]

Joint Converter.

The type of the joint.

#### 5.19.2.6 Lift

`LiftConverter` BarNone.Shared.DataConverters.Converters.Lift [get], [private set]

Lift Converter.

The lift.

#### 5.19.2.7 LiftFolder

`LiftFolderConverter` BarNone.Shared.DataConverters.Converters.LiftFolder [get], [private set]

LiftFolder Converter.

The lift folder.

#### 5.19.2.8 User

`UserConverter` BarNone.Shared.DataConverters.Converters.User [get], [private set]

User Converter.

The user.

#### 5.19.2.9 Video

`VideoConverter` BarNone.Shared.DataConverters.Converters.Video [get], [private set]

Video converter.

The video.

The documentation for this class was generated from the following file:

- BarNone.Shared.DataConverter/Converters.cs

## 5.20 BarNone.Shared.DataConverter.Core.Conversion Struct Reference

Conversion tracking object.

### Public Attributes

- [ITrackable](#) **DataModel**
- [ITrackable](#) **DTO**

### 5.20.1 Detailed Description

Conversion tracking object.

The documentation for this struct was generated from the following file:

- BarNone.Shared.DataConverter/Core/ShareDataConverterCache.cs

## 5.21 BarNone.Shared.DataTransfer.Core.FilterDTO Class Reference

[Filter](#) dto.

### Public Member Functions

- delegate bool [WhereFunc](#) (object obj)  
*Entity filter delegate.*
- [WhereFunc](#) [GetWhere](#) ()  
*Gets the where.*

### Properties

- List< [WhereFilter](#) > [Where](#) [get, set]  
*Gets or sets the where.*

### Private Member Functions

- [WhereFunc](#) [CreateWhere](#) ([WhereFilter](#) filter)  
*Creates the where.*

## Static Private Attributes

- static readonly JsonSerializer [serializer](#)

*The serializer for dtos to json.*

### 5.21.1 Detailed Description

[Filter](#) dto.

### 5.21.2 Member Function Documentation

#### 5.21.2.1 CreateWhere()

```
WhereFunc BarNone.Shared.DataTransfer.Core.FilterDTO.CreateWhere (
    WhereFilter filter ) [private]
```

Creates the where.

#### Parameters

<i>filter</i>	The filter.
---------------	-------------

#### Returns

#### 5.21.2.2 GetWhere()

```
WhereFunc BarNone.Shared.DataTransfer.Core.FilterDTO.GetWhere ( )
```

Gets the where.

#### Returns

#### 5.21.2.3 WhereFunc()

```
delegate bool BarNone.Shared.DataTransfer.Core.FilterDTO.WhereFunc (
    object obj )
```

Entity filter delegate.

#### Parameters

<i>obj</i>	The object.
------------	-------------

#### Returns

### 5.21.3 Member Data Documentation

#### 5.21.3.1 serializer

readonly JsonSerializer BarNone.Shared.DataTransfer.Core.FilterDTO.serializer [static], [private]

#### Initial value:

```
= new JsonSerializer()  
    {  
        ContractResolver = new CamelCasePropertyNamesContractResolver()  
    }
```

The serializer for dtos to json.

### 5.21.4 Property Documentation

#### 5.21.4.1 Where

List<WhereFilter> BarNone.Shared.DataTransfer.Core.FilterDTO.Where [get], [set]

Gets or sets the where.

The where.


The documentation for this class was generated from the following file:

- BarNone.Shared.DataTransfer/Core/Filter/FilterDTO.cs

## 5.22 BarNone.Shared.DataTransfer.Flex.FlexDTO Class Reference

[Flex](#) dto.

Inheritance diagram for BarNone.Shared.DataTransfer.Flex.FlexDTO:



### Properties

- override int [ID](#) [get, set]  
*Gets or sets the identifier.*
- List< [FlexEntityDTO](#) > [Entities](#) [get, set]  
*Gets or sets the entities.*

### 5.22.1 Detailed Description

[Flex](#) dto.

See also

BarNone.Shared.DataTransfer.Core.BaseDTO<BarNone.Shared.DataTransfer.Flex.FlexDTO>

### 5.22.2 Property Documentation

#### 5.22.2.1 Entities

List<[FlexEntityDTO](#)> BarNone.Shared.DataTransfer.Flex.FlexDTO.Entities [get], [set]

Gets or sets the entities.

The entities.



#### 5.22.2.2 ID

```
override int BarNone.Shared.DataTransfer.Flex.FlexDTO.ID [get], [set]
```

Gets or sets the identifier.

The identifier.

The documentation for this class was generated from the following file:

- BarNone.Shared.DataTransfer/Flex/FlexDTO.cs

## 5.23 BarNone.Shared.DataTransfer.Flex.FlexEntityDTO Class Reference

[Flex](#) entity dto.

### Properties

- string [Resource](#) [get, set]  
*Gets or sets the resource.*
- object [Entity](#) [get, set]  
*Gets or sets the entity.*

### 5.23.1 Detailed Description

[Flex](#) entity dto.

### 5.23.2 Property Documentation

#### 5.23.2.1 Entity

```
object BarNone.Shared.DataTransfer.Flex.FlexEntityDTO.Entity [get], [set]
```

Gets or sets the entity.

The entity.

### 5.23.2.2 Resource

`string BarNone.Shared.DataTransfer.Flex.FlexEntityDTO.Resource [get], [set]`

Gets or sets the resource.

The resource.


The documentation for this class was generated from the following file:

- `BarNone.Shared.DataTransfer/Flex/FlexDTO.cs`

## 5.24 BarNone.Shared.DataConverter.Core.IConverter Interface Reference

Converter.

Inheritance diagram for `BarNone.Shared.DataConverter.Core.IConverter`:



### Properties

- [ShareDataConverterCache](#) **Cache** [get]

### 5.24.1 Detailed Description

Converter.


The documentation for this interface was generated from the following file:

- `BarNone.Shared.DataConverter/Core/Converters.cs`

## 5.25 BarNone.Shared.DataConverter.Core.IDataConverter Interface Reference

Data Converter.

Inheritance diagram for `BarNone.Shared.DataConverter.Core.IDataConverter`:



## Public Member Functions

- [ITrackable](#) **CreateDataModel** ([ITrackableDTO](#) dto)
- [ITrackableDTO](#) **CreateDTO** ([ITrackable](#) data)

### 5.25.1 Detailed Description

Data Converter.

The documentation for this interface was generated from the following file:

- BarNone.Shared.DataConverter/Core/BaseDataConverter.cs

## 5.26 BarNone.Shared.Core.IDomainContext Interface Reference

Domain context.

## Properties

- int [UserID](#) [get, set]  
*Gets or sets the user identifier.*

### 5.26.1 Detailed Description

Domain context.

### 5.26.2 Property Documentation

#### 5.26.2.1 UserID

```
int BarNone.Shared.Core.IDomainContext.UserID [get], [set]
```

Gets or sets the user identifier.

The user identifier.


The documentation for this interface was generated from the following file:

- BarNone.Shared.Core/IDomainContext.cs

## 5.27 BarNone.Shared.DomainModel.Core.IDomainModel Interface Reference

Domain Model

Inheritance diagram for BarNone.Shared.DomainModel.Core.IDomainModel:



### 5.27.1 Detailed Description

Domain Model

See also

[BarNone.Shared.Core.ITrackable](#)


The documentation for this interface was generated from the following file:

- BarNone.Shared.DomainModel/Core/IDomainModel.cs

## 5.28 BarNone.Shared.DomainModel.Core.IDomainModel Interface Reference

Domain Model

Inheritance diagram for BarNone.Shared.DomainModel.Core.IDomainModel:



### 5.28.1 Detailed Description

Domain Model

See also

[BarNone.Shared.Core.ITrackable](#)


The documentation for this interface was generated from the following file:

- BarNone.Shared.DomainModel/Core/IDomainModel.cs

## 5.29 BarNone.Shared.DataTransfer.Core.IDTO Interface Reference

DTO interface

Inheritance diagram for BarNone.Shared.DataTransfer.Core.IDTO:



### Properties

- int **ID** [get, set]  
*Gets or sets the identifier.*

#### 5.29.1 Detailed Description

DTO interface

#### 5.29.2 Property Documentation

##### 5.29.2.1 ID

```
int BarNone.Shared.DataTransfer.Core.IDTO.ID [get], [set]
```

Gets or sets the identifier.

The identifier.

The documentation for this interface was generated from the following file:

- BarNone.Shared.DataTransfer/Core/IDTO.cs

## 5.30 BarNone.Shared.DomainModel.Core.IOwnedDomainModel Interface Reference

Domain model owned by user.

Inheritance diagram for BarNone.Shared.DomainModel.Core.IOwnedDomainModel:



## Properties

- int [UserID](#) [get, set]  
*Gets or sets the user identifier.*

### 5.30.1 Detailed Description

Domain model owned by user.

### 5.30.2 Property Documentation

#### 5.30.2.1 UserID

```
int BarNone.Shared.DomainModel.Core.IOwnedDomainModel.UserID [get], [set]
```

Gets or sets the user identifier.

The user identifier.


The documentation for this interface was generated from the following file:

- BarNone.Shared.DomainModel/Core/IOwnedDomainModel.cs

## 5.31 BarNone.Shared.DataTransfer.Core.IParentDTO Interface Reference

Parent dto.

Inheritance diagram for BarNone.Shared.DataTransfer.Core.IParentDTO:



### 5.31.1 Detailed Description

Parent dto.

See also

[BarNone.Shared.DataTransfer.Core.IDTO](#)


The documentation for this interface was generated from the following file:

- BarNone.Shared.DataTransfer/Core/IParentDTO.cs

## 5.32 BarNone.Shared.DataTransfer.Core.IParentDTO Interface Reference

Parent dto.

Inheritance diagram for BarNone.Shared.DataTransfer.Core.IParentDTO:



### 5.32.1 Detailed Description

Parent dto.

See also

[BarNone.Shared.DataTransfer.Core.IDTO](#)


The documentation for this interface was generated from the following file:

- BarNone.Shared.DataTransfer/Core/IParentDTO.cs

## 5.33 BarNone.Shared.Core.ITrackable Interface Reference

An entity that is trackable as unique.

Inheritance diagram for BarNone.Shared.Core.ITrackable:



### 5.33.1 Detailed Description

An entity that is trackable as unique.


The documentation for this interface was generated from the following file:

- BarNone.Shared.Core/ITrackable.cs

## 5.34 BarNone.Shared.Core.ITrackable Interface Reference

An entity that is trackable as unique.

Inheritance diagram for BarNone.Shared.Core.ITrackable:



### 5.34.1 Detailed Description

An entity that is trackable as unique.


The documentation for this interface was generated from the following file:

- BarNone.Shared.Core/ITrackable.cs

## 5.35 BarNone.Shared.Core.ITrackableDetailDTO< TDetailDTO > Interface Template Reference

An entity that is trackable as unique.

Inheritance diagram for BarNone.Shared.Core.ITrackableDetailDTO< TDetailDTO >:



### Properties

- TDetailDTO **Details** [get, set]

### 5.35.1 Detailed Description

An entity that is trackable as unique.

#### Template Parameters

<i>TDetailDTO</i>	The type of the detail dto.
-------------------	-----------------------------



See also

[BarNone.Shared.Core.ITrackableDTO](#)

Type Constraints

***TDetailDTO*** : [ITrackableDTO](#)


The documentation for this interface was generated from the following file:

- BarNone.Shared.Core/ITrackableDetailDTO.cs

## 5.36 BarNone.Shared.Core.ITrackableDTO Interface Reference

An entity that is trackable as unique.

Inheritance diagram for BarNone.Shared.Core.ITrackableDTO:



### 5.36.1 Detailed Description

An entity that is trackable as unique.

See also

[BarNone.Shared.Core.ITrackable](#)


The documentation for this interface was generated from the following file:

- BarNone.Shared.Core/ITrackableDTO.cs

## 5.37 BarNone.Shared.Core.ITrackableDTO Interface Reference

An entity that is trackable as unique.

Inheritance diagram for BarNone.Shared.Core.ITrackableDTO:



### 5.37.1 Detailed Description

An entity that is trackable as unique.

See also

[BarNone.Shared.Core.ITrackable](#)


The documentation for this interface was generated from the following file:

- BarNone.Shared.Core/ITrackableDTO.cs

## 5.38 BarNone.Shared.Core.IUntrackableDTO Interface Reference

An entity that is not trackable as unique.

Inheritance diagram for BarNone.Shared.Core.IUntrackableDTO:



### 5.38.1 Detailed Description

An entity that is not trackable as unique.


The documentation for this interface was generated from the following file:

- BarNone.Shared.Core/IUntrackableDTO.cs

## 5.39 BarNone.Shared.Core.IUntrackableDTO Interface Reference

An entity that is not trackable as unique.

Inheritance diagram for BarNone.Shared.Core.IUntrackableDTO:



### 5.39.1 Detailed Description

An entity that is not trackable as unique.


The documentation for this interface was generated from the following file:

- BarNone.Shared.Core/IUntrackableDTO.cs

## 5.40 BarNone.Shared.DomainModel.Joint Class Reference

[Joint](#) domain model.

Inheritance diagram for BarNone.Shared.DomainModel.Joint:



### Properties

- int [ID](#) [get, set]  
*Gets or sets the identifier.*
- int [UserID](#) [get, set]  
*Gets or sets the user identifier.*
- float [X](#) [get, set]  
*Gets or sets the x.*
- float [Y](#) [get, set]  
*Gets or sets the y.*
- float [Z](#) [get, set]  
*Gets or sets the z.*
- int [BodyDataFrameID](#) [get, set]  
*Gets or sets the body data frame identifier.*
- [BodyDataFrame](#) [BodyDataFrame](#) [get, set]  
*Gets or sets the body data frame.*
- int [JointTypeID](#) [get, set]  
*Gets or sets the joint type identifier.*
- [JointType](#) [JointType](#) [get, set]  
*Gets or sets the type of the joint.*
- int [JointTrackingStateTypeID](#) [get, set]  
*Gets or sets the joint tracking state type identifier.*
- [JointTrackingStateType](#) [JointTrackingStateType](#) [get, set]  
*Gets or sets the type of the joint tracking state.*

### 5.40.1 Detailed Description

[Joint](#) domain model.

See also

[BarNone.Shared.DomainModel.Core.IDomainModel](#)<[BarNone.Shared.DomainModel.Joint](#)>, [BarNone.Shared.DomainModel.Core](#)

### 5.40.2 Property Documentation

#### 5.40.2.1 BodyDataFrame

[BodyDataFrame](#) [BarNone.Shared.DomainModel.Joint.BodyDataFrame](#) [get], [set]

Gets or sets the body data frame.

The body data frame.

#### 5.40.2.2 BodyDataFrameID

int [BarNone.Shared.DomainModel.Joint.BodyDataFrameID](#) [get], [set]

Gets or sets the body data frame identifier.

The body data frame identifier.

#### 5.40.2.3 ID

int [BarNone.Shared.DomainModel.Joint.ID](#) [get], [set]

Gets or sets the identifier.

The identifier.

#### 5.40.2.4 JointTrackingStateType

[JointTrackingStateType](#) [BarNone.Shared.DomainModel.Joint.JointTrackingStateType](#) [get], [set]

Gets or sets the type of the joint tracking state.

The type of the joint tracking state.

#### 5.40.2.5 JointTrackingStateTypeID

```
int BarNone.Shared.DomainModel.Joint.JointTrackingStateTypeID [get], [set]
```

Gets or sets the joint tracking state type identifier.

The joint tracking state type identifier.

#### 5.40.2.6 JointType

```
JointType BarNone.Shared.DomainModel.Joint.JointType [get], [set]
```

Gets or sets the type of the joint.

The type of the joint.

#### 5.40.2.7 JointTypeID

```
int BarNone.Shared.DomainModel.Joint.JointTypeID [get], [set]
```

Gets or sets the joint type identifier.

The joint type identifier.

#### 5.40.2.8 UserID

```
int BarNone.Shared.DomainModel.Joint.UserID [get], [set]
```

Gets or sets the user identifier.

The user identifier.

#### 5.40.2.9 X

```
float BarNone.Shared.DomainModel.Joint.X [get], [set]
```

Gets or sets the x.

The x.

#### 5.40.2.10 Y

```
float BarNone.Shared.DomainModel.Joint.Y [get], [set]
```

Gets or sets the y.

The y.

## 5.40.2.11 Z

```
float BarNone.Shared.DomainModel.Joint.Z [get], [set]
```

Gets or sets the z.

The z.


The documentation for this class was generated from the following file:

- BarNone.Shared.DomainModel/Body/Joint.cs

## 5.41 BarNone.Shared.DataConverters.JointConverter Class Reference

Joint converter.

Inheritance diagram for BarNone.Shared.DataConverters.JointConverter:



### Public Member Functions

- [JointConverter](#) ([Converters](#) converterContext, [IDomainContext](#) context)  
*Initializes a new instance of the [JointConverter](#) class.*
- override [Joint OnCreateDataModel](#) ([JointDTO](#) dto)  
*Creates data model. Called when [create data model].*
- override void [OnCreateDetailDataModel](#) ([Joint](#) data, [JointDetailDTO](#) dto)  
*Creates detail data model. Called when [create detail data model].*
- override [JointDetailDTO OnCreateDetailDTO](#) ([Joint](#) data)  
*Creates detail dto. Called when [create detail dto].*
- override [JointDTO OnCreateDTO](#) ([Joint](#) data)  
*Creates dto. Called when [create dto].*

### 5.41.1 Detailed Description

Joint converter.

See also

BarNone.Shared.DataConverter.Core.BaseDetailDataConverter<BarNone.Shared.DomainModel.Joint, BarNone.Shared.DataTransfer.JointDTO, BarNone.Shared.DataTransfer.JointDetailDTO, BarNone.Shared.DataConverters.Converters>

## 5.41.2 Constructor & Destructor Documentation

### 5.41.2.1 JointConverter()

```
BarNone.Shared.DataConverters.JointConverter.JointConverter (
    Converters converterContext,
    IDomainContext context )
```

Initializes a new instance of the [JointConverter](#) class.

#### Parameters

<i>converterContext</i>	The converter context.
<i>context</i>	The context.

## 5.41.3 Member Function Documentation

### 5.41.3.1 OnCreateDataModel()

```
override Joint BarNone.Shared.DataConverters.JointConverter.OnCreateDataModel (
    JointDTO dto )
```

Creates data model. Called when [create data model].

#### Parameters

<i>dto</i>	The dto.
------------	----------

#### Returns

### 5.41.3.2 OnCreateDetailDataModel()

```
override void BarNone.Shared.DataConverters.JointConverter.OnCreateDetailDataModel (
    Joint data,
    JointDetailDTO dto )
```

Creates detail data model. Called when [create detail data model].

**Parameters**

<i>data</i>	The data.
<i>dto</i>	The dto.

**5.41.3.3 OnCreateDetailDTO()**

```
override JointDetailDTO BarNone.Shared.DataConverters.JointConverter.OnCreateDetailDTO (
    Joint data )
```

Creates detail dto. Called when [create detail dto].

**Parameters**

<i>data</i>	The data.
-------------	-----------

**Returns****5.41.3.4 OnCreateDTO()**

```
override JointDTO BarNone.Shared.DataConverters.JointConverter.OnCreateDTO (
    Joint data )
```

Creates dto. Called when [create dto].

**Parameters**

<i>data</i>	The data.
-------------	-----------

**Returns**

The documentation for this class was generated from the following file:


- BarNone.Shared.DataConverter/Body/JointConverter.cs



## 5.42 BarNone.Shared.DataTransfer.JointDetailDTO Class Reference

Joint detail dto.

Inheritance diagram for BarNone.Shared.DataTransfer.JointDetailDTO:



### Properties

- [JointTypeDTO JointType](#) [get, set]  
*Gets or sets the type of the joint.*
- [JointTrackingStateTypeDTO JointTrackingStateType](#) [get, set]  
*Gets or sets the type of the joint tracking state.*
- [BodyDataFrameDTO BodyDataFrame](#) [get, set]  
*Gets or sets the body data frame.*

### 5.42.1 Detailed Description

Joint detail dto.

See also

[BarNone.Shared.DataTransfer.Core.BaseDetailDTO<BarNone.Shared.DataTransfer.JointDetailDTO>](#)

### 5.42.2 Property Documentation

#### 5.42.2.1 BodyDataFrame

[BodyDataFrameDTO](#) [BarNone.Shared.DataTransfer.JointDetailDTO.BodyDataFrame](#) [get], [set]

Gets or sets the body data frame.

The body data frame.

### 5.42.2.2 JointTrackingStateType

`JointTrackingStateTypeDTO` `BarNone.Shared.DataTransfer.JointDetailDTO.JointTrackingStateType` [get], [set]

Gets or sets the type of the joint tracking state.

The type of the joint tracking state.

### 5.42.2.3 JointType

`JointTypeDTO` `BarNone.Shared.DataTransfer.JointDetailDTO.JointType` [get], [set]

Gets or sets the type of the joint.

The type of the joint.


The documentation for this class was generated from the following file:

- `BarNone.Shared.DataTransfer/LiftData/JointDTO.cs`

## 5.43 BarNone.Shared.DataTransfer.JointDTO Class Reference

Joint dto.

Inheritance diagram for `BarNone.Shared.DataTransfer.JointDTO`:



### Properties

- override `int ID` [get, set]  
*Gets or sets the identifier.*
- `int JointTypeID` [get, set]  
*Gets or sets the joint type identifier.*
- `float X` [get, set]  
*Gets or sets the x.*
- `float Y` [get, set]  
*Gets or sets the y.*
- `float Z` [get, set]
- `int JointTrackingStateTypeID` [get, set]  
*Gets or sets the joint tracking state type identifier.*
- `int BodyDataFrameID` [get, set]  
*Gets or sets the body data frame identifier.*

### 5.43.1 Detailed Description

Joint dto.

See also

BarNone.Shared.DataTransfer.Core.BaseParentDTO<BarNone.Shared.DataTransfer.JointDTO, BarNone.Shared.DataTransfer.JointDetailDTO> ↔

### 5.43.2 Property Documentation

#### 5.43.2.1 BodyDataFrameID

```
int BarNone.Shared.DataTransfer.JointDTO.BodyDataFrameID [get], [set]
```

Gets or sets the body data frame identifier.

The body data frame identifier.

#### 5.43.2.2 ID

```
override int BarNone.Shared.DataTransfer.JointDTO.ID [get], [set]
```

Gets or sets the identifier.

The identifier.

#### 5.43.2.3 JointTrackingStateTypeID

```
int BarNone.Shared.DataTransfer.JointDTO.JointTrackingStateTypeID [get], [set]
```

Gets or sets the joint tracking state type identifier.

The joint tracking state type identifier.

#### 5.43.2.4 JointTypeID

```
int BarNone.Shared.DataTransfer.JointDTO.JointTypeID [get], [set]
```

Gets or sets the joint type identifier.

The joint type identifier.

## 5.43.2.5 X

```
float BarNone.Shared.DataTransfer.JointDTO.X [get], [set]
```

Gets or sets the x.

The x.

## 5.43.2.6 Y

```
float BarNone.Shared.DataTransfer.JointDTO.Y [get], [set]
```

Gets or sets the y.

The y.


The documentation for this class was generated from the following file:

- BarNone.Shared.DataTransfer/LiftData/JointDTO.cs

## 5.44 BarNone.Shared.DomainModel.JointTrackingStateType Class Reference

[Joint](#) tracking state domain model.

Inheritance diagram for BarNone.Shared.DomainModel.JointTrackingStateType:



### Public Member Functions

- [JointTrackingStateType](#) ()  
*Initializes a new instance of the [JointTrackingStateType](#) class.*
- [JointTrackingStateType](#) ([EJointTrackingStateType](#) @enum)  
*Initializes a new instance of the [JointTrackingStateType](#) class.*

### Static Public Member Functions

- static implicit [operator](#) [JointTrackingStateType](#) ([EJointTrackingStateType](#) @enum)  
*Performs an implicit conversion from [EJointTrackingStateType](#) to [JointTrackingStateType](#).*
- static implicit [operator](#) [EJointTrackingStateType](#) ([JointTrackingStateType](#) joint)  
*Performs an implicit conversion from [JointTrackingStateType](#) to [EJointTrackingStateType](#).*

## Additional Inherited Members

### 5.44.1 Detailed Description

[Joint](#) tracking state domain model.

#### See also

BarNone.Shared.DomainModel.Core.BaseEnumDomainModel<BarNone.Shared.DomainModel.JointTrackingStateType, BarNone.Shared.DomainModel.EJointTrackingStateType>

### 5.44.2 Constructor & Destructor Documentation

#### 5.44.2.1 JointTrackingStateType() [1/2]

```
BarNone.Shared.DomainModel.JointTrackingStateType.JointTrackingStateType ( )
```

Initializes a new instance of the [JointTrackingStateType](#) class.

#### 5.44.2.2 JointTrackingStateType() [2/2]

```
BarNone.Shared.DomainModel.JointTrackingStateType.JointTrackingStateType (
    EJointTrackingStateType @ enum )
```

Initializes a new instance of the [JointTrackingStateType](#) class.

#### Parameters

<i>enum</i>	The enum.
-------------	-----------

### 5.44.3 Member Function Documentation

#### 5.44.3.1 operator EJointTrackingStateType()

```
static implicit BarNone.Shared.DomainModel.JointTrackingStateType.operator EJointTrackingStateType
(
    JointTrackingStateType joint ) [static]
```

Performs an implicit conversion from [JointTrackingStateType](#) to [EJointTrackingStateType](#).

#### Parameters

<i>joint</i>	The joint.
--------------	------------

#### Returns

The result of the conversion.

#### 5.44.3.2 operator JointTrackingStateType()

```
static implicit BarNone.Shared.DomainModel.JointTrackingStateType.operator JointTrackingStateType
(
    EJointTrackingStateType @ enum ) [static]
```

Performs an implicit conversion from [EJointTrackingStateType](#) to [JointTrackingStateType](#).

#### Parameters

<i>enum</i>	The enum.
-------------	-----------

#### Returns

The result of the conversion.


The documentation for this class was generated from the following file:

- BarNone.Shared.DomainModel/Body/JointTrackingStateType.cs

## 5.45 BarNone.Shared.DataConverters.JointTrackingStateTypeConverter Class Reference

Joint tracking state type converter.

Inheritance diagram for BarNone.Shared.DataConverters.JointTrackingStateTypeConverter:



## Public Member Functions

- [JointTrackingStateTypeConverter](#) ([Converters](#) converterContext, [IDomainContext](#) context)

*Initializes a new instance of the [JointTrackingStateTypeConverter](#) class.*

### 5.45.1 Detailed Description

Joint tracking state type converter.

#### See also

[BarNone.Shared.DataConverters.Core.BaseEnumDataConverter<BarNone.Shared.DomainModel.JointTrackingStateType, BarNone.Shared.DataTransfer.LiftData.JointTrackingStateTypeDTO, BarNone.Shared.DomainModel.EJointTrackingStateType>](#)

### 5.45.2 Constructor & Destructor Documentation

#### 5.45.2.1 JointTrackingStateTypeConverter()

```
BarNone.Shared.DataConverters.JointTrackingStateTypeConverter.JointTrackingStateTypeConverter (
    Converters converterContext,
    IDomainContext context )
```

Initializes a new instance of the [JointTrackingStateTypeConverter](#) class.

#### Parameters


<i>converterContext</i>	The converter context.
<i>context</i>	The context.

The documentation for this class was generated from the following file:

- BarNone.Shared.DataConverter/Body/JointTrackingStateTypeConverter.cs

## 5.46 BarNone.Shared.DataTransfer.LiftData.JointTrackingStateTypeDTO Class Reference

Inheritance diagram for BarNone.Shared.DataTransfer.LiftData.JointTrackingStateTypeDTO:



## Properties

- override int **ID** [get, set]  
*Gets or sets the identifier.*
- override int **Value** [get, set]  
*Gets or sets the value.*
- override string **Name** [get, set]  
*Gets or sets the name.*

### 5.46.1 Property Documentation

#### 5.46.1.1 ID

```
override int BarNone.Shared.DataTransfer.LiftData.JointTrackingStateTypeDTO.ID [get], [set]
```

Gets or sets the identifier.

The identifier.

#### 5.46.1.2 Name

```
override string BarNone.Shared.DataTransfer.LiftData.JointTrackingStateTypeDTO.Name [get], [set]
```

Gets or sets the name.

The name.

#### 5.46.1.3 Value

```
override int BarNone.Shared.DataTransfer.LiftData.JointTrackingStateTypeDTO.Value [get], [set]
```

Gets or sets the value.

The value.

The documentation for this class was generated from the following file:


- BarNone.Shared.DataTransfer/LiftData/TrackingStateDTO.cs



## 5.47 BarNone.Shared.DomainModel.JointType Class Reference

[Joint](#) type domain model

Inheritance diagram for BarNone.Shared.DomainModel.JointType:



### Public Member Functions

- [JointType](#) ()  
*Initializes a new instance of the [JointType](#) class.*
- [JointType](#) ([EJointType](#) @enum)  
*Initializes a new instance of the [JointType](#) class.*

### Static Public Member Functions

- static implicit [operator JointType](#) ([EJointType](#) @enum)  
*Performs an implicit conversion from [EJointType](#) to [JointType](#).*
- static implicit [operator EJointType](#) ([JointType](#) joint)  
*Performs an implicit conversion from [JointType](#) to [EJointType](#).*

### Additional Inherited Members

#### 5.47.1 Detailed Description

[Joint](#) type domain model

See also

[BarNone.Shared.DomainModel.Core.BaseEnumDomainModel<BarNone.Shared.DomainModel.JointType, BarNone.Shared.DomainModel.EJointType>](#)

#### 5.47.2 Constructor & Destructor Documentation

#### 5.47.2.1 JointType() [1/2]

```
BarNone.Shared.DomainModel.JointType.JointType ( )
```

Initializes a new instance of the [JointType](#) class.

#### 5.47.2.2 JointType() [2/2]

```
BarNone.Shared.DomainModel.JointType.JointType (
    EJointType @ enum )
```

Initializes a new instance of the [JointType](#) class.

##### Parameters

<i>enum</i>	The enum.
-------------	-----------

### 5.47.3 Member Function Documentation

#### 5.47.3.1 operator EJointType()

```
static implicit BarNone.Shared.DomainModel.JointType.operator EJointType (
    JointType joint ) [static]
```

Performs an implicit conversion from [JointType](#) to [EJointType](#).

##### Parameters

<i>joint</i>	The joint.
--------------	------------

##### Returns

The result of the conversion.

#### 5.47.3.2 operator JointType()

```
static implicit BarNone.Shared.DomainModel.JointType.operator JointType (
    EJointType @ enum ) [static]
```

Performs an implicit conversion from [EJointType](#) to [JointType](#).

**Parameters**

<i>enum</i>	The enum.
-------------	-----------

**Returns**

The result of the conversion.


The documentation for this class was generated from the following file:

- BarNone.Shared.DomainModel/Body/JointType.cs

## 5.48 BarNone.Shared.DataConverters.JointTypeConverter Class Reference

Joint type converter

Inheritance diagram for BarNone.Shared.DataConverters.JointTypeConverter:

**Public Member Functions**

- [JointTypeConverter](#) ([Converters](#) converterContext, [IDomainContext](#) context)  
*Initializes a new instance of the [JointTypeConverter](#) class.*

### 5.48.1 Detailed Description

Joint type converter

**See also**

BarNone.Shared.DataConverters.Core.BaseEnumDataConverter<BarNone.Shared.DomainModel.JointType, BarNone.Shared.DataTransfer.LiftData.JointTypeDTO, BarNone.Shared.DomainModel.EJointType>

### 5.48.2 Constructor & Destructor Documentation

#### 5.48.2.1 JointTypeConverter()

```

BarNone.Shared.DataConverters.JointTypeConverter.JointTypeConverter (
    Converters converterContext,
    IDomainContext context )
  
```

Initializes a new instance of the [JointTypeConverter](#) class.

## Parameters

<i>converterContext</i>	The converter context.
<i>context</i>	The context.


The documentation for this class was generated from the following file:

- BarNone.Shared.DataConverter/Body/JointTypeConverter.cs

## 5.49 BarNone.Shared.DataTransfer.LiftData.JointTypeDTO Class Reference

Joint type dto.

Inheritance diagram for BarNone.Shared.DataTransfer.LiftData.JointTypeDTO:



## Properties

- override int **ID** [get, set]  
*Gets or sets the identifier.*
- override int **Value** [get, set]  
*Gets or sets the value.*
- override string **Name** [get, set]  
*Gets or sets the name.*

### 5.49.1 Detailed Description

Joint type dto.

## See also

BarNone.Shared.DataTransfer.Core.BaseTypeDTO<BarNone.Shared.DataTransfer.LiftData.JointTypeDTO>

### 5.49.2 Property Documentation

### 5.49.2.1 ID

```
override int BarNone.Shared.DataTransfer.LiftData.JointTypeDTO.ID [get], [set]
```

Gets or sets the identifier.

The identifier.

### 5.49.2.2 Name

```
override string BarNone.Shared.DataTransfer.LiftData.JointTypeDTO.Name [get], [set]
```

Gets or sets the name.

The name.

### 5.49.2.3 Value

```
override int BarNone.Shared.DataTransfer.LiftData.JointTypeDTO.Value [get], [set]
```

Gets or sets the value.

The value.


The documentation for this class was generated from the following file:

- BarNone.Shared.DataTransfer/LiftData/JointTypeDTO.cs

## 5.50 BarNone.Shared.DomainModel.Lift Class Reference

[Lift](#) domain model.

Inheritance diagram for BarNone.Shared.DomainModel.Lift:



## Properties

- int [ID](#) [get, set]  
*Gets or sets the identifier.*
- int [UserID](#) [get, set]  
*Gets or sets the user identifier.*
- string [Name](#) [get, set]  
*Gets or sets the name.*
- int [ParentID](#) [get, set]  
*Gets or sets the parent identifier.*
- [LiftFolder Parent](#) [get, set]  
*Gets or sets the parent.*
- int [BodyDataID](#) [get, set]  
*Gets or sets the body data identifier.*
- [BodyData BodyData](#) [get, set]  
*Gets or sets the body data.*
- int [VideoID](#) [get, set]  
*Gets or sets the video identifier.*
- [VideoRecord Video](#) [get, set]  
*Gets or sets the video.*

### 5.50.1 Detailed Description

[Lift](#) domain model.

See also

[BarNone.Shared.DomainModel.Core.IDomainModel<BarNone.Shared.DomainModel.Lift>](#), [BarNone.Shared.DomainModel.Core.IDomainModel.Lift](#)

### 5.50.2 Property Documentation

#### 5.50.2.1 BodyData

[BodyData](#) [BarNone.Shared.DomainModel.Lift.BodyData](#) [get], [set]

Gets or sets the body data.

The body data.

#### 5.50.2.2 BodyDataID

int [BarNone.Shared.DomainModel.Lift.BodyDataID](#) [get], [set]

Gets or sets the body data identifier.

The body data identifier.

### 5.50.2.3 ID

```
int BarNone.Shared.DomainModel.Lift.ID [get], [set]
```

Gets or sets the identifier.

The identifier.

### 5.50.2.4 Name

```
string BarNone.Shared.DomainModel.Lift.Name [get], [set]
```

Gets or sets the name.

The name.

### 5.50.2.5 Parent

```
LiftFolder BarNone.Shared.DomainModel.Lift.Parent [get], [set]
```

Gets or sets the parent.

The parent.

### 5.50.2.6 ParentID

```
int BarNone.Shared.DomainModel.Lift.ParentID [get], [set]
```

Gets or sets the parent identifier.

The parent identifier.

### 5.50.2.7 UserID

```
int BarNone.Shared.DomainModel.Lift.UserID [get], [set]
```

Gets or sets the user identifier.

The user identifier.

### 5.50.2.8 Video

```
VideoRecord BarNone.Shared.DomainModel.Lift.Video [get], [set]
```

Gets or sets the video.

The video.



## 5.50.2.9 VideoID

```
int BarNone.Shared.DomainModel.Lift.VideoID [get], [set]
```

Gets or sets the video identifier.

The video identifier.


The documentation for this class was generated from the following file:

- BarNone.Shared.DomainModel/Lift/Lift.cs

## 5.51 BarNone.Shared.DataConverters.LiftConverter Class Reference

Lift converter.

Inheritance diagram for BarNone.Shared.DataConverters.LiftConverter:



## Public Member Functions

- [LiftConverter](#) ([Converters](#) converterContext, [IDomainContext](#) context)  
*Initializes a new instance of the [LiftConverter](#) class.*
- override [Lift OnCreateDataModel](#) ([LiftDTO](#) dto)  
*Creates data model. Called when [create data model].*
- override void [OnCreateDetailDataModel](#) ([Lift](#) data, [LiftDetailDTO](#) dto)  
*Creates detail data model. Called when [create detail data model].*
- override [LiftDetailDTO OnCreateDetailDTO](#) ([Lift](#) data)  
*Creates detail dto. Called when [create detail dto].*
- override [LiftDTO OnCreateDTO](#) ([Lift](#) data)  
*Creates dto. Called when [create dto].*

## 5.51.1 Detailed Description

Lift converter.

See also

[BarNone.Shared.DataConverter.Core.BaseDetailDataConverter<BarNone.Shared.DomainModel.Lift, BarNone.Shared.DataTransfer.LiftDTO, BarNone.Shared.DataTransfer.LiftDetailDTO, BarNone.Shared.DataConverters.Converters>](#)

## 5.51.2 Constructor & Destructor Documentation

### 5.51.2.1 LiftConverter()

```
BarNone.Shared.DataConverters.LiftConverter.LiftConverter (
    Converters converterContext,
    IDomainContext context )
```

Initializes a new instance of the [LiftConverter](#) class.

#### Parameters

<i>converterContext</i>	The converter context.
<i>context</i>	The context.

## 5.51.3 Member Function Documentation

### 5.51.3.1 OnCreateDataModel()

```
override Lift BarNone.Shared.DataConverters.LiftConverter.OnCreateDataModel (
    LiftDTO dto )
```

Creates data model. Called when [create data model].

#### Parameters

<i>dto</i>	The dto.
------------	----------

#### Returns

### 5.51.3.2 OnCreateDetailDataModel()

```
override void BarNone.Shared.DataConverters.LiftConverter.OnCreateDetailDataModel (
    Lift data,
    LiftDetailDTO dto )
```

Creates detail data model. Called when [create detail data model].

## Parameters

<i>data</i>	The data.
<i>dto</i>	The dto.

## 5.51.3.3 OnCreateDetailDTO()

```
override LiftDetailDTO BarNone.Shared.DataConverters.LiftConverter.OnCreateDetailDTO (
    Lift data )
```

Creates detail dto. Called when [create detail dto].

## Parameters

<i>data</i>	The data.
-------------	-----------

## Returns

## 5.51.3.4 OnCreateDTO()

```
override LiftDTO BarNone.Shared.DataConverters.LiftConverter.OnCreateDTO (
    Lift data )
```

Creates dto. Called when [create dto].

## Parameters

<i>data</i>	The data.
-------------	-----------

## Returns


The documentation for this class was generated from the following file:

- BarNone.Shared.DataConverter/Lift/LiftConverter.cs

## 5.52 BarNone.Shared.DataTransfer.LiftDetailDTO Class Reference

Lift details dto.

Inheritance diagram for BarNone.Shared.DataTransfer.LiftDetailDTO:



### Properties

- [LiftFolderDTO Parent](#) [get, set]  
*Gets or sets the parent.*
- [BodyDataDTO BodyData](#) [get, set]  
*Gets or sets the body data.*
- [VideoDTO Video](#) [get, set]  
*Gets or sets the video.*

### 5.52.1 Detailed Description

Lift details dto.

See also

[BarNone.Shared.DataTransfer.Core.BaseDetailDTO<BarNone.Shared.DataTransfer.LiftDetailDTO>](#)

### 5.52.2 Property Documentation

#### 5.52.2.1 BodyData

[BodyDataDTO](#) [BarNone.Shared.DataTransfer.LiftDetailDTO.BodyData](#) [get], [set]

Gets or sets the body data.

The body data.

### 5.52.2.2 Parent

`LiftFolderDTO` BarNone.Shared.DataTransfer.LiftDetailDTO.Parent [get], [set]

Gets or sets the parent.

The parent.

### 5.52.2.3 Video

`VideoDTO` BarNone.Shared.DataTransfer.LiftDetailDTO.Video [get], [set]

Gets or sets the video.

The video.


The documentation for this class was generated from the following file:

- BarNone.Shared.DataTransfer/Lift/LiftDTO.cs

## 5.53 BarNone.Shared.DataTransfer.LiftDTO Class Reference

Lift dto.

Inheritance diagram for BarNone.Shared.DataTransfer.LiftDTO:



### Properties

- override int `ID` [get, set]  
*Gets or sets the identifier.*
- string `Name` [get, set]  
*Gets or sets the name.*
- int `ParentID` [get, set]  
*Gets or sets the parent identifier.*
- int `BodyDataID` [get, set]  
*Gets or sets the body data identifier.*

### 5.53.1 Detailed Description

Lift dto.

See also

`BarNone.Shared.DataTransfer.Core.BaseParentDTO<BarNone.Shared.DataTransfer.LiftDTO, BarNone.Shared.DataTransfer.LiftDetailDTO>`

### 5.53.2 Property Documentation

#### 5.53.2.1 BodyDataID

```
int BarNone.Shared.DataTransfer.LiftDTO.BodyDataID [get], [set]
```

Gets or sets the body data identifier.

The body data identifier.

#### 5.53.2.2 ID

```
override int BarNone.Shared.DataTransfer.LiftDTO.ID [get], [set]
```

Gets or sets the identifier.

The identifier.

#### 5.53.2.3 Name

```
string BarNone.Shared.DataTransfer.LiftDTO.Name [get], [set]
```

Gets or sets the name.

The name.

#### 5.53.2.4 ParentID

```
int BarNone.Shared.DataTransfer.LiftDTO.ParentID [get], [set]
```

Gets or sets the parent identifier.

The parent identifier.


The documentation for this class was generated from the following file:

- `BarNone.Shared.DataTransfer/Lift/LiftDTO.cs`

## 5.54 BarNone.Shared.DomainModel.LiftFolder Class Reference

[Lift](#) domain model

Inheritance diagram for BarNone.Shared.DomainModel.LiftFolder:



### Properties

- int [ID](#) [get, set]  
*Gets or sets the identifier.*
- int [UserID](#) [get, set]  
*Gets or sets the user identifier.*
- string [Name](#) [get, set]  
*Gets or sets the name.*
- int [ParentID](#) [get, set]  
*Gets or sets the parent identifier.*
- [LiftFolder](#) [Parent](#) [get, set]  
*Gets or sets the parent.*
- List< [Lift](#) > [Lifts](#) [get, set]  
*Gets or sets the lifts.*
- List< [LiftFolder](#) > [SubFolders](#) [get, set]  
*Gets or sets the sub folders.*

### 5.54.1 Detailed Description

[Lift](#) domain model

See also

[BarNone.Shared.DomainModel.Core.IDomainModel<BarNone.Shared.DomainModel.LiftFolder>](#), [BarNone.Shared.DomainModel.LiftFolder](#)

### 5.54.2 Property Documentation

#### 5.54.2.1 ID

```
int BarNone.Shared.DomainModel.LiftFolder.ID [get], [set]
```

Gets or sets the identifier.

The identifier.

#### 5.54.2.2 Lifts

```
List<Lift> BarNone.Shared.DomainModel.LiftFolder.Lifts [get], [set]
```

Gets or sets the lifts.

The lifts.

#### 5.54.2.3 Name

```
string BarNone.Shared.DomainModel.LiftFolder.Name [get], [set]
```

Gets or sets the name.

The name.

#### 5.54.2.4 Parent

```
LiftFolder BarNone.Shared.DomainModel.LiftFolder.Parent [get], [set]
```

Gets or sets the parent.

The parent.

#### 5.54.2.5 ParentID

```
int BarNone.Shared.DomainModel.LiftFolder.ParentID [get], [set]
```

Gets or sets the parent identifier.

The parent identifier.

#### 5.54.2.6 SubFolders

```
List<LiftFolder> BarNone.Shared.DomainModel.LiftFolder.SubFolders [get], [set]
```

Gets or sets the sub folders.

The sub folders.



## 5.54.2.7 UserID

```
int BarNone.Shared.DomainModel.LiftFolder.UserID [get], [set]
```

Gets or sets the user identifier.

The user identifier.


The documentation for this class was generated from the following file:

- BarNone.Shared.DomainModel/LiftFolder/LiftFolder.cs

## 5.55 BarNone.Shared.DataConverters.LiftFolderConverter Class Reference

LiftFolder converter.

Inheritance diagram for BarNone.Shared.DataConverters.LiftFolderConverter:



## Public Member Functions

- [LiftFolderConverter](#) ([Converters](#) converterContext, [IDomainContext](#) context)  
*Initializes a new instance of the [LiftFolderConverter](#) class.*
- override [LiftFolder OnCreateDataModel](#) ([LiftFolderDTO](#) dto)  
*Creates data model. Called when [create data model].*
- override void [OnCreateDetailDataModel](#) ([LiftFolder](#) data, [LiftFolderDetailDTO](#) dto)  
*Called when [create detail data model].*
- override [LiftFolderDetailDTO OnCreateDetailDTO](#) ([LiftFolder](#) data)  
*Creates detail dto. Called when [create detail dto].*
- override [LiftFolderDTO OnCreateDTO](#) ([LiftFolder](#) data)  
*Creates dto. Called when [create dto].*

## 5.55.1 Detailed Description

LiftFolder converter.

## See also

[BarNone.Shared.DataConverter.Core.BaseDetailDataConverter<BarNone.Shared.DomainModel.LiftFolder, BarNone.Shared.DataTransfer.LiftFolderDTO, BarNone.Shared.DataTransfer.LiftFolderDetailDTO, BarNone.Shared.DataConverters.Converters>](#)

## 5.55.2 Constructor & Destructor Documentation

### 5.55.2.1 LiftFolderConverter()

```
BarNone.Shared.DataConverters.LiftFolderConverter.LiftFolderConverter (
    Converters converterContext,
    IDomainContext context )
```

Initializes a new instance of the [LiftFolderConverter](#) class.

#### Parameters

<i>converterContext</i>	The converter context.
<i>context</i>	The context.

## 5.55.3 Member Function Documentation

### 5.55.3.1 OnCreateDataModel()

```
override LiftFolder BarNone.Shared.DataConverters.LiftFolderConverter.OnCreateDataModel (
    LiftFolderDTO dto )
```

Creates data model. Called when [create data model].

#### Parameters

<i>dto</i>	The dto.
------------	----------

#### Returns

### 5.55.3.2 OnCreateDetailDataModel()

```
override void BarNone.Shared.DataConverters.LiftFolderConverter.OnCreateDetailDataModel (
    LiftFolder data,
    LiftFolderDetailDTO dto )
```

Called when [create detail data model].

## Parameters

<i>data</i>	The data.
<i>dto</i>	The dto.

## 5.55.3.3 OnCreateDetailDTO()

```
override LiftFolderDetailDTO BarNone.Shared.DataConverters.LiftFolderConverter.OnCreateDetailDTO (  
    LiftFolder data )
```

Creates detail dto. Called when [create detail dto].

## Parameters

<i>data</i>	The data.
-------------	-----------

## Returns

## 5.55.3.4 OnCreateDTO()

```
override LiftFolderDTO BarNone.Shared.DataConverters.LiftFolderConverter.OnCreateDTO (  
    LiftFolder data )
```

Creates dto. Called when [create dto].

## Parameters

<i>data</i>	The data.
-------------	-----------


## Returns

The documentation for this class was generated from the following file:

- BarNone.Shared.DataConverter/Lift/LiftFolderConverter.cs

## 5.56 BarNone.Shared.DataTransfer.LiftFolderDetailDTO Class Reference

Inheritance diagram for BarNone.Shared.DataTransfer.LiftFolderDetailDTO:



### Properties

- List< [LiftFolderDTO](#) > [SubFolders](#) [get, set]  
*Gets or sets the sub folders.*
- List< [LiftDTO](#) > [Lifts](#) [get, set]  
*Gets or sets the lifts.*
- [LiftFolderDTO](#) [Parent](#) [get, set]  
*Gets or sets the parent.*

### 5.56.1 Property Documentation

#### 5.56.1.1 Lifts

```
List<LiftDTO> BarNone.Shared.DataTransfer.LiftFolderDetailDTO.Lifts [get], [set]
```

Gets or sets the lifts.

The lifts.

#### 5.56.1.2 Parent

```
LiftFolderDTO BarNone.Shared.DataTransfer.LiftFolderDetailDTO.Parent [get], [set]
```

Gets or sets the parent.

The parent.

### 5.56.1.3 SubFolders

```
List<LiftFolderDTO> BarNone.Shared.DataTransfer.LiftFolderDetailDTO.SubFolders [get], [set]
```

Gets or sets the sub folders.


The sub folders.

The documentation for this class was generated from the following file:

- BarNone.Shared.DataTransfer/LiftFolder/LiftFolderDTO.cs

## 5.57 BarNone.Shared.DataTransfer.LiftFolderDTO Class Reference

Inheritance diagram for BarNone.Shared.DataTransfer.LiftFolderDTO:



### Properties

- override int **ID** [get, set]  
*Gets or sets the identifier.*
- string **Name** [get, set]  
*Gets or sets the name.*
- int **ParentID** [get, set]  
*Gets or sets the parent identifier.*

### 5.57.1 Property Documentation

#### 5.57.1.1 ID

```
override int BarNone.Shared.DataTransfer.LiftFolderDTO.ID [get], [set]
```

Gets or sets the identifier.

The identifier.

### 5.57.1.2 Name

```
string BarNone.Shared.DataTransfer.LiftFolderDTO.Name [get], [set]
```

Gets or sets the name.

The name.

### 5.57.1.3 ParentID

```
int BarNone.Shared.DataTransfer.LiftFolderDTO.ParentID [get], [set]
```

Gets or sets the parent identifier.

The parent identifier.

The documentation for this class was generated from the following file:

- BarNone.Shared.DataTransfer/LiftFolder/LiftFolderDTO.cs

## 5.58 BarNone.TheRack.Core.MapEnum< TElement > Class Template Reference

### Public Member Functions

- [MapEnum](#) ()  
*Initializes a new instance of the [MapEnum<TElement>](#) class.*

### Static Public Member Functions

- static implicit [operator int](#) ([MapEnum<TElement>](#) type)  
*Performs an implicit conversion from [MapEnum<TElement>](#) to System.Int32.*
- static implicit [operator MapEnum<TElement>](#) (int value)  
*Performs an implicit conversion from System.Int32 to [MapEnum<TElement>](#).*

### Properties

- int [Value](#) [get, private set]  
*Gets the value.*
- static List< TElement > [Values](#) [get]  
*Gets the values.*
- abstract TElement [Instance](#) [get]  
*Gets the instance.*

### Static Private Attributes

- static int [count](#) = 0  
*The count*
- static readonly Dictionary< int, TElement > [Types](#) = new Dictionary<int, TElement>()  
*The types*

### 5.58.1 Detailed Description

## Template Parameters

<i>TElement</i>	The type of the element.
-----------------	--------------------------

## Type Constraints

***TElement*** : [MapEnum](#)<*TElement*>

## 5.58.2 Constructor &amp; Destructor Documentation

## 5.58.2.1 MapEnum()

```
BarNone.TheRack.Core.MapEnum< TElement >.MapEnum ( )
```

Initializes a new instance of the [MapEnum](#)<*TElement*> class.

## 5.58.3 Member Function Documentation

## 5.58.3.1 operator int()

```
static implicit BarNone.TheRack.Core.MapEnum< TElement >.operator int (
    MapEnum< TElement > type ) [static]
```

Performs an implicit conversion from [MapEnum](#)<*TElement*> to System.Int32.

## Parameters

<i>type</i>	The type.
-------------	-----------

## Returns

The result of the conversion.

## 5.58.3.2 operator MapEnum&lt; TElement &gt;()

```
static implicit BarNone.TheRack.Core.MapEnum< TElement >.operator MapEnum< TElement > (
    int value ) [static]
```

Performs an implicit conversion from `System.Int32` to [MapEnum<TElement>](#).



#### Parameters

<i>value</i>	The value.
--------------	------------

#### Returns

The result of the conversion.

### 5.58.4 Member Data Documentation

#### 5.58.4.1 count

```
int BarNone.TheRack.Core.MapEnum< TElement >.count = 0 [static], [private]
```

The count

#### 5.58.4.2 Types

```
readonly Dictionary<int, TElement> BarNone.TheRack.Core.MapEnum< TElement >.Types = new Dictionary<int, TElement>() [static], [private]
```

The types

### 5.58.5 Property Documentation

#### 5.58.5.1 Instance

```
abstract TElement BarNone.TheRack.Core.MapEnum< TElement >.Instance [get], [protected]
```

Gets the instance.

The instance.

### 5.58.5.2 Value

```
int BarNone.TheRack.Core.MapEnum< TElement >.Value [get], [private set]
```

Gets the value.

The value.

### 5.58.5.3 Values

```
List<TElement> BarNone.TheRack.Core.MapEnum< TElement >.Values [static], [get]
```

Gets the values.

The values.

The documentation for this class was generated from the following file:

- BarNone.Shared.Core/MapEnum.cs

## 5.59 BarNone.Shared.DataTransfer.Response.ResponseEntityDTO< TDTO > Class Template Reference

Entity DTO

### Properties

- TDTO [Entity](#) [get, set]  
*Gets or sets the entity.*

### 5.59.1 Detailed Description

Entity DTO

#### Template Parameters

<i>TDTO</i>	The type of the dto.
-------------	----------------------

#### Type Constraints

***TDTO : BaseDTO< TDTO >***

***TDTO : new()***

### 5.59.2 Property Documentation

#### 5.59.2.1 Entity

`TDTO BarNone.Shared.DataTransfer.Response.ResponseEntityDTO< TDTO >.Entity [get], [set]`

Gets or sets the entity.

The entity.

The documentation for this class was generated from the following file:

- BarNone.Shared.DataTransfer/Response/ResponseEntityDTO.cs

## 5.60 BarNone.Shared.DataTransfer.Response.ResponseEnumerableDTO< TDTO > Class Template Reference

Enumerable DTO

### Properties

- int `Count` [get, set]  
*Gets or sets the count.*
- IEnumerable< TDTO > `Entities` [get, set]  
*Gets or sets the entities.*

### 5.60.1 Detailed Description

Enumerable DTO

#### Template Parameters

<i>TDTO</i>	The type of the dto.
-------------	----------------------

#### Type Constraints

***TDTO : BaseDTO< TDTO >***

***TDTO : new()***

## 5.60.2 Property Documentation

### 5.60.2.1 Count

```
int BarNone.Shared.DataTransfer.Response.ResponseEnumerableDTO< TDTO >.Count [get], [set]
```

Gets or sets the count.

The count.

### 5.60.2.2 Entities

```
IEnumerable<TDTO> BarNone.Shared.DataTransfer.Response.ResponseEnumerableDTO< TDTO >.Entities  
[get], [set]
```

Gets or sets the entities.

The entities.

The documentation for this class was generated from the following file:

- BarNone.Shared.DataTransfer/Response/ResponseEnumerableDTO.cs

## 5.61 BarNone.Shared.DataTransfer.Response.ResponseErrorDTO Class Reference

Error dto.

### Properties

- string [Message](#) [get, set]  
*Gets or sets the message.*

### 5.61.1 Detailed Description

Error dto.

### 5.61.2 Property Documentation

### 5.61.2.1 Message

```
string BarNone.Shared.DataTransfer.Response.ResponseErrorDTO.Message [get], [set]
```

Gets or sets the message.

The message.

The documentation for this class was generated from the following file:

- BarNone.Shared.DataTransfer/Response/ResponseErrorDTO.cs

## 5.62 BarNone.Shared.DataConverter.Core.ShareDataConverterCache Class Reference

Share data converter cache.

### Public Member Functions

- [ShareDataConverterCache](#) ()  
*Initializes a new instance of the [ShareDataConverterCache](#) class.*
- [ITrackable GetDTOConversion](#) (Type converterType, [ITrackable](#) dto)  
*Gets the dto conversion mapped to type.*
- [ITrackable GetDataModelConversion](#) (Type converterType, [ITrackable](#) dataModel)  
*Gets the data model conversion mapped to type.*
- void [AddConversion](#) (Type converterType, [ITrackable](#) dataModel, [ITrackable](#) dto)  
*Adds the conversion map.*

### Properties

- Dictionary< Type, List< [Conversion](#) > > [\\_converterCache](#) [get, private set]  
*Gets the coverter cache.*

### 5.62.1 Detailed Description

Share data converter cache.

### 5.62.2 Constructor & Destructor Documentation

### 5.62.2.1 ShareDataConverterCache()

```
BarNone.Shared.DataConverter.Core.ShareDataConverterCache.ShareDataConverterCache ( )
```

Initializes a new instance of the [ShareDataConverterCache](#) class.

## 5.62.3 Member Function Documentation

### 5.62.3.1 AddConversion()

```
void BarNone.Shared.DataConverter.Core.ShareDataConverterCache.AddConversion (
    Type converterType,
    ITrackable dataModel,
    ITrackable dto )
```

Adds the conversion map.

#### Parameters

<i>converterType</i>	Type of the converter.
<i>dataModel</i>	The data model.
<i>dto</i>	The dto.

### 5.62.3.2 GetDataModelConversion()

```
ITrackable BarNone.Shared.DataConverter.Core.ShareDataConverterCache.GetDataModelConversion (
    Type converterType,
    ITrackable dataModel )
```

Gets the data model conversion mapped to type.

#### Parameters

<i>converterType</i>	Type of the converter.
<i>dataModel</i>	The data model.

#### Returns

## 5.62.3.3 GetDTOConversion()

```
ITrackable BarNone.Shared.DataConverter.Core.ShareDataConverterCache.GetDTOConversion (
    Type converterType,
    ITrackable dto )
```

Gets the dto conversion mapped to type.

## Parameters

<i>converterType</i>	Type of the converter.
<i>dto</i>	The dto.

## Returns

## 5.62.4 Property Documentation

## 5.62.4.1 \_converterCache

```
Dictionary<Type, List<Conversion> > BarNone.Shared.DataConverter.Core.ShareDataConverterCache.↔
_converterCache [get], [private set]
```

Gets the coverter cache.

The coverter cache.


The documentation for this class was generated from the following file:

- BarNone.Shared.DataConverter/Core/ShareDataConverterCache.cs

## 5.63 BarNone.Shared.DomainModel.User Class Reference

User domain model.

Inheritance diagram for BarNone.Shared.DomainModel.User:



## Properties

- int **ID** [get, set]  
*Gets or sets the identifier.*
- string **Name** [get, set]  
*Gets or sets the name.*
- string **UserName** [get, set]  
*Gets or sets the name of the user.*
- string **Password** [get, set]  
*Gets or sets the password.*

### 5.63.1 Detailed Description

**User** domain model.

See also

BarNone.Shared.DomainModel.Core.IDomainModel<BarNone.Shared.DomainModel.User>

### 5.63.2 Property Documentation

#### 5.63.2.1 ID

```
int BarNone.Shared.DomainModel.User.ID [get], [set]
```

Gets or sets the identifier.

The identifier.

#### 5.63.2.2 Name

```
string BarNone.Shared.DomainModel.User.Name [get], [set]
```

Gets or sets the name.

The name.

#### 5.63.2.3 Password

```
string BarNone.Shared.DomainModel.User.Password [get], [set]
```

Gets or sets the password.

The password.



#### 5.63.2.4 UserName

```
string BarNone.Shared.DomainModel.User.UserName [get], [set]
```

Gets or sets the name of the user.


The name of the user.

The documentation for this class was generated from the following file:

- BarNone.Shared.DomainModel/User/User.cs

## 5.64 BarNone.Shared.DataTransfer.UserChangePasswordDTO Class Reference

Inheritance diagram for BarNone.Shared.DataTransfer.UserChangePasswordDTO:



### Properties

- override int **ID** [get, set]  
*Gets or sets the identifier.*
- string **OldPassword** [get, set]  
*Gets or sets the old password.*
- string **NewPassword** [get, set]  
*Gets or sets the new password.*
- string **RetypePassword** [get, set]  
*Gets or sets the retype password.*

#### 5.64.1 Detailed Description

See also

BarNone.Shared.DataTransfer.Core.BaseDTO<BarNone.Shared.DataTransfer.UserChangePasswordDTO>

#### 5.64.2 Property Documentation

#### 5.64.2.1 ID

```
override int BarNone.Shared.DataTransfer.UserChangePasswordDTO.ID [get], [set]
```

Gets or sets the identifier.

The identifier.

#### 5.64.2.2 NewPassword

```
string BarNone.Shared.DataTransfer.UserChangePasswordDTO.NewPassword [get], [set]
```

Gets or sets the new password.

The new password.

#### 5.64.2.3 OldPassword

```
string BarNone.Shared.DataTransfer.UserChangePasswordDTO.OldPassword [get], [set]
```

Gets or sets the old password.

The old password.

#### 5.64.2.4 RetypePassword

```
string BarNone.Shared.DataTransfer.UserChangePasswordDTO.RetypePassword [get], [set]
```

Gets or sets the retype password.

The retype password.


The documentation for this class was generated from the following file:

- BarNone.Shared.DataTransfer/UserChangePassword/UserChangePasswordDTO.cs

### 5.65 BarNone.Shared.DataConverters.UserConverter Class Reference

User converter.

Inheritance diagram for BarNone.Shared.DataConverters.UserConverter:



## Public Member Functions

- [UserConverter](#) ([Converters](#) converters, [IDomainContext](#) context)  
*Initializes a new instance of the [UserConverter](#) class.*
- override [User OnCreateDataModel](#) ([UserDTO](#) dto)  
*Create data model. Called when [create data model].*
- override [UserDTO OnCreateDTO](#) ([User](#) data)  
*Create dto. Called when [create dto].*

## Additional Inherited Members

### 5.65.1 Detailed Description

User converter.

See also

[BarNone.Shared.DataConverter.Core.BaseDataConverter<BarNone.Shared.DomainModel.User, BarNone.Shared.DataTransfer.UserDTO, BarNone.Shared.DataConverters.Converters>](#)

### 5.65.2 Constructor & Destructor Documentation

#### 5.65.2.1 UserConverter()

```
BarNone.Shared.DataConverters.UserConverter.UserConverter (
    Converters converters,
    IDomainContext context )
```

Initializes a new instance of the [UserConverter](#) class.

Parameters

<i>converters</i>	The converters.
<i>context</i>	The context.

### 5.65.3 Member Function Documentation

### 5.65.3.1 OnCreateDataModel()

```
override User BarNone.Shared.DataConverters.UserConverter.OnCreateDataModel (
    UserDTO dto )
```

Create data model. Called when [create data model].

#### Parameters

<i>dto</i>	The dto.
------------	----------

#### Returns

### 5.65.3.2 OnCreateDTO()

```
override UserDTO BarNone.Shared.DataConverters.UserConverter.OnCreateDTO (
    User data )
```

Create dto. Called when [create dto].

#### Parameters

<i>data</i>	The data.
-------------	-----------

#### Returns


The documentation for this class was generated from the following file:

- BarNone.Shared.DataConverter/User/UserConverter.cs

## 5.66 BarNone.Shared.DataTransfer.UserDTO Class Reference

User dto.

Inheritance diagram for BarNone.Shared.DataTransfer.UserDTO:



## Properties

- override int **ID** [get, set]  
*Gets or sets the identifier.*
- string **Name** [get, set]  
*Gets or sets the name.*
- string **UserName** [get, set]  
*Gets or sets the name of the user.*
- string **Password** [get, set]  
*Gets or sets the password.*

### 5.66.1 Detailed Description

User dto.

See also

BarNone.Shared.DataTransfer.Core.BaseDTO<BarNone.Shared.DataTransfer.UserDTO>

### 5.66.2 Property Documentation

#### 5.66.2.1 ID

```
override int BarNone.Shared.DataTransfer.UserDTO.ID [get], [set]
```

Gets or sets the identifier.

The identifier.

#### 5.66.2.2 Name

```
string BarNone.Shared.DataTransfer.UserDTO.Name [get], [set]
```

Gets or sets the name.

The name.

#### 5.66.2.3 Password

```
string BarNone.Shared.DataTransfer.UserDTO.Password [get], [set]
```

Gets or sets the password.

The password.

#### 5.66.2.4 UserName

```
string BarNone.Shared.DataTransfer.UserDTO.UserName [get], [set]
```

Gets or sets the name of the user.

The name of the user.


The documentation for this class was generated from the following file:

- BarNone.Shared.DataTransfer/User/UserDTO.cs

### 5.67 BarNone.Shared.DataConverter.Lift.VideoConverter Class Reference

Video converter.

Inheritance diagram for BarNone.Shared.DataConverter.Lift.VideoConverter:



#### Public Member Functions

- [VideoConverter](#) ([Converters](#) converters, [IDomainContext](#) context)  
*Initializes a new instance of the [VideoConverter](#) class.*
- override [VideoRecord OnCreateDataModel](#) ([VideoDTO](#) dto)  
*Creates data model. Called when [create data model].*
- override [VideoDTO OnCreateDTO](#) ([VideoRecord](#) data)  
*Creates dto. Called when [create dto].*

#### Additional Inherited Members

#### 5.67.1 Detailed Description

Video converter.

#### See also

[BarNone.Shared.DataConverter.Core.BaseDataConverter<BarNone.Shared.DomainModel.VideoRecord, BarNone.Shared.DataTransfer.VideoDTO, BarNone.Shared.DataConverters.Converters>](#)

## 5.67.2 Constructor & Destructor Documentation

### 5.67.2.1 VideoConverter()

```
BarNone.Shared.DataConverter.Lift.VideoConverter.VideoConverter (
    Converters converters,
    IDomainContext context )
```

Initializes a new instance of the [VideoConverter](#) class.

#### Parameters

<i>converters</i>	The converters.
<i>context</i>	The context.

## 5.67.3 Member Function Documentation

### 5.67.3.1 OnCreateDataModel()

```
override VideoRecord BarNone.Shared.DataConverter.Lift.VideoConverter.OnCreateDataModel (
    VideoDTO dto )
```

Creates data model. Called when [create data model].

#### Parameters

<i>dto</i>	The dto.
------------	----------

#### Returns

### 5.67.3.2 OnCreateDTO()

```
override VideoDTO BarNone.Shared.DataConverter.Lift.VideoConverter.OnCreateDTO (
    VideoRecord data )
```

Creates dto. Called when [create dto].

#### Parameters

<i>data</i>	The data.
-------------	-----------

#### Returns


The documentation for this class was generated from the following file:

- BarNone.Shared.DataConverter/Lift/VideoConverter.cs

## 5.68 BarNone.Shared.DataTransfer.VideoDTO Class Reference

Video dto.

Inheritance diagram for BarNone.Shared.DataTransfer.VideoDTO:



#### Properties

- override int [ID](#) [get, set]  
*Gets or sets the identifier.*
- byte [] [Data](#) [get, set]  
*Gets or sets the data.*

### 5.68.1 Detailed Description

Video dto.

#### See also

BarNone.Shared.DataTransfer.Core.BaseDTO<BarNone.Shared.DataTransfer.VideoDTO>

### 5.68.2 Property Documentation



## 5.68.2.1 Data

```
byte [] BarNone.Shared.DataTransfer.VideoDTO.Data [get], [set]
```

Gets or sets the data.

The data.

## 5.68.2.2 ID

```
override int BarNone.Shared.DataTransfer.VideoDTO.ID [get], [set]
```

Gets or sets the identifier.

The identifier.


The documentation for this class was generated from the following file:

- BarNone.Shared.DataTransfer/Lift/VideoDTO.cs

## 5.69 BarNone.Shared.DomainModel.VideoRecord Class Reference

Video domain model.

Inheritance diagram for BarNone.Shared.DomainModel.VideoRecord:



## Properties

- int **ID** [get, set]  
*Gets or sets the identifier.*
- int **UserID** [get, set]  
*Gets or sets the user identifier.*
- string **Path** [get, set]  
*Gets or sets the path.*
- byte [] **Data** [get, set]  
*Gets or sets the data.*

### 5.69.1 Detailed Description

Video domain model.

See also

[BarNone.Shared.DomainModel.Core.IDomainModel<BarNone.Shared.DomainModel.VideoRecord>](#), [BarNone.Shared.DomainModel.VideoRecord](#)

### 5.69.2 Property Documentation

#### 5.69.2.1 Data

```
byte [] BarNone.Shared.DomainModel.VideoRecord.Data [get], [set]
```

Gets or sets the data.

The data.

#### 5.69.2.2 ID

```
int BarNone.Shared.DomainModel.VideoRecord.ID [get], [set]
```

Gets or sets the identifier.

The identifier.

#### 5.69.2.3 Path

```
string BarNone.Shared.DomainModel.VideoRecord.Path [get], [set]
```

Gets or sets the path.

The path.

#### 5.69.2.4 UserID

```
int BarNone.Shared.DomainModel.VideoRecord.UserID [get], [set]
```

Gets or sets the user identifier.

The user identifier.

The documentation for this class was generated from the following file:

- [BarNone.Shared.DomainModel/Lift/VideoRecord.cs](#)

## 5.70 BarNone.Shared.DataTransfer.Core.Filter.WhereFilter Class Reference

Where filter dto.

### Properties

- string [Property](#) [get, set]  
*Gets or sets the property.*
- [FilterOpType Op](#) [get, set]  
*Gets or sets the op.*
- object [Value](#) [get, set]  
*Gets or sets the value.*

### 5.70.1 Detailed Description

Where filter dto.

### 5.70.2 Property Documentation

#### 5.70.2.1 Op

[FilterOpType](#) BarNone.Shared.DataTransfer.Core.Filter.WhereFilter.Op [get], [set]

Gets or sets the op.

The op.

#### 5.70.2.2 Property

string BarNone.Shared.DataTransfer.Core.Filter.WhereFilter.Property [get], [set]

Gets or sets the property.

The property.

#### 5.70.2.3 Value

object BarNone.Shared.DataTransfer.Core.Filter.WhereFilter.Value [get], [set]

Gets or sets the value.

The value.

The documentation for this class was generated from the following file:

- BarNone.Shared.DataTransfer/Core/Filter/WhereFilter.cs



# Index

`_converterCache`  
    `BarNone::Shared::DataConverter::Core::Share↔`  
        `DataConverterCache`, 115

`Access_Token`  
    `BarNone::Shared::DataTransfer::Auth::AuthDTO`, 19

`AddConversion`  
    `BarNone::Shared::DataConverter::Core::Share↔`  
        `DataConverterCache`, 114

`Authorized`  
    `BarNone::Shared::DataTransfer::Auth::AuthDTO`, 19

`BarNone`, 11

`BarNone.Shared`, 11

`BarNone.Shared.Core`, 11

`BarNone.Shared.Core.IDomainContext`, 63

`BarNone.Shared.Core.ITrackable`, 67, 68

`BarNone.Shared.Core.ITrackableDTO`, 69

`BarNone.Shared.Core.ITrackableDetailDTO< TDetailID↔`  
    `TO >`, 68

`BarNone.Shared.Core.IUntrackableDTO`, 70

`BarNone.Shared.DataConverter`, 12

`BarNone.Shared.DataConverter.Core`, 12

`BarNone.Shared.DataConverter.Core.BaseConverter<`  
    `TConverters >`, 20

`BarNone.Shared.DataConverter.Core.BaseDataConverter<`  
    `TData, TDTO, TConverters >`, 24

`BarNone.Shared.DataConverter.Core.BaseDetailData↔`  
    `Converter< TData, TDTO, TDetailDTO, T↔`  
    `Converters >`, 29

`BarNone.Shared.DataConverter.Core.Conversion`, 57

`BarNone.Shared.DataConverter.Core.IConverter`, 62

`BarNone.Shared.DataConverter.Core.IDataConverter`, 62

`BarNone.Shared.DataConverter.Core.ShareData↔`  
    `ConverterCache`, 113

`BarNone.Shared.DataConverter.Lift`, 12

`BarNone.Shared.DataConverter.Lift.VideoConverter`, 122

`BarNone.Shared.DataConverters`, 12

`BarNone.Shared.DataConverters.BodyDataConverter`, 44

`BarNone.Shared.DataConverters.BodyDataFrame↔`  
    `Converter`, 50

`BarNone.Shared.DataConverters.Converters`, 54

`BarNone.Shared.DataConverters.Core`, 13

`BarNone.Shared.DataConverters.Core.BaseEnumData↔`  
    `Converter< TType, TTypeDTO, TEType >`, 34

`BarNone.Shared.DataConverters.JointConverter`, 74

`BarNone.Shared.DataConverters.JointTrackingState↔`  
    `TypeConverter`, 82

`BarNone.Shared.DataConverters.JointTypeConverter`, 88

`BarNone.Shared.DataConverters.LiftConverter`, 93

`BarNone.Shared.DataConverters.LiftFolderConverter`, 101

`BarNone.Shared.DataConverters.UserConverter`, 118

`BarNone.Shared.DataTransfer`, 13

`BarNone.Shared.DataTransfer.Auth`, 14

`BarNone.Shared.DataTransfer.Auth.AuthDTO`, 19

`BarNone.Shared.DataTransfer.BodyDataDTO`, 47

`BarNone.Shared.DataTransfer.BodyDataDetailDTO`, 46

`BarNone.Shared.DataTransfer.BodyDataFrameDTO`, 53

`BarNone.Shared.DataTransfer.BodyDataFrameDetailID↔`  
    `TO`, 52

`BarNone.Shared.DataTransfer.Core`, 14

`BarNone.Shared.DataTransfer.Core.BaseDTO< TDTO >`, 33

`BarNone.Shared.DataTransfer.Core.BaseDetailDTO<`  
    `TDetailDTO >`, 32

`BarNone.Shared.DataTransfer.Core.BaseParentDTO<`  
    `TDTO, TDetailDTO >`, 39

`BarNone.Shared.DataTransfer.Core.BaseTypeDTO< T↔`  
    `DTO >`, 41

`BarNone.Shared.DataTransfer.Core.Filter`, 14

`BarNone.Shared.DataTransfer.Core.Filter.WhereFilter`, 127

`BarNone.Shared.DataTransfer.Core.FilterDTO`, 57

`BarNone.Shared.DataTransfer.Core.IDTO`, 65

`BarNone.Shared.DataTransfer.Core.IParentDTO`, 66, 67

`BarNone.Shared.DataTransfer.Flex`, 15

`BarNone.Shared.DataTransfer.Flex.FlexDTO`, 60

`BarNone.Shared.DataTransfer.Flex.FlexEntityDTO`, 61

`BarNone.Shared.DataTransfer.JointDTO`, 78

`BarNone.Shared.DataTransfer.JointDetailDTO`, 77

`BarNone.Shared.DataTransfer.LiftDTO`, 97

`BarNone.Shared.DataTransfer.LiftData`, 15

`BarNone.Shared.DataTransfer.LiftData.JointTracking↔`  
    `StateTypeDTO`, 83

`BarNone.Shared.DataTransfer.LiftData.JointTypeDTO`, 89

`BarNone.Shared.DataTransfer.LiftDetailDTO`, 96

`BarNone.Shared.DataTransfer.LiftFolderDTO`, 105

`BarNone.Shared.DataTransfer.LiftFolderDetailDTO`, 104

`BarNone.Shared.DataTransfer.Response`, 15

`BarNone.Shared.DataTransfer.Response.Response↔`  
    `EntityDTO< TDTO >`, 110

- BarNone.Shared.DataTransfer.Response.Response↔  
    EnumerableDTO< TDTO >, 111
- BarNone.Shared.DataTransfer.Response.Response↔  
    ErrorDTO, 112
- BarNone.Shared.DataTransfer.UserChangePasswordD↔  
    TO, 117
- BarNone.Shared.DataTransfer.UserDTO, 120
- BarNone.Shared.DataTransfer.VideoDTO, 124
- BarNone.Shared.DomainModel, 16
- BarNone.Shared.DomainModel.BodyData, 42
- BarNone.Shared.DomainModel.BodyDataFrame, 48
- BarNone.Shared.DomainModel.Core, 17
- BarNone.Shared.DomainModel.Core.BaseEnum↔  
    DomainModel< TType, TEType >, 37
- BarNone.Shared.DomainModel.Core.IDomainModel, 64
- BarNone.Shared.DomainModel.Core.IOwnedDomain↔  
    Model, 65
- BarNone.Shared.DomainModel.Joint, 71
- BarNone.Shared.DomainModel.JointTrackingStateType,  
    80
- BarNone.Shared.DomainModel.JointType, 85
- BarNone.Shared.DomainModel.Lift, 90
- BarNone.Shared.DomainModel.LiftFolder, 99
- BarNone.Shared.DomainModel.User, 115
- BarNone.Shared.DomainModel.VideoRecord, 125
- BarNone.TheRack, 17
- BarNone.TheRack.Core, 17
- BarNone.TheRack.Core.MapEnum< TElement >, 106
- BarNone::Shared::Core::IDomainContext  
    UserID, 63
- BarNone::Shared::DataConverter::Core::BaseConverter  
    BaseConverter, 21  
    Cache, 23  
    dataConverterMap, 23  
    dtoConverterMap, 23  
    Init, 22  
    NewConversion, 22  
    Register< TData, TDTO, TConverter >, 22
- BarNone::Shared::DataConverter::Core::BaseData↔  
    Converter  
    BaseDataConverter, 25  
    context, 28  
    converterContext, 28  
    CreateDTO, 26, 27  
    CreateDataModel, 26  
    OnCreateDTO, 28  
    OnCreateDataModel, 27
- BarNone::Shared::DataConverter::Core::BaseDetail↔  
    DataConverter  
    BaseDetailDataConverter, 30  
    CreateDTO, 31  
    CreateDataModel, 30  
    OnCreateDetailDTO, 32  
    OnCreateDetailDataModel, 31
- BarNone::Shared::DataConverter::Core::ShareData↔  
    ConverterCache  
    \_converterCache, 115  
    AddConversion, 114  
    GetDTOConversion, 114  
    GetDataModelConversion, 114  
    ShareDataConverterCache, 113
- BarNone::Shared::DataConverter::Lift::VideoConverter  
    OnCreateDTO, 123  
    OnCreateDataModel, 123  
    VideoConverter, 123
- BarNone::Shared::DataConverters::BodyDataConverter  
    BodyDataConverter, 44  
    OnCreateDTO, 46  
    OnCreateDataModel, 45  
    OnCreateDetailDTO, 45  
    OnCreateDetailDataModel, 45
- BarNone::Shared::DataConverters::BodyDataFrame↔  
    Converter  
    BodyDataFrameConverter, 50  
    OnCreateDTO, 52  
    OnCreateDataModel, 51  
    OnCreateDetailDTO, 51  
    OnCreateDetailDataModel, 51
- BarNone::Shared::DataConverters::Converters  
    BodyData, 55  
    BodyDataFrame, 55  
    Init, 54  
    Joint, 55  
    JointTrackingStateType, 55  
    JointType, 55  
    Lift, 56  
    LiftFolder, 56  
    User, 56  
    Video, 56
- BarNone::Shared::DataConverters::Core::BaseEnum↔  
    DataConverter  
    BaseEnumDataConverter, 35  
    OnCreateDTO, 36  
    OnCreateDataModel, 36
- BarNone::Shared::DataConverters::JointConverter  
    JointConverter, 75  
    OnCreateDTO, 76  
    OnCreateDataModel, 75  
    OnCreateDetailDTO, 76  
    OnCreateDetailDataModel, 75
- BarNone::Shared::DataConverters::JointTrackingState↔  
    TypeConverter  
    JointTrackingStateTypeConverter, 83
- BarNone::Shared::DataConverters::JointTypeConverter  
    JointTypeConverter, 88
- BarNone::Shared::DataConverters::LiftConverter  
    LiftConverter, 94  
    OnCreateDTO, 95

- OnCreateDataModel, [94](#)
- OnCreateDetailDTO, [95](#)
- OnCreateDetailDataModel, [94](#)
- BarNone::Shared::DataConverters::LiftFolderConverter
  - LiftFolderConverter, [102](#)
  - OnCreateDTO, [103](#)
  - OnCreateDataModel, [102](#)
  - OnCreateDetailDTO, [103](#)
  - OnCreateDetailDataModel, [102](#)
- BarNone::Shared::DataConverters::UserConverter
  - OnCreateDTO, [120](#)
  - OnCreateDataModel, [119](#)
  - UserConverter, [119](#)
- BarNone::Shared::DataTransfer::Auth::AuthDTO
  - Access\_Token, [19](#)
  - Authorized, [19](#)
  - Expires\_In, [20](#)
- BarNone::Shared::DataTransfer::Core::BaseDTO
  - ID, [34](#)
  - UpdateFilter, [34](#)
- BarNone::Shared::DataTransfer::Core::BaseParentDTO
  - Details, [40](#)
- BarNone::Shared::DataTransfer::Core::BaseTypeDTO
  - Name, [41](#)
  - Value, [42](#)
- BarNone::Shared::DataTransfer::Core::Filter
  - FilterOpType, [15](#)
- BarNone::Shared::DataTransfer::Core::Filter::WhereFilter
  - Op, [127](#)
  - Property, [127](#)
  - Value, [127](#)
- BarNone::Shared::DataTransfer::Core::FilterDTO
  - CreateWhere, [58](#)
  - GetWhere, [58](#)
  - serializer, [59](#)
  - Where, [59](#)
  - WhereFunc, [58](#)
- BarNone::Shared::DataTransfer::Core::IDTO
  - ID, [65](#)
- BarNone::Shared::DataTransfer::Flex::FlexDTO
  - Entities, [60](#)
  - ID, [60](#)
- BarNone::Shared::DataTransfer::Flex::FlexEntityDTO
  - Entity, [61](#)
  - Resource, [61](#)
- BarNone::Shared::DataTransfer::JointDTO
  - BodyDataFrameID, [79](#)
  - ID, [79](#)
  - JointTrackingStateTypeID, [79](#)
  - JointTypeID, [79](#)
  - X, [79](#)
  - Y, [80](#)
- BarNone::Shared::DataTransfer::JointDetailDTO
  - BodyDataFrame, [77](#)
- JointTrackingStateType, [77](#)
- JointType, [78](#)
- BarNone::Shared::DataTransfer::LiftDTO
  - BodyDataID, [98](#)
  - ID, [98](#)
  - Name, [98](#)
  - ParentID, [98](#)
- BarNone::Shared::DataTransfer::LiftData::JointTracking↵
  - StateTypeDTO
    - ID, [84](#)
    - Name, [84](#)
    - Value, [84](#)
- BarNone::Shared::DataTransfer::LiftData::JointTypeDTO
  - ID, [89](#)
  - Name, [90](#)
  - Value, [90](#)
- BarNone::Shared::DataTransfer::LiftDetailDTO
  - BodyData, [96](#)
  - Parent, [96](#)
  - Video, [97](#)
- BarNone::Shared::DataTransfer::LiftFolderDTO
  - ID, [105](#)
  - Name, [105](#)
  - ParentID, [106](#)
- BarNone::Shared::DataTransfer::LiftFolderDetailDTO
  - Lifts, [104](#)
  - Parent, [104](#)
  - SubFolders, [104](#)
- BarNone::Shared::DataTransfer::Response::Response↵
  - EntityDTO
    - Entity, [111](#)
- BarNone::Shared::DataTransfer::Response::Response↵
  - EnumerableDTO
    - Count, [112](#)
    - Entities, [112](#)
- BarNone::Shared::DataTransfer::Response::Response↵
  - ErrorDTO
    - Message, [112](#)
- BarNone::Shared::DataTransfer::UserChangePassword↵
  - DTO
    - ID, [117](#)
    - NewPassword, [118](#)
    - OldPassword, [118](#)
    - RetypePassword, [118](#)
- BarNone::Shared::DataTransfer::UserDTO
  - ID, [121](#)
  - Name, [121](#)
  - Password, [121](#)
  - UserName, [121](#)
- BarNone::Shared::DataTransfer::VideoDTO
  - Data, [124](#)
  - ID, [125](#)
- BarNone::Shared::DomainModel
  - EJointTrackingStateType, [16](#)

- EJointType, 17
- BarNone::Shared::DomainModel::BodyData
  - BodyDataFrames, 43
  - ID, 43
  - RecordDate, 43
  - UserID, 43
- BarNone::Shared::DomainModel::BodyDataFrame
  - BodyData, 48
  - BodyDataID, 48
  - ID, 49
  - Joints, 49
  - TimeOfFrame, 49
  - UserID, 49
- BarNone::Shared::DomainModel::Core::BaseEnum↔
  - DomainModel
  - BaseEnumDomainModel, 38
  - ID, 38
  - Name, 38
  - Value, 39
- BarNone::Shared::DomainModel::Core::IOwnedDomain↔
  - Model
  - UserID, 66
- BarNone::Shared::DomainModel::Joint
  - BodyDataFrame, 72
  - BodyDataFrameID, 72
  - ID, 72
  - JointTrackingStateType, 72
  - JointTrackingStateTypeID, 72
  - JointType, 73
  - JointTypeID, 73
  - UserID, 73
  - X, 73
  - Y, 73
  - Z, 73
- BarNone::Shared::DomainModel::JointTrackingStateType
  - JointTrackingStateType, 81
  - operator EJointTrackingStateType, 81
  - operator JointTrackingStateType, 82
- BarNone::Shared::DomainModel::JointType
  - JointType, 85, 86
  - operator EJointType, 86
  - operator JointType, 86
- BarNone::Shared::DomainModel::Lift
  - BodyData, 91
  - BodyDataID, 91
  - ID, 91
  - Name, 92
  - Parent, 92
  - ParentID, 92
  - UserID, 92
  - Video, 92
  - VideoID, 92
- BarNone::Shared::DomainModel::LiftFolder
  - ID, 99
- Lifts, 99
- Name, 100
- Parent, 100
- ParentID, 100
- SubFolders, 100
- UserID, 100
- BarNone::Shared::DomainModel::User
  - ID, 116
  - Name, 116
  - Password, 116
  - UserName, 116
- BarNone::Shared::DomainModel::VideoRecord
  - Data, 126
  - ID, 126
  - Path, 126
  - UserID, 126
- BarNone::TheRack::Core::MapEnum
  - count, 109
  - Instance, 109
  - MapEnum, 107
  - operator int, 107
  - operator MapEnum< TElement >, 107
  - Types, 109
  - Value, 109
  - Values, 110
- BaseConverter
  - BarNone::Shared::DataConverter::Core::Base↔
    - Converter, 21
- BaseDataConverter
  - BarNone::Shared::DataConverter::Core::Base↔
    - DataConverter, 25
- BaseDetailDataConverter
  - BarNone::Shared::DataConverter::Core::Base↔
    - DetailDataConverter, 30
- BaseEnumDataConverter
  - BarNone::Shared::DataConverters::Core::Base↔
    - EnumDataConverter, 35
- BaseEnumDomainModel
  - BarNone::Shared::DomainModel::Core::Base↔
    - EnumDomainModel, 38
- BodyData
  - BarNone::Shared::DataConverters::Converters, 55
  - BarNone::Shared::DataTransfer::LiftDetailDTO, 96
  - BarNone::Shared::DomainModel::BodyDataFrame, 48
  - BarNone::Shared::DomainModel::Lift, 91
- BodyDataConverter
  - BarNone::Shared::DataConverters::BodyData↔
    - Converter, 44
- BodyDataFrame
  - BarNone::Shared::DataConverters::Converters, 55
  - BarNone::Shared::DataTransfer::JointDetailDTO, 77
  - BarNone::Shared::DomainModel::Joint, 72
- BodyDataFrameConverter



- BarNone::Shared::DataConverters::BodyData↔  
FrameConverter, 50
- BodyDataFrameID
  - BarNone::Shared::DataTransfer::JointDTO, 79
  - BarNone::Shared::DomainModel::Joint, 72
- BodyDataFrames
  - BarNone::Shared::DomainModel::BodyData, 43
- BodyDataID
  - BarNone::Shared::DataTransfer::LiftDTO, 98
  - BarNone::Shared::DomainModel::BodyDataFrame, 48
  - BarNone::Shared::DomainModel::Lift, 91
- Cache
  - BarNone::Shared::DataConverter::Core::Base↔  
Converter, 23
- context
  - BarNone::Shared::DataConverter::Core::Base↔  
DataConverter, 28
- converterContext
  - BarNone::Shared::DataConverter::Core::Base↔  
DataConverter, 28
- Count
  - BarNone::Shared::DataTransfer::Response::↔  
ResponseEnumerableDTO, 112
- count
  - BarNone::TheRack::Core::MapEnum, 109
- CreateDTO
  - BarNone::Shared::DataConverter::Core::Base↔  
DataConverter, 26, 27
  - BarNone::Shared::DataConverter::Core::Base↔  
DetailDataConverter, 31
- CreateDataModel
  - BarNone::Shared::DataConverter::Core::Base↔  
DataConverter, 26
  - BarNone::Shared::DataConverter::Core::Base↔  
DetailDataConverter, 30
- CreateWhere
  - BarNone::Shared::DataTransfer::Core::FilterDTO, 58
- Data
  - BarNone::Shared::DataTransfer::VideoDTO, 124
  - BarNone::Shared::DomainModel::VideoRecord, 126
- dataConverterMap
  - BarNone::Shared::DataConverter::Core::Base↔  
Converter, 23
- Details
  - BarNone::Shared::DataTransfer::Core::BaseParent↔  
DTO, 40
- dtoConverterMap
  - BarNone::Shared::DataConverter::Core::Base↔  
Converter, 23
- EJointTrackingStateType
  - BarNone::Shared::DomainModel, 16
- EJointType
  - BarNone::Shared::DomainModel, 17
- Entities
  - BarNone::Shared::DataTransfer::Flex::FlexDTO, 60
  - BarNone::Shared::DataTransfer::Response::↔  
ResponseEnumerableDTO, 112
- Entity
  - BarNone::Shared::DataTransfer::Flex::FlexEntityD↔  
TO, 61
  - BarNone::Shared::DataTransfer::Response::↔  
ResponseEntityDTO, 111
- Expires\_In
  - BarNone::Shared::DataTransfer::Auth::AuthDTO, 20
- FilterOpType
  - BarNone::Shared::DataTransfer::Core::Filter, 15
- GetDTOConversion
  - BarNone::Shared::DataConverter::Core::Share↔  
DataConverterCache, 114
- GetDataModelConversion
  - BarNone::Shared::DataConverter::Core::Share↔  
DataConverterCache, 114
- GetWhere
  - BarNone::Shared::DataTransfer::Core::FilterDTO, 58
- ID
  - BarNone::Shared::DataTransfer::Core::BaseDTO, 34
  - BarNone::Shared::DataTransfer::Core::IDTO, 65
  - BarNone::Shared::DataTransfer::Flex::FlexDTO, 60
  - BarNone::Shared::DataTransfer::JointDTO, 79
  - BarNone::Shared::DataTransfer::LiftDTO, 98
  - BarNone::Shared::DataTransfer::LiftData::Joint↔  
TrackingStateTypeDTO, 84
  - BarNone::Shared::DataTransfer::LiftData::Joint↔  
TypeDTO, 89
  - BarNone::Shared::DataTransfer::LiftFolderDTO, 105
  - BarNone::Shared::DataTransfer::UserChange↔  
PasswordDTO, 117
  - BarNone::Shared::DataTransfer::UserDTO, 121
  - BarNone::Shared::DataTransfer::VideoDTO, 125
  - BarNone::Shared::DomainModel::BodyData, 43
  - BarNone::Shared::DomainModel::BodyDataFrame, 49
  - BarNone::Shared::DomainModel::Core::Base↔  
EnumDomainModel, 38
  - BarNone::Shared::DomainModel::Joint, 72
  - BarNone::Shared::DomainModel::Lift, 91
  - BarNone::Shared::DomainModel::LiftFolder, 99
  - BarNone::Shared::DomainModel::User, 116
  - BarNone::Shared::DomainModel::VideoRecord, 126
- Init
  - BarNone::Shared::DataConverter::Core::Base↔  
Converter, 22
  - BarNone::Shared::DataConverters::Converters, 54

## Instance

BarNone::TheRack::Core::MapEnum, [109](#)

## Joint

BarNone::Shared::DataConverters::Converters, [55](#)

## JointConverter

BarNone::Shared::DataConverters::JointConverter, [75](#)

## JointTrackingStateType

BarNone::Shared::DataConverters::Converters, [55](#)  
 BarNone::Shared::DataTransfer::JointDetailDTO, [77](#)  
 BarNone::Shared::DomainModel::Joint, [72](#)  
 BarNone::Shared::DomainModel::JointTracking↵  
 StateType, [81](#)

## JointTrackingStateTypeConverter

BarNone::Shared::DataConverters::JointTracking↵  
 StateTypeConverter, [83](#)

## JointTrackingStateTypeID

BarNone::Shared::DataTransfer::JointDTO, [79](#)  
 BarNone::Shared::DomainModel::Joint, [72](#)

## JointType

BarNone::Shared::DataConverters::Converters, [55](#)  
 BarNone::Shared::DataTransfer::JointDetailDTO, [78](#)  
 BarNone::Shared::DomainModel::Joint, [73](#)  
 BarNone::Shared::DomainModel::JointType, [85](#), [86](#)

## JointTypeConverter

BarNone::Shared::DataConverters::JointType↵  
 Converter, [88](#)

## JointTypeID

BarNone::Shared::DataTransfer::JointDTO, [79](#)  
 BarNone::Shared::DomainModel::Joint, [73](#)

## Joints

BarNone::Shared::DomainModel::BodyDataFrame, [49](#)

## Lift

BarNone::Shared::DataConverters::Converters, [56](#)

## LiftConverter

BarNone::Shared::DataConverters::LiftConverter, [94](#)

## LiftFolder

BarNone::Shared::DataConverters::Converters, [56](#)

## LiftFolderConverter

BarNone::Shared::DataConverters::LiftFolder↵  
 Converter, [102](#)

## Lifts

BarNone::Shared::DataTransfer::LiftFolderDetailD↵  
 TO, [104](#)  
 BarNone::Shared::DomainModel::LiftFolder, [99](#)

## MapEnum

BarNone::TheRack::Core::MapEnum, [107](#)

## Message

BarNone::Shared::DataTransfer::Response::↵  
 ResponseErrorDTO, [112](#)

## Name

BarNone::Shared::DataTransfer::Core::BaseTypeD↵  
 TO, [41](#)

BarNone::Shared::DataTransfer::LiftDTO, [98](#)

BarNone::Shared::DataTransfer::LiftData::Joint↵  
 TrackingStateTypeDTO, [84](#)

BarNone::Shared::DataTransfer::LiftData::Joint↵  
 TypeDTO, [90](#)

BarNone::Shared::DataTransfer::LiftFolderDTO, [105](#)

BarNone::Shared::DataTransfer::UserDTO, [121](#)

BarNone::Shared::DomainModel::Core::Base↵  
 EnumDomainModel, [38](#)

BarNone::Shared::DomainModel::Lift, [92](#)

BarNone::Shared::DomainModel::LiftFolder, [100](#)

BarNone::Shared::DomainModel::User, [116](#)

## NewConversion

BarNone::Shared::DataConverter::Core::Base↵  
 Converter, [22](#)

## NewPassword

BarNone::Shared::DataTransfer::UserChange↵  
 PasswordDTO, [118](#)

## OldPassword

BarNone::Shared::DataTransfer::UserChange↵  
 PasswordDTO, [118](#)

## OnCreateDTO

BarNone::Shared::DataConverter::Core::Base↵  
 DataConverter, [28](#)

BarNone::Shared::DataConverter::Lift::Video↵  
 Converter, [123](#)

BarNone::Shared::DataConverters::BodyData↵  
 Converter, [46](#)

BarNone::Shared::DataConverters::BodyData↵  
 FrameConverter, [52](#)

BarNone::Shared::DataConverters::Core::Base↵  
 EnumDataConverter, [36](#)

BarNone::Shared::DataConverters::JointConverter, [76](#)

BarNone::Shared::DataConverters::LiftConverter, [95](#)

BarNone::Shared::DataConverters::LiftFolder↵  
 Converter, [103](#)

BarNone::Shared::DataConverters::UserConverter, [120](#)

## OnCreateDataModel

BarNone::Shared::DataConverter::Core::Base↵  
 DataConverter, [27](#)

BarNone::Shared::DataConverter::Lift::Video↵  
 Converter, [123](#)

BarNone::Shared::DataConverters::BodyData↵  
 Converter, [45](#)

BarNone::Shared::DataConverters::BodyData↵  
 FrameConverter, [51](#)

BarNone::Shared::DataConverters::Core::Base↵  
 EnumDataConverter, [36](#)

- BarNone::Shared::DataConverters::JointConverter, 75
- BarNone::Shared::DataConverters::LiftConverter, 94
- BarNone::Shared::DataConverters::LiftFolder↔Converter, 102
- BarNone::Shared::DataConverters::UserConverter, 119
- OnCreateDetailDTO
  - BarNone::Shared::DataConverter::Core::Base↔DetailDataConverter, 32
  - BarNone::Shared::DataConverters::BodyData↔Converter, 45
  - BarNone::Shared::DataConverters::BodyData↔FrameConverter, 51
  - BarNone::Shared::DataConverters::JointConverter, 76
  - BarNone::Shared::DataConverters::LiftConverter, 95
  - BarNone::Shared::DataConverters::LiftFolder↔Converter, 103
- OnCreateDetailDataModel
  - BarNone::Shared::DataConverter::Core::Base↔DetailDataConverter, 31
  - BarNone::Shared::DataConverters::BodyData↔Converter, 45
  - BarNone::Shared::DataConverters::BodyData↔FrameConverter, 51
  - BarNone::Shared::DataConverters::JointConverter, 75
  - BarNone::Shared::DataConverters::LiftConverter, 94
  - BarNone::Shared::DataConverters::LiftFolder↔Converter, 102
- Op
  - BarNone::Shared::DataTransfer::Core::Filter↔WhereFilter, 127
- operator EJointTrackingStateType
  - BarNone::Shared::DomainModel::JointTracking↔StateType, 81
- operator EJointType
  - BarNone::Shared::DomainModel::JointType, 86
- operator int
  - BarNone::TheRack::Core::MapEnum, 107
- operator JointTrackingStateType
  - BarNone::Shared::DomainModel::JointTracking↔StateType, 82
- operator JointType
  - BarNone::Shared::DomainModel::JointType, 86
- operator MapEnum< TElement >
  - BarNone::TheRack::Core::MapEnum, 107
- Parent
  - BarNone::Shared::DataTransfer::LiftDetailDTO, 96
  - BarNone::Shared::DataTransfer::LiftFolderDetailID↔TO, 104
  - BarNone::Shared::DomainModel::Lift, 92
  - BarNone::Shared::DomainModel::LiftFolder, 100
- ParentID
  - BarNone::Shared::DataTransfer::LiftDTO, 98
  - BarNone::Shared::DataTransfer::LiftFolderDTO, 106
  - BarNone::Shared::DomainModel::Lift, 92
  - BarNone::Shared::DomainModel::LiftFolder, 100
- Password
  - BarNone::Shared::DataTransfer::UserDTO, 121
  - BarNone::Shared::DomainModel::User, 116
- Path
  - BarNone::Shared::DomainModel::VideoRecord, 126
- Property
  - BarNone::Shared::DataTransfer::Core::Filter↔WhereFilter, 127
- RecordDate
  - BarNone::Shared::DomainModel::BodyData, 43
- Register< TData, TDTO, TConverter >
  - BarNone::Shared::DataConverter::Core::Base↔Converter, 22
- Resource
  - BarNone::Shared::DataTransfer::Flex::FlexEntityD↔TO, 61
- RetypePassword
  - BarNone::Shared::DataTransfer::UserChange↔PasswordDTO, 118
- serializer
  - BarNone::Shared::DataTransfer::Core::FilterDTO, 59
- ShareDataConverterCache
  - BarNone::Shared::DataConverter::Core::Share↔DataConverterCache, 113
- SubFolders
  - BarNone::Shared::DataTransfer::LiftFolderDetailID↔TO, 104
  - BarNone::Shared::DomainModel::LiftFolder, 100
- TimeOfFrame
  - BarNone::Shared::DomainModel::BodyDataFrame, 49
- Types
  - BarNone::TheRack::Core::MapEnum, 109
- UpdateFilter
  - BarNone::Shared::DataTransfer::Core::BaseDTO, 34
- User
  - BarNone::Shared::DataConverters::Converters, 56
- UserConverter
  - BarNone::Shared::DataConverters::UserConverter, 119
- UserID
  - BarNone::Shared::Core::IDomainContext, 63
  - BarNone::Shared::DomainModel::BodyData, 43
  - BarNone::Shared::DomainModel::BodyDataFrame, 49

BarNone::Shared::DomainModel::Core::IOwned↔  
 DomainModel, [66](#)  
 BarNone::Shared::DomainModel::Joint, [73](#)  
 BarNone::Shared::DomainModel::Lift, [92](#)  
 BarNone::Shared::DomainModel::LiftFolder, [100](#)  
 BarNone::Shared::DomainModel::VideoRecord, [126](#)

#### UserName

BarNone::Shared::DataTransfer::UserDTO, [121](#)  
 BarNone::Shared::DomainModel::User, [116](#)

#### Value

BarNone::Shared::DataTransfer::Core::BaseTypeD↔  
 TO, [42](#)  
 BarNone::Shared::DataTransfer::Core::Filter::↔  
 WhereFilter, [127](#)  
 BarNone::Shared::DataTransfer::LiftData::Joint↔  
 TrackingStateTypeDTO, [84](#)  
 BarNone::Shared::DataTransfer::LiftData::Joint↔  
 TypeDTO, [90](#)  
 BarNone::Shared::DomainModel::Core::Base↔  
 EnumDomainModel, [39](#)  
 BarNone::TheRack::Core::MapEnum, [109](#)

#### Values

BarNone::TheRack::Core::MapEnum, [110](#)

#### Video

BarNone::Shared::DataConverters::Converters, [56](#)  
 BarNone::Shared::DataTransfer::LiftDetailDTO, [97](#)  
 BarNone::Shared::DomainModel::Lift, [92](#)

#### VideoConverter

BarNone::Shared::DataConverter::Lift::Video↔  
 Converter, [123](#)

#### VideoID

BarNone::Shared::DomainModel::Lift, [92](#)

#### Where

BarNone::Shared::DataTransfer::Core::FilterDTO, [59](#)

#### WhereFunc

BarNone::Shared::DataTransfer::Core::FilterDTO, [58](#)

#### X

BarNone::Shared::DataTransfer::JointDTO, [79](#)  
 BarNone::Shared::DomainModel::Joint, [73](#)

#### Y

BarNone::Shared::DataTransfer::JointDTO, [80](#)  
 BarNone::Shared::DomainModel::Joint, [73](#)

#### Z

BarNone::Shared::DomainModel::Joint, [73](#)