DATA IMPORT AND FILE MANIPULATION NOTES

Jessica A. Turner & Matthew D. Turner Department of Psychology, Georgia State University <u>jturner63@gsu.edu</u>, <u>mturner46@gsu.edu</u>

INTRODUCTION

This is the handout to accompany the second section of the workshop on data import to the R system. The script file to follow the commands is: **W02_DataImport.R** – please see that for **much** more detail.

Important commands:

- 1. Finding out where you are, what the working directory is: getwd()
- 2. Set the working directory if you're not there already:

```
setwd('path')
```

where 'path' is the path to the directory you need.

3. Get the list of files in the working directory: list.files() or:

```
list.files(path=".")
```

4. Loading datafiles:

```
mydata <- read.csv('filename.csv')
mydata <- read.table('datafile.txt', header = T)</pre>
```

5. Clearing variables:

```
Clear ALL variables: rm(list=ls())
Clear variable 'V': rm(V)
```

- 6. Examining data
 - a. summary (mydata)
 - b. str(mydata)
- 7. Manipulating data
 - a. Indexing: Use **\$label** to get the part of the data called by that label, e.g. mydata\$age

b. Selecting (the final comma is VERY important!):

mydata[mydata\$Gender=="F" & mydata\$StressReduction > 3),]

8. Writing datafiles (basic form; there are many options):

write.table(dataframe, file="path/filename", sep=",", row.names=FALSE)

9. Data format:

In tidy data:

- 1. Each variable forms a column.
- 2. Each observation forms a row (if you have multiple observations per subject, you'll have multiple rows per subject, one per observation).
- 3. Each type of observational unit forms a table.
- 10. More information available at:

ftp://cran.r-project.org/pub/R/web/packages/tidyr/vignettes/tidy-data.html
and at:

http://www.cookbookr.com/Manipulating data/Converting data between wide and long format/

- 11. Changing the organization of data in R is facilitated by the **reshape2** or **tidyr** libraries. See https://blog.rstudio.org/2016/09/15/tidyverse-1-0-0/ for an article describing the related tidy packages, and http://tidyverse.org/ which is the home for the related packages that work together.
- 12. Paired t-test and basic ANOVA examples
 - a. t.test(y, x, paired = TRUE)
 - b. aov(DV ~ IV, data= mydata)
 - c. Note that **summary()** works on statistical analysis objects, too!
- 13. Introduction to plotting:
 - a. Histogram: hist(y,x)
 - b. plot(y, x) this does a box plot or scatter plot depending on the variables type. To specifically force a boxplot, use boxplot().
- 14. Libraries used:

```
"foreign" for importing SPSS
"xlsx" for importing Excel
```

- 15. Where to get more information:
 - a. http://www.statmethods.net/
 - b. https://www.r-bloggers.com/how-to-learn-r-2/

- c. https://www.datacamp.com/community/tutorials/r-data-import-tutorial#gs.yiipYDA
- d. http://stats.idre.ucla.edu/r/faq/how-to-input-data-into-r/
- e. And web searches for specific commands, with the addition of "R" to the search often work, e.g. "summary in r" or "aov r".



The materials in this document are released under a **MIT License** (for code examples) and the Creative Commons for text. Please follow the rules there.

SEPA 2018 R Workshop - R: From Startup to Statistics by Matthew D. Turner is licensed under a <u>Creative</u> <u>Commons Attribution–NonCommercial-ShareAlike 4.0 International License</u>. Based on a work at https://github.com/theEducationalCollective/SEPA2018-R-Introductory-Workshop.

If you adapt this work, the original authors would like a copy. Thanks!