4/29/2019 User

Class User

java.lang.Object User

public class User
extends java.lang.Object

-- ISTE 330 Group Project -- Authors: Lowell Pence, Campbell Schweickhardt, Vincent Cheng

Field Summary

Fields

 Modifier and Type
 Field and Description

 private boolean
 hasActiveSession

 private java.lang.String
 name

private java.lang.String password
private java.lang.String username
private java.lang.String userType

Constructor Summary

Constructors

Constructor and Description

User(java.lang.String username, java.lang.String name, java.lang.String userType)
User(java.lang.String username, java.lang.String password, java.lang.String name, java.lang.String userType)

Method Summary

All Methods Instance Methods Concrete Methods

Modifier and Type Method and Description

void toggleActiveSession()

Methods inherited from class java.lang.Object

 ${\it clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait} \\$

setName(java.lang.String name)

Field Detail

void

username

private java.lang.String username

password

private java.lang.String password

userType

private java.lang.String userType

4/29/2019 User

```
name
private java.lang.String name
hasActiveSession
 private boolean hasActiveSession
Constructor Detail
User
public User(java.lang.String username,
             java.lang.String password,
             java.lang.String name,
             java.lang.String userType)
User
public User(java.lang.String username,
             java.lang.String name,
             java.lang.String userType)
Method Detail
getUsername
 public java.lang.String getUsername()
getName
public java.lang.String getName()
getUserType
public java.lang.String getUserType()
isActive
public boolean isActive()
setUsername
public void setUsername(java.lang.String username)
setName
public void setName(java.lang.String name)
setUserType
public void setUserType(java.lang.String userType)
toggleActiveSession
public void toggleActiveSession()
```

4/29/2019 User