


 [attach-live](#) / [attach-analytics](#) Private

<> Code

 **Issues** 1 Pull requests Actions Wiki Security Insights

Create analytics website #2

Edit

New issue

 **Open**

oliverhausler opened this issue 18 hours ago · 0 comments

Labels

triage

Projects

 m5


Milestone

 m5**oliverhausler** commented 18 hours ago • edited ▼

To gain access to unpublished websites for this job, click <https://dev-proxy-auth.attach.live/KRztbOmUYbGA8lg> once. This will give you a cookie which lets you access the URLs below.

We have prepared a website <https://dev-analytics.attach.live/> - WAIT 10 SEC for the JSON to be displayed. The website uses React and can be served on `localhost` for testing. The page connects to `socket.io` and retrieves JSON which is regularly updated. Your job will be to display the landing page with the counters instead the JSON, according to the following job description:

☐ Create a landing page as specified in this draft:



- ☐ Make the page responsive down to 260px `min-width` . We typically want to display two counters side by side on mobile, but it may be necessary to display them underneath each other below a certain `width` . We'll determine the final width for two counters once the page is done. The `max-width` is determined by the header which we already placed. There are media queries in place I believe, or we have values from other pages that could work.
- ☐ The page is localized and there is a SEO system in place which changes the URL based on the `locale` . There is an existing `translate()` function. The localized text is already prepared and there is an example how to retrieve translated text. Use the following keys to retrieve labels (let me know in case any localized term is missing):

counters

```
ANALYTICS_COUNTER_VOTES_PER_INTERVAL  
ANALYTICS_COUNTER_SHARED_FEEDS_PER_INTERVAL  
ANALYTICS_COUNTER_REATTACHED_FEEDS_PER_INTERVAL  
ANALYTICS_COUNTER_VIDEO_VIEWS_PER_INTERVAL  
ANALYTICS_COUNTER_VIDEOS_PER_INTERVAL  
ANALYTICS_COUNTER_HASHTAGS_PER_INTERVAL  
ANALYTICS_COUNTER_COMMENTS_PER_INTERVAL  
ANALYTICS_COUNTER_NEWS_FEEDS_VIEWED_PER_INTERVAL  
ANALYTICS_COUNTER_NEWS_FEEDS_PER_INTERVAL  
ANALYTICS_COUNTER_NEWS_SOURCES_CRAWLED  
ANALYTICS_COUNTER_AVERAGE_SESSION_LENGTH  
ANALYTICS_COUNTER_NEW_USERS_PER_INTERVAL  
ANALYTICS_COUNTER_CURRENT_ACTIVE_USERS  
ANALYTICS_COUNTER_DAILY_ACTIVE_USERS
```

categories

```
ITEM  
USER  
COMMENT  
VIDEO  
HASHTAG
```

actions

```
FLAGGED_FAKE  
FLAGGED_REAL  
VOTED  
SHARED  
REGISTERED  
POSTED  
VIEWED  
REATTACHED  
UPVOTED  
DOWNVOTED
```

The page connects to socket.io (already coded) and retrieves JSON. There are two event types for which you receive callbacks when a `render()` is due:

- ☐ `counter` tells you that a "log" update was received:
 - Display the "log" in the center of the page from event : `Category + space + action` in the log, with a yellow dot before each line. `category` (make first character Upper) and `action` are localized.
 - The "log" is NOT A SCROLL element and will remove a lot of updates (hundreds per second). Make sure `render()` is efficient and remove older lines when the "log" is full.
 - If a counter in the draft has a yellow dot, blink it for 200ms simultaneously. DO NOT count the actual counters.
- ☐ `counters` tells you that aggregate events have been received for all counters:
 - Update the counters from the JSON. Use `react-spring` for displaying counters. Make the visual "count" effect similar to <https://dev-www.attach.live>.
 - The `counters` JSON is received every 10s. Before you receive it, initialize all `counters` with `---` and blink fast as loading indicator. Do not display a visual effect when changing to numbers for the first count.
 - If the value for a specific counter is missing from the `counters` JSON, do not update it (keep its state, be it `---` or the previously shown number).



The draft shows you the association between `events` and `counters`.

- ☐ Where you see icons, these are from Material Font, except for the SVG below (which may not be contained). Either use Material Font or else copy the SVG into an `icon` as you can see in the project code.
- ☐ The page is a copy from <https://dev-reactions.attach.live>. Remove obsolete resources from the page, such as unused fonts.



SVG icon in case missing from the font:

[newspaper-variant-outline.svg.zip](#)



  **oliverhausler** added the `triage` label 18 hours ago

  **oliverhausler** added this to the **m5** milestone 18 hours ago

  **attach-bot** added this to **triage** in **m5** 18 hours ago

Assignees

⚙️

No one—assign yourself

Labels

⚙️

triage

Projects

⚙️

 **m5**

triage ▼

Milestone

⚙️

m5

Linked pull requests


⚙️

Successfully merging a pull request may close this issue.

None yet

1 participant



 Pin issue 