BEM


Block Element Modifier

BEM

- Block Element Modifier
- Naming convention
- FAQ


Block

• Standalone entity that is meaningful on its own




Element

- A part of a block
- Semantically tied to its block



Modifier

• A flag on a block or element



Naming Convention

```
<div class="block__element_modifier"></div>
```

```
<div class="block"></div>
<div class="block__element"></div>
<div class="block_modifier"></div>
<div class="block__element_modifier"></div></div>
```

```
<div class="a-block">
     <div class="a-block__element"></div>
     <div class="another-block"></div>
     </div></div>
```

```
.block-name { /* style */ }
.block-name__elem1 { /* style */ }
.block-name__elem2 { /* style */ }
.block-name__elem3 { /* style */ }
```

```
.block-name { /* style */ }
.block-name__elem1 { /* style */ }
.block-name__elem2 { /* style */ }
.block-name__elem3 { /* style */ }
```

```
.block-name { /* style */ }
.block-name__elem1 { /* style */ }
.block-name__elem1__elem2 { /* style */ }
.block-name__elem1__elem2__elem3 { /* style */ }
```

```
.block-name { /* style */ }
.block-name__elem1 { /* style */ }
.block-name__elem2 { /* style */ }
.block-name__elem3 { /* style */ }
```

```
<div class="block-name">
    <div class="block-name__elem1">
        <div class="block-name__elem2"></div>
        </div>
        <div class="block-name__elem3"></div>
        </div>
    </div>
```

```
.block-name { /* style */ }
.block-name__elem1 { /* style */ }
.block-name__elem2 { /* style */ }
.block-name__elem3 { /* style */ }
```

```
.block-name { /* style */ }
.block-name__elem1 { /* style */ }
.block-name__elem1__elem2 { /* style */ }
.block-name__elem1__elem2__elem3 { /* style */ }
```

```
<div class="block">
    <div class="block__elem1">
        <div class="block__elem1__elem2"></div>
        </div>
        <div class="block__elem3"></div>
        </div>
        </div></div>
```

Mix

```
.search-form { /* style */ }
.header { /* style */ }
.header__search-form { /* style */ }
```

Block or Element?

Block

- might be reused
- doesn't depend on other page components

Element

can't be used separately without the parent entity (the block)

Exception:

elements need to be divided into smaller parts

→ create a service block

Modifier

Boolean modifiers

```
.button { /* style */ }
.button_disable { /* style */ }
.menu__item { /* style */ }
.menu__item_selected { /* style */ }
```

Key-value type modifiers

Two dash style

No key-value type modifiers

FAQ

- Why include the block name?
 - Namespace
 - Mixes
 - Code searching

FAQ

- Global modifier?
 - No
 - Any modifier always belongs to one specific BEM entity
 - Maybe create a separate block and using mixes

<div class="block1 block2"></div>

FAQ

- Avoid using nested selectors
- Avoid using combined selectors
- Avoid combining tag and class selectors
- Avoid using CSS property as modifier

```
button.form__button {
   font-size: 12px;
}
.form__button--large {
   font-size: 20px;
}
```