

ITI 1121. Introduction to Computing II

Winter 2022

Assignment 1

(Last modified on January 11, 2022)

Deadline: February 4, 2022, 11:30 pm

Learning objectives

- Edit, compile and run Java programs
- Utilize arrays to store information
- Apply basic object-oriented programming concepts
- Understand the university policies for academic integrity

Introduction

This year, we are going to implement, through a succession of assignments, a simple parking-lot simulator and optimizer. For Assignment 1, we have modest goals though: we would like to read from a file the design and the occupancy information of a parking lot, and perform some basic operations, for example, parking a car at a certain spot in the lot. What you need to do in this assignment is illustrated with an example. Suppose we have a file named `parking.inf` with the content shown in Figure 1.

```
S, S, S, S, N
R, R, L, L, E
R, R, L, L, E
S, S, S, S, N

###

0, 1, S, ABC
1, 2, L, ABD
3, 3, S, ABX
```


Figure 1: Example input file

You will parse the input data and build the conceptual memory representation shown in Figure 2. More precisely, we get: (1) an instance variable, `lotDesign`, instantiated with a two-dimensional `CarType` array (of size 4×5) and (2) an instance variable, `occupancy`, instantiated with a two-dimensional `Car` array (of the same size as `lotDesign`). These arrays will be populated with the data in the input file. The `lotDesign` variable represents the design of the parking lot and the `occupancy` variable keeps track of the cars that are parked in the lot.

`CarType` is an enumeration class defined as follows:

```
public enum CarType {
    ELECTRIC, SMALL, REGULAR, LARGE, NA;
}
```

In the input file, the letter “E” means ELECTRIC, “S” means SMALL, “R” means REGULAR, “L” means LARGE and “N” means Not Applicable (NA). The special NA value is used in the parking-lot design when a spot is unsuitable for parking a car (e.g., when pillars or building facilities are blocking the spot).



* Let us take `lotDesign[0][0]` as an example. For the input file shown in Figure 1, `lotDesign[0][0]` will refer to `CarType.SMALL` once the file has been processed. Note that S, R, L, E and N in the above representation are **not** characters or strings. Rather, these are references to the literals in the `CarType` enumeration class (respectively: SMALL, REGULAR, LARGE, ELECTRIC and NA).




Figure 2: Results of processing the example occupancy input of Figure 1

There are a number of methods in `Car` and `ParkingLot` that you need to implement. When necessary, guidance is provided in the template code in the form of comments. The locations where you need to write code have been clearly indicated with an inline comment that reads as follows:

`// WRITE YOUR CODE HERE!`

The `toString()` methods for both `Car` and `ParkingLot` have been provided to you in full. Similarly, the `main(...)` method (in `ParkingLot`) has been provided. You do not need to change these methods, but you are encouraged to study them carefully.

Once the remaining methods in `Car` and `ParkingLot` have been implemented, running `ParkingLot.main(...)` will produce the following output. Note that our example parking lot has only 18 parkable spots, since two spots in the lot design are marked as “N”. In our example, there is a total of three cars parked in the lot.

```
$ java ParkingLot
Please enter the name of the file to process: parking.inf
Total number of parkable spots (capacity): 18
Number of cars currently parked in the lot: 3
==== Lot Design ====
S, S, S, S, N
R, R, L, L, E
R, R, L, L, E
S, S, S, S, N

==== Parking Occupancy ====
(0, 0): Unoccupied
(0, 1): S(ABC)
```

```

(0, 2): Unoccupied
(0, 3): Unoccupied
(0, 4): Unoccupied
(1, 0): Unoccupied
(1, 1): Unoccupied
(1, 2): L (ABD)
(1, 3): Unoccupied
(1, 4): Unoccupied
(2, 0): Unoccupied
(2, 1): Unoccupied
(2, 2): Unoccupied
(2, 3): Unoccupied
(2, 4): Unoccupied
(3, 0): Unoccupied
(3, 1): Unoccupied
(3, 2): Unoccupied
(3, 3): S (ABX)
(3, 4): Unoccupied
$

```

Important Considerations (Please Read Carefully!)

Below are some important considerations that you need to account for in your implementation.

Structure of the input file The structure of the input file is as depicted in Figure 3.




Figure 3: Structure of the Input File

Determining the size of the arrays to instantiate: You will be storing the lot design and occupancy information using two instance variables that are respectively declared as:

```

private CarType[][] lotDesign;
private Car[][] occupancy;

```

One problem that you have to deal with is how to instantiate these variables. To do so, you need to know the dimensions of the parking lot. But, you can know this only after processing the information up to the "###" delimiter in the input file. Later on in the course, we will see "expandible" data structure like linked lists, which do not have a fixed size, allowing elements to be added to them as you go along. For this assignment

though, you are **forbidden** from using lists or similar data structures with non-fixed sizes. Instead, you are expected to work with fixed-size arrays. In this assignment, the easiest way to instantiate the arrays is through a *two-pass* strategy. This means that you will go over (the lot-design part of) the input file twice. In the first pass, you determine the dimensions of the parking lot design. You can assume that the lot has a perfectly rectangular shape with all rows having the same number of spots in them. With the dimensions of the lot design known, you can instantiate `lotDesign` and `occupancy`. Then, through a second pass on the input file, you can populate (the now-instantiated) `lotDesign` and `occupancy`. Note that, as illustrated in Figure 2, **you are expected to instantiate `lotDesign` and `occupancy` as a $row \times spots-per-row$ array**, as opposed to a $spots-per-row \times row$ array. While this latter strategy is correct, you are asked to use the former (that is, $row \times spots-per-row$) as a convention throughout this assignment.

Removing blank spaces and empty lines: Blank spaces and empty lines should be discarded. For example, consider the input file in Figure 4. This file is the same as the one in Figure 1, only with some spaces and empty lines added. These spaces and new lines need to be *trimmed* and ignored. Simply put, spaces and empty lines should be treated as non-existent.

```
S,      S,      S, S, N
R, R, L,      L, E
R, R, L, L, E

S, S, S, S, N

###

0,      1, S, ABC
1, 2,      L, ABD
3, 3, S,      ABX
```

Figure 4: Example with extra spaces and empty lines; spaces and empty lines should be discarded

Rules for parking: As the occupancy instance variable is populated, you need to ensure that the following rules are always respected:

- No car can be parked at a spot that is designated NA in the lot design;
- A car cannot be parked at an out-of-bound position;
- At most one car can be parked at any given (non-NA) spot;
- An electric car is allowed to park at any (non-NA) spot: ELECTRIC, SMALL, REGULAR, LARGE;
- A small car is allowed to park only at the following spot types: SMALL, REGULAR, LARGE;
- A regular car is allowed to park only at the following spot types: REGULAR, LARGE;
- A large car is allowed to park only at the following spot type: LARGE;

If a car in the input file violates any of the above rules, it will not be parked at the specified spot. For example, consider the input file in Figure 5. For this input file, only one of the cars specified, namely the car with plate C3, can be parked. C1 is a large car attempting to park at a small spot (0, 1). C2 is attempting to park at an NA spot (2, 2). C4 is attempting to park at a spot already occupied by C3. Finally, C5 is attempting to park at a spot with indices that are out of bound.

```
S, S, N
L, L, E
L, N, N

###

0, 1, L, C1
2, 2, E, C2
1, 1, S, C3
1, 1, L, C4
3, 3, S, C5
```

Figure 5: Example Input with Errors

The output resulting from processing the input file of Figure 5 would be as follows:

```
$ java ParkingLot
Please enter the name of the file to process: parking-with-errors.inf
Car L(C1) cannot be parked at (0,1)
Car E(C2) cannot be parked at (2,2)
Car L(C4) cannot be parked at (1,1)
Car S(C5) cannot be parked at (3,3)
Total number of parkable spots (capacity): 6
Number of cars currently parked in the lot: 1
==== Lot Design ====
S, S, N
L, L, E
L, N, N

==== Parking Occupancy ====
(0, 0): Unoccupied
(0, 1): Unoccupied
(0, 2): Unoccupied
(1, 0): Unoccupied
(1, 1): S(C3)
(1, 2): Unoccupied
(2, 0): Unoccupied
(2, 1): Unoccupied
(2, 2): Unoccupied
$
```

Implementation

You are now ready to program your solution. For this assignment, you need to follow the patterns provided to you in the template code (see the “Files” section, discussed later). **You cannot change any of the signatures of the methods. You cannot import any classes or packages beyond the ones already imported. You cannot add any new *public* methods or variables.** You can, however, add new *private* methods to improve the readability and/or the organization of your code.

Car

You need to complete the setters, getters, and the constructor in the Car class.

ParkingLot

There are a number of methods in `ParkingLot` that you need to either complete or implement from scratch. Guidance is provided in the template code in the form of comments. The locations where you need to write code have been clearly indicated with an inline comment that reads as follows:

```
// WRITE YOUR CODE HERE!
```

The easiest way to navigate the template code is to start from the main method of the `ParkingLot` class, shown in Figure 6. Intuitively, this method works as follows: First it displays your student information by calling `StudentInfo.display()`, which is a method that you will need to complete¹. Next, it reads from the standard input the name of the input file to process. After that, the main method creates an instance of `ParkingLot`; the constructor of `ParkingLot` will process the input file and populate `lotDesign` and `occupancy` (explained earlier). Finally, the method prints to the standard output information about the `ParkingLot` instance that was just created.

```
public static void main(String args[]) throws Exception {

    StudentInfo.display();

    System.out.print("Please enter the name of the file to process: ");

    Scanner scanner = new Scanner(System.in);

    String strFilename = scanner.nextLine();

    ParkingLot lot = new ParkingLot(strFilename);

    System.out.println("Total number of parkable spots (capacity): " +
        lot.getTotalCapacity());

    System.out.println("Number of cars currently parked in the lot: " +
        lot.getTotalOccupancy());

    System.out.print(lot);

}
```

Figure 6: The main method in `DataSet`

Please note that there are a couple of technicalities which you will learn about only later in the course. One is how to process files. The other is the notion of exceptions in Java. For this assignment, the template code for file processing is provided wherever it is needed. As for exceptions, you do not have to deal with them in this assignment, but you will see that some methods in the code are declared as throwing exceptions. You can ignore these exception declarations for now.

Util

The `Util` class facilitates the implementation of `Car` and `ParkingLot`. You are *not* supposed to alter the `Util` class in this assignment. Please leave this class as is. The `Util` class provides two static methods that you can use:

- `public static CarType getCarTypeByLabel(String label)`: Returns the `CarType` literal associated with a given textual label (E, S, R, L, N).
- `public static String getLabelByCarType(CarType type)`: Returns the textual label associated with a given `CarType` literal.

¹The example outputs shown earlier in this assignment description were generated with `StudentInfo.display()` commented out.

Academic Integrity

This part of the assignment is meant to raise awareness concerning plagiarism and academic integrity. Please read the following documents.

- <https://www.uottawa.ca/about/14-fraude-scolaire>
- <https://www.uottawa.ca/vice-president-academic/academic-integrity>

Cases of plagiarism will be dealt with according to the university regulations. By submitting this assignment, you acknowledge:

1. I have read the academic regulations regarding academic fraud.
2. I understand the consequences of plagiarism.
3. With the exception of the source code provided by the instructors for this course, all the source code is mine.
4. I did not collaborate with any other person, with the exception of my partner in the case of team work.
 - If you did collaborate with others or obtained source code from the Web, then please list the names of your collaborators or the source of the information, as well as the nature of the collaboration. Put this information in the submitted README.txt file. Marks will be deducted proportional to the level of help provided (from 0 to 100%).

Rules and regulation

- Follow all the directives available on the [assignment directives web page](#).
- Submit your assignment through the on-line submission system [virtual campus](#).
- You must preferably do the assignment in teams of two, but you can also do the assignment individually.
- You must use the provided template classes below.
- We will be using an automated tool to compare all the assignments against each other (this includes both, the French and English sections). Submissions that are flagged by this tool will receive the grade of 0.
- It is your responsibility to make sure that Brightspace has received your assignment. Late submissions will not be graded.

Files

You must hand in a **zip** file (**no other file format will be accepted**). The name of the top directory has to have the following form: **a1_3000000_3000001**, where 3000000 and 3000001 are the student numbers of the team members submitting the assignment (simply repeat the same number if your team has one member). The name of the folder starts with the letter “a” (lowercase), followed by the number of the assignment, here 1. The parts are separated by the underscore (not the hyphen). There are no spaces in the name of the directory. The archive a1_3000000_3000001.zip (available on Brightspace under Assignment 1) contains the files that you can use as a starting point. Your submission must contain the following files.

- README.txt
 - A text file that contains the names of the two partners for the assignments, their student ids, section, and a short description of the assignment (one or two lines).
- Car.java
- ParkingLot.java
- Util.java²
- StudentInfo.java (Update this file so that the `display()` method shows your personal information).

IMPORTANT! If you are working in a team of two, please **make sure that only *one* team member makes a submission**. This means that you need to coordinate in advance with your teammate who is going to submit. If both members of the same team make a submission, then both members will be penalized for double submission.

²As noted earlier, you are **not** supposed to change Util.java; you simply resubmit the file given to you.

Questions

For all your questions, please visit the Piazza Web site for this course:

- piazza.com/uottawa.ca/winter2022/iti1121bc/

Last modified: January 11, 2022