## 18BCB0142

## David B.A.De Vieira Velho

Ex 5

## 1.

```
SQL> SELECT FIRST_NAME, LAST_NAME from emp where SALARY = (SELECT MAX(SALARY) FROM emp where DEPARTMENT_NUMBER = (SELECT DEPARTMENT_NUMBER FROM dept where DEPARTMENT_NAME='Headquarters'));
no rows selected
```

## 2.

## 3.

# 4.

# 5.

```
SULD SELECT DEPARTMENT_NAME FROM dept WHERE DEPARTMENT_NUMBER = (SELECT DEPARTMENT_NUMBER FROM emp GROUP BY DEPARTMENT_NUMBER HAVING COUNT(DEPARTMENT_NUMBER) = (SELECT MAX(COUNT(FIRST_NAME)) FROM emp GROUP BY DEPARTMENT_NUMBER HAVING COUNT(DEPARTMENT_NUMBER) = (SELECT MAX(COUNT(FIRST_NAME)) FROM emp GROUP BY DEPARTMENT_NUMBER HAVING COUNT(DEPARTMENT_NUMBER) = (SELECT MAX(COUNT(FIRST_NAME)) FROM emp GROUP BY DEPARTMENT_NUMBER HAVING COUNT(DEPARTMENT_NUMBER) = (SELECT MAX(COUNT(FIRST_NAME)) FROM emp GROUP BY DEPARTMENT_NUMBER HAVING COUNT(DEPARTMENT_NUMBER) = (SELECT MAX(COUNT(FIRST_NAME)) FROM emp GROUP BY DEPARTMENT_NUMBER HAVING COUNT(DEPARTMENT_NUMBER) = (SELECT MAX(COUNT(FIRST_NAME)) FROM emp GROUP BY DEPARTMENT_NUMBER HAVING COUNT(DEPARTMENT_NUMBER) = (SELECT MAX(COUNT(FIRST_NAME)) FROM emp GROUP BY DEPARTMENT_NUMBER HAVING COUNT(DEPARTMENT_NUMBER) = (SELECT MAX(COUNT(FIRST_NAME)) FROM emp GROUP BY DEPARTMENT_NUMBER HAVING COUNT(DEPARTMENT_NUMBER) = (SELECT MAX(COUNT(FIRST_NAME)) FROM emp GROUP BY DEPARTMENT_NUMBER HAVING COUNT(DEPARTMENT_NUMBER) = (SELECT MAX(COUNT(FIRST_NAME)) FROM emp GROUP BY DEPARTMENT_NUMBER HAVING COUNT(DEPARTMENT_NUMBER) = (SELECT MAX(COUNT(FIRST_NAME)) FROM emp GROUP BY DEPARTMENT_NUMBER HAVING COUNT(DEPARTMENT_NUMBER) = (SELECT MAX(COUNT(FIRST_NAME)) FROM emp GROUP BY DEPARTMENT_NUMBER HAVING COUNT(DEPARTMENT_NUMBER) = (SELECT MAX(COUNT(FIRST_NAME)) FROM emp GROUP BY DEPARTMENT_NUMBER HAVING COUNT(DEPARTMENT_NUMBER) = (SELECT MAX(COUNT(FIRST_NAME)) FROM emp GROUP BY DEPARTMENT_NUMBER HAVING COUNT(DEPARTMENT_NUMBER) = (SELECT MAX(COUNT(FIRST_NAME)) FROM emp GROUP BY DEPARTMENT_NUMBER HAVING COUNT(DEPARTMENT_NUMBER) = (SELECT MAX(COUNT(FIRST_NAME)) FROM emp GROUP BY DEPARTMENT_NUMBER HAVING COUNT(DEPARTMENT_NUMBER) = (SELECT MAX(COUNT(FIRST_NAME)) FROM emp GROUP BY DEPARTMENT_NUMBER HAVING COUNT(DEPARTMENT_NUMBER HAVING COUNT BY DEPARTMENT_NUMBER HA
```

#### 6.

### 7.

```
SQL> SELECT dept.DEPARTMENT_NAME, AVG(emp.SALARY) from emp INNER JOIN dept on emp.DEPARTMENT_NUMBER = dept.DEPARTMENT_NUMBER GROUP BY dept.DEPARTMENT_NAME;

DEPARTMENT_NAME AVG(EMP.SALARY)

Headquarter 80000
Administration 41500
Finance 38000
```

#### 8.

## 9.

```
SQL> CREATE TABLE EMP10K AS SELECT * FROM emp WHERE SALARY > 10000;

Table created.

SQL> SELECT FIRST_NAME, SALARY FROM EMP10K;

FIRST_NAME SALARY

Doug 80000
Joyce 70000
Frankin 40000
Jenifer 43000
John 30000
Ramesh 38000

6 rows selected.

SQL> |
```

## EX6

1.

## 2.

### 3.

### 4.

```
SQL> SELECT DEPARTMENT_NAME from dept where DEPARTMENT_NUMBER = (SELECT DEPARTMENT_NUMBER from emp GROUP BY DEPARTMENT_NUMBER HAVING COUNT(*) > 2);

no rows selected

SQL> |
```