FIRST AID



Scan to review worksheet

Expemo code:
1KDP-T1LF-8EB

1 Warm up

In pairs or small groups, discuss the questions below.

1. Have you ever had to give or receive first aid? What happened?
2. What items do you think should be in a basic first aid kit?
3. What would you do if someone burned their hand while cooking?
4. Why is it important for everyone, not just doctors, to know basic first aid?




© Linguahouse.com. Photocopiable and licensed for use in Sandra Gianinazzi's lessons.

2 What's in a first aid kit?

Part A: Look at the picture below and match the numbers with the names of things you find in a first aid kit.

a) medical tape
b) tweezers
c) emergency blanket
d) torch
e) antiseptic wipes
f) bandage
g) antibiotic ointment
h) aspirin
i) instant cold pack
j) eye drops
k) thermometer
l) CPR face shield / mask
m) medical gloves
n) plasters
o) scissors
p) safety pins



Part B: Complete the statements below with the correct item from Part A.

1. After cleaning the small cut, she applied a _____ to protect it from dirt.
2. He wrapped a _____ around his injured arm to support the sprain.
3. Before treating the wound, she used _____ to disinfect the area thoroughly.
4. The doctor recommended using _____ on the graze to prevent infection.
5. During the first aid session, he put on _____ to maintain proper hygiene.
6. She carefully snipped off the excess tape with _____ before applying the bandage.
7. When a splinter got lodged in his finger, he used _____ to remove it safely.
8. Finally, he checked the patient's temperature with a digital _____ to monitor for fever.

Can you think of anything else you might find in a first aid kit?

© Linguahouse.com. Photocopiable and licensed for use in Sandra Gianinazzi's lessons.

3 Common injuries that require first-aid treatment

Match the injuries with the causes.

1.	a torn muscle	a.	a blocked airway
2.	a heart attack	b.	not warming up properly before exercise
3.	choking	c.	fire or hot liquids
4.	a stroke	d.	interrupted blood supply to the brain
5.	whiplash	e.	a blow to the head
6.	a burn	f.	a sudden forward movement of the head and upper body
7.	a concussion	g.	high blood pressure

4 Treating a wound

Tick which items you need to treat a wound.

- ☐ medical gloves
- ☐ a thermometer
- ☐ a stethoscope
- ☐ a sterile dressing
- ☐ adhesive tape
- ☐ a sling
- ☐ a bandage
- ☐ a foil blanket

What is the best way to stop a wound from bleeding?

a. apply direct pressure to it

b. put a plaster on it

c. call an ambulance

© Linguahouse.com. Photocopiable and licensed for use in Sandra Gianinazzi's lessons.

5 Treating a burn

Put the steps to treat a minor burn at home in the correct order.

____ Treat any pain from the injury with painkillers such as paracetamol.

____ Put a sterile bandage or cling film loosely over the affected area.

____ Remove the person from the heat source, or the heat source from the person.

____ While cooling the burn, remove any clothing or jewellery that is not attached to the skin

____ Keep the person warm with a blanket, but not over the burnt area.

____ Cool the burn with cool (not cold) running water as quickly as possible for 20 mins.

____ Do not apply creams or lotions to the affected area, or break blisters.

Source: NHS Inform. The National Health Service, (NHS), is the UK's free healthcare system paid for by the government.

6 Performing CPR

Look at the information below and choose the correct verb to complete each of the sentences below. You may need to change the form of the word.

CPR, or Cardiopulmonary resuscitation, is an emergency treatment used to restart someone's heart and breathing when they have stopped.

CPR with rescue breaths

If you've been trained in CPR and are confident about your skills, you can give chest compressions with rescue breaths. If you're not completely confident, you should use hands-only CPR.

The statements below are in the order they should be performed and describe CPR that is used on adults. There are different procedures used for children and babies under a year old.



© Linguahouse.com. Photocopiable and licensed for use in Sandra Gianinazzi's lessons.

give	pinch	place	press
recover	rise	seal	tilt

1. _____ the heel of your hand on the centre of the person's chest.
2. Put the other hand on top and _____ down by 5-6cm, performing 100-120 chest compressions per minute.
3. After every 30 compressions, _____ two rescue breaths.
4. _____ the person's head back gently and lift their chin up with two fingers.
5. _____ the person's nose.
6. _____ your mouth over theirs and blow steadily for about one second.
7. Make sure their chest _____. Give two rescue breaths.
8. Continue with the cycle of compressions and breaths until the person _____ or an ambulance arrives.

Source: NHS Choices

7 Talking point

Work in pairs or small groups and choose one of the four emergency scenarios. Using the vocabulary from the lesson, have a discussion together.

Discuss and agree on:

- the steps you would take to provide first aid,
- the items from a first aid kit you would use,
- when and why you would call for professional help.

Scenario 1

A child has burned their hand on a hot pan. The skin is red and painful.

Scenario 2

A coworker collapses at the office and is unresponsive. You're not sure if they're breathing.

© Linguahouse.com. Photocopiable and licensed for use in Sandra Gianinazzi's lessons.

Scenario 3

During a hike, someone twists their ankle badly and can't walk.

Scenario 4

A person cuts themselves on broken glass and is bleeding heavily.

8 Medical quiz

Answer the questions below in pairs or small groups.

1. What is a graze?
   a. an injury to a joint
   b. an injury to your skin made by something sharp
   c. an injury to your skin caused by scraping it on something
2. Which of these signs means someone is having a stroke?
   a. they have difficulty speaking
   b. they are vomiting
   c. they have pains in their chest
3. When treating a wound, you should use a sterile dressing. What does the word 'sterile' mean?
   a. washed
   b. free from bacteria
   c. new
4. Why shouldn't you put a tight dressing on a burn?
   a. to allow air to move around freely
   b. to allow the dressing to be removed easily
   c. to not put pressure on it
5. How many chest compressions should you do per minute during CPR?
   a. 80-100
   b. 100-120
   c. 120-140

Expemo
Learn without forgetting!
Scan the QR at the top of Page 1 to review the lesson flashcards with Expemo.
© Linguahouse.com. Photocopiable and licensed for use in Sandra Gianinazzi's lessons.