



The Expert's Guide to Daubert

Everything you need to trace funds across a blockchain,
organize what you find, and turn it into a document a
court will accept, without writing a line of code.

FOR NEWLY ONBOARDED EXPERT WITNESSES
INCITE CONSULTING • DAUBERT AI

PROPRIETARY AND CONFIDENTIAL


This document and the software it describes are the proprietary and confidential property of Daubert AI. It is provided to authorized personnel, retained experts, and partners under an obligation of confidentiality. Do not copy, distribute, or disclose it, in whole or in part, to any other party without written authorization.

Contents

01	How Daubert is put together	3
	Organization, case, investigation, trace, and what you do on a matter.	
02	Signing in, and who can see what	4
	Sign-in, invite links, your home screen, and how firm and case roles work.	
03	Setting up a case	7
	The three-step wizard: declarant, seed trace, declaration shell.	
04	Your declarant profile	10
	Build it once from your CV or a prior declaration, then reuse it everywhere.	
05	The three-panel workspace	13
	Reading the layout, reading a trace, and how investigations and traces differ.	
06	Tracing the money	15
	The seven chains, pulling transactions, labeling wallets, and shaping the graph.	
07	The built-in AI assistant	19
	What it can do, how to ask well, and where your judgment stays essential.	
08	The Data Room	21
	Getting files in, Google Drive import, folders, and the chain-of-custody log.	
09	Productions	23
	Report, chart, chronology, declaration, redline, and what each is for.	
10	Drafting a declaration	25
	The five jurisdiction formats, the editor, the caption block, and exhibits.	
11	Redlining a document	28
	Reviewing someone else's draft, and exporting real tracked changes.	
12	Exports and exhibit bundles	30
	Formats available per production, and assembling several items into one PDF.	
13	Connect your own AI (BYOA)	32
	Pointing Claude or ChatGPT at your cases, plus the guardrails and the audit trail.	
14	Habits that hold up under cross	37
	Practice notes, a glossary, and what to try when you are stuck.	

If you read only three sections: **01** for the mental model, **04** so your expert profile is built before your first matter, and **10** before you draft anything that will be filed.

01 How Daubert is put together



Running alongside all of it: the **Data Room** (the case's file cabinet) and **Productions** (the things you hand to counsel: reports, charts, chronologies, declarations and redlines).

What you will actually do on a matter

- 1 Open the case**
Counsel or a colleague adds you. It shows up on your home screen.
- 2 Seed a trace**
Paste the wallet addresses at issue. Daubert pulls their transaction history and draws the diagram.
- 3 Work the graph**
Label the wallets you can identify, expand the flows that matter, hide the noise.
- 4 Ask the AI**
It reads the same case data you can see, and can run the tedious parts for you.
- 5 Produce**
Turn findings into a report, a chart, a chronology or a signed declaration.
- 6 Export**
PDF or Word, with jurisdiction-correct formatting. Bundle several items into one exhibit.

THE ONE THING TO REMEMBER

Daubert never invents on-chain facts. Every wallet, amount and timestamp on a trace was fetched from a public blockchain and can be clicked through to the block explorer. Your labels and your narrative are the only interpretive layer, and exactly the part you will be cross-examined on.

02 Signing in, and who can see what

Daubert lives at **app.dauberts.ai**. Sign in with Google, Microsoft, or a one-time code sent to your email.

READ THIS BEFORE YOU SIGN IN

Sign in with the exact email address your invite was issued to.

Your invite is a **single-use link tied to one specific email address**. If you sign in with any other address, even another address of your own, Daubert will refuse the invite and tell you which address it belongs to.

So if the link was issued to `jane.doe@yourfirm.com`, sign in with **that** Google, Microsoft or email-code identity. Not a personal Gmail. Not an alias.

How invites actually reach you

Daubert does not send invitation emails. Whoever adds you generates a link and sends it to you themselves, usually by email or chat. The link carries your role and expires.





FIG. 1 The invite page. It tells you the case, who invited you, and your role. **The email address is fixed by the invite and cannot be changed here.**

Your home screen



Roles, in plain English

You have a role in **the firm** and a role on **each case**. The firm role sets your default; a case can override it.

FIRM ROLE	WHAT IT MEANS	DEFAULT ON A CASE
Admin	Runs the organization: members, invites, settings.	Owner of every case
Member	The normal staff role. Can create new cases.	Editor on every case
Guest	Outside counsel or a contractor. Sees case names only.	Nothing. Needs an explicit invite

CASE ROLE	CAN DO
Owner	Everything, including adding and removing case members.
Editor	Trace, label, upload files, create and edit productions, export.
Viewer	Read and download everything; cannot change anything. The AI assistant switches to read-only for you.

IF YOU CANNOT SEE A CASE

It is almost always the guest rule: guests see a case exists but must be invited to it individually. Ask the case owner to add you. It takes them ten seconds under **Settings → Members**.

03 Setting up a case

Open an empty case and Daubert walks you through three steps. All three are skippable, but doing them in order gets you to a draft declaration fastest.

Step 1. Who is declaring?

← Demo

Case onboarding

Sam Padilla

AGENT Daubert

Opus 4.8

01 • INVESTIGATIONS +

No investigations yet.

02 • PRODUCTIONS +

No productions yet.

Data Room

+ Exhibit

Settings

Set up your case

Three quick steps to your first trace and declaration.

1 Declarant 2 Seed trace 3 Declaration Skip setup

Who is declaring?

Pick the expert whose declaration this case will produce, or add them now. You can skip this and do it later.

Samuel C. Padilla
Blockchain Analyst - Incite Consulting LLC You

+ New declarant

Skip Next

Ask me about addresses, transactions, or patterns in this case.

Ask me anything...

FIG. 3 Pick the expert whose declaration this case will produce. Profiles are shared across the whole firm, so yours only has to be built once (see §04).

Step 2. Seed the first trace

Set up your case
Three quick steps to your first trace and declaration.

1 Declarant 2 **Seed trace** 3 Declaration Skip setup

Seed your first trace
Paste one or more wallet addresses. We fetch the most recent activity and draw the graph.

Wallet addresses Chain

0x1234..., T9yD14... + Ethereum

Engagement context (optional)
Stored on the case summary. The AI assistant uses it to scope the declaration draft.

Side
Unspecified

Scope of engagement
What you were retained to analyze

Key allegations
The core claims at issue

Back Skip Fetch and trace

Ask me anything...

FIG. 4 Paste one or more wallet addresses, pick the chain, and Daubert fetches the recent history and draws the graph. **Engagement context** is optional but worth filling in: the assistant uses it to scope its drafting.

WORTH 60 SECONDS

Fill in **Side**, **Scope of engagement** and **Key allegations**. They are stored on the case and quietly improve everything the assistant drafts for you afterwards. It stops guessing what you were retained to do.

Step 3. Create the declaration shell

FIG. 5 Choose the jurisdiction and Daubert scaffolds a correctly formatted declaration with six standard sections. If you picked a declarant in step 1, your name and qualifications are already filled in.

Once the case has at least one investigation the wizard is replaced by a small dismissible checklist in the corner of the graph: seed a trace, label key wallets, expand the flows, draft your declaration.

FIG. 6 The Getting Started rail tracks the four things that turn a blank case into a filed declaration.

04 Your declarant profile

Build your expert profile once at the firm level and every declaration in every case can pull your qualifications in with a click. This is the single highest-leverage thing to do on day one.

The screenshot displays the 'Declarations' tab within the 'Incite Consulting' organization profile. At the top, there's a navigation bar with the Daubert logo, the organization name 'Incite Consulting', and a user profile for 'Sam Padilla'. Below this, a 'Back to cases' link is visible. The main heading is 'Incite Consulting', followed by a subtext: 'Shared declarants, declaration library, and files for every case in Incite Consulting.' A navigation bar contains 'Declarations', 'Files', 'Cases', and 'Settings'. The 'DECLARANTS' section includes a '+ New declarant' button and a description: 'Reusable expert profiles: name, credentials, and qualifications paragraphs that any case in this organization can insert into a declaration.' It lists 'Samuel C. Padilla' as a 'Blockchain Analyst' at 'Incite Consulting LLC', with a 'You' label and a trash icon. The 'BOILERPLATE LIBRARY' section has a '+ New block' button and a description: 'Reusable boilerplate paragraphs that any case in this organization can insert into a declaration, e.g. a chain primer for a lay judge ("A blockchain is a public, append-only ledger...") or exhibit-authentication language ("The attached exhibits are true and correct copies obtained from Solscan..."). Expert profiles live in the Declarants section above.' It shows 'The library is empty.' with a note to start with reusable language like a technical primer or authentication paragraphs. The bottom of the image contains a caption: 'FIG. 7 Your firm's **Declarations** tab. Top: the declarant roster. Bottom: the boilerplate library.'

Three ways to build it




FIG. 8 Type it yourself, or let Daubert read a PDF and draft it for you.

OPTION	WHAT HAPPENS
Insert manually	You type the profile: name, title, firm, qualification paragraphs, rate, prior testimony.
Pull from CV	Upload your CV as a PDF (up to 10 MB). Daubert extracts your credentials into draft qualification paragraphs.
Pull from previous declaration	Upload a declaration you have already filed. Daubert lifts the qualifications section, which is usually the cleanest source.

NOTHING IS SAVED UNTIL YOU APPROVE IT

Extraction produces a *draft* shown to you in a review step. Read every line before saving. It leaves fields blank rather than guessing.

The boilerplate library

Beneath the roster sits a library of reusable paragraphs shared by the whole firm: the chain primer you write for a lay judge, the exhibit-authentication language you use every time. Save it once, insert it into any declaration. Inserted copies are independent, so editing one does not touch the original.

WHO CAN EDIT WHAT

You can always edit your own profile. Firm admins can edit anyone's. Tick **"This is my profile"** when you create yours so it links to your account.

05 The three-panel workspace

Every case opens into the same layout. Both side panels can be dragged wider or collapsed with the small arrows at their edges.




FIG. 9 Left: everything in the case. Center: the trace. Right: the assistant.

LEFT

The case

Investigations and their traces, all productions grouped by type, the Data Room, and your saved scripts. Click anything to open it in the center.

CENTER

The canvas

The trace diagram, or whichever production you opened. Nodes are wallets, arrows are transfers, boxes are groups you drew.

RIGHT

The assistant

Case-scoped chat. It can read the graph, the files and the productions, and, if you are an editor, change them.

Reading a trace

ON SCREEN	MEANS
Node	A wallet address. Its default shape follows what kind of address Daubert thinks it is: an ordinary wallet, a smart contract, and a known exchange each get a different one.
Arrow	A transfer, or a bundle of transfers, from one wallet to another. Labeled with amount and date range.
Box around nodes	A group you drew to hold a narrative chapter, such as "Sun's Purchase, Nov 2021". You give it the title and the color.
Free-floating text	A label you placed on the canvas: a caption, an annotation, or an off-chain fact that did not come from a blockchain.

APPEARANCE IS YOUR CHOICE, NOT THE DATA'S

Nothing about how a node looks is derived from the money. Color, size and shape are all set by hand, and any of them can be overridden on any node. A large red circle is large and red because somebody made it so, not because the amounts are big.

Use that deliberately. Styling is part of your narrative, so be ready to explain every choice you made in it.

Investigations vs. traces

An **investigation** is a line of inquiry, such as "NFT Token Ownership". Inside it, **traces** are separate diagrams or layers you can show and hide independently, so one investigation can carry the deposits, the withdrawals and the sale as three toggleable views of the same story. Use the eye icon beside each trace to hide it.

06 Tracing the money

Everything on a trace starts as a fetch from a public blockchain. You choose what to pull, then you choose what it means.

Chains Daubert can trace

Ethereum

Polygon

Arbitrum

Base

Tron

Bitcoin

Solana

The screenshot shows the 'Set up your case' interface in Daubert. The interface is divided into a sidebar on the left and a main content area. The sidebar contains sections for 'INVESTIGATIONS', 'PRODUCTIONS', and 'Data Room'. The main content area has a header 'Set up your case' with a sub-header 'Three quick steps to your first trace and declaration.' Below this is a progress bar with three steps: 'Declare', 'Seed trace', and 'Declaration'. The 'Seed trace' step is currently active. The main content area prompts the user to 'Seed your first trace' by pasting one or more wallet addresses. A 'Chain' dropdown menu is open, showing a list of supported chains: Ethereum, Polygon, Arbitrum, Base, Tron, Bitcoin, and Solana. Other fields include 'Engagement context (optional)', 'Side' (Unspecified), 'Scope of engagement' (What you were retained to analyze), and 'Key allegations' (The core claims at issue). Navigation buttons 'Back', 'Skip', and 'Finish and trace' are at the bottom.

FIG. 10 The chain selector. Daubert can usually tell which chain an address belongs to from its shape, but set it explicitly when you know.

Pulling transactions




FIG. 11 Click a wallet, then **Fetch Transactions**. Narrow by date or block range and cap the number returned before you pull.

NARROW BEFORE YOU PULL

A busy exchange wallet can have hundreds of thousands of transactions. Pulling all of them is slow and buries the story in noise. Set a date range around the events at issue and keep the limit modest. You can always fetch again.

Not sure how to scope it? Ask the AI. Describe what you are looking for in plain language, something like "this wallet is enormous, I only care about transfers to Sotheby's around November 2021, what range should I pull?", and it will work out the bounds and can run the fetch for you.

Labeling: where your expertise shows




FIG. 12 Click any wallet to open Address Details: give it a human name, change its color and shape, and record notes on why you identified it that way.

A hex string means nothing to a judge. *"Sotheby's"* or *"Justin Sun Public Wallet"* means everything. Daubert also carries a registry of known entities (exchanges, bridges, mixers, well-known public wallets) that the assistant can look up for you. Anything it cannot identify stays unlabeled until you can support the identification.

WRITE DOWN YOUR REASONING

Use the **Notes** field on every wallet you label to record *why*: a public attribution, a produced document, an exchange subpoena response. When you are asked on the stand how you knew wallet X was the defendant's, that note is your answer.

Shaping the graph

LOOK FOR	WHAT IT DOES	WHERE
 Bundle IN	Collapses every incoming transfer from the selected wallets into one summarizing arrow, so dozens of small movements stop crowding the diagram.	Address Details panel
 Bundle OUT	The same for outgoing transfers.	Address Details panel
 Group within trace	Select several nodes, name the group, and Daubert draws a titled box around them. Each group becomes a chapter of your narrative.	Panel that appears when you select more than one node
 Hide / Show	Turns a whole trace off so you can show one flow at a time. The icon flips to a crossed-out eye once hidden.	Beside each trace in the sidebar, and on right-click
 Search	Finds an address, a transaction hash or a pasted explorer URL anywhere in the case.	Top of the canvas

07 The built-in AI assistant

The right-hand panel is a chat window with one important difference: it can see your case, and it can do work in it.




FIG. 13 The assistant working beside the graph. It cites the wallets and investigations it drew on, and flags what it could not finish.

What it can do

Read the case

The graph, every production, the entity registry, and the files in your Data Room.

Fetch and expand

Pull transaction history for a wallet and import it onto the graph.

Write productions

Draft reports, build charts, assemble chronologies, draft declaration sections, propose redline edits.

Run analysis

Write and run small scripts against blockchain data for work too repetitive to do by hand.

Asking well

INSTEAD OF	ASK
"Analyze this case"	"Summarize every transfer between the Sun wallet and Sotheby's between Nov 2021 and Jan 2022, with dates and amounts."
"Write my declaration"	"Draft the FINDINGS section from the Le Nez investigation. One numbered paragraph per transfer, citing the exhibit for each."
"Make a chart"	"Chart the Sun wallet's APENFT balance monthly from Jun 2021 to Nov 2025, marking the 20T approval threshold."

Name the investigation, name the wallets, name the date range. The assistant is precise when you are.

Choosing a model

The dropdown at the top of the chat picks the underlying model. The default is the strongest and is the right choice for analysis and drafting. Lighter models are faster and cheaper for simple lookups and reformatting.

YOU ARE THE EXPERT, IT IS NOT

Read every paragraph the assistant drafts before it goes anywhere near a filing. Check the numbers against the graph and the graph against the block explorer. You sign the declaration; the assistant does not. Treat its output as a competent associate's first draft: useful, and never final.

IF YOU ARE A VIEWER

On cases where your role is **Viewer** the assistant runs in read-only mode. It will answer questions but will not modify the case. The chat box tells you so.

08 The Data Room

Every case has one automatically. It is where the produced documents, subpoena responses, exchange records and draft filings live, and it is what the redlining workflow reads from.




FIG. 14 Upload directly, pull from Google Drive, or organize into folders. 50 MB per file.

BUILT IN, NOT BOLTED ON

Every file touch is on the record

The Data Room keeps its own access log. Upload, download, delete: each one is written down with who did it and when, as part of the operation itself. You do not have to remember to record anything.

Nothing is public

There are no shareable file URLs. Every read goes through Daubert and is checked against your case role first.

The AI is logged too

When the assistant or a connected AI reads a file, it lands in the same log as a human download. No silent reads.

Ready for the question

When opposing counsel asks who saw the production and when, the answer already exists.

YOUR CASE ROLE	IN THE DATA ROOM
Viewer	Browse and download.
Editor	Everything above, plus upload, delete, and create or move folders.
Owner	Everything.

WHY THIS MATTERS FOR REDLINING

To redline a draft (a declaration, a brief, a letter) it must first be in the Data Room as a `.docx` or `.pdf`. Upload it here, then create the redline production from it (see §09).

09 Productions

A **production** is anything you hand to counsel or file. There are five kinds. Create one from the **+** beside PRODUCTIONS in the sidebar, or ask the assistant to build it.




FIG. 15 Name it, pick a type, create.

REPORT

Report

A free-form written document with headings, lists, bold and links. Use it for internal memos, one-pagers for counsel, and anything that does not need court formatting.

 PDF  Word

CHART

Chart

A data visualization: a balance over time, a distribution across wallets, volume by month. Annotate it with threshold lines and event markers so the chart makes the argument on its own.

 PDF  PNG

CHRONOLOGY

Chronology

A dated table of events, one row per transaction, with a source link straight to the block explorer. Add and reorder columns, and highlight rows that matter. Often the single most useful exhibit in a crypto matter.

 PDF  PNG  CSV

DECLARATION

Declaration

A court-ready expert declaration, built against a structured schema rather than a blank page, and rendered in the correct format for the jurisdiction. Covered in detail in §10.

 PDF  Word

A true redline of a draft somebody else wrote, checked against the case's on-chain record. Covered in §11.




FIG. 16 A report.



FIG. 17 An annotated chart.

< Geffen v. Sun
PRODUCTION **Sun Wallet Transaction Chronology** CHRONOLOGY
Refresh Export Delete

01 · INVESTIGATIONS +

- Le Nez
- "Donated" NFTs
- NFT Token Sales
- NFT Token Ownership
- NFT Ownership (Refined)

02 · PRODUCTIONS +

- Reports
 - NFT Token Ownership — O...
 - Internal Summary Report ~...
 - Redline — 7/10/26 MTC L...
- Charts
 - APEFT Ownership Over T...
- Chronologies
 - Aave USDC Flow — Chron...
 - Sun Wallet Transaction Ch...**
- redline
 - QA Redline — MTC Draft
 - Redline — Geffen MTC Rep...
- Data Room

+ Exhibit

Settings

> 03 · SCRIPTS 50

+ Add column
Reset widths Edit columns Edit rows

Tx Label	Source	Date	Description	Details
1	712ce5...	July 5, 2021	TD3X2... (Intermediate Wallet) forwards ~5.04T NFT to Sun Wallet	TD3X24amr... → TPYijZtfoYaXStgz2NmAraF1uzcMtkgNan5. First major inflow to Sun Wallet via proposal contract route.
2	b74f92...	August 12, 2021	Foundation Treasury sends 3T NFT directly to Sun Wallet	TLRi2... → TPYijZ... First of three direct Foundation Treasury transfers during the peak accumulation period (Aug 12-14).
10 (bundled)	13e5e7...	August 12, 2021	Sun Wallet sends 3.5T NFT to HTX (estimated value: ~\$8.5M-\$9.5M)	TPYijZ... → TDfqxb... (HTX deposit address per Arkham). First of three HTX sales in the Aug 12-14 cluster. NFT token price range: \$0.00000244-\$0.00000272.
3	963da4...	August 13, 2021	Foundation Treasury sends 6T NFT directly to Sun Wallet	TLRi2... → TPYijZ... Second of three direct Foundation Treasury transfers during peak accumulation period.
10 (bundled)	032fab...	August 13, 2021	Sun Wallet sends ~5.56T NFT via HTX (estimated value: ~\$13.6M-\$15.1M)	TPYijZ... → TDfqxb... (HTX deposit address per Arkham). Second HTX sale in the Aug 12-14 cluster. NFT token price range: \$0.00000244-\$0.00000272.
4	96c128...	August 13, 2021	Intermediate Wallet (TD3X2...) sends ~5T NFT to Sun Wallet	TD3X24amr... → TPYijZ... First of two Intermediate Wallet transfers via APEFT Proposal Contract route.
10 (bundled)	bc3988...	August 14, 2021	Sun Wallet sends 5.6T NFT via HTX (estimated value: ~\$13.7M-\$15.2M)	TPYijZ... → TDfqxb... (HTX deposit address per Arkham). Third and final HTX sale in the Aug 12-14 cluster. Combined 3-day HTX sales total ~4.66T NFT at \$0.00000244-\$0.00000272. Combined estimated value: ~\$35.8M-\$39.9M.
5	8f90aa...	August 19, 2021	Potential Justin Sun (per Arkham) forwards entire 89.99T NFT to Sun Wallet in single transaction	TWYq3... (Potential Justin Sun (per Arkham)) → TPYijZtfoYaXStgz2NmAraF1uzcMtkgNan5. 89,985,884,487,048 raw units. This is the largest single inflow to Sun Wallet.
6	b88f35...	August 26, 2021	Intermediate Wallet (TD3X2...) sends ~10T NFT to Sun Wallet	TD3X24amr... → TPYijZ... Second and larger Intermediate Wallet transfer via proposal contract route. Combined Intermediate Wallet transfers total ~15T NFT.

03 · AGENT Daubert Opus 4.8 ↻ +

Ask me about addresses, transactions, or patterns in this case.

Ask me anything...

FIG. 18 A chronology. Every row carries a clickable source hash; highlighted rows mark the transfers at issue.

10 Drafting a declaration

A declaration in Daubert is not a word processor document. It is a structured object (caption, sections, numbered paragraphs, exhibits, execution block) that gets rendered into your jurisdiction's format on the way out.

Pick your jurisdiction

FORMAT	AUTHORITY	RENDERING
California	C.C.P. § 2015.5	28-line pleading paper with the numbered gutter and per-page footer. The default.
New York	C.P.L.R. 2106	Double-spaced affirmation with a bordered caption box.
Federal	28 U.S.C. § 1746	Generic federal unsworn declaration.
Texas	Civ. Prac. & Rem. Code § 132.001	Jurat reciting date of birth and address, as the statute requires.
Florida	Fla. Stat. § 92.525	Generic Florida declaration.

CONFIRM BEFORE YOU FILE

The California and New York formats are modelled on filed documents. The Federal, Texas and Florida formats are careful best-effort renderings. Whichever you use, have filing counsel confirm the caption and local rules for the specific court before anything is filed.

The editor




FIG. 19 Six sections are scaffolded for you: Expert Background, Scope of Review, Summary of Opinions, Technical Background, Findings, Conclusions. Add, edit, reorder or remove paragraphs; add your own sections.




FIG. 20 The caption block: attorney block, court, county, parties, case number, document title, hearing information. Fill it from the filing counsel gives you.

Preview shows exactly what prints




FIG. 21 Preview renders the real thing: here, California pleading paper with the 28-line gutter. What you see is what the PDF will be.

Exhibits

Add exhibits from the **Exhibits** panel and Daubert labels them A, B, C... automatically. Attach an exhibit to a paragraph and the citation stays correct even if you reorder. Each exhibit records where it came from: a transaction, a URL, a file, or something else.

THE FASTEST PATH

Apply your declarant profile to fill Expert Background, insert boilerplate from the firm library for the technical primer, then ask the assistant to draft Findings from a named investigation. You are left editing rather than starting from a blank page, which is where your judgment is actually worth something.

11 Redlining a document

Counsel sends you a brief, a letter or a draft declaration and asks whether the crypto facts are right. Redline is built for exactly that.




FIG. 22 Left: the document with proposed changes marked. Right: one card per proposed edit with the reason for it, and Accept / Reject / Modify. Top: risk flags and open questions that are not textual edits.

How it works

- 1 Put the draft in the Data Room**
 Word or PDF. Word gives you the better result.
- 2 Create a redline production from it**
 Daubert takes a permanent, verbatim snapshot of the text. That snapshot never changes.
- 3 Let the assistant review it**
 It reads the draft, checks every factual and on-chain claim against your case record, and proposes small, precisely anchored edits, each with a stated basis.
- 4 Triage every proposal**
 Accept, Reject or Modify. Nothing is applied until you say so.

5 Export

Word writes your accepted edits onto the original file as real tracked changes, with a margin comment carrying the reason for each.

Why the snapshot matters

The original text is frozen at the moment the redline is created and cannot be edited, replaced or converted into another kind of production. Every proposed edit is anchored to a verbatim quotation from that frozen text. This is what makes the redline defensible: there is no way for the underlying document to have quietly shifted beneath the changes you approved.

Edits versus reviewer notes

KIND	USE IT FOR
Anchored edit	A specific span of text that is wrong and can be fixed by replacing, deleting, or inserting after it.
Reviewer note	Risk flags and open questions that are not a text change, such as "confirm this \$141M figure against Ex. 15 before filing".

TWO THINGS TO KNOW BEFORE EXPORTING

Word export needs at least one accepted edit, and needs the source file still to be in the Data Room. If the source was a PDF there are no original Word bytes to mark up, so the export is a reconstruction and its filename says so. **PDF export always works** and renders only the edits you accepted.

12 Exports and exhibit bundles

Two routes out of Daubert: export one production, or bundle several into a single paginated exhibit.

Exporting one production




FIG. 23 The **Export** button in any production's header. Name the file, pick a format, download.

PRODUCTION	AVAILABLE FORMATS
Report	PDF Word
Chart	PDF PNG
Chronology	PDF PNG CSV
Declaration	PDF pleading paper Word
Redline	PDF clean Word tracked changes

PDF VS WORD FOR DECLARATIONS

The PDF is the faithful one. It carries the pleading gutter and per-page line numbers. Word cannot represent a fixed gutter, so the `.docx` comes out without it. Send Word when counsel needs to edit; file the PDF.

Building an exhibit bundle

The **+ Exhibit** button at the bottom of the sidebar assembles several items into one document. Each becomes a page in the final PDF.




FIG. 24 Add investigations and productions from the left; drag to reorder on the right. Graph snapshots can render dark or light.




FIG. 25 Name the bundle, set the typeface and size, export as one PDF.

A USEFUL DEFAULT BUNDLE

Graph snapshot → chronology → chart → summary report. It walks a reader from the picture, to the dated record, to the trend, to the argument, in the order they need it.

13 Connect your own AI (BYOA)

The assistant inside Daubert is not the only way to work. You can point the AI you already use, Claude or ChatGPT, straight at your Daubert cases. That is what "bring your own AI" means.

Why you might want this

One place to work

Ask about your case in the same window where you are already drafting, reading and researching.

Bring your own context

Your AI can combine Daubert case data with documents and tools it already has access to.

Longer jobs

Set it on a large, repetitive task and let it work through it against the real case data.

Same rules apply

An outside AI gets exactly your permissions on exactly your cases, never more.




FIG. 26 Go to **your name → Account**, scroll to **Connected AIs**, and click **Connect an AI**. The panel pins both values you need at the top and carries the same steps as this section, so you can follow it on screen instead of from paper.

Both routes below ask you for the same two values. Have them ready.

FIELD	VALUE
Name	Daubert
MCP server URL	<code>https://api.dauberts.ai/mcp</code> (keep the <code>/mcp</code> on the end)

Claude

1 Open your connectors

Customize → Connectors. The old `claude.ai/settings/connectors` address is retired and now only tells you they moved.

2 Add a custom connector

Click **+**, then **Add custom connector**, and fill in the two fields above. Leave the Advanced settings empty: Daubert registers itself, so there is no client ID to find.

3 Sign in and pick your organization

Claude opens a browser tab. Sign in to Daubert, choose which organization to grant, and approve.

4 Allow the tools once, not every time

Open the connector you just added, find **Tool permissions**, and set them to **Always allow**.

DO NOT SKIM STEP 4

Claude's approval dialog puts **Allow once** in the obvious white button and **Always allow** in the quieter one above it. The path of least resistance, clicking the obvious button or pressing Cmd+Return, is the one that makes Claude ask again on every single call, forever.

ON A CLAUDE TEAM OR ENTERPRISE PLAN?

This applies to Claude only. Your Claude workspace administrator has to register Daubert once under **Organization settings → Connectors**. After that you will see a **Connect** button on the entry they created, and you can skip straight to signing in and approving.

ChatGPT

ChatGPT will not accept a custom MCP server until developer mode is on. That is the step people miss, so it is first. Note that its panel is called **Plugins**, not Connectors.

1 Turn on developer mode

Settings → Plugins → Advanced. Custom MCP connectors do not appear until this is on.

2 Create a connector

Click **Create** and fill in the two fields above.

3 Sign in and pick your organization

Same as Claude: a browser tab opens, you sign in and approve.

4 Approve the tools as they come up

ChatGPT asks before each write. Choose the option that remembers your approval.




FIG. 27 The same panel with the **ChatGPT** tab selected. The two values at the top do not change; only the steps do.

CHATGPT ASKS MORE OFTEN, AND THAT IS CHATGPT

ChatGPT has no standing pre-approval. Its confirmation remembers a tool for the *current conversation only*, and a new conversation starts asking from scratch. Claude can pre-approve a whole group at once. If the asking becomes tiresome, that is the surface, not Daubert.

What a connected AI can do

GROUP	WHAT IT COVERS
Navigate	List your cases, open one, list its investigations.
Read	Case overview, graph data, productions, the entity registry, your firm's declarant profiles and boilerplate library, and the Data Room, including reading the contents of a file.
Blockchain	Fetch a wallet's transaction history, look up a single transaction, get address information.
Write	Create an investigation, import transactions onto a trace, and create or update productions, including declarations and redlines.

The guardrails

- **Scoped to one organization.** You choose which firm to grant when you approve. It cannot reach any other.
- **Bounded by your role.** Your permissions are re-checked on every single request, not once at sign-in. If your access changes, its access changes with it, immediately.
- **Every change is logged.** Each create or update is recorded with the AI, the organization, the action, the target and whether it succeeded or was denied.
- **File reads are logged too.** When a connected AI reads a Data Room file it lands in the same chain-of-custody log as a human download.
- **Revocable in one click.** The bin icon beside a connected AI cuts it off instantly.

Your audit trail

The **AI activity** table on your Account page lists every change any connected AI has made on your behalf, including ones you have since disconnected. Check it after a long session; it is the fastest way to see exactly what changed.

THE JUDGMENT CALL

A connected AI has real write access to real matters. Give it narrow, specific instructions, review the AI activity log afterwards, and revoke connections you are no longer using. If you are unsure whether an outside AI should be allowed to touch a case, do that work in the built-in assistant instead. It is scoped to one case at a time by design.

A GOOD FIRST TASK

Ask your connected AI: *"List my Daubert cases, then summarize the investigations and productions in the one called X."* It is read-only, it proves the connection works, and it shows you the shape of what it can see.

14 Habits that hold up under cross

- **Label with a reason.** Every wallet you name gets a note saying how you identified it. Unsupported attributions are the softest part of any crypto expert's testimony.
- **Verify before you assert.** Every number that reaches a declaration should be traceable from the paragraph, to the graph, to the block explorer. The chronology's source links exist for exactly this.
- **Do not let the AI have the last word.** Read every drafted paragraph. It is a fast, well-informed associate, not a signatory.
- **Keep the source documents in the Data Room.** That is where the chain-of-custody log lives. Files on your desktop have none.
- **Say what you did not do.** Scope limits belong in the declaration, not in your head.
- **Re-read the preview before exporting.** Preview is the real rendering. Two minutes there beats a corrected filing.

Glossary

Address / wallet

A public account on a blockchain, written as a long string of letters and numbers. A node on your graph.

Chain

The specific blockchain a transaction happened on. Daubert traces seven: Ethereum, Polygon, Arbitrum, Base, Tron, Bitcoin and Solana.

Transaction hash

The unique identifier of a single transfer. Paste one into the search bar to find it; click one in a chronology to open the block explorer.

Block explorer

The public website for a chain: Etherscan, Tronscan, mempool.space, Solscan. The independent source anyone can check your work against.

Bundle

Many small transfers collapsed into one summarizing arrow, so the diagram stays readable.

Trace

One diagram inside an investigation. Traces can be shown and hidden independently.

Production

Anything you hand to counsel: report, chart, chronology, declaration or redline.

Declarant

The expert signing a declaration. That is you. Your profile is stored once at firm level and reused across cases.

Data Room

The case's file store, with an access log on every upload, download and deletion.

Exhibit

Either a labeled item attached to a declaration (A, B, C...), or a bundle of several productions exported as one PDF.

BYOA (bring your own AI)

Connecting an outside AI, Claude or ChatGPT, to your Daubert cases, with your permissions and a full audit trail.

Where to go when stuck

PROBLEM	TRY
Cannot see a case	Ask the case owner to add you under Settings → Members.
Cannot edit anything	You are probably a Viewer on that case. Check the role beside your name in Settings.
A fetch is slow or incomplete	Narrow the date range and lower the limit, then fetch again. Very active addresses page slowly by design.
Word redline export refuses	You need at least one accepted edit, and the source file must still be in the Data Room. PDF always works.
A connected AI stopped working	Check Account → Connected AIs. If your organization access changed, the connection is cut immediately by design. Reconnect.
Anything else	Ask the built-in assistant first. It knows the product and can explain any part of it in context. If that does not resolve it, email hello@dauberts.ai .

ONE MORE THING

If you get stuck, say so

You should not lose an afternoon to something a two-line reply can fix. If a fetch will not behave, a format is wrong for your court, or you simply cannot find where something lives, write to us. Tell us the case name and what you were trying to do, and we will pick it up.

hello@dauberts.ai