




FOR APPROVAL

THIS DRAWING IS COPYRIGHT AND CANNOT BE REPRODUCED
IN WHOLE OR IN PART BY ANY MEDIUM OR SHOWN TO
THIRD PARTIES WITHOUT THE WRITTEN PERMISSION OF
FACADE INNOVATIONS PTY LTD.

Drawing Status

Builder

 **LIPMAN**
the obvious choice

Level 6, 66 Berry Street
North Sydney NSW 2060
Australia

Architect

E: workshop@draw.net.au
T: + 61 2 9318 0588
F: + 61 2 9318 0511
2A/37 MYRTLE ST CHIPPENDALE NSW 2008 AU

42 Kensington Street, Chippendale NSW 2008
t: +612 8003 3530
e: mail@ar-ma.net
w: <http://www.ar-ma.net>

Project

GREAT HALL REFURBISHMENT

Title

PERFORATED COMPOSITE PANELS

74-76 Alleyne Street, Chatswood, NSW, 2067
Telephone (02) 9417-0817 Fax (02) 9417-7815

Tolerances:

GENERAL TOLERANCES

ALUMINIUM EXTRUSION: T
GLASS: T

PANEL FABRICATION & ERECTION TOLERANCES		
CUTTING:	+/-	0.5mm PER METER
FABRICATION:	+/-	1.5mm PER METER
DIAGONAL SQUARE:	+/-	3.0mm PER PANEL
ERECTION:	+/-	2.0mm PER PANEL

ect North:



ection:



ing Standard:

Scale (A3):	1:10	Drawn:	TH
Date:	AUGUST 2011	Checked:	RB
Job No.	1116	Drawing No.	FI-2003
		Revision	A