Cucumber Report

| Start : May 03, 2:08:30.983 AM	End : May 03, 2:18:05.726 AM	Duration : 9 m 34.743 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 4 SKIPPED - 0	PASSED - 5 FAILED - 7 SKIPPED - 0	PASSED - 100 FAILED - 7 SKIPPED - 25

Features: 5

Scenarios: 12

Steps: 132

Features Pass %: 20 %

Scenarios Pass %: 41 %

Steps Pass %: 75 %

#	Feature Name	T	P	F	S	Duration
1	Categories	2	0	2	0	1 m 13.090 s
2	Customers	3	3	0	0	2 m 5.010 s
3	Login	3	1	2	0	1 m 46.954 s
4	Manufacturers	2	1	1	0	2 m 11.886 s
5	Products	2	0	2	0	2 m 17.621 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Categories	Add a New Category	13	2	1	10	38.866 s
2	Categories	Search Category by Name	11	9	1	1	34.168 s
3	Customers	Add a New Customer	13	13	0	0	46.448 s
4	Customers	Search Customer by EmailID	11	11	0	0	30.240 s
5	Customers	Search Customer by Name	12	12	0	0	48.180 s
6	Login	Successfull Login with Valid credentials	8	8	0	0	53.208 s
7	Login	Login Data Driven	8	5	1	2	42.156 s
8	Login	Login Data Driven	8	4	1	3	11.499 s
9	Manufacturers	Add a New Manufacturer	13	13	0	0	34.582 s
10	Manufacturers	Search Manufacturer by Name	11	7	1	3	1 m 37.284 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
11	Products	Add a New Product	13	7	1	5	1 m 59.318 s
12	Products	Search Product by Name	11	9	1	1	18.278 s

(F)- Categories

FAILED	DURATION - 1 m 13.090 s		Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0		Steps Total - 24 Pass - 11 Fail - 2 Skip - 11	
/ 2:08:30.983 AM // 2:09:44.073 AM /						

(S)- Add a New Category

FAILED	DURATION - 38.866 s			Steps Total - 13 Pass - 2 Fail - 1 Skip - 10	
/ 2:08:30.993 AM // 2:09:09.859 AM /					
Categories					

#	Step / Hook Details	Status	Duration
1	Given User launch chrome browser	PASSED	0.100 s
2	When User opens URL "https://admin-demo.nopcommerce.com/login"	PASSED	33.402 s
3	And User enters Email as "admin@yourstore.com" and Password as "admin"	FAILED	0.180 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#Email"} (Session info: chrome=100.0.4896.127) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.3', revision: '7b1ebf28ef' System info: host: 'DESKTOP-2PSTLR1', ip: '192.168.1.5', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.14' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1bf98b70aac0a0b3dd72ff5d3f60dc79, findElement {using=id, value=Email}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.127, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\WINDOWS\TEMP\scoped_dir1...}, goog:chromeOptions: {debuggerAddress: localhost:62688}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62688/devtoo..., se:cdpVersion: 100.0.4896.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 1bf98b70aac0a0b3dd72ff5d3f60dc79 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:567) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:385) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:377) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.$Proxy26.clear(Unknown Source) at com.nopcommerce.pageObjects.LoginPage.setUserName(LoginPage.java:38) at com.nopcommerce.stepDefinitions.Steps.user_enters_email_as_and_password_as(Steps.java:114) at ?.User enters Email as "admin@yourstore.com" and Password as "admin"(file:///C:/Users/Akshay%20More/eclipse-workspace/demonopcommerceBddCucumber/./features/Categories.feature:6) * Not displayable characters are replaced by '?'.		
4	And Click on Login	SKIPPED	0.002 s
5	Then User can view Dashboard	SKIPPED	0.000 s
6	When User click on catalog menu	SKIPPED	0.000 s
7	And click on Categories	SKIPPED	0.000 s
8	And Click on Add New button	SKIPPED	0.001 s
9	Then User can view add new Category page	SKIPPED	0.001 s
10	When user enter category info	SKIPPED	0.001 s
11	And Click on Save button	SKIPPED	0.001 s
12	Then User can view category added confirmation message "The new category has been added successfully."	SKIPPED	0.000 s
13	And close browser	SKIPPED	0.000 s
	AFTER - com.nopcommerce.stepDefinitions.Steps.tearDown(io.cucumber.java.Scenario) Add_a_New_Category	PASSED	0.144 s

(S)- Search Category by Name

FAILED	DURATION - 34.168 s
/ 2:09:09.905 AM // 2:09:44.073 AM /	
Categories	

Steps

Total - 11

Pass - 9

Fail - 1

Skip - 1

| #	Step / Hook Details	Status	Duration
1	Given User launch chrome browser	PASSED	0.006 s
2	When User opens URL "https://admin-demo.nopcommerce.com/login"	PASSED	17.970 s
3	And User enters Email as "admin@yourstore.com" and Password as "admin"	PASSED	0.781 s
4	And Click on Login	PASSED	9.335 s
5	Then User can view Dashboard	PASSED	0.030 s
6	When User click on catalog menu	PASSED	0.156 s
7	And click on Categories	PASSED	2.327 s
8	And Enter Category Name	PASSED	0.158 s
9	When Click on Category Search button	PASSED	0.089 s
10	Then User should found Category Name in the search table	FAILED	0.027 s

	java.lang.AssertionError: expected:<true> but was:<false>
	   at org.junit.Assert.fail(Assert.java:88)
	   at org.junit.Assert.failNotEquals(Assert.java:834)
	   at org.junit.Assert.assertEquals(Assert.java:118)
	   at org.junit.Assert.assertEquals(Assert.java:144)
	   at com.nopcommerce.stepDefinitions.Steps.user_should_found_category_name_in_the_search_table(Steps.java:401)
	   at ?.User should found Category Name in the search table(file:///C:/Users/Akshay%20More/eclipse-workspace/demonopcommerceBddCucumber/./features/Categories.feature:27)
	* Not displayable characters are replaced by '?'.		

11	And close browser	SKIPPED	0.001 s
	AFTER - com.nopcommerce.stepDefinitions.Steps.tearDown(io.cucumber.java.Scenario)	PASSED	0.307 s
	Search_Category_by_Name		

#	Step / Hook Details	Status	Duration
	+		

(F)- Customers

PASSED	DURATION - 2 m 5.010 s	Scenarios		Steps	
		Total - 3		Total - 36	
/ 2:09:44.100 AM // 2:11:49.110 AM /		Pass - 3	3	Pass - 36	36
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Add a New Customer

PASSED	DURATION - 46.448 s		Steps	
			Total - 13	
/ 2:09:44.101 AM // 2:10:30.549 AM /			Pass - 13	13
Customers			Fail - 0	
			Skip - 0	

| #	Step / Hook Details	Status	Duration
1	Given User launch chrome browser	PASSED	0.107 s
2	When User opens URL "https://admin-demo.nopcommerce.com/login"	PASSED	2.939 s
3	And User enters Email as "admin@yourstore.com" and Password as "admin"	PASSED	0.566 s
4	And Click on Login	PASSED	11.445 s
5	Then User can view Dashboard	PASSED	0.013 s
6	When User click on customers Menu	PASSED	5.127 s
7	And Click on customers Menu Item	PASSED	5.062 s
8	And Click on Add New button	PASSED	5.986 s

#	Step / Hook Details	Status	Duration
9	Then User can view Add New Customer Page	PASSED	0.026 s
10	When User enter customer Info	PASSED	9.630 s
11	And Click on Save button	PASSED	1.734 s
12	Then User can view confirmation message "The new customer has been added successfully."	PASSED	1.061 s
13	And close browser	PASSED	0.639 s

(S)- Search Customer by EmailID

PASSED	DURATION - 30.240 s		Steps
/ 2:10:30.610 AM // 2:11:00.850 AM /			Total - 11
Customers			Pass - 11
			Fail - 0
			Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User launch chrome browser	PASSED	0.002 s
2	When User opens URL "https://admin-demo.nopcommerce.com/login"	PASSED	1.748 s
3	And User enters Email as "admin@yourstore.com" and Password as "admin"	PASSED	0.305 s
4	And Click on Login	PASSED	9.799 s
5	Then User can view Dashboard	PASSED	0.027 s
6	When User click on customers Menu	PASSED	5.202 s
7	And Click on customers Menu Item	PASSED	3.508 s
8	And Enter Customer Email	PASSED	1.114 s
9	When Click on Search button	PASSED	5.100 s
10	Then User should found Email in the search table	PASSED	0.078 s
11	And close browser	PASSED	0.638 s

(S)- Search Customer by Name

| PASSED	DURATION - 48.180 s		Steps	
			Total - 12	
/ 2:11:00.930 AM // 2:11:49.110 AM /			Pass - 12	
			Fail - 0	
Customers			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User launch chrome browser	PASSED	0.001 s
2	When User opens URL "https://admin-demo.nopcommerce.com/login"	PASSED	17.349 s
3	And User enters Email as "admin@yourstore.com" and Password as "admin"	PASSED	0.565 s
4	And Click on Login	PASSED	11.145 s
5	Then User can view Dashboard	PASSED	0.042 s
6	When User click on customers Menu	PASSED	5.252 s
7	And Click on customers Menu Item	PASSED	3.564 s
8	And Enter Customer FirstName	PASSED	1.005 s
9	And Enter Customer LastName	PASSED	0.194 s
10	When Click on Search button	PASSED	5.098 s
11	Then User should found Name in the search table	PASSED	0.200 s
12	And close browser	PASSED	0.670 s

(F)- Login

FAILED	DURATION - 1 m 46.954 s	Scenarios		Steps	
		Total - 3		Total - 24	
/ 2:11:49.173 AM // 2:13:36.127 AM /		Pass - 1		Pass - 17	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 5	

(S)- Successfull Login with Valid credentials

PASSED	DURATION - 53.208 s		Steps	
/ 2:11:49.173 AM // 2:12:42.381 AM /			Total - 8	
			Pass - 8	8
Login			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User launch chrome browser	PASSED	0.001 s
2	When User opens URL "https://admin-demo.nopcommerce.com/login"	PASSED	18.658 s
3	And User enters Email as "admin@yourstore.com" and Password as "admin"	PASSED	0.753 s
4	And Click on Login	PASSED	9.242 s
5	Then page title should be "Dashboard / nopCommerce administration"	PASSED	5.130 s
6	When User click on Logout link	PASSED	11.709 s
7	Then page title should be "Your store. Login"	PASSED	5.053 s
8	And close browser	PASSED	0.678 s

(S)- Login Data Driven

FAILED	DURATION - 42.156 s		Steps	
/ 2:12:42.458 AM // 2:13:24.614 AM /			Total - 8	
			Pass - 5	8
Login			Fail - 1	
			Skip - 2	

#	Step / Hook Details	Status	Duration
1	Given User launch chrome browser	PASSED	0.003 s
2	When User opens URL "https://admin-demo.nopcommerce.com/login"	PASSED	3.220 s
3	And User enters Email as "admin@yourstore.com" and Password as "admin"	PASSED	0.357 s
4	And Click on Login	PASSED	25.436 s
5	Then page title should be "Dashboard / nopCommerce administration"	PASSED	5.048 s

| #	Step / Hook Details	Status	Duration
6	When User click on Logout link	FAILED	5.020 s

	org.openqa.selenium.UnhandledAlertException: unexpected alert open: {Alert text : DataTables warning: table id=bestsellers-byamount-grid - Ajax error. For more information about this error, please see http://datatables.net/tn/7} (Session info: chrome=100.0.4896.127): DataTables warning: table id=bestsellers-byamount-grid - Ajax error. For more information about this error, please see http://datatables.net/tn/7 Build info: version: '4.1.3', revision: '7b1ebf28ef' System info: host: 'DESKTOP-2PSTLR1', ip: '192.168.1.5', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.14' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [98c9b9a9429d006a969e4b71593bd72f, findElement {using=link text, value=Logout}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.127, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\WINDOWS\TEMP\scoped_dir8...}, goog:chromeOptions: {debuggerAddress: localhost:62818}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62818/devtoo..., se:cdpVersion: 100.0.4896.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 98c9b9a9429d006a969e4b71593bd72f
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:567)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:385)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:377)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	    at com.sun.proxy.$Proxy26.click(Unknown Source)
	    at com.nopcommerce.pageObjects.LoginPage.clickLogout(LoginPage.java:52)
	    at com.nopcommerce.stepDefinitions.Steps.user_click_on_logout_link(Steps.java:144)
	    at ?.User click on Logout link(file:///C:/Users/Akshay%20More/eclipse-workspace/demonopcommerceBddCucumber/./features/Login.feature:23)
	* Not displayable characters are replaced by '?'.		

7	Then page title should be "Your store. Login"	SKIPPED	0.001 s
8	And close browser	SKIPPED	0.000 s
	AFTER - com.nopcommerce.stepDefinitions.Steps.tearDown(io.cucumber.java.Scenario)	PASSED	0.181 s
	Login_Data_Driven 		

(S)- Login Data Driven

FAILED	DURATION - 11.499 s		Steps	
/ 2:13:24.628 AM // 2:13:36.127 AM /			Total - 8	
Login			Pass - 4	
			Fail - 1	
			Skip - 3	

#	Step / Hook Details	Status	Duration
1	Given User launch chrome browser	PASSED	0.001 s
2	When User opens URL "https://admin-demo.nopcommerce.com/login"	PASSED	3.277 s
3	And User enters Email as "admin123@yourstore.com" and Password as "admin123"	PASSED	0.508 s
4	And Click on Login	PASSED	5.690 s
5	Then page title should be "Dashboard / nopCommerce administration"	FAILED	0.110 s

	java.lang.AssertionError
	   at org.junit.Assert.fail(Assert.java:86)
	   at org.junit.Assert.assertTrue(Assert.java:41)
	   at org.junit.Assert.assertTrue(Assert.java:52)
	   at com.nopcommerce.stepDefinitions.Steps.page_title_should_be(Steps.java:131)
	   at ?.page title should be "Dashboard / nopCommerce administration"(file:///C:/Users/Akshay%20More/eclipse-workspace/demonopcommerceBddCucumber/./features/Login.feature:22)
	* Not displayable characters are replaced by '?'.		

6	When User click on Logout link	SKIPPED	0.000 s
7	Then page title should be "Your store. Login"	SKIPPED	0.000 s
8	And close browser	SKIPPED	0.001 s
	AFTER - com.nopcommerce.stepDefinitions.Steps.tearDown(io.cucumber.java.Scenario)	FAILED	0.059 s

	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.1.3', revision: '7b1ebf28ef' System info: host: 'DESKTOP-2PSTLR1', ip: '192.168.1.5', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.14' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [98638500821d5a64f5691b10a42eb425, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.127, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\WINDOWS\TEMP\scoped_dir1...}, goog:chromeOptions: {debuggerAddress: localhost:62837}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62837/devtoo..., se:cdpVersion: 100.0.4896.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 98638500821d5a64f5691b10a42eb425
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:567)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:626)		
	at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:351)		
	at com.nopcommerce.stepDefinitions.Steps.tearDown(Steps.java:89)		

(F)- Manufacturers

FAILED	DURATION - 2 m 11.886 s	Scenarios Total - 2 Pass - 1 Fail - 1 Skip - 0	Steps Total - 24 Pass - 20 Fail - 1 Skip - 3
/ 2:13:36.147 AM // 2:15:48.033 AM /			

(S)- Add a New Manufacturer

PASSED	DURATION - 34.582 s		Steps Total - 13 Pass - 13 Fail - 0 Skip - 0
/ 2:13:36.147 AM // 2:14:10.729 AM /			
Manufacturers			

#	Step / Hook Details	Status	Duration
1	Given User launch chrome browser	PASSED	0.002 s
2	When User opens URL "https://admin-demo.nopcommerce.com/login"	PASSED	4.313 s
3	And User enters Email as "admin@yourstore.com" and Password as "admin"	PASSED	0.524 s

| #	Step / Hook Details	Status	Duration
4	And Click on Login	PASSED	9.724 s
5	Then User can view Dashboard	PASSED	0.022 s
6	When User click on catalog menu	PASSED	0.133 s
7	And click on Manufacturers	PASSED	2.538 s
8	And Click on Add New button	PASSED	9.333 s
9	Then User can view add new Manufacturer page	PASSED	0.017 s
10	When user enter Manufacturer info	PASSED	1.222 s
11	And Click on Save button	PASSED	3.328 s
12	Then User can view Manufacturer added confirmation message "The new manufacturer has been added successfully."	PASSED	0.542 s
13	And close browser	PASSED	1.110 s

(S)- Search Manufacturer by Name

FAILED	DURATION - 1 m 37.284 s
/ 2:14:10.749 AM // 2:15:48.033 AM /	
Manufacturers	

Steps

Total - 11

Pass - 7

Fail - 1

Skip - 3

11

| #	Step / Hook Details	Status	Duration
1	Given User launch chrome browser	PASSED	0.001 s
2	When User opens URL "https://admin-demo.nopcommerce.com/login"	PASSED	2.421 s
3	And User enters Email as "admin@yourstore.com" and Password as "admin"	PASSED	0.300 s
4	And Click on Login	PASSED	9.617 s
5	Then User can view Dashboard	PASSED	0.033 s
6	When User click on catalog menu	PASSED	0.210 s
7	And click on Manufacturers	PASSED	1.954 s
8	And Enter Manufacturer Name	FAILED	40.032 s
	org.openqa.selenium.TimeoutException: timeout: Timed out receiving message from renderer: 40.000 (Session info: chrome=100.0.4896.127) Build info: version: '4.1.3', revision: '7b1ebf28ef' System info: host: 'DESKTOP-2PSTLR1', ip: '192.168.1.5', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.14' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e38b1a67e6c3200a5580eb4256d3509b, findElement {using=xpath, value=//input[@id='SearchManufacturerName']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.127, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\WINDOWS\TEMP\scoped_dir7...}, goog:chromeOptions: {debuggerAddress: localhost:62875},		

#	Step / Hook Details	Status	Duration
	javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62875/devtoo..., se:cdpVersion: 100.0.4896.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: e38b1a67e6c3200a5580eb4256d3509b at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:567) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:385) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:377) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.$Proxy26.sendKeys(Unknown Source) at com.nopcommerce.pageObjects.SearchManufacturerPage.enterManufacturerName(SearchManufacturerPage.java:45) at com.nopcommerce.stepDefinitions.Steps.enter_manufacturer_name(Steps.java:440) at ?.Enter Manufacturer Name(file:///C:/Users/Akshay%20More/eclipse-workspace/demonopcommerceBddCucumber/./features/Manufacturers.feature:25) * Not displayable characters are replaced by '?'.		
9	When Click on Manufacturer Search button	SKIPPED	0.001 s
10	Then User should found Manufacturer Name in the search table	SKIPPED	0.001 s
11	And close browser	SKIPPED	0.001 s
	AFTER - com.nopcommerce.stepDefinitions.Steps.tearDown(io.cucumber.java.Scenario)	FAILED	40.034 s
	org.openqa.selenium.TimeoutException: timeout: Timed out receiving message from renderer: 40.000 (Session info: chrome=100.0.4896.127) Build info: version: '4.1.3', revision: '7b1ebf28ef' System info: host: 'DESKTOP-2PSTLR1', ip: '192.168.1.5', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.14' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e38b1a67e6c3200a5580eb4256d3509b, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.127, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\WINDOWS\TEMP\scoped_dir7...}, goog:chromeOptions: {debuggerAddress: localhost:62875}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62875/devtoo..., se:cdpVersion: 100.0.4896.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: e38b1a67e6c3200a5580eb4256d3509b at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:567) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:626) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:351) at com.nopcommerce.stepDefinitions.Steps.tearDown(Steps.java:89)		

## (F)- Products

FAILED	DURATION - 2 m 17.621 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0	2	Steps Total - 24 Pass - 16 Fail - 2 Skip - 6	24
/ 2:15:48.105 AM // 2:18:05.726 AM /					

(S)- Add a New Product

FAILED	DURATION - 1 m 59.318 s		Steps Total - 13 Pass - 7 Fail - 1 Skip - 5	13
/ 2:15:48.105 AM // 2:17:47.423 AM /				
Products				

| #	Step / Hook Details	Status	Duration
1	Given User launch chrome browser	PASSED	0.001 s
2	When User opens URL "https://admin-demo.nopcommerce.com/login"	PASSED	2.911 s

#	Step / Hook Details	Status	Duration
3	And User enters Email as "admin@yourstore.com" and Password as "admin"	PASSED	0.687 s
4	And Click on Login	PASSED	9.482 s
5	Then User can view Dashboard	PASSED	0.006 s
6	When User click on catalog menu	PASSED	0.115 s
7	And click on products	PASSED	1 m 40.886 s
8	And Click on Add New button	FAILED	2.032 s

	org.openqa.selenium.UnhandledAlertException: unexpected alert open: {Alert text : DataTables warning: table id=products-grid - Ajax error. For more information about this error, please see http://datatables.net/tn/7} (Session info: chrome=100.0.4896.127): DataTables warning: table id=products-grid - Ajax error. For more information about this error, please see http://datatables.net/tn/7 Build info: version: '4.1.3', revision: '7b1ebf28ef' System info: host: 'DESKTOP-2PSTLR1', ip: '192.168.1.5', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.14' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a015d751a6b4aaef1af13881b2ddf540, findElement {using=xpath, value=//a[@class='btn btn-primary']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.127, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\WINDOWS\TEMP\scoped_dir5...}, goog:chromeOptions: {debuggerAddress: localhost:62899}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62899/devtoo..., se:cdpVersion: 100.0.4896.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: a015d751a6b4aaef1af13881b2ddf540
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:567)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:385)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:377)
	    at com.nopcommerce.pageObjects.AddcustomerPage.clickOnAddNew(AddcustomerPage.java:66)
	    at com.nopcommerce.stepDefinitions.Steps.click_on_add_new_button(Steps.java:184)
	    at ?.Click on Add New button(file:///C:/Users/Akshay%20More/eclipse-workspace/demonopcommerceBddCucumber/./features/Products.feature:13)
	* Not displayable characters are replaced by '?'.		

9	Then User can view add new product page	SKIPPED	0.005 s
10	When user enter product info	SKIPPED	0.001 s
11	And Click on Save button	SKIPPED	0.000 s
12	Then User can view product added confirmation message "The new product has been added successfully."	SKIPPED	0.000 s
13	And close browser	SKIPPED	0.000 s
	AFTER - com.nopcommerce.stepDefinitions.Steps.tearDown(io.cucumber.java.Scenario)	PASSED	0.255 s
	Add_a_New_Product		

#	Step / Hook Details	Status	Duration
+			

(S)- Search Product by Name

FAILED	DURATION - 18.278 s		Steps	
/ 2:17:47.448 AM // 2:18:05.726 AM /			Total - 11	
Products			Pass - 9	
			Fail - 1	
			Skip - 1	

#	Step / Hook Details	Status	Duration
1	Given User launch chrome browser	PASSED	0.001 s
2	When User opens URL "https://admin-demo.nopcommerce.com/login"	PASSED	3.552 s
3	And User enters Email as "admin@yourstore.com" and Password as "admin"	PASSED	0.391 s
4	And Click on Login	PASSED	9.240 s
5	Then User can view Dashboard	PASSED	0.033 s
6	When User click on catalog menu	PASSED	0.146 s
7	And click on products	PASSED	1.900 s
8	And Enter Product Name	PASSED	0.405 s
9	When Click on Product Search button	PASSED	0.121 s
10	Then User should found Product Name in the search table	FAILED	0.091 s
	java.lang.AssertionError: expected:<true> but was:<false> at org.junit.Assert.fail(Assert.java:88) at org.junit.Assert.failNotEquals(Assert.java:834) at org.junit.Assert.assertEquals(Assert.java:118) at org.junit.Assert.assertEquals(Assert.java:144) at com.nopcommerce.stepDefinitions.Steps.user_should_found_product_name_in_the_search_table(Steps.java:350) at ?.User should found Product Name in the search table(file:///C:/Users/Akshay%20More/eclipse-workspace/demonopcommerceBddCucumber/./features/Products.feature:26)		

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'.		
11	And close browser	SKIPPED	0.000 s
	AFTER - com.nopcommerce.stepDefinitions.Steps.tearDown(io.cucumber.java.Scenario) Search_Product_by_Name	PASSED	0.334 s

(Step) AFTER - com.nopcommerce. stepDefinitions.Steps.tearDown(io. cucumber.java.Scenario)

(S) Add a New Category

(F) Categories

Error 522

Ray ID: 705389677cb5856f • 2022-05-02 20:34:17 UTC

Connection timed out

You	Mumbai	admin-demo.nopcommerce.com
Browser	Cloudflare	Host
Working	Working	Error

What happened?

The initial connection between Cloudflare's network and the origin web server timed out. As a result, the web page can not

What can I do?

If you're a visitor of this website:
Please try again in a few minutes

(Step) AFTER - com.nopcommerce. stepDefinitions.Steps.tearDown(io. cucumber.java.Scenario)

(S) Search Category by Name

(F) Categories

nopCommerce

John Smith   Logout

Search

- Dashboard
- **Catalog** ⌄
  - Products
  - Categories
  - Manufacturers
  - Product reviews
  - Product tags
  - Attributes ‹
- Sales ‹
- Customers ‹
- Promotions ‹
- Content management ‹
- Configuration ‹
- System ‹

Categories

🞤 Add new   ⬆ Export ▾   ⬆ Import   🗑 Delete (selected)

🔍 **Search**   ⌃

Category name: Computers   Published: All

🔍 Search

Learn more about categories

☐	Name	Published	Display order	Edit

Show 15 ⌄ items   ⟳

Powered by nopCommerce   Monday, May 02, 2022 3:34 PM   nopCommerce version 4.50.0

(Step) AFTER - com.nopcommerce.
stepDefinitions.Steps.tearDown(io.
cucumber.java.Scenario)

(S) Login Data Driven

(F) Login

(Step) AFTER - com.nopcommerce.
stepDefinitions.Steps.tearDown(io.
cucumber.java.Scenario)

(S) Add a New Product

(F) Products

(Step) AFTER - com.nopcommerce.
stepDefinitions.Steps.tearDown(io.
cucumber.java.Scenario)

(S) Search Product by Name

(F) Products

nopCommerce

John Smith   Logout

Products

- Add new
- Download catalog as PDF
- Export
- Import
- Delete (selected)

Search

☐ Dashboard
☐ Catalog
  ◎ Products
  ◎ Categories
  ◎ Manufacturers
  ◎ Product reviews
  ◎ Product tags
  ◎ Attributes
🛒 Sales
👤 Customers
🏷 Promotions
🕸 Content management
⚙ Configuration
📦 System

🔍 Search

Product name: Windows 8 Pro
Category: All
Search subcategories ☐
Manufacturer: All
Vendor: All

Warehouse: All
Product type: All
Published: All
Go directly to product SKU: [ ] Go

🔍 Search

Learn more about products