

ELG 5255: Applied Machine Learning Assignment 1

Due date posted in Bright Space

Submission

You must submit two documents. First, a report of the solutions including important code snippets as a PDF file. Second, the whole code should be in a separate python file (Notebooks are accepted). The file name must include your group number and assignment number, for example **Group1_HW1.pdf** and **Group1_HW1.py**.

Assignment must be submitted on-line with Bright Space. This is the only method by which we accept assignment submissions. We do not accept assignments sent via email, and we are not able to enter a mark if the assignment is not submitted on Bright Space! The deadline date is firm since you cannot submit an assignment passed the deadline. It is your responsibility to ensure that the assignment has been submitted properly.

Dataset

During this assignment, Data User Modeling Dataset (DUMD) is used. Training and test splits are provided in csv file format.

Problems

- 1. (a) Load the DUMD dataset and convert categorical class labels under the "UNS" column to numerical values by using the LabelEncoder. (5 Marks)
 - (b) Choose two features from DUMD dataset to apply SVM and Perceptron algorithms for classification. Plot the data by showing classes separately. Explain how and why you chose the two features? (5 Marks)
 - (c) Classify testing data by using SVM and Perceptron classifiers. Provide accuracies, confusion matrix and decision boundaries for both classifier. (5 Marks)
- 2. (a) Build OvR-SVM, test on DUMD testing dataset with obtained features from Problem 1. (30 Marks)

For each binary classifier:

- Obtain the binarized labels (OvR) (3 Marks)
- Obtain the SVM's accuracy (1 Marks)
- Plot SVM's decision boundary (2 Marks)

• Make comments on model's performance on each binary classification problem. (1.5 Marks)

Do not forget to store probability values for each classifier!

(b) Use argmax to aggregate confidence scores and obtain the final predicted labels and obtain the performance (i.e., confusion matrix, accuracy, plotting correct and wrong prediction points) of OvR-SVM. You can check MBC_Simple_Data example in lab 2 for aggregation of confidence scores. (10 Marks)

An illustrative diagram is provided in Figure 1 for Problem 2. You will apply OvO approach in a similar way in Problem 4. Remember that number of binary classifier will be different from OvR approach.




Figure 1: Converting multi-class classification to binary classification problem for OvR approach

3. (a) Build OvO-SVM, test on DUMD testing dataset with obtained features from Problem 1. (30 Marks)

For each binary classifier:

- Obtain the binarized labels (OvO) (2 Marks)
- Obtain the SVM's accuracy (0.5 Marks)
- Plot SVM's decision boundary (1.5 Marks)
- Make comments on model's performance on each binary classification problem. (1 Marks)

- (b) Use argmax to aggregate confidence scores and obtain the final label and obtain the performance (i.e., confusion matrix, accuracy, plotting correct and wrong prediction points) of OvO-SVM.

 (10 Marks)
- 4. (a) Provide a conclusion section on your report. Include overview of what you have done and learnt during the assignment. Aim no less than one third of a page and no more than half page. (5 Marks)
 - Models (Perceptron, SVM and Logistic Regression)
 - OvR and OvO approaches
 - Aggregated results

Important Note

Report should include answers for all question briefly. All plots must have titles and proper axis labels. Otherwise, you will lose one point for each missing item. The code file is requested in case of need to verify.