

helpyy.

Fake a call. Make your exit. Leave the small talk on read.


tap tap tap, "sorry, gotta take this"

Flutter

Supabase

Kotlin

Swift



HOW IT WORKS

One secret signal, one perfectly timed call.

Save a signal, keep listening on, and tap it on the back of your phone. helpyy reads the motion sensor at 100 readings a second, matches the taps, and rings with the caller you picked.

● ● ● → Mom calls in 5s

A tap count or your own knock rhythm, a caller name, and a delay of now, 5 or 10 seconds.

Features

Signals

Tap counts or custom knock rhythms, each with its own caller and delay.

Knock detection

Reads sharp jumps in motion, so taps count and normal handling does not.

Native call screen

A pulsing answer button on iOS, swipe to answer on Android.

Ringtones

Your own device ringtone on Android, bundled tones on iOS.

Outside the app

Background listening on Android, Back Tap shortcuts on iOS.

Accounts

Email confirmation, password reset, profiles with photos or illustrated avatars.


SCREEN BY SCREEN

The whole escape, in order

Taken on an iPhone 16 Pro simulator across two accounts, Demo and Yoyo.

First launch

Three slides, then straight to log in.




01
Stuck somewhere awkward?

02 Your secret signal


03 Right on cue

Log in and sign up


Forgot password and a demo account sit right on the log in screen.




04 Log in CURRENT



05 Log in EARLIER DESIGN




06 Sign up CURRENT




07 Sign up
EARLIER DESIGN

Home


The listening card says whether helpyy is ready, and refuses to listen without a signal.



08 No signal yet DEMO




09 Listening needs a signal
DEMO




10 Late night greeting
YOYO

Profile


A photo, or one of twelve illustrated characters.




11 Profile DEMO



12 Pick a character DEMO




13 Pick a character YOYO




14 Character on home YOYO

Settings

Motion sensitivity, ringtone, and Back Tap setup on iPhone.




15 Settings DEMO



16 Settings YOYO


New signal

Pick the taps, then who calls and how soon.




17 Choose a trigger

DEMO




18 Double or triple tap on iPhone

DEMO




19 Choose a trigger

YOYO



20 Who should call you?

DEMO




21 Caller and delay


YOYO

Ready to escape


Saved signals with a test call, and the switch to start listening.




22 Signal saved **DEMO**



23 Signal saved **YOYO**




24 Listening **DEMO**




25 Listening **YOYO**

The call


A countdown to act natural, then the phone rings.




26 Countdown **DEMO**



27 Countdown **YOYO**




28 Incoming call **DEMO**



29 Incoming call **YOYO**

History

Every escape is logged, answered or declined.



30 Calls [DEMO](#)

From clone to first fake call

You need Flutter 3.38 or newer, Node.js for the Supabase CLI, and a real phone. Simulators have no accelerometer to knock on.

1

Link a Supabase project

```
npx supabase login  
npx supabase link --project-ref <your-project-ref>
```

2

Create the tables, policies and storage

```
npx supabase db push
```

3

Add your keys

Put the project URL and publishable key in `lib/app/supabase_config.dart`. Never ship the secret or service role key.

4

Set up email and app links

Add your SMTP details to `supabase/config.toml`, then push with the password in the environment.

```
GMAIL_APP_PASSWORD=<app-password> npx supabase config push
```

5

Run it

```
flutter pub get  
flutter run
```

Use the demo account

Tap **Use demo account** on the login screen, or type these in. It skips Supabase and keeps everything on the phone.

EMAIL

`demo@helppyy.app`

PASSWORD

`helppyy123`

FIND YOUR WAY AROUND

Project layout

lib/	The app, one folder per feature: auth, knock, call, calls, home, signal, settings, profile.
test/	Unit and widget tests, including Supabase repositories against a fake server.
supabase/	Migrations, auth config and the branded email templates.
android/ ios/	Native ringtones, background listening and Back Tap shortcuts.
docs/features/	How each flow works end to end.

```
dart analyze
flutter test
```

helpyy. your easy way out

Fonts: DM Sans and Patrick Hand, SIL Open Font License. Avatars: Adventurer by Lisa Wischofsky, CC BY 4.0, rendered with DiceBear.