Q-1. Write an SQL query to fetch "FIRST_NAME" from Worker table using the alias name as .

SELECT FIRST_NAME AS WORKER_NAME FROM worker;

```
1 •   use workDatabase
2 ⊠   SELECT FIRST_NAME AS WORKER_NAME FROM worker;
3     |
4
```

Result Grid | 🔢 🔄 | Filter Rows: [_____] | Export: 💾 | Wrap Cell Content: 🔡

WORKER_NAME
Amitabh
Vipul
Satish
Bhanu
Arun
Sachin
Divya
Charvi
Deepak
Charvi
Charvi
Charvi
Deepak

orker 4 ×

utput

🎵 Action Output   ▾

#	Time	Action	Message
1	15:31:13	SELECT FIRST_NAME AS WORKER_NAME FROM worker LIMIT 0, 1000	19 row(s) returned

Q-2. Write an SQL query to fetch unique values of DEPARTMENT from Worker table.

SELECT DISTINCT DEPARTMENT FROM worker;

```
1 •    use workDatabase
2 ☒    SELECT DISTINCT DEPARTMENT FROM  worker;
3      |
4
```

sult Grid | 📊 | 🔄 Filter Rows: [   ] | Export: 💾 | Wrap Cell Content: 🅰

DEPARTMENT
Admin
HR
Accounts
Sales
IT
Transport
Finance

rker 6 ×

tput

Action Output ▾

#	Time	Action	Message
1	15:36:16	SELECT DISTINCT DEPARTMENT FROM worker LIMIT 0, 1000	7 row(s) returned

Q-3. Write an SQL query to show the last 5 record from a table.

(SELECT * FROM worker ORDER BY EMPNO DESC LIMIT 5) ORDER BY EMPNO ASC;

OR

SELECT * FROM (SELECT ROWNUM SLNO,WORKER.* FROM WORKER) WHERE SLNO>(SELECT COUNT(*)-5 FROM WORKER);

```
1 •    use workDatabase
2 ⊠    (SELECT * FROM worker ORDER BY EMPNO DESC LIMIT 5) ORDER BY EMPNO ASC;
3
4
```

EMPNO	FIRST_NAME	LAST_NAME	GENDER	DEPARTMENT	SALARY	DateOfJoining	EMAILID
11	Bhargavi	B	F	Finance	45000	2019-03-05	bhargaviB@abc.com
12	Shubha	S	F	Finance	56700	2017-12-28	shubhas@abc.com
13	Manju	Nath	M	Transport	53223	2014-09-17	manjunath@abc.com
14	Rathna	Ramesh	F	IT	54000	2019-06-08	rathnaramesh@abc.com
15	Ramesh	K	M	HR	93000	2016-11-30	rameshk@abc.com

Result 8 ✕

Output

Action Output

#	Time	Action	Message
● 1	15:51:19	(SELECT * FROM worker ORDER BY EMPNO DESC LIMIT 5) ORDER BY EMPNO ASC	5 row(s) returned