

Next Permutation

Given a permutation of any length, generate the next permutation in lexicographic order. For example, this are the permutations for `[1,2,3]` in lexicographic order.

```
>>> list(it.permutations([1,2,3]))
[(1, 2, 3), (1, 3, 2), (2, 1, 3), (2, 3, 1), (3, 1, 2), (3, 2, 1)]
```

Then, your function `next_permutation(t:tuple)->tuple` should do the following

```
>>> next_permutation((2,3,1))
(3,1,2)
```

Because `(3,1,2)` is the next permutation in lexicographic order. Here is another example:

```
>>> next_permutation((0, 5, 2, 1, 4, 7, 3, 6))
(0, 5, 2, 1, 4, 7, 6, 3)
```

Your function should work for **very** long input tuples so the autograder will time-out if you try to brute force your solution. The last permutation should wrap around to the first.

```
>>> next_permutation((3,2,1,0))
(0, 1, 2, 3)
```

Please put your Python code in a Python script file and upload it. Please retain your submitted source files! Remember to use all the best practices we discussed in class. You can use any module in the Python standard library, but third-party modules (e.g., Numpy, Pandas) are restricted to those **explicitly** mentioned in the problem description.

Tips:

num should be different !!

- After you have submitted your file, do **not** use the browser back or reload buttons to navigate or open the page in multiple browser tabs, as this may cause your **attempts** to decrease unexpectedly. It may take up to thirty seconds for your code to be processed, so please be **patient**.
- If you find yourself back at the main page without any feedback or change in your **attempts** then it means that your code timed out or crashed in some unexpected way.
- Ensure that your development environment does not presume the existence of certain packages for the autograder. The autograder does not have anything other than the standard library and those third-party libraries **explicitly** named in the problem description.
- Do not leave extraneous statements in your code like test cases, print statements, or anything else besides what is needed to evaluate your submission because the the autograder will spend its limited time executing those lines, which may result in unexpected crashes or timeouts.

浏览... 0803.py

Upload Python source code file

Wrong. Validation failed and functional tests passed. functional points = 25/25 and validation points = 0/5 Click here to try again.