

oop

November 16, 2025

1 Object Oriented Programming (OOP)

- Method of programming that focus on using object and class to organize and structure code.

1.0.1 Object

- Instance of class

1.0.2 Class

- Blueprint for creating object

1.0.3 Object contains

1. Data (Attributes)
2. Methods (Functions)

1.1 Fundamental principle of OOP

1. Encapsulation
 - Concept of bundling the attribute and methods that work on the data/attribute into a single unit
2. Abstraction
 - Hiding the complex implementation details and showing only the essential features of the object
3. Inheritance
 - Allowing a new class to inherit attributes and methods from an existing class
4. Polymorphism
 - Allowing objects of different class to be treated as a object of common superclass (overriding or overloading of methods)

1.2 Why OOP?

- Modularity
- Code reuse
- Real world modeling

- Maintainability

1.2.1 magic methods

```
[3]: # Empty class
class Person:
    pass
```

```
[6]: # Class with method

class Person:
    def hello(self):
        print("Hello, world!")

# Object creation
p = Person()
p.hello()
```

Hello, world!

```
[7]: # Class with attribute and method

class Person:
    name = "Hari"

    def hello(self):
        print(f"Hello, {self.name}")

p = Person()
p.hello()
```

Hello, Hari

```
[11]: class Person:
        name = "Hari"

        def hello(self):
            print(f"Hello, {self.name}")

p = Person()
p.hello()
print(p)
print(p.__doc__)
print(p.__class__)
```

Hello, Hari

<__main__.Person object at 0x748872c9a120>

None

<class '__main__.Person'>

```
[16]: class Person:
        """
        This is class Person, It has a method hello
        """
        name = "Hari"

        def hello(self):
            print(f"Hello, {self.name}")

        def __str__(self):
            return f"Object of class Person"

p = Person()
p.hello()
print(p)
print(p.__doc__)
print(p.__class__)
```

Hello, Hari

Object of class Person

This is class Person, It has a method hello

<class '__main__.Person'>

```
[23]: # Constructor and Destructor

class Person:
    """
    This is class Person, It has a method hello
    """
    name = "Hari"

    def __init__(self):
        print("This is constructor")

    def hello(self):
        print(f"Hello, {self.name}")

    def __str__(self):
        return f"Object of class Person"

    def __del__(self):
        print("This is destructor")
```

```

p = Person()
p.hello()
print(p)
print(p.__doc__)
print(p.__class__)

```

This is constructor

This is destructor

Hello, Hari

Object of class Person

This is class Person, It has a method hello

<class '__main__.Person'>

```

[31]: class Person:
        def __init__(self, name):
            self.name = name

        def greet(self):
            print(f"Hello, {self.name}")

p = Person("Gopal")
print(p.name)
p.greet()

```

Gopal

Hello, Gopal

```

[40]: class Person:
        def __init__(self, name):
            self.__name = name

        def greet(self):
            print(f"Hello, {self.__name}")

p = Person("Gopal")
# print(p.__name)
p.greet()

```

Hello, Gopal

```

[41]: persons = [Person("Hari"), Person("Sita"), Person("Ram"), Person("Shyam")]

for person in persons:
    person.greet()

```

```
Hello, Hari
Hello, Sita
Hello, Ram
Hello, Shyam
```

```
[42]: # Q. Write a class User,
#      that have data name and age (store through constructor and make private)
#      Make a info method that prints, Hello, Ram. You are 20 years old.
#      finally make a object and class function.
```

```
[43]: class User:
    def __init__(self, name, age):
        self.__name = name
        self.__age = age

    def info(self):
        print(f"Hello, {self.__name}. You are {self.__age} years old.")

p = User("Gopal", 22)
# print(p.__name)
p.info()
```

```
Hello, Gopal. You are 22 years old.
```

2 Inheritance

1. Parent class -> base class, from which other class can inherit
2. Child class -> derived class, that inherits from the parent class

2.0.1 Types of inheritance

1. Single inheritance
 - one child class is derived from one parent class
2. Multiple
 - One child class is derived from more than one parent class
3. Multilevel
 - One child class is derived from one parent class and another grandchild class is derived from child class
4. Hierarichal
 - More than one child class are derived from one parent class
5. Hybrid
 - Any two or more combinations

```
[52]: # Single Inheritance

class Person:
    __name = "Ram"

    def display_name(self):
        print(f"Name: {self.__name}")

class Employee(Person):
    company = "STN"

    def info(self):
        self.display_name()
        # print(f"Name: {self.__name}")
        print(f"Company: {self.company}")
```

```
[53]: employee = Employee()
employee.info()
```

Name: Ram
Company: STN

```
[56]: # Using constructor

class Person:
    def __init__(self, name):
        self.__name = name

    def display_name(self):
        print(f"Name: {self.__name}")

class Employee(Person):
    def __init__(self, name, company):
        self.company = company
        super().__init__(name)

    def info(self):
        self.display_name()
        # print(f"Name: {self.__name}")
        print(f"Company: {self.company}")
```

```
[57]: employee = Employee("Ram", "STN")
employee.info()
```

Name: Ram
Company: STN

```
[2]: # Polymorphism

class Bird:
    def fly(self):
        return "Bird: Flying in the sky"

class Airplane:
    def fly(self):
        return "Airplane: Flying using fuel"
```

```
[ ]: b = Bird()
p = Airplane()

# Normal way
print(b.fly())
print(p.fly())
```

Bird: Flying in the sky
Airplane: Flying using fuel

```
[5]: def flying(obj):
        print(obj.fly())

flying(p)
flying(b)
```

Airplane: Flying using fuel
Bird: Flying in the sky

```
[7]: # Abstraction

# 1. Abstract class -> can not create object
# 2. Abstract method -> must override

from abc import abstractmethod, ABC
import math

class Shape(ABC):
    @abstractmethod
    def area(self):
        pass
```

```
[8]: class Circle(Shape):
        def __init__(self, radius):
            self.radius = radius

        def area(self):
```

```
        return math.pi * self.radius * self.radius
```

```
[9]: c = Circle(5)
     c.area()
```

```
[9]: 78.53981633974483
```

```
[11]: class Rectangle(Shape):
      def __init__(self, l, b):
          self.l = l
          self.b = b

      def area(self):
          return self.l * self.b
```

```
[12]: r = Rectangle(3, 4)
     r.area()
```

```
[12]: 12
```

```
[14]: # s = Shape()
```

```
[20]: # Encapsulation

class Math:
    @staticmethod
    def add(a, b):
        return a + b

    @staticmethod
    def multiply(a, b):
        return a * b

    @staticmethod
    def divide(a, b):
        return a / b
```

```
[21]: m = Math()
     m.add(3, 4)
```

```
[21]: 7
```

```
[22]: m.multiply(4, 5)
```

```
[22]: 20
```

```
[23]: m.divide(4, 2)
```


[23]: 2.0

[]: