data

adam okulicz-kozaryn
adam.okulicz.kozaryn@gmail.com

this version: Saturday 7th September, 2019 00:08

<u>outline</u>

regular (not gis) data: xls, csv, etc

gis data (has shapes, can make a map from it): shp, kml, etc the 'join'

Example: New Jersey Home Values

census data [probably do one week later] old ps comments

2/4

communication (forgot to cover last week)

- oemail is a preferred mode of communication; just email
 gis_int@googlegroups.com
- · and everybody in the class
- ·including me and GA will get it
- · messages will be marked with "[gis_int]" in the subject
- ♦ you can easily filter them to a specific folder, e.g. in gmail:

http://support.google.com/mail/bin/answer.py?hl=en&answer=6579

ps0 comments

- ⋄i'll be just emailing comments to each of you individually
- ♦ how wass ps0? discuss?
- ♦ if you cannot find the right data, just email me

data management takes time! value your time!

- producing maps is fast
- omost time (i'd say 50-95%) is data management:
- · figuring out, cleaning, documenting, combining, etc.
- so we start with data management
- but only about 20% of class is dat mgmt
- ·but it'll be about 80% of your time
- spend it on data you care about and will use in your career!
- ♦ note: join is difficult! start today/tomorrow on ps, ask Q!

data

- ♦ nj http://www.nj.gov/dep/gis/listall.html
- ♦a lot of data here:
- http://geocommons.com/search.html
- · just search for what you are interested in, say 'road'
- · and see https://www.policymap.com/maps
- · they make you pay to downlad data, but can see source and download by hand

open govt, especially city data

- trend is that more and more local, state, fed opens up
- ♦ http://phlapi.com/, https://data.cityofchicago.org/, http://opencityapps.org/,

http://www.opendataphilly.org/, http://www.phila.gov/data/Pages/data.aspx

<u>outline</u>

regular (not gis) data: xls, csv, etc

gis data (has shapes, can make a map from it): shp, kml, etc

Example: New Jersey Home Values

census data [probably do one week later]

old ps comments

⋄u/a: unit of analysis: what do you study? ⋄u/a=# of obs=# of rows=sample size

·dataset has variables, which are the *attributes* of u/as

♦ say students: age; counties: water area
♦ if several layers: may have several u/as

♦ eg counties: #18; hospitals:#700; ex of attr?

♦ dataset is a matrix/spreadsheet/2D object
♦ cols are vars, rows are obs

vars are characteristics of obs

what are data?

⋄eg: edu, age, inc are vars·and persons are obs—each row is a different person

storage type: numeric v string

- strings are safer; eg string "0821" made into a number results in 821", which is a mistake!
- · that's why many software packages, incl qgis often store numbers as strings
- · but then we often need to make them into numeric to do the math or mapping
- be careful about it, triple check, there are often problems
 and it's non-intuitive

<u>outline</u>

regular (not gis) data: xls, csv, et

gis data (has shapes, can make a map from it): shp, kml, etc

Example: New Jersey Home Values

census data [probably do one week later]

old ps comments

files

- .shp (along with buch of others)
- ♦.kml
- ♦ and there's much more
- we'll cover them on "as is" basis
- ·if you bump into something else-let me know-we'll cover it

raster (picture) and vector (point, line, or polygon)

- oraster (has resolution)
- · area covered by cells/pixels
- ·each cell/pixel have values/colors
- vector (no resolution): all real world features:
- · points (dots/nodes): airports, cities, trees
- ·lines (arcs): rivers, roads
- · polygons (areas): counties, cities

raster and vector Y

X

gis data as layers of shapes with regular data

- data are organized by *layers*, eg roads, admin boundaries, etc; show example/draw a picture
- ♦ each layer: location info (shapes)+usually some regular data
- · ie a data table with location info (shapes) must underlie a map
- · (and the data table usually contains some regular data, too)
- ⋄often you want to produce thematic (choropleth) maps
 ⋄thematic maps use different symbols/colors to show
 variation in regular data

<u>outline</u>

the 'join'

regular (not gis) data: xls, csv, et

gis data (has shapes, can make a map from it): shp, kml, etc

Example: New Jersey Home Values

census data [probably do one week later]

old ps comments

the 'join'

some real skills

rel_inn.pdf

- this is where the real value come from:
- · to bring different vars together to produce new insight
- oif you just map vars from same or similar data:
- ·it has probably already been done!
- · just goog: "what you study, map" and see images
- but combining creatively variety of vars:
- ·there is no such map in the world!
- ◇eg https://sites.google.com/site/adamokuliczkozaryn/pubs/

the 'join'

howto map regular (eg xls) data?

- t would likely have geo id:
- ·ISD name/code, county name/id, etc
- ·codes/ids are great: unique! (as opposed to names)
- then google a shapefile that you can join with your data
- ⋄google "geo in you data, shapefile"
- ·eg "NJ counties, shapefile"
- ♦ and then join the two to produce a map
- beware of representativeness of your data for areas
- · i spent months mapping provinces from WVS
- · then emailed WVS and was told they're not representative

the 'join' 19/48

"the join problems": some examples

- \diamond "Camden county" \neq "Camden"
- ♦ "Congo" ≠ "Congo, Republic of"
- \diamond "Great Britain" \neq "United Kingdom"
- \diamond "Camden" \neq "CAMDEN"
- \diamond "Camden" \neq "Camden" (space is a character !)
- ♦ "08012" ≠ "8012"
- be very careful; check the tables to see if it merged right
- odoes it make sense? eg Camden richer than Cherry Hill?

the 'join' 20/48

<u>outline</u>

regular (not gis) data: xls, csv, et

gis data (has shapes, can make a map from it): shp, kml, etc

Example: New Jersey Home Values

census data [probably do one week later]

old as comments

figuring things out

- so say you've got housing prices for NJ counties
- ♦ then need to google matching gis data (shapefile)
- · google: "NJ counties shapefile"
- ♦both have county variable so you can join
- but both keys/ids need to be coded in exactly the same way
- ·characters and storage!
- ♦ and **you** need to figure this out

http://www.zillow.com/research/data > subset reposted on my website https://sites.google.com/site/

- Subset reposted on my website https://sites.google.com/site/ adamokuliczkozaryn/gis_int/NJ-counties-Zillow-Home-Value-Index-TimeSeries.xls
- ♦ adjust ID: make counties uppercase
- · (or could drop 'County' from COUNTY LABEL variable)
- · make col (var) names short: eg <5 alphanumeric chars
- ♦ and clean up: dropped first row, excessive columns,\$ (%,#,

etc) and ","; cnty names upcase, saved as csv (first sheet)

- https://sites.google.com/site/adamokuliczkozaryn/gis_int/all_homes.csv
- · note missing val for Morris; think abt missing data!
- ⋄nj counties data (same as alaways)

https://docs.google.com/uc?id=1xJDhcRCkgv7k4tNCa72Oog5bohV6dTB2&export=download

excel note!!

- excel is clunky, and often adds special/weird characters!
- when save as csv, go to:
- tools-web options-encoding and select 'us ascii'
- other ideas: https://www.webtoffee.com/
 - how-to-save-csv-excel-file-as-utf-8-encoded

install MMQGIS (just once) if not there already

- ♦ Plugins-Manage and Install Plugins:
- ·Search: MMQGIS
- · and install
- onow we can use MMQGIS to join and fix the data!
- · [another way to do joins:

http://www.qgistutorials.com/en/docs/performing_table_joins.html]

MMQGIS: join; and text to float

- ♦ MMQGIS-Combine-Attributes Join From CSV File
- ♦ Input CSV: all_homes.csv
- ♦ CSV File Field: UPPER
- ♦ Join Layer: nj_counties
- ♦ Join Layer Attribute: COUNTY
- make sure notfound.csv is where you want it
- ocheck notfound.csv: header and 'NEW JERSEY': makes
- sense!
- · check the tables to see if it joined right; be very careful!
- Check the tables to see if it joined right; be very careful!
 MMQGIS-Modify-Text to Float (almost always need this!)
- ♦ highlight "Dec 2012" only (others are not clean: "\$",",")

missing value

- right click layer-Open Attribute Table
- onote that now MORRIS has 0 for "Dec 2012"
- this is incorrect!
- hit pen icon at top left: "Toggle Editing Mode"
- · and remove zero from that cell
- ♦ hit "Toggle Editing Mode" again and Save

and the thematic map

- onj_counties-Properties-Style and from drop-down: "Graduated"
- ♦ Column: "Dec 2012"
- Color ramp: i like Blues!
- omany ways to classify [if time, discuss later]
- ousually good: 'natural breaks/jenks' say 3-7
- ♦ and hit "Classify" button
- ♦ and hit "OK" to see the map—viola!
- ⋄zoom in as much as needed

printing to file: Project-New Print Layout >left: blank icon "Add New Map" and draw a rectangle

- ♦ left: icon with arrows "Move Item Content" to adjust view
- right: "Item properties" change scale to adjust zoom and/or use mouse's wheel

♦ NJ is tall: on the right "Layout" and do "Resize layout"

right: uncheck auto-update and beautify it:

♦ left: legend button "Add new legend" (legend needs fixing)

 \cdot drop items with minus sign; and edit by double clicking it

♦ top: on the left: Layout-Export as Image

- · probably png is fine, just increase resolution to say 600dpi · http://www.qgistutorials.com/en/docs/making_a_map.html and
- * http://docs.qgis.org/2.0/en/docs/user_manual/print_composer/print_composer.html

don't trust anybody!

- remember, always be critical
- ♦ triangulate your results: compare with other source
- · just goog picture, eg 'nj counties property values map'
- ♦looks about right
- $\cdot (\text{other definition of the prices, but correlation is important}) \\$
- ♦ show to others, ask for comments
- · present locally or at a conference
- ⋄i mistakengly thought a lot of alcohol problems in Cape May
- ·but it is just tourists!

tip1

- merging (joining) data is tedious and tricky
- ♦ be careful, double, triple check
- ⋄easy to make mistake

tip2: missing vals

- tricky! pay extra attention to it!
- ⋄sometimes qgis makes '' to 0! esp MMQGIS: str to float
- sometimes qgis colors it yellow sometimes transparent:
- · (i guess: ' '=transparent, 'NULL'=yellow)
- to make it stand out can change color ramp
- · eg if NULL is white, make even number of classes say 2
- · and say make color ramp GnRd

tip3: what if traditional data is in weird format

- same as with gis data
- ·if you see something else than .shp or .kml, email us!
- $\cdot \, \text{there}$ are many data formats, and we cannot cover them all
- · we'll do them if we bump into them—do let us know what vou've found!

<u>outline</u>

regular (not gis) data: xls, csv, et

gis data (has shapes, can make a map from it): shp, kml, etc

Example: New Jersey Home Values

census data [probably do one week later]

old ps comments

census data: 5-yr ACS census is a good source of data, even at neighborhood level!

for city/neighb lev probably want 5-yr ACS ♦ https://geomap.ffiec.gov/FFIECGeocMap/GeocodeMap1.aspx

searchresults.xhtml?refresh=t can search in top box but probably best select on the left

♦ then select "Geographies": eg census tracts (ie neighborhoods)

from "Topics" eg: people-poverty-poverty

♦ https://factfinder.census.gov/faces/nav/jsf/pages/

· go down to "All Census Tracts in Camden County" and hit

"ADD TO YOUR SELECTIONS" and hit "CLOSE"

♦ and from "Show results from" pick "2015" ·click "S1701, POVERTY STATUS IN THE PAST 12

cont

- take note of margins of errors!!
- · most precise is decennial census, but much fewer variables
- "Modify Table" and keep selected only the stuff you need
- ⋄ok, at top hit Download
- ·and check "Use" not "View"
- · keep both checked: "Merge the annotations..." and "Include descriptive...", hit OK
- csv reposted https://docs.google.com/uc?id=
 1MD-P2Iu0XWWkYAsIn0WCYfqZ15cJya8n&export=download

- again, always clean it up before getting into qgis open csv file, keep GEO ids (will use them for join)
- · and just keep only needed vars and rename them:
- · HC01_EST_VC01, Total; Estimate; Population for whom poverty status is determined: "tot"
- · HC01_EST_VC53 Total: Estimate: ALL INDIVIDUALS WITH INCOME BELOW THE FOLLOWING POVERTY
- then calculate ratio of pov to tot: "prop"
- ♦ and drop row 2, the long name
- ·clean csv reposted: https://docs.google.com/uc?id= 1Hw-3nugfIpSvvyai7Jy-1wA2IsRA0Pz0&export=download

RATIOS - 125 percent of poverty level: "pov125"

census data [probably do one week later]

· and save as csv

get geo data

- census has geo data for any US geog!: https:
 //www.census.gov/geo/maps-data/data/tiger-line.html

 tracts: https:
- tracts: nttps:
 //www.census.gov/geo/maps-data/data/cbf/cbf_tracts.html
- · doing 2015 because we have 2011-2015 data
- then note there are 2 similar IDs that would match census csv
- shp: https://docs.google.com/uc?id=1KNe_
 DSJQxiUiMVzKdVfHzYjUZSke2OnY&export=download

join!

- ♦ load shp and then
- MMQGIS-Combine-Attributes join from CSV file
- ♦ MMQGIS: csv GEOid, shp: AFFGEOID
- and check notfound.csv—should be none
- ♦ MMQGIS: modify: text to float: tot pov125 prop
- ·(Ctrl and left click all three)
- ⋄right click layer-Properties-Style: "Graduated" map prop with say Blues 5 jenks
- move around and say zoom in on Camden

<u>outline</u>

regular (not gis) data: xls, csv, et

gis data (has shapes, can make a map from it): shp, kml, etc

Example: New Jersey Home Values

census data [probably do one week later]


old ps comments

old ps comments 40/4

general comments

- ⋄please no ms word! txt or pdf
- remember to specify u/a and num of obs
- ⋄need to email me *all* data you've used
- ·(incl data you used for joining (toady's class))
- · eg do not assume i have NJ counties
- ⋄send the whole thing! can just zip the whole project folder
- · or share good drive, dropbox.com etc
- ...shp file won't work! (need .dbf .prj, etc)
- ♦ again, in journal you can ask me questions!


old ps comments 41/



healthy corner stores

- makes sense to label zipcodes; right proportions
- ♦ these aren't sq miles! sq ft or meters!
- · colors denote polygon sizes—so same info twice
- · better could map educ, inc, age, bmi, etc
- \cdot dots could be little smaller or hollow so they overlap less
- omake goog map and zoom in: show more detail see environ: other businesses, pub transpo, sch, etc
- wonder about big healthy stores like wholefoods
- ·could dentote big ones with big dots
- ♦ usually may want to put year on a map
- · (at very least in metadata/journal)

Contaminations Sites in New Jersey 1992



contaminations

- perfect size and color for contaminated sites!
- · doesn't overlap much but big enough to see
- · and grayish good for contamination
- ♦ informative— NYC and Philly the worst
- excellent idea to relate poverty to contamination
- there is lit linking them! so nice test! [also can do race] • could do poverty at municipal or census tract levels
- ouse space better! NJ should be bigger like Philly stores map
- ♦ thousands must be set off by commas in legend
- very good to match contaminations and poverty by year!"poverty status" –guess counts; better %


♦ as in Philly map: zoom to Camden, have goog map in back

contaminations

- ♦http://www.nytimes.com/interactive/2015/07/08/us/ census-race-map.html?_r=0
- ♦ in couple classes we'll be making online maps like this
- ♦ but already now you can do sth similar
- · see footnote: census and socialexplorer.com: download data
- map in qgis and bring in background from googmaps
- · with openlayers plugin

old ps comments 46/48

open space



New Jersey Preserved Open Space

Legend
County Owned Open Space
State Owned Open Space
New Jersey Population

47/48

66083- 233890 233890 - 401696 401696 - 569503

569503 - 737309 737309 - 905116

old ps comments

open space

- excellent idea for map—open space related to population
- great use of multiple layers
- ogreat non-cluttered borders
- ⋄can use space better-portrait orientation, bigger NJ
- use commas for population
- ♦ say for which year it is
- opop den probably more meaningful
- on the other hand, we already see size from map
- · and so we can sort out density

old ps comments 48/-