

agency wvs

Adam Okulicz-Kozaryn*
Rutgers - Camden

Saturday 21st February, 2026 19:53

Contents

1 feb21 [post-meet] some more results	1
1.0.1 bunch of des sta in python	1
1.0.2 erick michael: race by country paper idea	1
2 feb19 [meet] revisit: more useful vars; initial results	2
2.1 vars	2
2.2 first results yay	6
2.2.1 by country	7

1 feb21 [post-meet] some more results

1.0.1 bunch of des sta in python

<https://colab.research.google.com/github/theaok/leonieAgency/blob/main/leonieAgency.ipynb>

1.0.2 erick michael: race by country paper idea

```
*/see if any patterns by race, yes!
*/whites only like .2 more than blacks (would expect bigger diff in the us)
. tabstat free if cc=="USA",stat(mean n) by(ethGr)
tabstat free if cc=="USA",stat(mean n) by(ethGr)
```

Summary for variables: free
Group variable: ethGrp (Ethnic group)

ethGrp	Mean	N
US: White, non-H	7.714432	7830
US: Black, Non-H	7.52698	1427
US: Other, Non-H	7.446215	251
US: Hispanic	7.621044	1264

*EMAIL: adam.okulicz.kozaryn@gmail.com

```

US: Two plus, no | 7.440678      177
US: South Asian | 7.583333      12
US: East Asian ( | 7.875      32
US: Arabic (Cent | 8.333333      3
-----+-----
Total | 7.669334      10996
-----

```

```

.
*//asian lower by .5

. tabstat free if cc=="AUS",stat(mean n) by(ethGr)
tabstat free if cc=="AUS",stat(mean n) by(ethGr)

```

```

Summary for variables: free
Group variable: ethGrp (Ethnic group)

ethGrp | Mean N
-----+-----
AU: Australian ( | 7.748462 5526
AU: European | 7.499102 557
AU: South Asian | 6.984615 130
AU: East Asian ( | 6.965 200
AU: Arabic, Cent | 7.134328 67
AU: Southeast As | 8.128205 39
AU: Aboriginal o | 7.741935 31
AU: White | 7.13613 1168
AU: Other | 7.142857 63
-----+-----
Total | 7.597481 7781
-----

```

```

.
*//south eur lower by .4

. tabstat free if cc=="DEU",stat(mean n) by(ethGr)
tabstat free if cc=="DEU",stat(mean n) by(ethGr)

```

```

Summary for variables: free
Group variable: ethGrp (Ethnic group)

ethGrp | Mean N
-----+-----
DE: German | 6.929933 1941
DE: Southern Eur | 7.666667 3
DE: Turkish | 7.714286 7
DE: Yugoslavian | 6.5 2
DE: Caucasian Wh | 7.073241 1734
DE: African | 5.75 8
DE: Asiatic | 5.95 20
DE: Other | 6.809524 21
-----+-----
Total | 6.989829 3736
-----

```

```

.
*//sou afr here big diff! .9

. tabstat free if c==710,stat(mean n) by(ethGr)
tabstat free if c==710,stat(mean n) by(ethGr)

```

```

Summary for variables: free
Group variable: ethGrp (Ethnic group)

ethGrp | Mean N
-----+-----
ZA: Black | 6.721295 9171
ZA: White | 7.59911 4268
ZA: Coloured | 7.385073 1514
ZA: Indian | 7.338912 717
ZA: South Asian | 7.446237 372
ZA: East Asian | 6.986702 376
ZA: Other | 9 1
-----+-----
Total | 7.060296 16419
-----

```

2 feb19 [meet] revisit: more useful vars; initial results

2.1 vars

freedom/autnomy:

A173 How much freedom of choice and control

Some people feel they have completely free choice and control over their lives, while other people feel that what they do has no real effect on what happens to them. Please use this scale where 1 means "none at all" and 10 means "a great deal" to indicate how much freedom of choice and control you feel you have over the way your life turns out.

maybe these ones in the future [all waves]? not for now missing (or very few maybe) in wave7

"People have different views about themselves and how they relate to the world. Using this card, would you tell me how strongly you agree or disagree with each of the following statements about how you see yourself? I see myself as an autonomous individual; 1 Strongly disagree; 4 Strongly agree"

aut autonomous individual

Type: Numeric (byte)
Label: revG023

Range: [1,4] Units: 1
Unique values: 4 Missing : 301,684/450,869

Tabulation: Freq.	Numeric	Label
14,338	1	Strongly disagree
26,647	2	Disagree
59,600	3	Agree
48,600	4	Strongly agree
301,684	.	

. note myself: "People pursue different goals in life. For each of the following goals, can you tell me if you strongly agree, agree, disagree or strongly disagree with it?"

I seek to be myself rather than to follow others; 1 Strongly disagree to 4 Strongly agree"
note myself: "People pursue different goals in life. For each of the following goals, ca
> n you tell me if you strongly agree, agree, disagree or strongly disagree with it? I se
> ek to be myself rather than to follow others; 1 Strongly disagree to 4 Strongly agree"

myself be myself rather than follow

Type: Numeric (byte)
Label: revD079

Range: [1,4] Units: 1
Unique values: 4 Missing : 380,319/450,869

Tabulation: Freq.	Numeric	Label
620	1	Strongly disagree
4,068	2	Disagree
34,796	3	Agree
31,066	4	Agree strongly
380,319	.	

. note decMys: "People pursue different goals in life. For each of the following goals, can you tell me if you strongly agree, agree, disagree or strongly disagree with it?"

I decide my goals in life by myself; 1 Strongly disagree to 4 Strongly agree"
note decMys: "People pursue different goals in life. For each of the following goals, ca
> n you tell me if you strongly agree, agree, disagree or strongly disagree with it? I d
> ecide my goals in life by myself; 1 Strongly disagree to 4 Strongly agree"

D080 I decide my goals in life by myself

Type: Numeric (byte)
Label: D080

Range: [-5,4] Units: 1
Unique values: 8 Missing : 0/450,869

Tabulation: Freq.	Numeric	Label
83	-5	Missing; Unknown
378,493	-4	Not asked
587	-2	No answer
1,149	-1	Don't know
30,261	1	Agree strongly
33,731	2	Agree
5,638	3	Disagree
927	4	Strongly disagree

. note freOrd: "If you had to choose, which would you say is the most important responsibility of government?"

Government order vs. freedom; 1 To maintain order in society; 0 To respect freedom of the individual"
note freOrd: "If you had to choose, which would you say is the most important responsibi
> lity of government? Government order vs. freedom; 1 To maintain order in society; 0 To
> respect freedom of the individual"

E119 Government order vs. freedom

```

Type: Numeric (byte)
Label: E119

Range: [-4,2]          Units: 1
Unique values: 5       Missing .. 0/450,869

```

```

Tabulation: Freq.   Numeric  Label
ren E119 freOrd
      381,909      -4  Not asked
        178      -2  No answer
       3,554      -1  Don't know
       38,222       1  To maintain order in society
       27,006       2  To respect freedom of the
                        individual

```

```

. note freEqu: "Which of these two statements comes closest to your own opinion?
A. I find that both freedom and equality are important. But if I were to choose
one or the other, I would consider personal freedom more important, that is,
everyone can live in freedom and develop without hinderance B. Certainly both
freedom and equality are important. But if I were to choose one or the other,
I would consider equality more important, that is, that nobody is
underprivileged and that social class differences are not so strong. 1  equality above freedom; 2  neither; 3  freedom above equality"
note freEqu: "Which of these two statements comes closest to your own opinion? A. I find
> that both freedom and equality are important. But if I were to choose one or the other,
> I would consider personal freedom more important, that is, everyone can live in freedom
> and develop without hinderance B. Certainly both freedom and equality are important. Bu
> t if I were to choose one or the other, I would consider equality more important, that i
> s, that nobody is underprivileged and that social class differences are not so strong. 1
> equality above freedom; 2  neither; 3  freedom above equality"

. codebook E032, ta(100)
codebook E032, ta(100)

```

```

-----
E032                                     Freedom or equality
-----

```

```

Type: Numeric (byte)
Label: E032

Range: [1,3]          Units: 1
Unique values: 3       Missing .. 424,218/450,869

```

```

Tabulation: Freq.   Numeric  Label
      13,960       1  Freedom above equality
       9,418       2  Equality above freedom
       3,273       3  Neither
      424,218       .

```

maybe also?: **leonie: no; its about valuing autonomy, not autonomy itself [agreed]**

Autonomy-4 item Index=(a029 +A039)-(a040 + a042) Only questions with answers to the 4 items are considered. -2 Obedience/Religious Faith to 2 Determination, perseverance/Independence

Important child qualities: [0 Not mentioned; 1 Important]

A029 independence

A039 determination, perseverance

A040 religious faith

A042 obedience

```

      131,200       0
      115,286       1
       49,393       2  Determination,
                        perseverance/Independence

```

these are redistribution/welfare vars that can use in the future, many are not in wave 7 analyzed here [these are now just wave7 as opposed to freedom/autonomy earlier for all waves]

```

wrkLaz | 93,362  2.214188  1.123027  1  5
pooLaz | 0
subPoo | 91,076  6.351739  3.026114  0  10
escPov | 0
priPub | 90,940  5.641071  2.817971  1  10
trust | 93,005  .2424816  .4285863  0  1
fair | 0

```

```

-----
wrkLaz                                     disagree: people who don't work turn lazy
-----

```

```

-----
Type: Numeric (byte)
Label: C038

Range: [1,5]           Units: 1
Unique values: 5       Missing .. 252,738/450,869

Tabulation: Freq.   Numeric   Label
            62,663       1   Strongly agree
            77,893       2   Agree
            25,441       3   Neither agree or disagree
            25,357       4   Disagree
            6,777        5   Strongly disagree
            252,738       .
-----
poolaz                                poor lazy
-----

```

```

-----
Type: Numeric (byte)
Label: yn2

Range: [.,.]           Units: .
Unique values: 0       Missing .. 94,278/94,278

Tabulation: Freq.   Numeric   Label
            94,278       .
-----
subPoo                                subsidize poor
-----

```

```

-----
Type: Numeric (byte)
Label: yn10, but 9 nonmissing values are not labeled

Range: [0,10]          Units: 1
Unique values: 11      Missing .. 3,202/94,278

Tabulation: Freq.   Numeric   Label
            650        0
            10,331       1   1.no
            3,041        2
            4,448        3
            4,624        4
            12,091       5
            7,879        6
            9,483        7
            11,256       8
            6,650        9
            20,623       10  10.yes
            3,202        .
-----
escPov                                escape poverty
-----

```

```

-----
Type: Numeric (byte)
Label: yn2

Range: [.,.]           Units: .
Unique values: 0       Missing .. 94,278/94,278

Tabulation: Freq.   Numeric   Label
            94,278       .
-----
priPub                                private-public
-----

```

```

-----
Type: Numeric (byte)
Label: pri_pub, but 8 nonmissing values are not labeled

Range: [1,10]          Units: 1
Unique values: 10      Missing .. 3,338/94,278

Tabulation: Freq.   Numeric   Label
            10,490       1   1.private ownership
            4,458        2
            6,916        3
            6,776        4
            18,940       5
            9,266        6
            8,052        7
            8,321        8
            4,697        9
            13,024       10  10.public ownership
            3,338        .
-----
trust                                trust
-----

```

```

Type: Numeric (byte)
Label: yn2

Range: [0,1]           Units: 1

```

Unique values: 2 Missing .: 1,273/94,278

Tabulation: Freq. Numeric Label
70,453 0 0.no
22,552 1 1.yes
1,273 .

2.2 first results yay

	a1	alcc	alsatFin	a2	a3
freedom	-0.13***	-0.11***	-0.07***	-0.10***	-0.10***
financial satisfaction			-0.16***		-0.17***
age				0.00	-0.00
age2				-0.00	0.00
male				-0.12***	-0.12***
class				-0.10***	-0.07***
married or living together as married				-0.05*	-0.01
freedom × financial satisfaction					0.01**
constant	6.90***	7.33***	7.47***	7.63***	8.20***
N	92557	92557	92244	85727	85517
+ 0.10 * 0.05 ** 0.01 *** 0.001; robust std err					

Table 1: OLS regressions of gov more responsibility (v ppl take care of themselves).

a1: ok more autonomy by 1 on 1-10, want less redistrib by .13 on 1-10 scale

alcc: adding country dummies doesnt change anything

alsatFin: reduced by almost half!, note satFin correlates with agency at .33

a2: basic sociodemographics, and effect size still large at .1

then interactions: [**TODO** marginsplot whats net, non-interacted terms large coeffs]

a3: freedom * financial satisfaction—interesting while satFin alone less redistribution; interacted with autonomy, the more preRed

a4: with income also positive [rich assholes more for redistribution?]

a5: nothing with male [aggressive males more for redistribution?]

	b1	b2	b3
None at all	0.00	0.00	0.00
2	-0.04	0.00	-0.04
3	-0.17+	-0.10	-0.11
4	-0.55***	-0.43***	-0.41***
5	-0.76***	-0.60***	-0.53***
6	-1.00***	-0.81***	-0.69***
7	-1.12***	-0.89***	-0.73***
8	-1.24***	-0.98***	-0.76***
9	-1.37***	-1.08***	-0.83***
A great deal	-1.17***	-0.96***	-0.70***
age		0.00	-0.00
age2		-0.00	0.00
male		-0.12***	-0.12***
class		-0.09***	-0.06***
married or living together as married		-0.05*	-0.01
financial satisfaction			-0.12***
constant	7.02***	7.67***	8.10***
N	92557	85727	85517
+ 0.10 * 0.05 ** 0.01 *** 0.001; robust std err			

Table 2: OLS regressions of gov more responsibility (v ppl take care of themselves).

one contribution to dummy out like in my papers :)

easy to see big effects by 1 on over 5 or 6 on free—over 5 smaller changes, also first three almost no change, and then jump at 4 and then some on 5 and 6—shows nonlinearity; and i guess also confirms leonie’s point of “double barreled” ie can split in half autonomy var, and here this shows that it splits about in half at 5 or 6

b2: still around 1

b3: lower, but .7 is sizeable

2.2.1 by country

i'm a geographer so lets do by country

interesting thing i found in my freedom from and freedom to paper 10 years ago is that more freedom/autonomy in MEX than USA, but can also do effects by countries

another contribution by c, like my cities paper: <https://www.sciencedirect.com/science/article/pii/S0264275121002687?via%3Dihub>

here a quick exercise, just separately by capitalistic/alienated/western c about .15-3 v humanistic/social/latin c about 0-.1—clear differences 4 fold! say .5 v 2; and they hold controlling for basic sociodemographics

some surprises: in BRA positive!; DEU close to 0, but not in AUS; european ARG close to capitalistic/west; and LBN and CZE big for some reason like .3

```
.  
. */capitalistic  
*/capitalistic  
  
. reg govRes free if cc=="USA", robust  
reg govRes free if cc=="USA", robust  
  
Linear regression               Number of obs   =    2,566  
                               F(1, 2564)         =    68.13  
                               Prob > F           =    0.0000  
                               R-squared           =    0.0283  
                               Root MSE         =    2.9294
```

govRes	Coefficient	Robust std. err.	t	P> t	[95% conf. interval]	
free	-.2542726	.0308052	-8.25	0.000	-.3146783	-.193867
_cons	7.3911	.2417892	30.57	0.000	6.916978	7.865222

```
. reg govRes free if cc=="SGP", robust  
reg govRes free if cc=="SGP", robust  
  
Linear regression               Number of obs   =    1,998  
                               F(1, 1996)         =    56.22  
                               Prob > F           =    0.0000  
                               R-squared           =    0.0341  
                               Root MSE         =    2.3275
```

govRes	Coefficient	Robust std. err.	t	P> t	[95% conf. interval]	
free	-.2268925	.0302607	-7.50	0.000	-.2862384	-.1675467
_cons	7.560577	.2101485	35.98	0.000	7.148444	7.97271

```
. reg govRes free if cc=="HKG", robust  
reg govRes free if cc=="HKG", robust  
  
Linear regression               Number of obs   =    2,063  
                               F(1, 2061)         =    58.47  
                               Prob > F           =    0.0000  
                               R-squared           =    0.0366  
                               Root MSE         =    2.2518
```

govRes	Coefficient	Robust std. err.	t	P> t	[95% conf. interval]	
free	-.2343101	.0306435	-7.65	0.000	-.2944057	-.1742146
_cons	6.938992	.2065198	33.60	0.000	6.533983	7.344001

```
. reg govRes free if cc=="NLD", robust  
reg govRes free if cc=="NLD", robust  
  
Linear regression               Number of obs   =    1,908
```

```

F(1, 1906)      =    16.31
Prob > F        =    0.0001
R-squared       =    0.0109
Root MSE       =    2.248

```

govRes	Coefficient	Robust std. err.	t	P> t	[95% conf. interval]	
free	-.154012	.0381368	-4.04	0.000	-.2288064	-.0792177
_cons	7.13256	.2745572	25.98	0.000	6.594096	7.671024

```

. reg govRes free if cc=="DEU", robust
reg govRes free if cc=="DEU", robust

```

```

Linear regression      Number of obs   =    1,500
                        F(1, 1498)      =    4.99
                        Prob > F        =    0.0257
                        R-squared       =    0.0038
                        Root MSE      =    2.5071

```

govRes	Coefficient	Robust std. err.	t	P> t	[95% conf. interval]	
free	-.0853276	.0382106	-2.23	0.026	-.1602795	-.0103757
_cons	6.721337	.2770844	24.26	0.000	6.177822	7.264852

```

. reg govRes free if cc=="AUS", robust
reg govRes free if cc=="AUS", robust

```

```

Linear regression      Number of obs   =    1,778
                        F(1, 1776)     =    68.43
                        Prob > F        =    0.0000
                        R-squared       =    0.0425
                        Root MSE      =    2.7136

```

govRes	Coefficient	Robust std. err.	t	P> t	[95% conf. interval]	
free	-.2956679	.0357426	-8.27	0.000	-.3657699	-.2255659
_cons	7.931705	.2795501	28.37	0.000	7.383423	8.479987

```

. reg govRes free if cc=="GBR", robust
reg govRes free if cc=="GBR", robust

```

```

Linear regression      Number of obs   =    2,543
                        F(1, 2541)     =    47.01
                        Prob > F        =    0.0000
                        R-squared       =    0.0212
                        Root MSE      =    2.5852

```

govRes	Coefficient	Robust std. err.	t	P> t	[95% conf. interval]	
free	-.1956866	.028541	-6.86	0.000	-.2516525	-.1397206
_cons	7.58248	.2130995	35.58	0.000	7.164613	8.000346

```

. reg govRes free if cc=="CAN", robust
reg govRes free if cc=="CAN", robust

```

```

Linear regression      Number of obs   =    4,018
                        F(1, 4016)     =    62.71
                        Prob > F        =    0.0000
                        R-squared       =    0.0181
                        Root MSE      =    2.4983

```

govRes	Coefficient	Robust std. err.	t	P> t	[95% conf. interval]	
free	-.1967397	.0248435	-7.92	0.000	-.2454468	-.1480327
_cons	6.933817	.1873025	37.02	0.000	6.5666	7.301033

```

.
. */humanistic
*/humanistic

. reg govRes free if cc=="BRA", robust
reg govRes free if cc=="BRA", robust

Linear regression      Number of obs   =    1,685
                        F(1, 1683)     =    3.94
                        Prob > F        =    0.0474
                        R-squared       =    0.0026
                        Root MSE      =    3.1254

```


govRes	Coefficient	Robust std. err.	t	P> t	[95% conf. interval]	
free	.0627981	.0316557	1.98	0.047	.0007093	.1248868
_cons	6.970929	.2478231	28.13	0.000	6.484855	7.457003

```
. reg govRes free if cc=="MEX", robust
reg govRes free if cc=="MEX", robust
```

```
Linear regression                Number of obs   =      1,728
                                F(1, 1726)         =          0.00
                                Prob > F           =        0.9867
                                R-squared           =        0.0000
                                Root MSE         =        3.1252
```

govRes	Coefficient	Robust std. err.	t	P> t	[95% conf. interval]	
free	-.0006039	.0362803	-0.02	0.987	-.0717619	.070554
_cons	5.903084	.2954843	19.98	0.000	5.323539	6.482629

```
. reg govRes free if cc=="ECU", robust
reg govRes free if cc=="ECU", robust
```

```
Linear regression                Number of obs   =      1,185
                                F(1, 1183)        =          1.90
                                Prob > F           =        0.1687
                                R-squared           =        0.0017
                                Root MSE         =        3.3441
```

govRes	Coefficient	Robust std. err.	t	P> t	[95% conf. interval]	
free	-.058957	.0428068	-1.38	0.169	-.1429427	.0250287
_cons	6.450054	.3298834	19.55	0.000	5.802832	7.097276

```
. reg govRes free if cc=="COL", robust
reg govRes free if cc=="COL", robust
```

```
Linear regression                Number of obs   =      1,520
                                F(1, 1518)        =          6.13
                                Prob > F           =        0.0134
                                R-squared           =        0.0042
                                Root MSE         =        3.2466
```

govRes	Coefficient	Robust std. err.	t	P> t	[95% conf. interval]	
free	-.0908585	.0366901	-2.48	0.013	-.1628272	-.0188898
_cons	6.162867	.3036165	20.30	0.000	5.567315	6.758419

```
. reg govRes free if cc=="BOL", robust
reg govRes free if cc=="BOL", robust
```

```
Linear regression                Number of obs   =      1,997
                                F(1, 1995)        =          7.15
                                Prob > F           =        0.0076
                                R-squared           =        0.0041
                                Root MSE         =        3.0403
```

govRes	Coefficient	Robust std. err.	t	P> t	[95% conf. interval]	
free	-.0963881	.0360458	-2.67	0.008	-.1670795	-.0256967
_cons	5.969534	.274093	21.78	0.000	5.431995	6.507072

```
. reg govRes free if cc=="ARG", robust
reg govRes free if cc=="ARG", robust
```

```
Linear regression                Number of obs   =        959
                                F(1, 957)         =          9.54
                                Prob > F           =        0.0021
                                R-squared           =        0.0106
                                Root MSE         =        2.6797
```

govRes	Coefficient	Robust std. err.	t	P> t	[95% conf. interval]	
free	-.1456756	.047152	-3.09	0.002	-.2382089	-.0531423
_cons	7.104633	.3697035	19.22	0.000	6.379109	7.830156

```
.
. */extremes for some reason
*/extremes for some reason
```

```
. reg govRes free if cc=="LBN", robust
reg govRes free if cc=="LBN", robust
```

```
Linear regression      Number of obs   =      1,200
                        F(1, 1198)         =      150.84
                        Prob > F           =      0.0000
                        R-squared          =      0.1192
                        Root MSE        =      2.0301
```

govRes	Coefficient	Robust std. err.	t	P> t	[95% conf. interval]	
free	-.3216726	.0261909	-12.28	0.000	-.3730577	-.2702874
_cons	8.120036	.1539519	52.74	0.000	7.817991	8.422081

```
. reg govRes free if cc=="CZE", robust
reg govRes free if cc=="CZE", robust
```

```
Linear regression      Number of obs   =      1,190
                        F(1, 1188)         =      63.40
                        Prob > F           =      0.0000
                        R-squared          =      0.0630
                        Root MSE        =      2.3647
```

govRes	Coefficient	Robust std. err.	t	P> t	[95% conf. interval]	
free	-.3089838	.0388068	-7.96	0.000	-.3851213	-.2328464
_cons	7.842652	.278088	28.20	0.000	7.297054	8.388251

```
.
.
.
```

```
. */capitalistic
*/capitalistic
```

```
. reg govRes free inc age age2 male class mar if cc=="USA", robust
reg govRes free inc age age2 male class mar if cc=="USA", robust
```

```
Linear regression      Number of obs   =      2,516
                        F(7, 2508)         =      27.10
                        Prob > F           =      0.0000
                        R-squared          =      0.0676
                        Root MSE        =      2.8688
```

govRes	Coefficient	Robust std. err.	t	P> t	[95% conf. interval]	
free	-.2040373	.0313163	-6.52	0.000	-.2654457	-.1426288
inc	-.1741054	.041782	-4.17	0.000	-.2560363	-.0921746
age	-.051321	.0217413	-2.36	0.018	-.0939538	-.0086883
age2	.0002959	.0002293	1.29	0.197	-.0001537	.0007455
male	-.3424398	.1195737	-2.86	0.004	-.5769132	-.1079664
class	.0584266	.0808556	0.72	0.470	-.1001241	.2169772
mar	-.1880669	.1223548	-1.54	0.124	-.4279937	.0518598
_cons	9.604566	.5279627	18.19	0.000	8.569279	10.63985

```
. reg govRes free inc age age2 male class mar if cc=="SGP", robust
reg govRes free inc age age2 male class mar if cc=="SGP", robust
```

```
Linear regression      Number of obs   =      1,920
                        F(7, 1912)         =      13.16
                        Prob > F           =      0.0000
                        R-squared          =      0.0500
                        Root MSE        =      2.3068
```

govRes	Coefficient	Robust std. err.	t	P> t	[95% conf. interval]	
free	-.1903173	.0321719	-5.92	0.000	-.2534131	-.1272216
inc	-.1224083	.0415441	-2.95	0.003	-.2038848	-.0409318
age	-.0206194	.0217417	-0.95	0.343	-.0632594	.0220205
age2	.0001902	.000219	0.87	0.385	-.0002394	.0006198
male	-.1395418	.1059256	-1.32	0.188	-.3472837	.0682
class	-.1500439	.0711905	-2.11	0.035	-.2896631	-.0104247
mar	-.019552	.124723	-0.16	0.875	-.2641593	.2250554
_cons	8.901766	.5376045	16.56	0.000	7.847413	9.956119

```
. reg govRes free inc age age2 male class mar if cc=="HKG", robust
reg govRes free inc age age2 male class mar if cc=="HKG", robust
```

```
Linear regression      Number of obs   =      2,034
                        F(7, 2026)         =      13.07
                        Prob > F           =      0.0000
```

govRes	Coefficient	Robust std. err.	t	P> t	[95% conf. interval]	
free	-.1856798	.0326383	-5.69	0.000	-.249688	-.1216716
inc	-.1372768	.0388718	-3.53	0.000	-.2135097	-.0610438
age	.0103655	.0188904	0.55	0.583	-.026681	.0474121
age2	-.0002221	.0001954	-1.14	0.256	-.0006053	.0001611
male	.0284369	.0100970	0.28	0.777	-.1688351	.2257088
class	-.0429861	.0728582	-0.59	0.555	-.1858708	.0998987
mar	-.0432499	.1126384	-0.38	0.701	-.2641491	.1776492
_cons	7.484184	.4520134	16.56	0.000	6.597724	8.370643

Linear regression	Number of obs	=	1,401
	F(7, 1393)	=	3.15
	Prob > F	=	0.0027
	R-squared	=	0.0186
	Root MSE	=	2.2211

		Robust					
govRes	Coefficient	std. err.	t	P> t	[95% conf. interval]		
free	-.1380025	.0467043	-2.95	0.003	-.2276208	-.0463841	
inc	-.0664881	.0312308	-2.13	0.033	-.1277527	-.0052236	
age	-.0026583	.0249966	-0.11	0.915	-.0516933	.0463767	
age2	-.9.21e-06	.000237	-0.04	0.969	-.0006424	.0004558	
male	-.0181638	.1200332	-0.15	0.880	-.2537291	.2173015	
class	.0266107	.0757037	0.35	0.725	-.1218949	.1751164	
mar	-.0848189	.1556009	-0.55	0.586	-.3900562	.2204184	
_cons	7.572087	.7358962	10.29	0.000	6.128502	9.015671	

Linear regression	Number of obs	=	1,421
	F(7, 1413)	=	5.14
	Prob > F	=	0.0000
	R-squared	=	0.0249
	Root MSE	=	2.4928

		Robust				
govRes	Coefficient	std. err.	t	P> t	[95% conf. interval]	
free	-.0755424	.0405664	-1.86	0.063	-.1551192	.0040345
inc	-.0836573	.0536782	-1.56	0.119	-.1889549	.0216402
age	-.0143901	.021511	-0.67	0.504	-.0565871	.0278068
age2	-8.71e-06	.0002061	-0.04	0.966	-.0004131	.0003957
male	-.2043677	.13303	-1.54	0.125	-.4653253	.0565898
class	-.1259828	.1115024	-1.13	0.259	-.3447108	.0927452
mar	.0648739	.1154448	0.43	0.668	-.232207	.3619547
_cons	8.305444	.6356033	13.07	0.000	7.058616	9.552272

Linear regression	Number of obs	=	1,689
	F(7, 1681)	=	16.50
	Prob > F	=	0.0000
	R-squared	=	0.0698
	Root MSE	=	2.668

		Robust				
govRes	Coefficient	std. err.	t	P> t	[95% conf. interval]	
free	-.2590754	.038191	-6.78	0.000	-.3339824	-.1841685
inc	-.1576128	.0422039	-3.73	0.000	-.2403905	-.0748352
age	.0161635	.0231419	0.70	0.485	-.0292264	.0615534
age2	-.0003619	.00022	-1.64	0.100	-.0007934	.0000696
male	-.1109485	.1381286	-0.80	0.422	-.3818706	.1599736
class	.1252026	.0921365	1.36	0.174	-.0555117	.3059169
mar	-.1825971	.1417591	-1.29	0.198	-.46064	.0954458
_cons	8.533525	.6526546	13.08	0.000	7.253424	9.813626

Linear regression	Number of obs	=	4,018
	F(7, 4010)	=	51.28

```

Prob > F      = 0.0000
R-squared     = 0.0838
Root MSE     = 2.4151

```

govRes	Coefficient	Robust std. err.	t	P> t	[95% conf. interval]	
free	-.0762366	.0259031	-2.94	0.003	-.1270211	-.0254521
inc	-.2648365	.0308069	-8.60	0.000	-.3252352	-.2044379
age	-.0568324	.0134606	-4.22	0.000	-.0832226	-.0304422
age2	.000479	.0001391	3.44	0.001	.0002063	.0007518
male	-.3132311	.0786923	-3.98	0.000	-.4675117	-.1589504
class	-.0434554	.0579515	-0.75	0.453	-.1570724	.0701617
mar	-.2696483	.0849612	-3.17	0.002	-.4362195	-.1030771
_cons	9.446925	.3493148	27.04	0.000	8.762074	10.13178

```

. */humanistic
*/humanistic

```

```

. reg govRes free inc age age2 male class mar if cc=="BRA", robust
reg govRes free inc age age2 male class mar if cc=="BRA", robust

```

```

Linear regression      Number of obs   =    1,552
                      F(7, 1544)      =      3.01
                      Prob > F         =    0.0038
                      R-squared        =    0.0132
                      Root MSE       =    3.099

```

govRes	Coefficient	Robust std. err.	t	P> t	[95% conf. interval]	
free	.0674188	.0327685	2.06	0.040	.0031433	.1316942
inc	-.0689309	.041833	-1.65	0.100	-.1509865	.0131246
age	-.0111129	.024114	-0.46	0.645	-.0584126	.0361867
age2	.0002314	.000253	0.91	0.361	-.0002649	.0007276
male	-.1160045	.1586392	-0.73	0.465	-.4271755	.1951665
class	.0219324	.0992231	0.22	0.825	-.1726939	.2165587
mar	-.3502355	.1637882	-2.14	0.033	-.6715064	-.0289646
_cons	7.421544	.6029358	12.31	0.000	6.238884	8.604203

```

. reg govRes free inc age age2 male class mar if cc=="MEX", robust
reg govRes free inc age age2 male class mar if cc=="MEX", robust

```

```

Linear regression      Number of obs   =    1,693
                      F(7, 1685)      =      5.09
                      Prob > F         =    0.0000
                      R-squared        =    0.0205
                      Root MSE       =    3.0939

```

govRes	Coefficient	Robust std. err.	t	P> t	[95% conf. interval]	
free	.0047016	.0365058	0.13	0.898	-.0668999	.076303
inc	-.1866501	.0336703	-5.54	0.000	-.2526901	-.12061
age	.0006228	.0255937	0.02	0.981	-.049576	.0508215
age2	-.0000299	.0002691	-0.11	0.912	-.0005576	.0004979
male	-.0882046	.1517731	-0.58	0.561	-.3858883	.209479
class	.0087923	.0822139	0.11	0.915	-.1524597	.1700444
mar	.0190545	.1703464	0.11	0.911	-.3150583	.3531673
_cons	6.696883	.6374379	10.51	0.000	5.44663	7.947137

```

. reg govRes free inc age age2 male class mar if cc=="ECU", robust
reg govRes free inc age age2 male class mar if cc=="ECU", robust

```

```

Linear regression      Number of obs   =    1,155
                      F(7, 1147)      =      5.33
                      Prob > F         =    0.0000
                      R-squared        =    0.0307
                      Root MSE       =    3.305

```

govRes	Coefficient	Robust std. err.	t	P> t	[95% conf. interval]	
free	-.0396644	.0435486	-0.91	0.363	-.1251082	.0457794
inc	-.1157002	.05269	-2.20	0.028	-.2190799	-.0123206
age	-.0446462	.0354521	-1.26	0.208	-.1142045	.0249121
age2	.0005151	.0003987	1.29	0.197	-.0002671	.0012974
male	-.6681056	.195656	-3.41	0.001	-1.051989	-.2842219
class	-.2425253	.1084289	-2.24	0.025	-.4552666	-.029784
mar	.3689208	.2075247	1.78	0.076	-.0382498	.7760914
_cons	8.462608	.8551411	9.90	0.000	6.784792	10.14042

```

. reg govRes free inc age age2 male class mar if cc=="COL", robust
reg govRes free inc age age2 male class mar if cc=="COL", robust

```

```

Linear regression      Number of obs   =    1,520

```

```

F(7, 1512)      =      1.96
Prob > F         =      0.0567
R-squared        =      0.0096
Root MSE        =      3.2442

```

govRes	Coefficient	Robust std. err.	t	P> t	[95% conf. interval]	
free	-.0828422	.0368886	-2.25	0.025	-.1552003	-.010484
inc	-.0664997	.038706	-1.72	0.086	-.1424229	.0094235
age	.0131748	.0309386	0.43	0.670	-.0475124	.073862
age2	-.0001636	.0003503	-0.47	0.641	-.0008508	.0005236
male	.250691	.1669152	1.50	0.133	-.0767188	.5781008
class	-.0463064	.0957703	-0.48	0.629	-.2341631	.1415503
mar	.0589986	.1769845	0.33	0.739	-.2881626	.4061597
_cons	6.125779	.7033928	8.71	0.000	4.746049	7.505508

```

. reg govRes free inc age age2 male class mar if cc=="BOL", robust
reg govRes free inc age age2 male class mar if cc=="BOL", robust

```

```

Linear regression      Number of obs   =      1,890
                      F(7, 1882)      =      3.65
                      Prob > F         =      0.0006
                      R-squared        =      0.0138
                      Root MSE       =      3.0156

```

govRes	Coefficient	Robust std. err.	t	P> t	[95% conf. interval]	
free	-.0631073	.0379002	-1.67	0.096	-.1374382	.0112236
inc	-.0728608	.0404831	-1.80	0.072	-.1522574	.0065357
age	-.0307038	.0254147	-1.21	0.227	-.0805477	.0191401
age2	.0004764	.0002821	1.69	0.091	-.0000769	.0010297
male	.0759832	.1392963	0.55	0.585	-.1972082	.3491746
class	-.0148627	.0835996	-0.18	0.859	-.1788203	.1490948
mar	.3088924	.1535647	2.01	0.044	.0077173	.6100674
_cons	6.30482	.6223843	10.13	0.000	5.084184	7.525455

```

. reg govRes free inc age age2 male class mar if cc=="ARG", robust
reg govRes free inc age age2 male class mar if cc=="ARG", robust

```

```

Linear regression      Number of obs   =      912
                      F(7, 904)      =      5.29
                      Prob > F         =      0.0000
                      R-squared        =      0.0368
                      Root MSE       =      2.6725

```

govRes	Coefficient	Robust std. err.	t	P> t	[95% conf. interval]	
free	-.1345745	.0479269	-2.81	0.005	-.2286354	-.0405135
inc	-.1593301	.0712262	-2.24	0.026	-.2991179	-.0195422
age	.009412	.0298721	0.32	0.753	-.0492148	.0680388
age2	-.0001387	.0003168	-0.44	0.662	-.0007605	.0004831
male	-.072956	.1771406	-0.41	0.681	-.4206106	.2746986
class	-.2206999	.1336407	-1.65	0.099	-.4829819	.0415822
mar	.3016437	.1913202	1.58	0.115	-.0738398	.6771271
_cons	8.216967	.751552	10.93	0.000	6.741977	9.691956

```

. **/extremes for some reason
**/extremes for some reason

```

```

. reg govRes free inc age age2 male class mar if cc=="LBN", robust
reg govRes free inc age age2 male class mar if cc=="LBN", robust

```

```

Linear regression      Number of obs   =      1,200
                      F(7, 1192)    =      23.67
                      Prob > F         =      0.0000
                      R-squared        =      0.1262
                      Root MSE       =      2.0271

```

govRes	Coefficient	Robust std. err.	t	P> t	[95% conf. interval]	
free	-.3484447	.0324959	-10.72	0.000	-.4122003	-.2846891
inc	.0407626	.048725	0.84	0.403	-.0548337	.1363589
age	.0113366	.0227777	0.50	0.619	-.0333522	.0560254
age2	-.0001665	.0002332	-0.71	0.475	-.000624	.0002909
male	.1368608	.1177406	1.16	0.245	-.0941411	.3678628
class	.1259293	.0769062	1.64	0.102	-.0249574	.2768159
mar	.1179892	.1350856	0.87	0.383	-.1470428	.3830213
_cons	7.38884	.5682105	13.00	0.000	6.274036	8.503644

```

. reg govRes free inc age age2 male class mar if cc=="CZE", robust
reg govRes free inc age age2 male class mar if cc=="CZE", robust

```

```

Linear regression      Number of obs   =      1,172
                      F(7, 1164)    =      25.20

```

```

Prob > F      = 0.0000
R-squared     = 0.1409
Root MSE     = 2.2636

```

govRes	Coefficient	Robust std. err.	t	P> t	[95% conf. interval]	
free	-.1686818	.0406432	-4.15	0.000	-.2484239	-.0889397
inc	-.2872188	.0608255	-4.72	0.000	-.4065586	-.1678789
age	-.0035356	.0243019	-0.15	0.884	-.051216	.0441449
age2	.0000466	.0002442	0.19	0.849	-.0004326	.0005257
male	-.1071923	.1328598	-0.81	0.420	-.3678638	.1534791
class	-.3542257	.1120923	-3.16	0.002	-.5741512	-.1343001
mar	-.1164154	.1448518	-0.80	0.422	-.4006152	.1677843
_cons	9.545361	.6307996	15.13	0.000	8.30773	10.78299

.

.

.9