

agency wvs

Adam Okulicz-Kozaryn*
Rutgers - Camden

Saturday 21st February, 2026 17:09

Contents

1 feb21 [post-meet] some more results	1
1.0.1 bunch of des sta in python	1
1.0.2 erick michael: race by country paper idea	1
2 feb19 [meet] revisit: more useful vars; initial results	2
2.1 vars	2
2.2 first results yay	4
2.2.1 by country	5

1 feb21 [post-meet] some more results

1.0.1 bunch of des sta in python

<https://colab.research.google.com/github/theaok/leonieAgency/blob/main/leonieAgency.ipynb>

1.0.2 erick michael: race by country paper idea

```
*/see if any patterns by race, yes!
*/whites only like .2 more than blacks (would expect bigger diff in the us)
. tabstat free if cc=="USA",stat(mean n) by(ethGr)
tabstat free if cc=="USA",stat(mean n) by(ethGr)
```

Summary for variables: free
Group variable: ethGrp (Ethnic group)

ethGrp	Mean	N
US: White, non-H	7.714432	7830
US: Black, Non-H	7.52698	1427
US: Other, Non-H	7.446215	251
US: Hispanic	7.621044	1264

*EMAIL: adam.okulicz.kozaryn@gmail.com

```

US: Two plus, no | 7.440678      177
US: South Asian | 7.583333      12
US: East Asian ( | 7.875      32
US: Arabic (Cent | 8.333333      3
-----+-----
Total | 7.669334      10996
-----

```

```

.
*//asian lower by .5

. tabstat free if cc=="AUS",stat(mean n) by(ethGr)
tabstat free if cc=="AUS",stat(mean n) by(ethGr)

```

```

Summary for variables: free
Group variable: ethGrp (Ethnic group)

ethGrp | Mean N
-----+-----
AU: Australian ( | 7.748462 5526
AU: European | 7.499102 557
AU: South Asian | 6.984615 130
AU: East Asian ( | 6.965 200
AU: Arabic, Cent | 7.134328 67
AU: Southeast As | 8.128205 39
AU: Aboriginal o | 7.741935 31
AU: White | 7.13613 1168
AU: Other | 7.142857 63
-----+-----
Total | 7.597481 7781
-----

```

```

.
*//south eur lower by .4

. tabstat free if cc=="DEU",stat(mean n) by(ethGr)
tabstat free if cc=="DEU",stat(mean n) by(ethGr)

```

```

Summary for variables: free
Group variable: ethGrp (Ethnic group)

ethGrp | Mean N
-----+-----
DE: German | 6.929933 1941
DE: Southern Eur | 7.666667 3
DE: Turkish | 7.714286 7
DE: Yugoslavian | 6.5 2
DE: Caucasian Wh | 7.073241 1734
DE: African | 5.75 8
DE: Asiatic | 5.95 20
DE: Other | 6.809524 21
-----+-----
Total | 6.989829 3736
-----

```

```

.
*//sou afr here big diff! .9

. tabstat free if c==710,stat(mean n) by(ethGr)
tabstat free if c==710,stat(mean n) by(ethGr)

```

```

Summary for variables: free
Group variable: ethGrp (Ethnic group)

ethGrp | Mean N
-----+-----
ZA: Black | 6.721295 9171
ZA: White | 7.59911 4268
ZA: Coloured | 7.385073 1514
ZA: Indian | 7.338912 717
ZA: South Asian | 7.446237 372
ZA: East Asian | 6.986702 376
ZA: Other | 9 1
-----+-----
Total | 7.060296 16419
-----

```

2 feb19 [meet] revisit: more useful vars; initial results

2.1 vars

freedom/autnomy:

A173 How much freedom of choice and control

Some people feel they have completely free choice and control over their lives, while other people feel that what they do has no real effect on what happens to them. Please use this scale where 1 means "none at all" and 10 means "a great deal" to indicate how much freedom of choice and control you feel you have over the way your life turns out.

maybe also?: **leonie: no; its about valuing autonomy, not autonomy itself [agreed]**

Autonomy-4 item Index=(a029 +A039)-(a040 + a042) Only questions with answers to the 4 items are considered. -2 Obedience/Religious Faith to 2 Determination, perseverance/Independence

Important child qualities: [0 Not mentioned; 1 Important]

A029 independence

A039 determination, perseverance

A040 religious faith

A042 obedience

131,200	0	
115,286	1	
49,393	2	Determination, perseverance/Independence

these are redistribution/welfare vars that can use in the future, many are not in wave 7 analyzed here

wrkLaz	93,362	2.214188	1.123027	1	5
pooLaz	0				
subPoo	91,076	6.351739	3.026114	0	10
escPov	0				
priPub	90,940	5.641071	2.817971	1	10
trust	93,005	.2424816	.4285863	0	1
fair	0				

wrkLaz disagree: people who don't work turn lazy

Type: Numeric (byte)
Label: C038

Range: [1,5] Units: 1
Unique values: 5 Missing .. 252,738/450,869

Tabulation: Freq.	Numeric	Label
62,663	1	Strongly agree
77,893	2	Agree
25,441	3	Neither agree or disagree
25,357	4	Disagree
6,777	5	Strongly disagree
252,738	.	

pooLaz poor lazy

Type: Numeric (byte)
Label: yn2

Range: [.,.] Units: .
Unique values: 0 Missing .. 94,278/94,278

Tabulation: Freq.	Numeric	Label
94,278	.	

subPoo subsidize poor

Type: Numeric (byte)
Label: yn10, but 9 nonmissing values are not labeled

Range: [0,10] Units: 1
Unique values: 11 Missing .. 3,202/94,278

Tabulation: Freq.	Numeric	Label
650	0	
10,331	1	1.no
3,041	2	
4,448	3	
4,624	4	
12,091	5	
7,879	6	
9,483	7	
11,256	8	
6,650	9	
20,623	10	10.yes
3,202	.	

```

-----
escPov                                     escape poverty
-----

    Type: Numeric (byte)
    Label: yn2

    Range: [,.]
    Unique values: 0

    Units: .
    Missing : 94,278/94,278

    Tabulation: Freq.   Numeric   Label
                94,278       .

-----

priPub                                     private-public
-----

    Type: Numeric (byte)
    Label: pri_pub, but 8 nonmissing values are not labeled

    Range: [1,10]
    Unique values: 10

    Units: 1
    Missing : 3,338/94,278

    Tabulation: Freq.   Numeric   Label
                10,490       1 1.private ownership
                4,458       2
                6,916       3
                6,776       4
                18,940      5
                9,266       6
                8,052       7
                8,321       8
                4,697       9
                13,024      10 10.public ownership
                3,338       .

-----

trust                                     trust
-----

    Type: Numeric (byte)
    Label: yn2

    Range: [0,1]
    Unique values: 2

    Units: 1
    Missing : 1,273/94,278

    Tabulation: Freq.   Numeric   Label
                70,453       0 0.no
                22,552       1 1.yes
                1,273       .

```

2.2 first results yay

	a1	a1cc	alsatFin	a2	a3
freedom	-0.13***	-0.11***	-0.07***	-0.10***	-0.10***
financial satisfaction			-0.16***		-0.17***
age				0.00	-0.00
age2				-0.00	0.00
male				-0.12***	-0.12***
class				-0.10***	-0.07***
married or living together as married				-0.05*	-0.01
freedom × financial satisfaction					0.01**
constant	6.90***	7.33***	7.47***	7.63***	8.20***
N	92557	92557	92244	85727	85517
+ 0.10 * 0.05 ** 0.01 *** 0.001; robust std err					

Table 1: OLS regressions of gov more responsibility (v ppl take care of themselves).

a1: ok more autonomy by 1 on 1-10, want less redistrib by .13 on 1-10 scale

a1cc: adding country dummies doesnt change anything

alsatFin: reduced by almost half!, note satFin correlates with agency at .33

a2: basic sociodemographics, and effect size still large at .1

then interactions: [**TODO** marginsplot whats net, non-interacted terms large coeffs]

a3: freedom * financial satisfaction—interesting while satFin alone less redistribution; interacted with autonomy, the more preRed

a4: with income also positive [rich assholes more for redistribution?]

a5: nothing with male [aggressive males more for redistribution?]

	b1	b2	b3
None at all	0.00	0.00	0.00
2	-0.04	0.00	-0.04
3	-0.17+	-0.10	-0.11
4	-0.55***	-0.43***	-0.41***
5	-0.76***	-0.60***	-0.53***
6	-1.00***	-0.81***	-0.69***
7	-1.12***	-0.89***	-0.73***
8	-1.24***	-0.98***	-0.76***
9	-1.37***	-1.08***	-0.83***
A great deal	-1.17***	-0.96***	-0.70***
age		0.00	-0.00
age2		-0.00	0.00
male		-0.12***	-0.12***
class		-0.09***	-0.06***
married or living together as married		-0.05*	-0.01
financial satisfaction			-0.12***
constant	7.02***	7.67***	8.10***
N	92557	85727	85517

+ 0.10 * 0.05 ** 0.01 *** 0.001; robust
std err

Table 2: OLS regressions of gov more responsibility (v ppl take care of themselves).

one contribution to dummy out like in my papers :)

easy to see big effects by 1 on over 5 or 6 on free—over 5 smaller changes, also first three almost no change, and then jump at 4 and then some on 5 and 6—shows nonlinearity; and i guess also confirms leonie's point of “double barreled” ie can split in half autonomy var, and here this shows that it splits about in half at 5 or 6

b2: still around 1

b3: lower, but .7 is sizeable

2.2.1 by country

i'm a geographer so lets do by country

interesting thing i found in my freedom from and freedom to paper 10 years ago is that more freedom/autonomy in MEX than USA, but can also do effects by countries

another contribution by c, like my cities paper: <https://www.sciencedirect.com/science/article/pii/S0264275121002687?via%3Dihub>

here a quick exercise, just separately by capitalistic/alienated/western c about .15-3 v humanistic/social/latin c about 0-.1—clear differences 4 fold! say .5 v 2; and they hold controlling for basic sociodemographics

some surprises: in BRA positive!; DEU close to 0, but not in AUS; european ARG close to capitalistic/west; and LBN and CZE big for some reason like .3

```
. **/capitalistic
**/capitalistic
```

```
. reg govRes free if cc=="USA", robust
reg govRes free if cc=="USA", robust
```

```
Linear regression      Number of obs   =    2,566
                      F(1, 2564)         =    68.13
                      Prob > F           =    0.0000
                      R-squared          =    0.0283
                      Root MSE        =    2.9294
```

| Robust

govRes	Coefficient	std. err.	t	P> t	[95% conf. interval]	
free	-.2542726	.0308052	-8.25	0.000	-.3146783	-.193867
_cons	7.3911	.2417892	30.57	0.000	6.916978	7.865222

```
. reg govRes free if cc=="SGP", robust
reg govRes free if cc=="SGP", robust
```

```
Linear regression      Number of obs   =      1,998
                      F(1, 1996)         =       56.22
                      Prob > F           =       0.0000
                      R-squared          =       0.0341
                      Root MSE         =       2.3275
```

govRes	Coefficient	Robust std. err.	t	P> t	[95% conf. interval]	
free	-.2268925	.0302607	-7.50	0.000	-.2862384	-.1675467
_cons	7.560577	.2101485	35.98	0.000	7.148444	7.97271

```
. reg govRes free if cc=="HKG", robust
reg govRes free if cc=="HKG", robust
```

```
Linear regression      Number of obs   =       2,063
                      F(1, 2061)        =       58.47
                      Prob > F           =       0.0000
                      R-squared          =       0.0366
                      Root MSE         =       2.2518
```

govRes	Coefficient	Robust std. err.	t	P> t	[95% conf. interval]	
free	-.2343101	.0306435	-7.65	0.000	-.2944057	-.1742146
_cons	6.938992	.2065198	33.60	0.000	6.533983	7.344001

```
. reg govRes free if cc=="NLD", robust
reg govRes free if cc=="NLD", robust
```

```
Linear regression      Number of obs   =       1,908
                      F(1, 1906)        =       16.31
                      Prob > F           =       0.0001
                      R-squared          =       0.0109
                      Root MSE         =       2.248
```

govRes	Coefficient	Robust std. err.	t	P> t	[95% conf. interval]	
free	-.154012	.0381368	-4.04	0.000	-.2288064	-.0792177
_cons	7.13256	.2745572	25.98	0.000	6.594096	7.671024

```
. reg govRes free if cc=="DEU", robust
reg govRes free if cc=="DEU", robust
```

```
Linear regression      Number of obs   =       1,500
                      F(1, 1498)        =        4.99
                      Prob > F           =       0.0257
                      R-squared          =       0.0038
                      Root MSE         =       2.5071
```

govRes	Coefficient	Robust std. err.	t	P> t	[95% conf. interval]	
free	-.0853276	.0382106	-2.23	0.026	-.1602795	-.0103757
_cons	6.721337	.2770844	24.26	0.000	6.177822	7.264852

```
. reg govRes free if cc=="AUS", robust
reg govRes free if cc=="AUS", robust
```

```
Linear regression      Number of obs   =       1,778
                      F(1, 1776)        =       68.43
                      Prob > F           =       0.0000
                      R-squared          =       0.0425
                      Root MSE         =       2.7136
```

govRes	Coefficient	Robust std. err.	t	P> t	[95% conf. interval]	
free	-.2956679	.0357426	-8.27	0.000	-.3657699	-.2255659
_cons	7.931705	.2795501	28.37	0.000	7.383423	8.479987

```
. reg govRes free if cc=="GBR", robust
reg govRes free if cc=="GBR", robust
```

```
Linear regression      Number of obs   =       2,543
                      F(1, 2541)        =       47.01
```

Prob > F = 0.0000
R-squared = 0.0212
Root MSE = 2.5852

govRes	Coefficient	Robust std. err.	t	P> t	[95% conf. interval]	
free	-.1956866	.028541	-6.86	0.000	-.2516525	-.1397206
_cons	7.58248	.2130995	35.58	0.000	7.164613	8.000346

. reg govRes free if cc=="CAN", robust
reg govRes free if cc=="CAN", robust

Linear regression Number of obs = 4,018
F(1, 4016) = 62.71
Prob > F = 0.0000
R-squared = 0.0181
Root MSE = 2.4983

govRes	Coefficient	Robust std. err.	t	P> t	[95% conf. interval]	
free	-.1967397	.0248435	-7.92	0.000	-.2454468	-.1480327
_cons	6.933817	.1873025	37.02	0.000	6.5666	7.301033

.
./humanistic
./humanistic

. reg govRes free if cc=="BRA", robust
reg govRes free if cc=="BRA", robust

Linear regression Number of obs = 1,685
F(1, 1683) = 3.94
Prob > F = 0.0474
R-squared = 0.0026
Root MSE = 3.1254

govRes	Coefficient	Robust std. err.	t	P> t	[95% conf. interval]	
free	.0627981	.0316557	1.98	0.047	.0007093	.1248868
_cons	6.970929	.2478231	28.13	0.000	6.484855	7.457003

. reg govRes free if cc=="MEX", robust
reg govRes free if cc=="MEX", robust

Linear regression Number of obs = 1,728
F(1, 1726) = 0.00
Prob > F = 0.9867
R-squared = 0.0000
Root MSE = 3.1252

govRes	Coefficient	Robust std. err.	t	P> t	[95% conf. interval]	
free	-.0006039	.0362803	-0.02	0.987	-.0717619	.070554
_cons	5.903084	.2954843	19.98	0.000	5.323539	6.482629

. reg govRes free if cc=="ECU", robust
reg govRes free if cc=="ECU", robust

Linear regression Number of obs = 1,185
F(1, 1183) = 1.90
Prob > F = 0.1687
R-squared = 0.0017
Root MSE = 3.3441

govRes	Coefficient	Robust std. err.	t	P> t	[95% conf. interval]	
free	-.058957	.0428068	-1.38	0.169	-.1429427	.0250287
_cons	6.450054	.3298834	19.55	0.000	5.802832	7.097276

. reg govRes free if cc=="COL", robust
reg govRes free if cc=="COL", robust

Linear regression Number of obs = 1,520
F(1, 1518) = 6.13
Prob > F = 0.0134
R-squared = 0.0042
Root MSE = 3.2466

| Robust

govRes	Coefficient	std. err.	t	P> t	[95% conf. interval]	
free	-.0908585	.0366901	-2.48	0.013	-.1628272	-.0188898
_cons	6.162867	.3036165	20.30	0.000	5.567315	6.758419

```
. reg govRes free if cc=="BOL", robust
reg govRes free if cc=="BOL", robust
```

```
Linear regression      Number of obs   =      1,997
                      F(1, 1995)         =        7.15
                      Prob > F           =       0.0076
                      R-squared          =       0.0041
                      Root MSE         =       3.0403
```

govRes	Coefficient	Robust std. err.	t	P> t	[95% conf. interval]	
free	-.0963881	.0360458	-2.67	0.008	-.1670795	-.0256967
_cons	5.969534	.274093	21.78	0.000	5.431995	6.507072

```
. reg govRes free if cc=="ARG", robust
reg govRes free if cc=="ARG", robust
```

```
Linear regression      Number of obs   =        959
                      F(1, 957)         =       9.54
                      Prob > F           =       0.0021
                      R-squared          =       0.0106
                      Root MSE         =       2.6797
```

govRes	Coefficient	Robust std. err.	t	P> t	[95% conf. interval]	
free	-.1456756	.047152	-3.09	0.002	-.2382089	-.0531423
_cons	7.104633	.3697035	19.22	0.000	6.379109	7.830156

```
.
. */extremes for some reason
*/extremes for some reason
```

```
. reg govRes free if cc=="LBN", robust
reg govRes free if cc=="LBN", robust
```

```
Linear regression      Number of obs   =      1,200
                      F(1, 1198)        =     150.84
                      Prob > F           =      0.0000
                      R-squared          =      0.1192
                      Root MSE         =      2.0301
```

govRes	Coefficient	Robust std. err.	t	P> t	[95% conf. interval]	
free	-.3216726	.0261909	-12.28	0.000	-.3730577	-.2702874
_cons	8.120036	.1539519	52.74	0.000	7.817991	8.422081

```
. reg govRes free if cc=="CZE", robust
reg govRes free if cc=="CZE", robust
```

```
Linear regression      Number of obs   =      1,190
                      F(1, 1188)        =      63.40
                      Prob > F           =      0.0000
                      R-squared          =      0.0630
                      Root MSE         =      2.3647
```

govRes	Coefficient	Robust std. err.	t	P> t	[95% conf. interval]	
free	-.3089838	.0388068	-7.96	0.000	-.3851213	-.2328464
_cons	7.842652	.278088	28.20	0.000	7.297054	8.388251

```
.
.
.
.
. */capitalistic
*/capitalistic
```

```
. reg govRes free inc age age2 male class mar if cc=="USA", robust
reg govRes free inc age age2 male class mar if cc=="USA", robust
```

```
Linear regression      Number of obs   =      2,516
                      F(7, 2508)        =      27.10
                      Prob > F           =      0.0000
                      R-squared          =      0.0676
                      Root MSE         =      2.8688
```


govRes	Coefficient	Robust std. err.	t	P> t	[95% conf. interval]	
free	-.2040373	.0313163	-6.52	0.000	-.2654457	-.1426288
inc	-.1741054	.041782	-4.17	0.000	-.2560363	-.0921746
age	-.051321	.0217413	-2.36	0.018	-.0939538	-.0086883
age2	.0002959	.0002293	1.29	0.197	-.0001537	.0007455
male	-.3424398	.1195737	-2.86	0.004	-.5769132	-.1079664
class	.0584266	.0808556	0.72	0.470	-.1001241	.2169772
mar	-.1880669	.1223548	-1.54	0.124	-.4279937	.0518598
_cons	9.604566	.5279627	18.19	0.000	8.569279	10.63985

```
. reg govRes free inc age age2 male class mar if cc=="SGP", robust
reg govRes free inc age age2 male class mar if cc=="SGP", robust
```

```
Linear regression      Number of obs   =      1,920
                        F(7, 1912)         =       13.16
                        Prob > F           =       0.0000
                        R-squared          =       0.0500
                        Root MSE        =       2.3068
```

govRes	Coefficient	Robust std. err.	t	P> t	[95% conf. interval]	
free	-.1903173	.0321719	-5.92	0.000	-.2534131	-.1272216
inc	-.1224083	.0415441	-2.95	0.003	-.2038848	-.0409318
age	-.0206194	.0217417	-0.95	0.343	-.0632594	.0220205
age2	.0001902	.000219	0.87	0.385	-.0002394	.0006198
male	-.1395418	.1059256	-1.32	0.188	-.3472837	.0682
class	-.1500439	.0711905	-2.11	0.035	-.2896631	-.0104247
mar	-.019552	.124723	-0.16	0.875	-.2641593	.2250554
_cons	8.901766	.5376045	16.56	0.000	7.847413	9.956119

```
. reg govRes free inc age age2 male class mar if cc=="HKG", robust
reg govRes free inc age age2 male class mar if cc=="HKG", robust
```

```
Linear regression      Number of obs   =      2,034
                        F(7, 2026)         =       13.07
                        Prob > F           =       0.0000
                        R-squared          =       0.0508
                        Root MSE        =       2.2403
```

govRes	Coefficient	Robust std. err.	t	P> t	[95% conf. interval]	
free	-.1856798	.0326383	-5.69	0.000	-.249688	-.1216716
inc	-.1372768	.0388718	-3.53	0.000	-.2135097	-.0610438
age	.0103655	.0188904	0.55	0.583	-.026681	.0474121
age2	-.0002221	.0001954	-1.14	0.256	-.0006053	.0001611
male	.0284369	.1005907	0.28	0.777	-.1688351	.2257088
class	-.0429861	.0728582	-0.59	0.555	-.1858708	.0998987
mar	-.0432499	.1126384	-0.38	0.701	-.2641491	.1776492
_cons	7.484184	.4520134	16.56	0.000	6.597724	8.370643

```
. reg govRes free inc age age2 male class mar if cc=="NLD", robust
reg govRes free inc age age2 male class mar if cc=="NLD", robust
```

```
Linear regression      Number of obs   =      1,401
                        F(7, 1393)         =       3.15
                        Prob > F           =       0.0027
                        R-squared          =       0.0186
                        Root MSE        =       2.2211
```

govRes	Coefficient	Robust std. err.	t	P> t	[95% conf. interval]	
free	-.1380025	.0467043	-2.95	0.003	-.2296208	-.0463841
inc	-.0664881	.0312308	-2.13	0.033	-.1277527	-.0052236
age	-.0026583	.0249966	-0.11	0.915	-.0516933	.0463767
age2	-.9.21e-06	.000237	-0.04	0.969	-.0004742	.0004558
male	-.0181638	.1200332	-0.15	0.880	-.2536291	.2173015
class	.0266107	.0757037	0.35	0.725	-.1218949	.1751164
mar	-.0848189	.1556009	-0.55	0.586	-.3900562	.2204184
_cons	7.572087	.7358962	10.29	0.000	6.128502	9.015671

```
. reg govRes free inc age age2 male class mar if cc=="DEU", robust
reg govRes free inc age age2 male class mar if cc=="DEU", robust
```

```
Linear regression      Number of obs   =      1,421
                        F(7, 1413)         =       5.14
                        Prob > F           =       0.0000
                        R-squared          =       0.0249
                        Root MSE        =       2.4928
```

govRes	Coefficient	Robust std. err.	t	P> t	[95% conf. interval]	
--------	-------------	---------------------	---	------	----------------------	--

free	-.0755424	.0405664	-1.86	0.063	-.1551192	.0040345
inc	-.0836573	.0536782	-1.56	0.119	-.1889549	.0216402
age	-.0143901	.021511	-0.67	0.504	-.0565871	.0278068
age2	-8.71e-06	.0002061	-0.04	0.966	-.0004131	.0003957
male	-.2043677	.13303	-1.54	0.125	-.4653253	.0565898
class	-.1259828	.1115024	-1.13	0.259	-.3447108	.0927452
mar	.0648739	.1514448	0.43	0.668	-.232207	.3619547
_cons	8.305444	.6356033	13.07	0.000	7.058616	9.552272

```
. reg govRes free inc age age2 male class mar if cc=="AUS", robust
reg govRes free inc age age2 male class mar if cc=="AUS", robust
```

```
Linear regression      Number of obs   =      1,689
                      F(7, 1681)         =      16.50
                      Prob > F            =      0.0000
                      R-squared           =      0.0698
                      Root MSE         =      2.668
```

govRes	Coefficient	Robust std. err.	t	P> t	[95% conf. interval]	
free	-.2590754	.038191	-6.78	0.000	-.3339824	-.1841685
inc	-.1576128	.0422039	-3.73	0.000	-.2403905	-.0748352
age	.0161635	.0231419	0.70	0.485	-.0292264	.0615534
age2	-.0003619	.00022	-1.64	0.100	-.0007934	.0000696
male	-.1109485	.1381286	-0.80	0.422	-.3818706	.1599736
class	.1252026	.0921365	1.36	0.174	-.0555117	.3059169
mar	-.1825971	.1417591	-1.29	0.198	-.46064	.0954458
_cons	8.533525	.6526546	13.08	0.000	7.253424	9.813626

```
. reg govRes free inc age age2 male class mar if cc=="GBR", robust
reg govRes free inc age age2 male class mar if cc=="GBR", robust
no observations
r(2000);
```

```
. reg govRes free inc age age2 male class mar if cc=="CAN", robust
reg govRes free inc age age2 male class mar if cc=="CAN", robust
```

```
Linear regression      Number of obs   =      4,018
                      F(7, 4010)         =      51.28
                      Prob > F            =      0.0000
                      R-squared           =      0.0838
                      Root MSE         =      2.4151
```

govRes	Coefficient	Robust std. err.	t	P> t	[95% conf. interval]	
free	-.0762366	.0259031	-2.94	0.003	-.1270211	-.0254521
inc	-.2648365	.0308069	-8.60	0.000	-.3252352	-.2044379
age	-.0568324	.0134606	-4.22	0.000	-.0832226	-.0304422
age2	.000479	.0001391	3.44	0.001	.0002063	.0007518
male	-.3132311	.0786923	-3.98	0.000	-.4675117	-.1589504
class	-.0434554	.0579515	-0.75	0.453	-.1570724	.0701617
mar	-.2696483	.0849612	-3.17	0.002	-.4362195	-.1030771
_cons	9.446925	.3493148	27.04	0.000	8.762074	10.13178

```
.
. */humanistic
*/humanistic
```

```
. reg govRes free inc age age2 male class mar if cc=="BRA", robust
reg govRes free inc age age2 male class mar if cc=="BRA", robust
```

```
Linear regression      Number of obs   =      1,552
                      F(7, 1544)         =      3.01
                      Prob > F            =      0.0038
                      R-squared           =      0.0132
                      Root MSE         =      3.099
```

govRes	Coefficient	Robust std. err.	t	P> t	[95% conf. interval]	
free	.0674188	.0327685	2.06	0.040	.0031433	.1316942
inc	-.0689309	.041833	-1.65	0.100	-.1509865	.0131246
age	-.0111129	.024114	-0.46	0.645	-.0584126	.0361867
age2	.0002314	.000253	0.91	0.361	-.0002649	.0007276
male	-.1160045	.1586392	-0.73	0.465	-.4271755	.1951665
class	.0219324	.0992231	0.22	0.825	-.1726939	.2165587
mar	-.3502355	.1637882	-2.14	0.033	-.6715064	-.0289646
_cons	7.421544	.6029358	12.31	0.000	6.238884	8.604203

```
. reg govRes free inc age age2 male class mar if cc=="MEX", robust
reg govRes free inc age age2 male class mar if cc=="MEX", robust
```

```
Linear regression      Number of obs   =      1,693
                      F(7, 1685)         =      5.09
                      Prob > F            =      0.0000
```

govRes	Coefficient	Robust std. err.	t	P> t	[95% conf. interval]	
free	.0047016	.0365058	0.13	0.898	-.0668999	.076303
inc	-.1866501	.0336703	-5.54	0.000	-.2526901	-.12061
age	.0006228	.0255937	0.02	0.981	-.049576	.0508215
age2	-.0000299	.0002691	-0.11	0.912	-.0005576	.0004979
male	-.0882046	.1517731	-0.58	0.561	-.3858883	.209479
class	.0087923	.0822139	0.11	0.915	-.1524597	.1700444
mar	.0190545	.1703464	0.11	0.911	-.3150583	.3531673
_cons	6.696883	.6374379	10.51	0.000	5.44663	7.947137

Linear regression	Number of obs	=	1,155
	F(7, 1147)	=	5.33
	Prob > F	=	0.0000
	R-squared	=	0.0307
	Root MSE	=	3.305

govRes	Coefficient	Robust std. err.	t	P> t	[95% conf. interval]	
free	-.0396644	.0435486	-0.91	0.363	-.1251082	.0457794
inc	-.1157002	.05269	-2.20	0.028	-.2190799	-.0123206
age	-.0446462	.0354521	-1.26	0.208	-.1142045	.0249121
age2	.0005151	.0003987	1.29	0.197	-.0002671	.0012974
male	-.6681056	.195656	-3.41	0.001	-1.051989	-.2842219
class	-.2425253	.1084289	-2.24	0.025	-.4552666	-.029784
mar	.3689208	.2705247	1.78	0.076	-.0382498	.7760914
_cons	8.462608	.8551411	9.90	0.000	6.784792	10.14042

Linear regression	Number of obs	=	1,520
	F(7, 1512)	=	1.96
	Prob > F	=	0.0567
	R-squared	=	0.0096
	Root MSE	=	3.2442

		Robust					
govRes	Coefficient	std. err.	t	P> t	[95% conf. interval]		
free	-.0828422	.0368886	-2.25	0.025	-.1552033	-.010484	
inc	-.0664997	.038706	-1.72	0.086	-.1424229	.0094235	
age	.0131748	.0309386	0.43	0.670	-.0475124	.073862	
age2	-.0001636	.0003503	-0.47	0.641	-.0008508	.0005236	
male	.250691	.1669152	1.50	0.133	-.0767188	.5781008	
class	-.0463064	.0957703	-0.48	0.629	-.2341631	.1415503	
mar	.0589986	.1769845	0.33	0.739	-.2881626	.4061597	
_cons	6.125779	.7033928	8.71	0.000	4.746049	7.505508	

Linear regression	Number of obs	=	1,890
	F(7, 1882)	=	3.65
	Prob > F	=	0.0006
	R-squared	=	0.0138
	Root MSE	=	3.0156

		Robust				
govRes	Coefficient	std. err.	t	P> t	[95% conf. interval]	
free	-.0631073	.0379002	-1.67	0.096	-.1374382	.0112236
inc	-.0728608	.0404831	-1.80	0.072	-.1522574	.0065357
age	-.0307038	.0254147	-1.21	0.227	-.0805477	.0191401
age2	.0004764	.0002821	1.69	0.091	-.0000769	.0010297
male	.0759832	.1392963	0.55	0.585	-.1927082	.3491746
class	-.0148627	.0835996	-0.18	0.859	-.1788203	.1490948
mar	.3088924	.1535647	2.01	0.044	.0077173	.6100674
_cons	6.30482	.6223843	10.13	0.000	5.084184	7.525455

Linear regression	Number of obs	=	912
	F(7, 904)	=	5.29
	Prob > F	=	0.0000
	R-squared	=	0.0368
	Root MSE	=	2.6725

