

PESHAWAR INSTITUTE OF CARDIOLOGY

MEDICAL TEACHING INSTITUTION, PIC - MTI

5-A, Sector B-3, Phase-V, Hayatabad, Peshawar, KP, Pakistan
0092 919219641-5 🖂 info@pic.edu.pk 🌐 www.pic.edu.pk

Date: 06-05-2024

BID EVALUATION REPORT CAFETERIA EQUIPMENT

Tender Ref/Opening Date: PIC-076 / (23-04-2024)

Reference to the bid opening meeting dated 23-04-2024. It is to inform you that the process of final examination of your submitted bid/s have been completed and the procurement committee have compiled Comparative report accordingly.

- 1. This BER is to serve the only purpose of ensuring more transparency and equity in the bidding process by providing equal opportunities to all concerned bidders to have access to information related to their bids and fair competition; and
- 2. This list is being shared to eliminate the possibility of any error in terms of figures or words related to submitted documents in the bids; and
- 3. It is stressed to please note that this list is in no way a final document to be used as an evidence or argument for selection of firm from the lowest bidder or award or justification of contract to the selected bidder by the procuring agency; and
- 4. All possible efforts have been made to reduce human errors and omissions but still inadvertent errors and omissions may possibly be expected in this list. All the bidders participating in this bidding competition are expected and requested to thoroughly examine this document and point out any error or omission in terms of total marks obtained and bid price, etc. of institute or any other details which have wrongly been entered into this list.
- 5. Any feedback related to clarifications, errors and omissions must reach the office of Hospital Director Peshawar Institute of Cardiology not later than 12:00 hours on 15-05-2024 in written form duly signed and attested by the responsible relevant person of the bidding entity and
- 6. This list is only meant to rectify / correct the mistakes, if any that might have occurred during the data entry process for the already submitted bids to facilitate final bidding competition to be held shortly by the Procurement Committee. Therefore, no new or revised data, information, price, claim, explanation, etc. will be entertained for entering into and / or in any way affecting and / or manipulating the final list for the bidding competition; and
- 7. All the bidders are welcome to comment on any deficiencies etc. in this list as related to their own quoted submitted documents only and not on their competitors and / or any other bidders in this list for any other Marks by some other bidder; and
- 8. Any comments, feedback etc. received after the above-mentioned cutoff time and date (Para-5 above) will not be considered and the so finalized list will be placed before the Procurement Committee for finalizing the competition in the best public interest.
- 10. The Procurement committee, at its discretion as per KPPRA rules may decide select or otherwise any institute mentioned in this document for the current biding competition.

Hospital Director Peshawar Institute of Cardiology

PESHAWAR INSTITUTE OF CARDIOLOGY - MTI, PESHAWAR

COMPARATIVE STATEMENT

CAFETERIA EQUIPMENT

Tender Ref/Opening Date: PIC-076 / (23-04-2024)

Qualification/Eligibility /Mandatory Criteria	Eastern Trading Corporation (E.T.C)	Global Traders
The bidder shall be Registered with FBR for Income Tax and Sales Tax and reflected on ActiveTax Payer List (ATL);	Y	Y
Bidder must have completed at least Three (03) projects for supplying Cafeteria Equipment in last 5 years. Each project worth must be more than 5 million. Note: Bidder Must attached Purchase Orders/LOIs	Y	Y
undertaking on legal valid and attested stamp paper that the firm is NOT BLACKLISTED by any of Provincial or Federal Government Department, Agency, Organization or autonomous body anywhere in Pakistan.	Y	Y
Undertaking on Bidder Letter Head as provided in Annexure -C	Y	Y
Bid security Shall be attached as mentioned in the advertisement/BSD	Y CDR No. 00359331 Bank. Bank AL habib	Y CDR NO. 00854096 Bank. HBL
Integrity pact form shell be submitted by the bidder (attached as Annexure-D)	Y	Y
Responsive/ Non Responsive	Responsive	Responsive

			East	ern Tradir	ng Corporation (F	E.T.C)	Glo	bal Traders		
S.No	Item Description	Qty	Firms Specification	Brand Name		Total price DDP (PKR) Inclusive of all Taxes (Without GST)	Firms Specification	Brand Name	Unit price DDP (PKR) Inclusive of all Taxes (Without GST)	
1	Stock Pot Stove Double SS Non-Magnetic Construction 14-Gauge Thick S.S Sheet and Coated Channel Hub. Leak Proof Valve. Enameled Heavy Duty Type Cast Iron Top With Ignition Button Gas Valve Stops the Gas Supply in Case Flame Turns Off Dimensions: 60"x30"x18"	3	Same as per Tender	KS- Pakistan	99,395		Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion.		183,460	550,380
2	3 Burner Stove Chinese SS Non-Magnetic Construction Heavy-Duty Cast-Iron Burners With Ignition Button Gas Valve stops the gas supply in case flame turns off Round Grills Sheet Thickness: 1.2mm With Bottom Shelf Pipe: 1.25 x 1.25mm in 18 Gauges Argon Welding on All Joints Dimensions: 60"x28"x34"	1	Same as per Tender	KS- Pakistan	87,700	87,700	Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion.		275,823	275,823
3	4 Burner Stove SS Non-Magnetic Construction Heavy-Duty Cast-Iron Burners With Ignition Button Gas Valve stops the gas supply in case flame turns off Square Grills Sheet Thickness: 1.2mm With Bottom Shelf Pipe: 1.25 x 1.25mm – thickness 18 Gauge Argon Welding on All Joints Dimensions: 30"x30"x34"	1	Same as per Tender	KS- Pakistan	73,085	73,085	Burner Size: 12"x12" Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion.		183,460	183,460
4	Hotplate SS Non-Magnetic Construction ³ / ₄ " Thick MS Plate 2 Burner & 1 Pilot With Ignition Button Gas Valve stops the gas supply in case flame turns off With Bottom Shelf Pipe: 1.25 x 1.25mm – thickness 18 Gauge Leak Proof Valves Argon Welding on All Joints Dimensions: 24"x30"x34"	1	Same as per Tender	KS- Pakistan	84,780	84,780	Size: 24"x30"x34" Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion.		135,660	135,660

			East	ern Tradiı	ng Corporation (F	E.T.C)	Glo	bal Traders		
S.No	Item Description	Qty	Firms Specification	Brand Name		Total price DDP (PKR) Inclusive of all Taxes (Without GST)	Firms Specification	Brand Name	Unit price DDP (PKR) Inclusive of all Taxes (Without GST)	
5	Fryer Gas Operated Thermostatically Controlled Single Tank Single Basket Capacity: 16L Including 1 Baskets and Cabinet 3/4" Ball Valve Underneath for Discharging the Oil from The Well Heat Control with Multi-Step Thermostat Between 90 - 185°C Oil Collecting Channel and Discharge in Front of The Frying Surface Castor Wheels: 100mm Argon Welding on All Joints		Same as per Tender	KS- Pakistan	95,000		15"x30"x34 Single Basket Capacity: 16L Deep Fat Fryer 1 Well & 1 Basket Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion.		114,260	228,520
6	Working Table SS Non-Magnetic Construction Top Shelf: 1.2mm Thick Sheet With Bottom Shelf Pipe: 1.25 x 1.25mm – thickness 18 Gauge Reinforced Top Argon Welding on All Joints Dimensions: 72"x28"x34"	2	Same as per Tender	KS- Pakistan	62,853	125,706	Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion		120,620	241,240
7	Working Table SS Non-Magnetic Construction Top Shelf: 1.2mm Thick Sheet With Bottom Shelf Pipe: 1.25 x 1.25mm – thickness 18 Gauge Reinforced Top Argon Welding on All Joints Dimensions: 43"x28"x34"	1	Same as per Tender	KS- Pakistan	43,851	43,851	Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion.		80,414	80,414
8	Undercounter Chiller Stainless Steel Body Imported Compressor – European Brand Temperature: 0 ~ 4°C Digital Temperature Controller SS Doors Adjustable Shelves Liquid Tight Argon Welding on All Joints Castors Wheels: 100mm Dimensions: 72"x28"x34"	1	Same as per Tender	Stellar- HK	365,420	305,420	Temp: +2°C to +8°C Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion.		758,670	758,670
9	Base Cabinet SS Non-Magnetic Construction Top Shelf: 1.2mm Thick Sheet Middle & Bottom Shelf: 1mm Thick Sheet Pipe: 1.25 x 1.25mm Three Side Covered with Doors Reinforced Top Argon Welding on All Joints Dimensions: 54"x28"x30"	1	Same as per Tender	KS- Pakistan	109,630		Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion		90,448	90,448

			East	ern Tradiı	ng Corporation (F	2.T.C)	Glo	bal Traders		
S.No	Item Description	Qty	Firms Specification	Brand Name	Unit price DDP (PKR) Inclusive of all Taxes (Without GST)	Total price DDP (PKR) Inclusive of all Taxes (Without GST)	Firms Specification	Brand Name	Unit price DDP (PKR) Inclusive of all Taxes (Without GST)	The state of the s
10	Spice Trolley Mobile Spice Trolley to Have Openable Clear Lid Caster: Four Castors (Two with Brake) Material: Stainless Steel With Bottom Shelf Dimensions: GN Pan 1/9 x 12Pans	2	Same as per Tender	KS- Pakistan	65,775	Í	Size: 18"x36"x34" Dimensions: GN Pan 1/9 x 12Pans Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion.		66,964	133,928
11	Drain Trench Stainless Steel Construction ½" x ½" Pipe – 18 Gauge Thickness Trench Size 8" W x 186" L Top Only Civil Works is Not Included	1	Same as per Tender	KS- Pakistan	35,080	35,080	Size 8" W x 186" L Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion.		284,263	284,263
	Drain Trench Stainless Steel Construction ½" x ½" Pipe – 18 Gauge Thickness Trench Size 8" W x 144" L Top Only Civil Works is Not Included	1	Same as per Tender	KS- Pakistan	26,310	ŕ	Size 8" W x 144" L Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion		220,077	220,077
					TANDOOR	AREA				
13	Tandoor SS Non-Magnetic Body MS Heavy Duty Tandoor Insulated All-Around Heavy Duty Castors Dimensions: 36"x36"	2	Same as per Tender	KS- Pakistan	87,700	ŕ	Dimensions: 36"x36" Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion		212,800	425,600
14	Paratha Tawa SS Non-Magnetic Construction MS Heavy Duty Tawa Top: 6mm SS Body Total construction: 1.2mm Heavy Duty Burner Dimensions: 36" Ø	1	Same as per Tender	KS- Pakistan	80,395	ŕ	Dimensions: 36" Ø Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion.		199,500	199,500
15	Chapati Burner SS Non-Magnetic Construction MS Heavy-Duty Cast-Iron Grills Top Shelf: 1.2mm Thick Sheet Pipe: 1.25 x 1.25mm – thickness 18 Gauge Argon Welding on All Joints Dimensions: 24"x24"x34"	1	Same as per Tender	KS- Pakistan	43,850		Dimensions: 24"x24"x34" Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion.		83,279	83,279

			East	ern Tradii	ng Corporation (F	E.T.C)	Glo	bal Traders		
S.No	Item Description	Qty	Firms Specification	Brand Name		Total price DDP (PKR) Inclusive of all Taxes (Without GST)	Firms Specification	Brand Name	Unit price DDP (PKR) Inclusive of all Taxes (Without GST)	Total price DDP (PKR) Inclusive of all Taxes (Without GST)
16	Working Table SS Non-Magnetic Construction Top Shelf: 1.2mm Thick Sheet With Bottom Shelf Pipe: 1.25 x 1.25mm – thickness 18 Gauge Reinforced Top Argon Welding on All Joints Dimensions: 72"x28"x34"	2	Same as per Tender	KS- Pakistan	62,853	125,706	Dimensions: 72"x28"x34" Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion.		-	-
17	Working Table SS Non-Magnetic Construction Top Shelf: 1.2mm Thick Sheet With Bottom Shelf Pipe: 1.25 x 1.25mm – thickness 18 Gauge Reinforced Top Argon Welding on All Joints Dimensions: 36"x28"x34"	2	Same as per Tender	KS- Pakistan	39,465	78,930	Dimensions: 36"x28"x34" Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion.		-	-
18	SS Rack SS Non-Magnetic Construction 4 Tier Shelves: 1mm Thick Sheet Angle: 2mm Thick Sheet Argon Welding on All Joints Dimensions: 43"x18"x72"	2	Same as per Tender	KS- Pakistan	54,080		Dimensions: 43"x18"x72" Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion.		-	-
19	Spiral Mixer Heavy Duty Professional Spiral Mixers Manual Control Panel with variable rotation speed of spiral arm Stainless steel cover with safe guard Stainless steel bowl, hooks and shaft Heavy duty castors, vibration isolation to be Thermostatic protection of the motor Capacity: 70Kg	1	Same as per Tender	KS- Pakistan	621,220	621,220	Capacity: 25Kg		-	-
20	Drain Trench Stainless Steel Construction ½" x ½" Pipe – 18 Gauge Thickness Trench Size 8" W x 144" L Top Only Civil Works is Not Included	1	Same as per Tender	KS- Pakistan	26,310		Size 8" W x 144" L Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion.		-	-
				PATI	ENT MEAL PA	CKING AREA				
21	Base Cabinet SS Non-Magnetic Construction Top Shelf: 1.2mm Thick Sheet Middle & Bottom Shelf: 1mm Thick Sheet Pipe: 1.25 x 1.25mm Three Side Covered with Doors Reinforced Top Argon Welding on All Joints Dimensions: 54"x28"x30"	2	Same as per Tender	KS- Pakistan	109,630	219,260	Dimensions: 54"x28"x30" Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion.		-	-

			East	ern Tradir	ng Corporation (F	E.T.C)	Glo	bal Traders		
S.No	Item Description	Qty	Firms Specification	Brand Name		Total price DDP (PKR) Inclusive of all Taxes (Without GST)	Firms Specification	Brand Name	Unit price DDP (PKR) Inclusive of all Taxes (Without GST)	Total price DDP (PKR) Inclusive of all Taxes (Without GST)
22	Working Table SS Non-Magnetic Construction Top Shelf: 1.2mm Thick Sheet With Bottom Shelf Pipe: 1.25 x 1.25mm – thickness 18 Gauge Reinforced Top Argon Welding on All Joints Dimensions: 60"x28"x34"	1	Same as per Tender	KS- Pakistan	58,470		Dimensions: 60"x28"x34" Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion.		-	-
22	Working Table SS Non-Magnetic Construction Top Shelf: 1.2mm Thick Sheet With Bottom Shelf Pipe: 1.25 x 1.25mm – thickness 18 Gauge Reinforced Top Argon Welding on All Joints Dimensions: 54"x28"x30"	1	Same as per Tender	KS- Pakistan	51,160	51,160	Dimensions: 54"x28"x30" Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion		-	-
24	Patient Meal Trolley Ward Food Service Trolley, Stainless Steel Electric Food Heating Cart Double Door to Have 2 Heat- Retaining Wells Each Compartment to Be Heated with A Thermal Break 400 Watts With Bottom Bumpers PVC Coated The Cupboard Doors to Be Solid Laminate with Fitted Seals, Stainless Steel Hinges and Locks The Unit to Have Two Fixed and Two Swivels Approx. 200mm Dia Castors To Be Supplied with An Extendable Coiled Electric Lead Dimensions: 48"x24"x40"	4	Same as per Tender	KS- Pakistan	343,500		Dimensions: 48"x24"x40" Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion.		-	-
			BAK	ERY/S	PECIAL NEED	/ COLD PREP	AREA			
25	Convection Oven Tray size: 400x600mm(460*720mm) Control Temperature: 0-350°C With steam function. Distance of tray to tray: 110mm. Main material: Full SS inside and outside. Using Schneider, Omron components for electrical control system. Up the temperature to 200 °C (10-12 mins) Capacity: 5 Trays	1	Same as per Tender	KS- Pakistan	803,930	803,930	Capacity: 5 Trays		-	-
	Single Deck Oven All Stainless Steel Body Can operate both on LPG/NG Thermostat Control Digital Display 400x600mm Tray Capacity: 5 Large Pizza	1	Same as per Tender	KS- Pakistan	226,565	226,565	Size: 56"x36"x25		-	-

			East	ern Tradii	ng Corporation (F	C.T.C)	Glo	bal Traders		
S.No	Item Description	Qty	Firms Specification	Brand Name		Total price DDP (PKR) Inclusive of all Taxes (Without GST)	Firms Specification	I Krand Nama	Unit price DDP (PKR) Inclusive of all Taxes (Without GST)	Total price DDP (PKR) Inclusive of all Taxes (Without GST)
27	4 Burner Stove SS Non-Magnetic Construction Heavy-Duty Cast-Iron Burners Square Grills Sheet Thickness: 1.2mm With Bottom Shelf Pipe: 1.25 x 1.25mm – thickness 18 Gauge Argon Welding on All Joints	1	Same as per Tender	KS- Pakistan	80,395	80,395	Burner Size: 12"x12" Size: 36"x30"x35" Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion		-	-
28	Working Table SS Non-Magnetic Construction Top Shelf: 1.2mm Thick Sheet With Bottom Shelf Pipe: 1.25 x 1.25mm – thickness 18 Gauge Reinforced Top Argon Welding on All Joints Dimensions: 54"x28"x30"	3	Same as per Tender	KS- Pakistan	51,160	153,480	Dimensions: 54"x28"x30" Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion		-	-
29	Proofer Inside & Outside full SS Direct steaming no water tank Timer control digital display Automatic water injection Built-in circulating fan Adjustable distance of tray to tray Capacity: 15 Trays	1	Same as per Tender	KS- Pakistan	131,555	131,555	Capacity: 15 Trays		-	-
30	Planetary Mixer The 20L Planetary Mixer is multi-functional for butter, egg cream, cake, flour mixing and so on. It is the perfect product for small bakeries and households. The motor is imported from TAIWAN, with belt transmission, smooth rotation, low noise and strong rotating force, and 3 speeds (slow, middle, fast) for choosing. Bowl material Stainless Steel Food Grade Three Speed three function Oil bath gear box. With safety guard	1	Same as per Tender	KS- Pakistan	138,860	138,860	Capacity: 20L		370,500	370,500
31	Working Table SS Non-Magnetic Construction Top Shelf: 1.2mm Thick Sheet With Bottom Shelf Pipe: 1.25 x 1.25mm – thickness 18 Gauge Reinforced Top Argon Welding on All Joints Dimensions: 54"x28"x30"	2	Same as per Tender	KS- Pakistan	51,160	102,320	Dimensions: 54"x28"x30" Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion.		90,448	180,896

			East	ern Tradiı	ng Corporation (F	E.T.C)	Global Traders			
S.No	Item Description	Qty	Firms Specification	Brand Name		Total price DDP (PKR) Inclusive of all Taxes (Without GST)	Firms Specification	Brand Name	Unit price DDP (PKR) Inclusive of all Taxes (Without GST)	,
32	Undercounter Chiller Stainless Steel Body Imported Compressor European Brand Temperature: 0 ~ 4°C Digital Temperature Controller SS Doors Adjustable Shelves Liquid Tight Argon Welding on All Joints Castors Wheels: 100mm Dimensions: 72"x30"x34"	1	Same as per Tender	KS- Pakistan	365,420		Temperature: +2°C to +8°C Dimensions: 72"x30"x34" Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion		758,670	758,670
33	VISI Chiller Imported Compressor Temperature: 0 ~ 4°C Glass Door Adjustable Shelves Cabinet Lighting Single Door	2	Same as per Tender	KS- Pakistan	197,330	394,660				-
34	Drain Trench Stainless Steel Construction ½" x ½" Pipe – 18 Gauge Thickness Trench Size 8" W x 132" L Top Only Civil Works is Not Included	1	Same as per Tender	KS- Pakistan	24,120	24,120	Size 8" W x 132" L Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion		201,738	201,738
					VEGETABLI	E AREA				
35	Chopping Table with Drawer SS Non-Magnetic Construction Polyurethane Chopping Block Block Thickness: 40mm 3 Drawers below the Top Pipe: 1.25 x 1.25mm – thickness 18 Gauge Argon Welding on All Joints Dimensions: 43"x28"x34"	2	Same as per Tender	KS- Pakistan	80,395		Dimensions: 43"x28"x34" Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion.		138,126	276,252
36	Working Table SS Non-Magnetic Construction Top Shelf: 1.2mm Thick Sheet With Bottom Shelf Pipe: 1.25 x 1.25mm – thickness 18 Gauge Reinforced Top Argon Welding on All Joints Dimensions: 60"x28"x34"	1	Same as per Tender	KS- Pakistan	58,470	58,470	Dimensions: 60"x28"x34" Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion.		100,497	100,497
37	Working Table SS Non-Magnetic Construction Top Shelf: 1.2mm Thick Sheet With Bottom Shelf Pipe: 1.25 x 1.25mm – thickness 18 Gauge Reinforced Top Argon Welding on All Joints Dimensions: 72"x28"x34"	1	Same as per Tender	KS- Pakistan	62,853	62,853	Dimensions: 72"x28"x34" Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion.		120,620	120,620

			East	ern Tradii	ng Corporation (I	E.T.C)	Glo	bal Traders		
S.No	Item Description	Qty	Firms Specification	Brand Name		Total price DDP (PKR) Inclusive of all Taxes (Without GST)	Firms Specification	Brand Name	Unit price DDP (PKR) Inclusive of all Taxes (Without GST)	
38	Wall Shelves SS Non-Magnetic Construction Shelf Thickness: 1.2mm Solid Shelf Dimensions: 60"x14"	1	Same as per Tender	KS- Pakistan	17,540	17,540	Dimensions: 60"x14" Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion.		44,228	44,228
39	Wall Shelves SS Non-Magnetic Construction Shelf Thickness: 1.2mm Solid Shelf Dimensions: 72"x14"	1	Same as per Tender	KS- Pakistan	19,000	19,000	Dimensions: 72"x14" Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion		53,073	53,073
40	High-Quality Stainless-Steel Double Bowl Sinks with Round Corners for Easy Washing Material: Aisi 304 S.S Body Bowl Size: 500x500x300mm Raised Lip All Around to Help Prevent Spillage and Description Slipping Off Fully Welded Bowls Adjustable Legs for Level Positioning Complete Unit with Built-In Grease Trap And S.S/Chrome Lever Sink Faucets for Hot and Cold Water, Commercial Grade Material of Master/ Faisal/ Sonex Or Equivalent with All Fittings and Accessories Dimensions: 48"x28"x34"	1	Same as per Tender	KS- Pakistan	159,325	159,325	Sink Table 2 Bowl Under Bracing Bowl Size: 20"x20"x12" Dimensions: 48"x28"x34" Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion		132,329	132,329
41	Perforated Shelf for Sink SS Non-Magnetic Construction Sheet Thickness: 1.2mm Perforated Argon Welding on All Joints Dimensions: 48"x14"	1	Same as per Tender	KS- Pakistan	26,310	26,310	Dimensions: 48"x14" Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion.		45,642	45,642
42	Potato Peeler Stainless Steel Parts – Heavy Duty Parts ½ Hp Motor Aluminum Base Is Casted Equipped with A Removable Scraping Plate for Easy Cleaning Equipped with A Water Connection One Drain for Water and Waste Peeling Capacity 100 Kg Per Hour	1	Same as per Tender	KS- Pakistan	77,470	77,470	Capacity 10 Kg Per Hour	China	351,500	351,500

			East	ern Tradir	ng Corporation (E	2.T.C)	Glo	bal Traders		
S.No	Item Description	Qty	Firms Specification	Brand Name	Unit price DDP (PKR) Inclusive of all Taxes (Without GST)	Total price DDP (PKR) Inclusive of all Taxes (Without GST)	Firms Specification	Brand Name	Unit price DDP (PKR) Inclusive of all Taxes (Without GST)	
43	Vegetable Cutting Machine 1 speed of 270 RPM Opening with lever for large products Opening with pusher for small and long products Security in the handle Capacity of 50 to 450 Kg per hour Supplied with 5 cutting discs Standard slicer 2 mm Standard slicer 4 mm Grater 3 mm Grater 4 mm Grater 7 mm	1	Same as per Tender	KS- Pakistan	160,785	160,785	Same as per Tender		370,500	370,500
	Grater / mm				MEAT PREP	AREA			•	
44	Chopping Table with Drawer SS Non-Magnetic Construction Polyurethane Chopping Block Block Thickness: 40mm 3 Drawers below the Top Pipe: 1.25 x 1.25mm – thickness 18 Gauge Argon Welding on All Joints Dimensions: 48"x28"x34"	2	Same as per Tender	KS- Pakistan	80,395	160,790	Chopping Table with 3-Drawers Dimensions: 48"x28"x34" Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion		138,126	276,252
45	Working Table SS Non-Magnetic Construction Top Shelf: 1.2mm Thick Sheet With Bottom Shelf Pipe: 1.25 x 1.25mm – thickness 18 Gauge Reinforced Top Argon Welding on All Joints Dimensions: 54"x28"x30"	1	Same as per Tender	KS- Pakistan	51,160	51,160	Dimensions: 54"x28"x30" Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion		90,448	90,448
46	Working Table SS Non-Magnetic Construction Top Shelf: 1.2mm Thick Sheet With Bottom Shelf Pipe: 1.25 x 1.25mm – thickness 18 Gauge Reinforced Top Argon Welding on All Joints Dimensions: 72"x28"x34"	1	Same as per Tender	KS- Pakistan	62,853	62,853	Dimensions: 72"x28"x34" Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion		120,620	120,620
47	Working Table SS Non-Magnetic Construction Top Shelf: 1.2mm Thick Sheet With Bottom Shelf Pipe: 1.25 x 1.25mm – thickness 18 Gauge Reinforced Top Argon Welding on All Joints Dimensions: 43"x28"x34"	1	Same as per Tender	KS- Pakistan	43,850	43,850	Dimensions: 43"x28"x34" Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion.		80,414	80,414

			East	ern Tradii	ng Corporation (I	E.T.C)	Global Traders			
S.No	Item Description	Qty	Firms Specification	Brand Name		Total price DDP (PKR) Inclusive of all Taxes (Without GST)	Firms Specification	Brand Name	Unit price DDP (PKR) Inclusive of all Taxes (Without GST)	Total price DDP (PKR) Inclusive of all Taxes (Without GST)
	Wall Shelves SS Non-Magnetic Construction Shelf Thickness: 1.2mm Solid Shelf Dimensions: 43"x14"	1	Same as per Tender	KS- Pakistan	16,080		Dimensions: 43"x14" Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion.		35,382	35,382
	Wall Shelves SS Non-Magnetic Construction Shelf Thickness: 1.2mm Solid Shelf Dimensions: 72"x14"	1	Same as per Tender	KS- Pakistan	19,000		Dimensions: 72"x14" Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion		53,073	53,073
50	Double Bowl Sink High-Quality Stainless-Steel Double Bowl with Round Corners for Easy Washing Material: Aisi 304 S.S Body Bowl Size: 500x500x300mm Raised Lip All Around to Help Prevent Spillage and Description Slipping Off Fully Welded Bowls Adjustable Legs for Level Positioning Complete Unit with Built-In Grease Trap And S.S/ Chrome Lever Sink Faucets for Hot and Cold Water, Commercial Grade Material of Master/ Faisal/ Sonex Or Equivalent with All Fittings and Accessories Dimensions: 48"x28"x34"	1	Same as per Tender	KS- Pakistan	159,325	159,325	Sink Table 2 Bowl Under Bracing Bowl Size: 20"x20"x12" Dimensions: 48"x28"x34" Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion.		132,329	132,329
51	Perforated Shelf for Sink SS Non-Magnetic Construction Sheet Thickness: 1.2mm Perforated Argon Welding on All Joints Dimensions: 48"x14"	1	Same as per Tender	KS- Pakistan	26,310		Dimensions: 48"x14" Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion.		45,642	45,642
	Meat Mincing Machine Stainless Steel Body Motor Power: 1.5 HP Production: Up To 320 Kg Per Hour Housing and Tray Made of Stainless Steel Grinding Part Can Be Removed in One Movement 1 Speed: Only Forward Motor Protection Switch Stands on Four Rubber Feet Easy to Clean	1	Same as per Tender	KS- Pakistan	73,085	73,085	Same as per Tender	China	161,500	161,500

			East	ern Tradii	ng Corporation (F	2.T.C)	Global Traders			
S.No	Item Description	Qty	Firms Specification	Brand Name	Unit price DDP (PKR) Inclusive of all Taxes (Without GST)	Total price DDP (PKR) Inclusive of all Taxes (Without GST)	Firms Specification	Brand Name	Unit price DDP (PKR) Inclusive of all Taxes (Without GST)	The state of the s
					WASHING	AREA				
53	Soil Table SS Non-Magnetic Construction Top Shelf: 1.2mm Thick Sheet With Bottom Shelf Pipe: 1.25 x 1.25mm – Thickness 18 Gauge 8" Ø Hole Argon Welding on All Joints Dimensions: 54"x28"x30"	1	Same as per Tender	KS- Pakistan	51,160	51,160	Dimensions: 54"x28"x30" Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion.		104,960	104,960
34	Single Bowl Sink High-Quality Stainless-Steel Single Bowl Sinks with Round Corners for Easy Washing Material: Aisi 304 S.S Body Bowl Size: 500x500x300mm – Round Finish Raised Lip All Around to Help Prevent Spillage and Description Slipping Off Fully Welded Bowls Adjustable Legs for Level Positioning Complete Unit with Built-In Grease Trap And S.S/ Chrome Lever Sink Faucets for Hot and Cold Water, Commercial Grade Material of Master/ Faisal/ Sonex Or Equivalent with All Fittings and Accessories Dimensions: 28"x28"x34"	1	Same as per Tender	KS- Pakistan	118,400	118,400	Sink Table 2 Bowl Under Bracing Bowl Size: 20"x20"x12" Dimensions: 28"x28"x34" Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion.		86,338	86,338
	Dishwasher 60, 90, 120, 180 C seconds program options. Motor Power: 0.55 kw 2800 rpm Total Power: 9 kw 380 V Tank Heating Power: 2.5 kw Rinse boiler heating: 6 kw Stainless Steel Resistance Thermostat Control (Washing Temperature: 60 C) Water connections Capacity: 1000 Plates Per Hr With Glass & Crockery trays (6 Each) Complete with Installation	1	Same as per Tender	Empero- Turkey	877,015	877,015	Model: RC-07 Comanda Made in Italy		3,331,650	3,331,650
56	Dry Table SS Non-Magnetic Construction Top Shelf: 1.2mm Thick Sheet With Bottom Shelf Pipe: 1.25 x 1.25mm – thickness 18 Gauge Reinforced Top Argon Welding on All Joints Dimensions: 54"x28"x30"	1	Same as per Tender	KS- Pakistan	51,160	51,160	Dimensions: 54"x28"x30" Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion.		90,448	90,448

			East	ern Tradiı	ng Corporation (F	E.T.C)	Glo	bal Traders		
S.No	Item Description	Qty	Firms Specification	Brand Name		Total price DDP (PKR) Inclusive of all Taxes (Without GST)	Firms Specification	Brand Name	Unit price DDP (PKR) Inclusive of all Taxes (Without GST)	
	Wall Shelves SS Non-Magnetic Construction Shelf Thickness: 1.2mm Solid Shelf Dimensions: 54"x14"	1	Same as per Tender	KS- Pakistan	17,540	17,540	Dimensions: 54"x14" Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion.		44,228	44,228
58	Wire Racks SS Non-Magnetic Construction Wire Thickness: 3mm Support Wire Thickness: 10mm Argon Welding on All Joints Dimension: 43"x14"x72"	3	Same as per Tender	KS- Pakistan	131,550	394,650	Dimension: 43"x14"x72" Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion.		90,780	272,340
59	Perforated Rack SS Non-Magnetic Construction 4 Tier Perforated Shelves: 1mm Thick Sheet Angle: 2mm Thick Sheet Argon Welding on All Joints Dimensions: 43"x18"x72"	2	Same as per Tender	KS- Pakistan	77,470	154,940	Dimensions: 43"x18"x72" Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion.		162,494	324,988
60	Soil Table SS Non-Magnetic Construction Top Shelf: 1.2mm Thick Sheet With Bottom Shelf Pipe: 1.25 x 1.25mm – Thickness 18 Gauge 8" Ø Hole Argon Welding on All Joints Dimensions: 43"x28"x30"	1	Same as per Tender	KS- Pakistan	55,545	55,545	Dimensions: 43"x28"x30" Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion.		84,645	84,645
61	Triple Bowl Sink High-Quality Stainless-Steel Triple Bowl Sinks for Easy Washing Material: Aisi 304 S.S Body Bowl Size: 500x500x300mm Round Finish Raised Lip All Around to Help Prevent Spillage and Description Slipping Off Fully Welded Bowls Adjustable Legs for Level Positioning Complete Unit with Built-In Grease Trap And S.S/ Chrome Lever Sink Faucets for Hot and Cold Water, Commercial Grade Material of Master/ Faisal/ Sonex Or Equivalent with All Fittings and Accessories Dimensions: 72"x28"x34"	1	Same as per Tender	KS- Pakistan	198,790	198,790	Sink Table 3 Bowl Under Bracing Bowl Size: 20"x20"x12" Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion.		218,808	218,808

			East	ern Tradii	ng Corporation (F	E.T.C)	Glo	bal Traders		
S.No	Item Description	Qty	Firms Specification	Brand Name	, ,	Total price DDP (PKR) Inclusive of all Taxes (Without GST)	Firms Specification	Brand Name	Unit price DDP (PKR) Inclusive of all Taxes (Without GST)	Total price DDP (PKR) Inclusive of all Taxes (Without GST)
62	Table SS Non-Magnetic Construction Top Shelf: 1.2mm Thick Sheet With Bottom Shelf Pipe: 1.25 x 1.25mm – thickness 18 Gauge Reinforced Top Argon Welding on All Joints Dimensions: 28"x28"x34"	1	Same as per Tender	KS- Pakistan	40,930	40,930	Dimensions: 28"x28"x34" Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion		60,312	60,312
63	Wall Shelves SS Non-Magnetic Construction Shelf Thickness: 1.2mm Solid Shelf Dimensions: 54"x14"	1	Same as per Tender	KS- Pakistan	17,540		Dimensions: 54"x14" Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion		44,485	44,485
64	Perforated Shelf for Sink SS Non-Magnetic Construction Sheet Thickness: 1.2mm Perforated Argon Welding on All Joints Dimensions: 72"x14"	1	Same as per Tender	KS- Pakistan	29,235	29,235	Dimensions: 72"x14" Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion.		63,333	63,333
65	Pot Rack SS Non-Magnetic Pipe Construction 4 Tier Pipe: 1.25 x 1.25mm – thickness 18 Gauge Argon Welding on All Joints Dimensions: 43"x30"x40"	2	Same as per Tender	KS- Pakistan	51,160		Dimensions: 43"x30"x40" Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion.		99,036	198,072
66	HODI Block Masonry With 6" Block Finished with Non-Slippery Matt Finish Tiles With SS Strips Fixed Corners All Measures Taken to Avoid Accumulation of Dirt and Bacteria	1			-	-			-	-
67	Drain Trench Stainless Steel Construction ½" x ½" Pipe – 18 Gauge Thickness Trench Size 8" W x 132" L Top Only Civil Works is Not Included	1	Same as per Tender	KS- Pakistan	24,120		Size 8" W x 132" L Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion.		201,738	201,738
68	Drain Trench Stainless Steel Construction 1/2" x 1/2" Pipe – 18 Gauge Thickness Trench Size 8" W x 108" L Top Only Civil Works is Not Included	1	Same as per Tender	KS- Pakistan	19,735		Size 8" W x 108" L Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion.		165,059	165,059

			Easte	ern Tradir	ng Corporation (E	L.T.C)	Glo	bal Traders		
S.No	Item Description	Qty	Firms Specification	Brand Name	Unit price DDP (PKR) Inclusive of all Taxes (Without GST)		Firms Specification	I Krand Nama	Unit price DDP (PKR) Inclusive of all Taxes (Without GST)	,
					STORAGE	AREA				
	GI Racks									
	Material: G.I						M.S Rack 4-Level			
69	4 Tier	12	Same as per	KS-	36,540	138 180	Dimensions: 43"x20"x72" Is made of 18 SWG (201) Non-Magnetic Food		38,091	457,092
	Shelves: 1mm Thick Sheet	12	Tender	Pakistan	30,340	,	Grade Material Foor Grade Argon Welding is Done to protect		30,071	437,092
	Angle: 2mm Thick Sheet						Welded Area from Corrosion			
	Dimensions: 43"x20"x72"									
	MS Pallet									
70	M.S Pallet	2	Same as per	KS-	26,310		Dimensions: 48"x30"x6" Is made of 18 SWG (201) Non-Magnetic Food Grade Material		51,300	102,600
	Pipe: 1.25 x 1.25mm – thickness 18 Gauge	2	Tender	Pakistan	20,310	·	Foor Grade Argon Welding is Done to protect Welded Area from Corrosion		31,300	102,000
	Dimensions: 48"x30"x6"									
	Electric Weighing Scale									
71	Capacity (kg): Max up to 99 kg		Same as per	imported	62,853	62,853				_
	SS Platform	1	Tender	Imported	02,033	02,033			-	-
	Digital Display With Battery									
	Platform Trolley									
	High-Quality Commercial Grade Platform Trolleys with Castors									
	Size: Standard						Size: 36"x30"x8"			
72	Caster: 3" PVC, 4 Swivel Wheels	3	Same as per Tender	KS- Pakistan	32,160	96,480	Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect		38,475	115,425
	Material: Stainless Steel						Welded Area from Corrosion.			
	Load Capacity: 100 ~ 150 Kgs									
	Dimensions: Std									

			East	ern Tradii	ng Corporation (F	L.T.C)	Gle	bal Traders		
S.No	Item Description	Qty	Firms Specification	Brand Name	Unit price DDP (PKR) Inclusive of all Taxes (Without GST)	Total price DDP (PKR) Inclusive of all Taxes (Without GST)	Firms Specification	Brand Name	Unit price DDP (PKR) Inclusive of all Taxes (Without GST)	
					COLD STOR	E AREA				
73	Walk In Chiller Size: 10'-7"x10'-9"x8' The compartment shall have sufficient refrigeration to maintain from 0°C to +5°C temperature. Structure shall be constructed with a fiberglass interior and exterior with minimum 5", urethane core, completely seamless to form one-piece structure. The exterior shall be rust, dent and scratch resistant, coated with an industrial enamel finish. Interior shall have a anti-microbial interior finish Standard insulation thickness shall be 5" Unit shall be complete with sufficient quantity of LED lighting in a vapor-proof fixture controlled by a wall switch. Door: Door shall be constructed in the Same as per Tender manner, material and thickness of wall, provided with a magnetic gasket around the perimeter. When door is closed, it shall form a positive airtight seal. Doors shall incorporate a positive snap action latch with adjustable strike. The latch shall be equipped with cylinder lock and OSHA approved inside safety release mechanism to prevent entrapment. The hardware shall be chrome finished and mounted with tamper-proof screws. Floor: A 4" insulated (R-28) prefabricated floor shall be supplied. The floor shall be reinforced with woven fiberglass matting on top of a ½" plywood sub floor bonded to the urethane core forming a watertight seal. A skid resistant surface coating will be applied to the floor surface. The floor shall be constructed for permanent elevation 1-½" above grade. The elevation provides for air circulation under the floor to eliminate corrosion and the need for an insulated and / or ventilated slab. A Steel frame shall be encased in fiberglass and permanently bonded to the floor to ensure total portability without damage to the walk-in. The floor shall have the capacity to support 900 lbs. / sq. ft. of evenly distributed load. Compatible rated electrical distribution box with complete protection system, digital display of volts, ampere, temperature display, temperature adjustment, internal panic alarms must be provided. Termination/ commissioning of DB with	1	Same as per Tender	imported	2,192,530	2,192,530	Size: 10'-7"x10'-9"x8'		2,943,151	2,943,151

			East	ern Tradiı	ng Corporation (F	E.T.C)	Glo	bal Traders		
S.No	Item Description	Qty	Firms Specification	Brand Name		Total price DDP (PKR) Inclusive of all Taxes (Without GST)	Firms Specification	Brand Name	Unit price DDP (PKR) Inclusive of all Taxes (Without GST)	
74	Walk In Freezer Size: 10'-7"x10'-9"x8' The compartment shall have sufficient refrigeration to maintain from -15°C to -18°C temperature. Structure shall be constructed with a fiberglass interior and exterior with minimum 5", urethane core, completely seamless to form one-piece structure. The exterior shall be rust, dent and scratch resistant, coated with an industrial enamel finish. Interior shall have a anti-microbial interior finish Standard insulation thickness shall be 5" Unit shall be complete with sufficient quantity of LED lighting in a vapor-proof fixture controlled by a wall switch. Door: Door shall be constructed in the Same as per Tender manner, material and thickness of wall, provided with a magnetic gasket around the perimeter. When door is closed, it shall form a positive airtight seal. Doors shall incorporate a positive snap action latch with adjustable strike. The latch shall be equipped with cylinder lock and OSHA approved inside safety release mechanism to prevent entrapment. The hardware shall be chrome finished and mounted with tamper-proof screws. Floor: A 4" insulated (R-28) prefabricated floor shall be supplied. The floor shall be reinforced with woven fiberglass matting on top of a ½" plywood sub floor bonded to the urethane core forming a watertight seal. A skid resistant surface coating will be applied to the floor surface. The floor shall be constructed for permanent elevation 1-½" above grade. The elevation provides for air circulation under the floor to eliminate corrosion and the need for an insulated and / or ventilated slab. A Steel frame shall be encased in fiberglass and permanently bonded to the floor to ensure total portability without damage to the walk-in. The floor shall have the capacity to support 900 lbs. / sq. ft. of evenly distributed load. Compatible rated electrical distribution box with complete protection system, digital display of volts, ampere, temperature display, temperature adjustment, internal panic alarms must be provided. Termination/ commissioning of DB wi		Same as per Tender	imported	2,631,040	2,631,040	Size: 10'-7"x10'-9"x8' Seven Frigo Cold Room, 100 mm wall thickness with PU high density insulation 0.6 mm galvanize imported both side color sheet. Floor: 100 mm PU insulated pad, floor without civil work 1-swing Door: 920 x 1900mm 100mm thick with Door Curtains. Complete with installation at site Temp: -18°C Condensing Unit: Compressor Made in Italy Evaporator & Controlling System SEVEN FRIGO 10-meter pipe line is included in cost Made in Pakistan		4,168,651	4,168,651

			East	ern Tradir	ng Corporation (E	E.T.C)	Glo	bal Traders		
S.No	Item Description	Qty	Firms Specification			Total price DDP (PKR) Inclusive of all Taxes (Without GST)	Firms Specification	Brand Name	Unit price DDP (PKR) Inclusive of all Taxes (Without GST)	
75	SS Rack SS Non-Magnetic Construction 4 Tier Shelves: 1mm Thick Sheet Angle: 2mm Thick Sheet Argon Welding on All Joints Dimensions: 43"x18"x72"	14	Same as per Tender	KS- Pakistan	54,080	757,120	Dimensions: 43"x18"x72" Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion.		82,107	1,149,498
				SEF	RVING AREA	EXECUTIVE				
76	Hot Bain Marie Heated Stainless Steel Bain Marie Food Display Top panel to be used for plate issue counter Stainless Steel Railing for the Baine Marie In Front for Trays Two sliding cabinet doors & Two drawers Thermostat Controlled All Stainless Steel – 1.2mm Construction Easy to clean Heavy duty lockable castors Three Sides Covered with Straight Glass Dimensions: GN Pan 1/1 - 4 Pcs	1	Same as per Tender	KS- Pakistan	197,330	197,330	Size: 60"x30"x34" GN Pan 1/1 – 4 Pcs Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion.		483,995	483,995
77	Cold Stainless-Steel Bain Marie Food Display Top Panel to Be Used for Plate Issue Counter Stainless Steel Railing for The Baine Marie In Front for Trays Bench Height 850 Mm Two Doors Straight Glass on Three Sides The Adjustable Digital Controller Temperature Accurately Between 2°C ~ 5°C Two Sliding Cabinet Doors All Stainless-Steel 1.2mm Construction Heavy Duty Lockable Castors To Be Adjusted for Location to Match the Overall Food Counter Three Sides Covered with Straight Glass Dimensions: GN Pan 1/1 - 3 Pcs	1	Same as per Tender	KS- Pakistan	226,565	226,565	Size: 60"x30"x34" GN Pan 1/1 – 3 Pcs Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion.		491,239	491,239
78	Plate Warmer Stainless steel material. Capacity of each holder is about 78 plates. Suitable for 8~12" diameter plate. Heavy duty, long life to use. Simple operation, easy to clean.	1	Same as per Tender	KS- Pakistan	160,786	160,786	Size: 39"x20"x35" Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion.		201,738	201,738

			East	ern Tradii	ng Corporation (F	E.T.C)	Glo	bal Traders		
S.No	Item Description	Qty	Firms Specification	Brand Name	1 /	Total price DDP (PKR) Inclusive of all Taxes (Without GST)	Firms Specification	Brand Name	Unit price DDP (PKR) Inclusive of all Taxes (Without GST)	
79	Tray Trolley High-Quality Commercial Grade Tray Trolleys with Castors Load Capacity: 50 Kg Caster: Four castors (two with brake) Material: Stainless Steel 10 shelves for flat and euro norm trays stacking Size as per Trays	1	Same as per Tender	KS- Pakistan	73,085	73,085	Size: 32"x32"x72" Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion.		155,183	155,183
	_				SERVING ARE	CA STAFF		_		
80	Hot Bain Marie Heated Stainless Steel Bain Marie Food Display Top panel to be used for plate issue counter Stainless Steel Railing for the Baine Marie In Front for Trays Two sliding cabinet doors & Two drawers Thermostat Controlled All Stainless Steel – 1.2mm Construction Easy to clean Heavy duty lockable castors Three Sides Covered With Straight Glass Dimensions: GN Pan 1/1 - 4 Pcs	2	Same as per Tender	KS- Pakistan	197,330		Size: 60"x30"x34" GN Pan 1/1 – 4 Pcs Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion.		483,995	967,990
81	Cold Stainless-Steel Bain Marie Food Display Top Panel to Be Used for Plate Issue Counter Stainless Steel Railing for The Baine Marie In Front for Trays Bench Height 850 Mm Two Doors Straight Glass on Three Sides The Adjustable Digital Controller Temperature Accurately Between 2°C ~ 5°C Two Sliding Cabinet Doors All Stainless-Steel Heavy Duty 18 Gauge Easy to Clean Heavy Duty Lockable Castors To Be Adjusted for Location to Match the Overall Food Counter Dimensions: GN Pan 1/1 - 3 Pcs	1	Same as per Tender	KS- Pakistan	226,560	226 560	Size: 48"x30"x34" GN Pan 1/1 – 3 Pcs Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion		491,239	491,239
82	Cash Counter S.S. Heavy Duty 3 Drawers With Open Shelf on Side Cabinet, Total Structure, Back, Side Shelf, Bottom, Handles All in Stainless Steel – 1.2mm Thickness S.S. Legs with Feet Adjusters Dimensions: 43"x28"x34"x+10"	1	Same as per Tender	KS- Pakistan	87,700	87,700	Dimensions: 43"x28"x34"x+10" Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion.		269,608	269,608

			East	ern Tradir	ng Corporation (F	E.T.C)	Glo	obal Traders		
S.No	Item Description	Qty	Firms Specification			Total price DDP (PKR) Inclusive of all Taxes (Without GST)	Firms Specification	Brand Name	Unit price DDP (PKR) Inclusive of all Taxes (Without GST)	
83	Working Table SS Non-Magnetic Construction Top Shelf: 1.2mm Thick Sheet With Bottom Shelf Pipe: 1.25 x 1.25mm – thickness 18 Gauge Reinforced Top Argon Welding on All Joints Dimensions: 60"x28"x34"	2	Same as per Tender	KS- Pakistan	58,470	116,940	Dimensions: 60"x28"x34" Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion		100,497	200,994
84	Working Table SS Non-Magnetic Construction Top Shelf: 1.2mm Thick Sheet With Bottom Shelf Pipe: 1.25 x 1.25mm – thickness 18 Gauge Reinforced Top Argon Welding on All Joints Dimensions: 54"x28"x30"	1	Same as per Tender	KS- Pakistan	51,160	51,160	Dimensions: 54"x28"x30" Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion.		80,414	80,414
85	VISI Chiller Imported European Compressor Temperature: 0 ~ 4°C Glass Door Adjustable Shelves Cabinet Lighting Single Door	2	Same as per Tender	KS- Pakistan	197,330	394,660			-	-
86	SS Rack SS Non-Magnetic Construction 4 Tier Shelves: 1mm Thick Sheet Angle: 2mm Thick Sheet Argon Welding on All Joints Dimensions: 43"x18"x72"	4	Same as per Tender	KS- Pakistan	54,080	216,320	Dimensions: 43"x18"x72" Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion.		82,107	328,428
87	Food Warmer Size: 660*480*630MM Volts: 220-240V Power: 0.8KW Weight: 21Kg	1	Same as per Tender	KS- Pakistan	43,850	43,850			-	-
88	Tray Trolley High-Quality Commercial Grade Tray Trolleys with Castors Load Capacity: 50 Kg Caster: Four castors (two with brake) Material: Stainless Steel 10 shelves for flat and euro norm trays stacking Size as per Trays	6	Same as per Tender	KS- Pakistan	73,085	438,510	Size: 32"x32"x72" Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion.		155,183	931,098

			East	ern Tradii	ng Corporation (F	E.T.C)	Gle	bal Traders		
S.No	Item Description	Qty	Firms Specification	Brand Name		Total price DDP (PKR) Inclusive of all Taxes (Without GST)	Firms Specification	Brand Name	Unit price DDP (PKR) Inclusive of all Taxes (Without GST)	
			S	ERVING	AREA PATIE	NT ATTENDA	NTS			
89	Cash Counter S.S. Heavy Duty 3 Drawers With Open Shelf on Side Cabinet, Total Structure, Back, Side Shelf, Bottom, Handles All in Stainless Steel – 1.2mm Thickness S.S. Legs with Feet Adjusters Dimensions: 32"x28"x34"x+10"	1	Same as per Tender	KS- Pakistan	73,085		Dimensions: 32"x28"x34"x+10" Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion.		216,632	216,632
90	Hot Bain Marie Heated Stainless Steel Bain Marie Food Display Top panel to be used for plate issue counter Stainless Steel Railing for the Baine Marie In Front for Trays Two sliding cabinet doors & Two drawers Thermostat Controlled All Stainless Steel – 1.2mm Construction Easy to clean Heavy duty lockable castors Three Sides Covered with Straight Glass Dimensions: GN Pan 1/1 - 4 Pcs	1	Same as per Tender	KS- Pakistan	197,330		Size: 60"x30"x34" GN Pan 1/1 – 4 Pcs Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion.		466,710	466,710
91	Working Table SS Non-Magnetic Construction Top Shelf: 1.2mm Thick Sheet With Bottom Shelf Pipe: 1.25 x 1.25mm – thickness 18 Gauge Reinforced Top Argon Welding on All Joints Dimensions: 43"x28"x34"	1	Same as per Tender	KS- Pakistan	51,160	51,160	Dimensions: 43"x28"x34" Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion.		80,414	80,414
92	Cold Display Glass Display Chiller Temperature: +4 ~ +10°C Refrigerant: R134a Imported European Compressor Digital Temperature Controller Body Made of All Sides Covered by Tempered Glass Dimensions: 48"	1	Same as per Tender	KS- Pakistan	285,030	285,030	Dimensions: 48" Temperature: +2 to +8°C Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion.		598,500	598,500
93	Working Table SS Non-Magnetic Construction Top Shelf: 1.2mm Thick Sheet With Bottom Shelf Pipe: 1.25 x 1.25mm – thickness 18 Gauge Reinforced Top Argon Welding on All Joints Dimensions: 72"x28"x34"	1	Same as per Tender	KS- Pakistan	62,853		Dimensions: 72"x28"x34" Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion.		120,620	120,620

			East	ern Tradii	ng Corporation (F	C.T.C)	Glo	bal Traders		
S.No	Item Description	Qty	Firms Specification	Brand Name	Unit price DDP (PKR) Inclusive of all Taxes (Without GST)		Firms Specification	Brand Name	Unit price DDP (PKR) Inclusive of all Taxes (Without GST)	
94	Working Table SS Non-Magnetic Construction Top Shelf: 1.2mm Thick Sheet With Bottom Shelf Pipe: 1.25 x 1.25mm – thickness 18 Gauge Reinforced Top Argon Welding on All Joints Dimensions: 32"x28"x34"	1	Same as per Tender	KS- Pakistan	43,851	43,851	Dimensions: 32"x28"x34" Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion.		60,312	60,312
95	VISI Chiller Imported Compressor Temperature: 0 ~ 4°C Glass Door Adjustable Shelves Cabinet Lighting Single Door	1	Same as per Tender	KS- Pakistan	197,330	197,330			-	-
96	Tray Trolley High-Quality Commercial Grade Tray Trolleys with Castors Load Capacity: 50 Kg Caster: Four castors (two with brake) Material: Stainless Steel 10 shelves for flat and euro norm trays stacking Size as per Trays	4	Same as per Tender	KS- Pakistan	73,085	292,340	Size: 32"x32"x72" Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion.		155,183	620,732
97	Exhaust Hood Type 1 Commercial Vent Hood Systems to Fit Above Gas Ranges Material: Stainless Steel Fully Welded to Prevent Air Leakage and Decrease of Chimney Pressure With Grease Filters Compatible and Removable Baffle Filters for Easy Cleaning Oil Channel (60mm) And Ball Valve for Emptying the Collected Oil Illumination Fittings Under the Hood Frame To Be Connected to Exhaust Duct System with Complete Fittings and Accessories * All Ducting & Accessories from the Hood to the Exhaust Fans Shall be Provided by PIC Dimensions: 10'-5" x 36"	1	Same as per Tender	KS- Pakistan	204,636	204,636	Dimensions: 10'-5" x 36"x22" Exhaust hood single skin with grease filters without ducting & blowers Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion.		447,378	447,378

			East	ern Tradiı	ng Corporation (F	E.T.C)	Glo	obal Traders		
S.No	Item Description	Qty	Firms Specification	Brand Name		Total price DDP (PKR) Inclusive of all Taxes (Without GST)	Firms Specification	Brand Name	Unit price DDP (PKR) Inclusive of all Taxes (Without GST)	
	Exhaust Hood Type 1 Commercial Vent Hood Systems to Fit Above Gas Ranges Material: Stainless Steel Fully Welded to Prevent Air Leakage and Decrease of Chimney Pressure						Dimensions: 11' 8" v 26"v22"			
98	With Grease Filters Compatible and Removable Baffle Filters for Easy Cleaning Oil Channel (60mm) And Ball Valve for Emptying the Collected Oil	1	Same as per Tender	KS- Pakistan	241,180	241,180	Dimensions: 11'-8" x 36"x22" Exhaust hood single skin with grease filters without ducting & blowers Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion		481,793	481,793
	Illumination Fittings Under the Hood Frame To Be Connected to Exhaust Duct System with Complete Fittings and Accessories * All Ducting & Accessories from the Hood to the Exhaust Fans Shall be Provided by PIC Dimensions: 11'-8" x 36"									
99	Exhaust Hood Type 1 Commercial Vent Hood Systems to Fit Above Gas Ranges Type 1 Commercial Vent Hood Systems to Fit Above Gas Ranges Material: Stainless Steel Fully Welded to Prevent Air Leakage and Decrease of Chimney Pressure With Grease Filters Compatible and Removable Baffle Filters for Easy Cleaning Oil Channel (60mm) And Ball Valve for Emptying the Collected Oil Illumination Fittings Under the Hood Frame To Be Connected to Exhaust Duct System with Complete Fittings and Accessories * All Ducting & Accessories from the Hood to the Exhaust Fans Shall be Provided by PIC Dimensions: 15'-5" x 36"	1	Same as per Tender	KS- Pakistan	321,570	321,570	Dimensions: 15'-5" x 36"x22" Exhaust hood single skin with grease filters without ducting & blowers Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion.		640,097	640,097

			East	ern Tradiı	ng Corporation (F	C.T.C)	Glo	bal Traders		
S.No	Item Description	Qty	Firms Specification	Brand Name	Unit price DDP (PKR) Inclusive of all Taxes (Without GST)	Total price DDP (PKR) Inclusive of all Taxes (Without GST)	Firms Specification	Brand Name	Unit price DDP (PKR) Inclusive of all Taxes (Without GST)	
100	Exhaust Hood Type 1 Commercial Vent Hood Systems to Fit Above Gas Ranges Material: Stainless Steel Fully Welded to Prevent Air Leakage and Decrease of Chimney Pressure With Grease Filters Compatible and Removable Baffle Filters for Easy Cleaning Oil Channel (60mm) And Ball Valve for Emptying the Collected Oil Illumination Fittings Under the Hood Frame To Be Connected to Exhaust Duct System with Complete Fittings and Accessories * All Ducting & Accessories from the Hood to the Exhaust Fans Shall be Provided by PIC Dimensions: 8' x 40"	1	Same as per Tender	KS- Pakistan	160786	160786	Dimensions: 8' x 40"x22" Exhaust hood single skin with grease filters without ducting & blowers Is made of 18 SWG (201) Non-Magnetic Food Grade Material Foor Grade Argon Welding is Done to protect Welded Area from Corrosion		330,372	330,372
101	Soup Kettle Color: Black Size: 350 x 350 x 380 MM Usage: Soup Making Capacity: 10 Liter Power: 400 W	2	Same as per Tender	Stellar HK	29,235	58,470	Color: Black Size: 350 x 350 x 380 MM Usage: Soup Making Capacity: 10 Liter Power: 400 W	China	95,000	190,000
102	Microwave Oven Counter Type Microwave Oven with The Capacity Of 01 Cu-Ft Which Can Accommodate A 12" Platter. Capacity: 42 Liters	2	Same as per Tender	Dawlance Pakistan	73,085	146,170	Standard	China	142,500	285,000
103	Instant Coffee Machine Classical appearance design, tempering glass panel, touch screen press button, adopt accessories from original Italian factory and their design, excellent performance and stable quality, it is professional dispenser of instant coffee. Heating fast: 5 minutes Great water QTY flow: max. 400ML/cup Dispense great powder QTY: max.100g/cup Continuously dispense cups: above 400cups Power/output: AC 220V/50HZ; 2400W Supply beverage: 6 Kinds of Mixing Hot Drinks + Hot Water Capacity: 3 canisters, 1200gX3 Paper cup: any cups size applicable Water supply mode: pipeline and pump water supply Boiler capacity: 6L Italian Imported Mixing System & Touch Screen Power: 1500 W	2	Same as per Tender	ARUBA Italian	511,590	1,023,180	Model: Sego 12 Made in Netherland Bravilor Bonamart Size: 310x464x588 mm	Made in Netherland	3,059,000	6,118,000

S.No	Item Description	Qty	Eastern Trading Corporation (E.T.C)				Global Traders			
			Firms Specification			Total price DDP (PKR) Inclusive of all Taxes (Without GST)	Firms Specification	Brand Name	Unit price DDP (PKR) Inclusive of all Taxes (Without GST)	
104	Water Boiler Professional Hot Water Dispenser / Boiler Stainless Steel Housing Cover with Plastic Cap Convenient Carrying Handles with Insulation Level Glass with Scale Temperature Control 30°C - 110°C Temperature Indicator With Robust Tap Capacity: 20 Liters	2	Same as per Tender	Stellar HK	29,235	58,470	Capacity: 25 Liters	Made in China	85,500	171,000
105	Heavy Duty Blender 1.5 Liter BPA-Free Polycarbonate Jug with Approx. With Sound Proof Casing Power Of 2,000 Watts High Grade, Hardened Stainless Steel One Touch 35,60 & 90 Second auto timers. High, Medium & Low Function Sound Proof	2	Same as per Tender	JTC Taiwan	80,412	160,824	Same as per Tender	Made in China	275,500	551,000
Total Amount DDP (PKR) Inclusive of all Taxes (Without GST)				17,071,860	22,901,053		•	29,065,901	38,101,674	

Lowest/Successful