

PESHAWAR INSTITUTE OF CARDIOLOGY MEDICAL TEACHING INSTITUTION

FOR Medical & Non-Medical Items

Framework Contract For the year 2022-23

REF: (PIC-052)

Single Stage Single Envelope

After Pre-Bid

Note: The prospective bidder is expected to examine the Bidding Documents carefully, including all Instructions, Terms & Conditions, and Specifications etc. Failure to furnish all information required by the Bidding documents or submission of a Bid not substantially responsive to the Bidding Documents in every respect would result in the rejection of the Bid.

INTRODUCTION:

Peshawar Institute of Cardiology PIC-MTI Peshawar located at 5-A, Sector B-3, Phase-V, Hayatabad, Peshawar, KP was established under Khyber Pakhtunkhwa Medical Teaching Institutions Reforms Act, 2015 to improve performance, enhance effectiveness, efficiency and responsiveness for the provision of quality healthcare services to the people of the Khyber Pakhtunkhwa,

Peshawar Institute of Cardiology PIC-MTI Peshawar invites sealed separate Item wise sealed bids for each category (mentioned below) from the eligible bidders (Manufacturers/Importers/Authorized Dealers / General Order Supplier) for procurement of Medical & Non-Medical Items through Open Competitive Bidding under rule 6(2) (a) "Single Stage Single Envelope" bidding procedures of Khyber Pakhtunkhwa Public Procurement Regulatory Authority (KPPRA) Rules 2014.

Description	Dates
Pre-bid meeting	Date: 01-06-2022 at 10:00 am
Tender Closing/Last submission	Date: 14-06-2022, Time:11:00 Hours
Tender Opening	Date: 14-06-2022, Time:11:30 Hours
Bid security	300,000/- Rs.
Tender Process	Single Stage Single Envelope
Tender Validity/Prices Validity	From 1 July 2022 to 30 June 2023.

INSTRUCTIONS TO BIDDERS:

- 1. This Bidding procedure will be conducted in light of Framework Contract (Rule 31-A) of Khyber Pakhtunkhwa Public Procurement Regulatory Authority (KPPRA) Rules 2014.
- 2. The rate shall be considered for Peshawar Institute of Cardiology PIC-MTI Peshawar
- 3. Bid complete in all respect must reach the undersigned by 11:00 hrs on 14.06.2022 (Tuesday) which will be opened at 11:30 hrs on the same day in conference room in the presence of the procurement committee and the bidders / representatives who choose to be present.
- 4. Each Bidder SHALL write the name of the quoted brand along with complete specifications.
- 5. All the bidders are required to provide annexure wise complete requisite documents with page marking.
- 6. All prices quoted must be in Pak Rupees (PKR) and should include all applicable taxes. If not specifically mentioned in the Quotation, it will be presumed that the prices include all the taxes.
- 7. If any of the bidder requires any clarification regarding specification, Size, quality, or any other query, he may visit MMD(PIC) during working hours till deadline for submission of the bids.
- 8. Bidders should be financially sound and have proper office, telephone number and fax number in Khyber Pakhtunkhwa.
- 9. Bidders are essentially required to provide correct and latest postal/email/web addresses, phone/mobile/fax numbers for actively and timely communication.
- 10. The Bidder may after its submission withdraw its bid prior to the expiry of the deadline prescribed for submission of bids. Withdrawn bids will be returned unopened to the Bidders.
- 11. The bidder must attach the original receipt along with the bidding document submitted to this institution. In case of photocopy, bank draft of equal amount must be attached.
- 12. Any bid not received as per terms and conditions laid down in this document are liable to be ignored. No offer shall be considered if:
 - a. Received without bid security as mentioned in BSD.
 - b. Received after the date and time fixed for its receipt;
 - c. The tender document and the bid unsigned;
 - d. The offer is ambiguous;
 - e. The offer is conditional;
 - f. The bidder is from blacklisted firm in any Federal / Provincial Govt. Deptt:

- 13. Usage of correction fluid & corrections will not be considered unless duly signed by the authorize person.
- 14. Joint venture / consortium are not eligible for this tender.
- **15.** In case of Bid Tie, the contract will be awarded to the firm provide the better Quality.
- 16. Bidders are required to clearly mark on the envelop as Bid for "Medical & Non-Medical Items"
- 17. Any direct or indirect effort by a bidding firm to influence this institution during the process of selection of a bidder or award of contract may besides rejection of its bid result into its disqualification from participation in the PIC future bids.
- 18. Competent Authority reserves the right to reject any or all the bids as per provisions contained in Rule 47 of KPPRA Rules 2014.

BID SECURITY FOR MEDICAL & NON-MEDICAL ITEMS.

- (a) Bid security shall be submitted to the amount of PKR 300,000/- in shape of bank guarantee / Call Deposit Receipt (CDR) from schedule bank of Pakistan in favor of "Hospital Director Peshawar Institute of Cardiology PIC MTI". (Pay order (PO) will not be acceptable.
- (b) Bid Security of the unsuccessful bidders shall be released as promptly as possible upon the successful Bidder's furnishing of the performance security;
- (c) The bid security of the successful bidder will be consider as the performance security till the validity of tender/contract.
- (d) The Bid security shall be forfeited:
 - If a bidder withdraws his bid during the period of bid validity; or
- (e) In the case of a successful bidder, if he fails to:
 - Sign the contract agreement, in accordance with Para below.
 - Fails to supply as per purchase order.

3. BID VALIDITY:

- i) The bids should be valid for a period From 1 July 2022 to 30 June 2023.
- ii) In exceptional circumstances, PIC Hospital may solicit the Bidder's consent to an extension of the period of validity reasons shell be recorded in writing. The request and the responses there to shall be made in writing. The bid security provided shall also be suitably extended. A Bidder may refuse the request without forfeiting its bid security. A Bidder granting the request will not be required nor permitted to modify its bid, except as provided in the bidding document.

Eligibility Criteria/Mandatory

Bidders must give compliance to the below mentioned clauses as these are mandatory to being Eligible for the bidding process. Relevant certificates / documents must be attached.

S #	Description	Remarks
	Knock Out Clauses	YES/NO
1.	The bidder shall be Registered with FBR and reflected on Active Tax Payer List (ATL); (Provide copy of certificate of incorporation)	Mandatory
2.	Manufacturer / Authorized Dealer / Importer / General Order Supplier (Provide the copy of attested relevant document)	Mandatory
3.	The bidder/firm must have minimum Five (05) years relevant experience in the relevant field / Hospital supplies (Purchase order/Firm registration should be attached)	Mandatory
4.	This undertaking should be tender specific. Submission of undertaking on legal valid and attested stamp paper that the firm is NOT BLACKLISTED by any of Provincial or Federal Government Department, Agency, Organization or autonomous body anywhere in Pakistan. (Provide copy of affidavit attached as annex in this document on non-judicial stamp paper)	Mandatory
5.	Bid security must be attached as mentioned in the advertisement/BSD	Mandatory

EVALUATION AND COMPARISON OF BIDS

- 1. The Department will evaluate and compare the bids which have been determined to be substantially responsive (Eligibility Criteria).
- 2. Bids shall be evaluated against the given specifications and other terms & conditions mentioned in the Bid Solicitation Documents.
- 3. After preliminary examination, the responsive bidder(s) will be asked to provide the samples (Where required) of their quoted items and the same will be inspected /approved by the Sample Evaluation committee including technical members.
- 4. Rates of those items will be considered for comparisons which approved by the procurement committee
- 5. The Lowest Offer will be accepted, meeting the Specification / quality needs and ensuring value for money.
- 6. All the bidders will strictly follow the rate form attached as "Annexed-A"

Other Terms & Conditions of the Market

- 1. This Bidding procedure will be conducted in light of Framework Contract (Rule 31-A) of Khyber Pakhtunkhwa Public Procurement Regulatory Authority (KPPRA) Rules 2014.
- 2. All the bidders will strictly follow the rate form attached as "Annexed-A"
- 3. Contracts shall be confirmed through a written agreement signed between successful bidder and the PIC-MTI Peshawar (attached as "Annex-B")
- 4. All the bidders will sign the Affidavit attached as "Annex-C"
- 5. Due to framework contract rate quoted by the bidder shall be valid till closing of Current Financial Year i.e June 30th 2023.
- 6. The items offered must have at least one-year warranty period (if applicable)
- 7. In case of a successful bidder, who repudiates the contract or fails to furnish performance and as the case may be shall proceed for blacklisting and the supply order will be placed to the Next Successful Bidder or from the alternative sources at the cost/risk of the concerned firm.
- 8. Bidders are advised in their best interest to maintain the required quality and not to quote for counterfeited or sub-standard items, as the inspection committee will ensure the quality of products at the time of supply of items.
- 9. If any of the given specifications/parameters does not meet the required specifications, their offer will not be considered and shall summarily be rejected by PIC-MTI Peshawar.
- 10. In case of repeated failure or non-supply the PIC-MTI Peshawar reserves the right to forfeit the bid security and may proceed for debarment / blacklisting.
- 11. Each Items supplied shall strictly conform to the Schedule of Requirements and to the Technical Specifications prescribed by the PIC-MTI Peshawar against each item.
- 12. The Unit Cost agreed in the Price Schedule (Rate Form), is inclusive of all taxation and costs associated with transportation and other agreed incidental costs.
- 13. If the successful firm fails / delays in performance of any of the obligations, under the Contract / Letter of Award, violates any of the provisions of the Contract / Letter of Award, commits breach of any of the terms and conditions of the Contract / Letter of Award or found to have engaged in corrupt or fraudulent practices in competing for the award of contract / Letter of Award or during the execution of the contract / Letter of Award, the Page 8 of 29

institution may without prejudice to any other right of action / remedy it may have, blacklist the bidder, either indefinitely or for a stated period, for future tenders in public sector, as per provision of KP Procurement Rules, 2014.

Delivery of Items.

- 1. The schedule for supply of goods shall be as under:
 - i. Within 30 days from the date of issuance of supply order by the Purchasing Agency for items to be locally available
 - ii. Within 90 days from the date of issuance of supply order by the Purchasing Agency for items to be imported. (BL bill of lading should be attached)
- 2. The Penalty on late supply of goods shall be charged as under
 - i. Penalty @ 2% for late supply up to 15 days from the date for Purchase order.
 - ii. Penalty @ 5% for late supply up to 30 days from the date for Purchase order.
 - iii. Penalty @ 10% for late supply beyond 30 days from the date for Purchase order.
 - iv. The bid security will be forfeited if the firms fails to supply the goods with in 150 days after issuance of purchase order.

Award of Contract:

Contracts shall be confirmed through a written agreement signed between successful bidder and the Peshawar Institute of Cardiology MTI Peshawar attached as "Annex-B".

Payment:

- i. No advance payment will be permissible.
- ii. The payment will be made after successful supply, installation and inspection of all requisite items.
- iii. Payment of the bills will be subject to the deduction of government taxes.

Performance Security: -

The bid security shall be retained till the closing of the contract period i.e 30-06-2023, however no performance security shall be sought from the successful bidders.

Annex: "A"

PIC-0052

BID FORM AND PRICE SCHEDULES

Price Schedule in Pak. Rupees (including all applicable taxes)

Note:- All the bidders are required to follow the following pattern while preparing financial bids.

Name of Bidder_____

\$ #	Item Description	Brand Name	UOM (Unit of measurement)	Rate offered including taxes	Remarks

Note: In case of discrepancy between unit price and total, the unit price shall prevail.

Signature of Bidder _____

Annex: "B"

FRAMEWORK CONTRACT (FORMAT) DRAFT

THIS FRAMEWORK CONTRACT is made and agreed today on XXXX day of XXX, 2023 between Hospital Director Peshawar Institute of Cardiology PIC-MTI (hereinafter referred to as the first party) and M/s XYZ, (hereinafter referred to as the Contractor or the second party:

WHEREAS the PIC-MTI Peshawar has made an open competitive bidding for selection and rate contracting for supply of *(Medical & Non-Medical Items)* (hereinafter referred to as goods).

In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.

The following documents shall be deemed to form and be read and construed as part of this Agreement, viz.:

the Bid Form and the Price Schedule submitted by the Bidder;

- a. the Schedule of Requirements;
- b. the Technical Specifications;
- c. the General Conditions of Contract;
- d. the award letter
- e. the Special Conditions of Contract; and

The following items have been selected under framework contract for a period of ONE YEAR from the date of signing of contract.

S#	Item Name with Specifications	Unit Description Per Unit / Per Liter / Per Box / other	Approved rate	Remarks
			ı	
1.				
2.				
3.				
4.				
5.				

Both the parties agreed that: -

- 1. The approved prices of all individual items (mentioned above) quoted in the financial bids shall remain valid till 30-06-2023.
- 2. During the currency of the contract, the supplier will be bound to deliver the items of the approved quality at its designated center from time to time at the approved rates within Thirty (30) days of the receipt of Purchase Order. In case of failure, the department reserves the right to impose the penalty

The Penalty on late supply of goods shall be charged as under

- a.Penalty @ 2% for late supply up to 15 days from the date for Purchase order.
- b. Penalty @ 5% for late supply up to 30 days from the date for Purchase order.
- c. Penalty @ 10% for late supply beyond 30 days from the date for Purchase order.
- d. The bid security will be forfeited if the firms fails to supply the goods with in 150 days after issuance of purchase order.
- 3. The items offered must have at least one-year warranty period (where applicable).
- 4. You will NOT claim or charge transportation, loading / unloading, labour or any other charges related to or in the name of logistics, accidents, insurance, freight, etc.
- 5. The Unit Cost agreed in the Price Schedule (Rate Form), is inclusive of installation, testing, commissioning, all applicable taxes and costs associated with transportation and other agreed incidental costs.
- 6. Bill for payment in triplicate along with all other relevant and required documents shall be submitted by the second Party to the PIC-MTI Peshawar immediately after complete supply of stock. The Bidder shall be bound to pay all sorts of government taxes, duties and stamp duties, imposed earlier or during the financial year by the Government of Pakistan or by the Provincial Government of Khyber Pakhtunkhwa on any supplied / purchased item.
- 7. The payment will be made by the center after the completion of the supply/inspection, however in case of non-availability of budget the center will make payment after releasing of budget from the competent authority.
- 8. In case of the situation related to Force Majeure, the Second Party may inform the PIC-MTI Peshawar in writing about the situation immediately without delay along with solid proof through the fastest, lawful and available means of communication, but not through the electronic mail, and request the Board for the grant of extension in the supply period.
- 9. In case your firm repudiates the contract, bid security will be forfeited, the SIDB, concerned center reserve the rights to proceed for debarment / blacklisting under the relevant law.

-	
	M/s XYZ
Hospital Director PIC-MTI Peshawar	Name:
	Designation:
	CNIC No.
	Stamp:
WITNESS NO. 1	WITNESS NO. 2
Signature:	Signature:
Name:	Name:
Designation:	Father's Name:
CNIC No.	Address:
	CNIC No.

Signature:

Signature:

UNDERTAKING ON BIDDERS LETTER HEAD

Important Note:

	All the bidders must submit the original affidavit on non-judicial stamp paper attached with technical bid at the time of bid submission on the following format.		
	Owners / Director / Legal Attorney / Accredited		
rep	oresentative of M/s, solemnly declare that,		
1.	M/s have read the contents of the Bidding Document and have fully understood it.		
2.	That the financial instruments, statements of facts, data and documents being submitted by M/s $_$ for the Tender vide PIC-0052 dated June 14 th 2022 are true, genuine and correct.		
3.	Undertakes that information being submitted is correct and true, and that any false information shall lead to disqualification at any stage.		
4.	. M/s is not blacklisted by any of Provincial or Federal Government Department, Agency, Organization or autonomous body anywhere in Pakistan.		
5.	. Bid Security (in original) is placed in the financial bid.		
6.	In case we fail to comply any of the aforesaid conditions or the documents submitted by M/is found false/forged, our tender will be cancelled forfeiting the Bio		
	Security amount and debarring us from participation in future tenders of Medical Teaching Institution PIC, Khyber Pakhtunkhwa, for a period of one year.		
	Signature with Seal of the Deponent (bidder)		

STATEMENT OF REQUIREMENT WITH SPECIFICATION

ME	MEDICAL & NON-MEDICAL ITEMS TENDER LIST FOR THE YEAR 2022-23				
S.No	NAME OF ITEM	SPECIFICATION			
1.	24 hour Ambulatory BP monitoring system				
2.	3M surgical clipping with pivoting Head				
3.	Adjustable Small Racks (3X6)				
4.	Air freshener Best Quality 300 ml				
5.	Air Mattress	air pump included, anti dicubtitus , cycle time 15 minutes, max capicity 150 kg			
6.	Alcohol hand sanitizer 1000ml	Ethanol 80 % v/v Glycerol 1.45% v/v Hydrogen Peroxide 0.125% v/v			
7.	Alcohol hand sanitizer 5 Liters can	Ethanol 80 % v/v Glycerol 1.45% v/v Hydrogen Peroxide 0.125% v/v			
8.	Alcohol hand sanitizer 500ml	Ethanol 80 % v/v Glycerol 1.45% v/v Hydrogen Peroxide 0.125% v/v			
9.	Analogue weight scale with height measurement				
10.	Ankle and Wrist Sand Bags weight (Tone Fitness)				
11.	Automatic Air freshener Dispenser with 1 Refill and battery cells (Best Quality)				
12.	Automatic Air freshener Refill only				
13.	Baby weight Machine digital	weight range 20 kg,reading capicity 5g, minimum weight 100gm. Response time 2s, LCD with back light			
14.	Back Care Support	Molty Foam			
15.	Back Care Support	Simple Mesh			
16.	Battery Cell (AA)				
17.	Battery Cell (AAA)				
18.	Battery Cell (Size: C)				
19.	Battery Cell (Size: D)				
20.	Battery Cell Size: 9V Drum Type				
21.	Bed Pan Plastic				
22.	Bed Pan Steel				

23.	BH3 Disposable Humidifier	Anti-Microbial Properties Long Run Time Digital and Remote Controls Safety Features
24.	Blanket warmer (imported)	Maximum Contact Surface Temperature 44.1°C.Average Time for Contact Surface Temperature to Rise from 23°C ±2°C to 37°C 6 minutes.temprature display.alarm sytem for high and low tempraturesafety
25.	Blood transportation coolers 05 Liters	
26.	Blood transportation coolers 10 Liters	
27.	Blood warmer (imported)	range 32 -40 C, having alarm setting. Temprature display.over temprature safety
28.	Box for Fine Instruments (Large)	
29.	Box for Fine Instruments (Medium)	
30.	Box for Fine Instruments (Small)	
31.	BP Apparatus wall mounted (Mercury)	Lower range; 0 mm of mercury Upper range: 260 (34.66 kN/m2) to 300 (40.0 kN/m) mm of mercury.Mercury The mercury used shall be clean, double distilled and of 99.9 percent purity.
32.	BP Apparatus Mercury desktop (Yamasu Japan)	
33.	BP Apparatus portable with stand and Wheels	
34.	BP Apparatus wall mounted (Aneroid)	
35.	BP Cuff Double Line Adult	
36.	BP Cuff Double Line Peads	
37.	BP Cuff Single line Adult	
38.	BP Cuff Single Line Peads	
39.	Bulb for Laryngoscope	
40.	Cash counting machine with currency checker best quality	
41.	Cell button type	
42.	Chain Locks Different Sizes	
43.	Chlorine Liquid 1 Liter for Water Cleaning	
44.	Chlorine Powder 1 kg	

Ī		1
45.	Clinical thermometer (digital)	Temperature measurement range 32 – 43 °C (minimum guaranteed). Accuracy ± 0.1°C in the range 35 – 41 °C.Ready time 10 s.Measurement time: within 120 seconds. Low and high temperature indication. Display easy to read in all levels of ambient light. Automatic switch-off when not in use. Beep audio alert when device is turned on/ready to use or when temperature measurement is complete. Low battery indicator.
46.	Clinical thermometer(mercury)	
47.	Continue suction Machine for (USA/Europe/Japan)	Heavy duty motorized pump ,Finely regulable 0-710mm ± 10 Hg vacuum ,Overflow safety device, Non-collapsible tubing,710 ± 10mm Hg, Vacuum Control Knob, Suction Capacity 35 ltrs. / MIN, with suction jars and bactarial filters. Working time at least 6 hour
48.	Continue suction Machine Heavy duty (China)	Heavy duty motorized pump ,Finely regulable 0-710mm ± 10 Hg vacuum ,Overflow safety device, Non-collapsible tubing,710 ± 10mm Hg, Vacuum Control Knob, Suction Capacity 35 ltrs. / MIN, with suction jars and bactarial filters. Working time at least 6 hour
49.	CPR Board	
50.	Crystal salt	
51.	Danger box for syringes (Card Board) 05 Liters	
52.	Danger box for syringes (Plastic) 05 Liters	
53.	Danger Box Plastic 10 liters	
54.	Danger Box Plastic 12 liters	
55.	Danger Box Plastic 15 liters	
56.	Danger Box Plastic 5 liters	
57.	Danger Box Plastic 7 liters	
58.	Desktop BP Apparatus	Lower range; 0 mm of mercury Upper range: 260 (34.66 kN/m2) to 300 (40.0 kN/m) mm of mercury.Mercury The mercury used shall be clean, double distilled and of 99.9 percent purity.

59.	Digital weight scale Adult	
60.	Digital weight scale Peads	
61.	Digital X Ray Dose Monitor For Testing X Ray Leakage	Dose equivalent (DE) measurement range 1 μSv - 25 Sv Dose equivalent rate (DER) measurement range 0.1 μsv/h - 100 mSv/h Energy response relative to 0.662 MeV: in the range from 0.048 – 3.0 MeV no more than 29% Thresholds 2 independent thresholds for both DE and DER Alarm Type visual and audible Memory non-volatile PC communication USB
62.	Disposable Domes	
63.	Distilled Water 05 litres	
64.	Dome for DPT	
65.	Dressing Drum Large	
66.	Dressing Drum Medium	
67.	Dressing Drum Small	
68.	Dust Bin (200 liters) Medical Grade with Paddle	
69.	Dust Bin (500 liters) Medical Grade with Paddle	
70.	Dust Pan (plastic)	
71.	Dustbin 10 Liters	
72.	Dustbin 30 Liters	
73.	Dustbin 50 Liters	
74.	Dustbin 70 Liters	
75.	Dustbin with Bucket cover 30 Liters	
76.	Dustbin with Bucket cover 50 Liters	
77.	Dustbin with Bucket cover 70 Liters	

78.	Dynamap (USA/Europe/Japan)	Systolic Range Adult 30 - 245 mmHg, Neonatal 4 - 140 mmHg Diastolic Range Adult 10 - 195 mmHg, Neonatal 20 - 100 mmHg MAP: mean arterial pressusre Adult 15 - 215 mmHg, Neonatal 30 - 115 mmHg Pulse Rate Range Adult 25 - 240 bpm, Neonatal 25 - 240 bpm. SpO2 range 1 - 100% can store data of 15 patients. alarm system poratble with batteries charger
79.	ECG electrode chest pump/balloon type	
80.	ECG Leads / Cables	
81.	ECG Limbs electrode	
82.	ECG Machine 12 channel (USA/Europe/Japan)	
83.	ECG Machine three channel(USA/Europe/Japan)	
84.	ECG Paper FOR R12 (Mindray)	
85.	ECG Paper FOR R3 (Mindray)	
86.	ECG Paper other sizes	
87.	Electric Geyser 10 Gallons	
88.	Electric Geyser 15 Gallons	
89.	Electric kettle for tea (Standard size)	
90.	Electric Water Cooler 40 Liters with Filter	
91.	Electric Water Cooler 60 Liters with Filter	
92.	Electric Water Cooler 80 Liters with Filter	
93.	Emergency Light (Wall mounted)	
94.	Employee Stamp Large	
95.	Employee Stamp Small	
96.	Employee Stamp Medium	
97.	Examination Torch	
98.	Flow Meter Cylinder Mounted	
99.	Flow Meter wall Mounted	
100.	Foam for Duster	

Tank capacity at around 5liters should be metallic made and st function should be present, All should be compatible with acid alkaline liquids, Medical grade tubing and stainless steel inter parts, Device motor should be here.	turdy,Timer parts lic or silicon nal
102. Gas Geyser 30 Gallon	
103. Gas Geyser 50 Gallon	
104. Glass (For Water) Glass Ware	
105. Gonadal Shielding	
106. Hand Disinfected solution 5 liters can	
107. Hand scrub solution	
108. Hangers (set of 12) Steel	
109. Hangers wall mounted	
110. Head lamps	
111. Heavy Duty Torches Branded	
Hygiene Kit a) Tooth Paste 25 G b) Tooth Brush c) Small Towel 8" X 8" d) Small Dettol Soap (50 0r 60 G) e) Small Comb f) White Tissue Roll	
113. Inches tape (standard)	
114. Infusion Pump (USA/Europe/Japan) Occulusion detection, KVO opt option. Air bubble detector, ch compatible with all type of syri	argeable,
115. In-Line Nebulizer Machine	
116. Insect Killer (hanging Type) Large size	
117. Insect Killer (hanging Type) Medium size	
118. Insect Killer (hanging Type) X-Large size	
119. Instrument disinfectant 5 litters	
120. Instruments Tray Large	
121. Instruments Tray Medium	
122. Instruments Tray Small	
123. Jug Glass Ware 1.5 Liter with 02 Glass	
124. Jug Plastic type 1.5 Liter with 02 Glass	

	Kidney Tray Medium	
127.	Kidney Tray Small	
128.	Kitchen Roll (Large size)	
129.	Kitchen Roll (Small size)	
130.	Laryngoscope fiber optics (Video Laryngoscope) with Adult Blades (USA/Europe/Japan)	having good camera resloution and LED Display, with reusable video adapter and white LED light, Video output cable, disposbale standard blades. Patient Range Adult patients.
131.	Laryngoscope fiber optics (Video Laryngoscope) with Peads Blades (USA/Europe/Japan)	having good camera resloution and LED Display, with reusable video adapter and white LED light, Video output cable, disposbale standard blades. Patient Range Peads patients.
132.	Laryngoscope with Adult Blades fiber optics Type	LED, stainless steal good quality, with four blades, Patient Range Adult patients.spare bulb 12
133.	Laryngoscope with Peads Blades fiber optics Type	LED, stainless steal good quality, with four blades, Patient RangePediatrics and neonatal patients.spare bulb 12
134.	Lead Apron all sizes	
135.	Lead Apron Shirt and Vest Type	
436		
136.	Lead Apron stand	
136. 137.	Lead Apron stand Lead Goggles	
137.	Lead Goggles	
137. 138.	Lead Goggles Liquid Soap 1 litre	
137. 138. 139.	Lead Goggles Liquid Soap 1 litre Liquid Soap 5 litre	
137. 138. 139. 140.	Lead Goggles Liquid Soap 1 litre Liquid Soap 5 litre Liquid Soap 500 ml	
137. 138. 139. 140. 141.	Lead Goggles Liquid Soap 1 litre Liquid Soap 5 litre Liquid Soap 500 ml Lock Cutter Best Quality	imported
137. 138. 139. 140. 141. 142.	Lead Goggles Liquid Soap 1 litre Liquid Soap 5 litre Liquid Soap 500 ml Lock Cutter Best Quality Magnification glass Medical vacuum regulator with 2 liter bottles	imported
137. 138. 139. 140. 141. 142.	Lead Goggles Liquid Soap 1 litre Liquid Soap 5 litre Liquid Soap 500 ml Lock Cutter Best Quality Magnification glass Medical vacuum regulator with 2 liter	imported
137. 138. 139. 140. 141. 142. 143.	Lead Goggles Liquid Soap 1 litre Liquid Soap 5 litre Liquid Soap 500 ml Lock Cutter Best Quality Magnification glass Medical vacuum regulator with 2 liter bottles Mercury for BP Apparatus	imported
137. 138. 139. 140. 141. 142. 143. 144. 145.	Lead Goggles Liquid Soap 1 litre Liquid Soap 5 litre Liquid Soap 500 ml Lock Cutter Best Quality Magnification glass Medical vacuum regulator with 2 liter bottles Mercury for BP Apparatus Metal detector	imported High Nebulization Rate of 0.4ml/min,having Bearings ,continous working time 6 hours,flow rate 6 liter/mint.noise level should be less than 40 db
137. 138. 139. 140. 141. 142. 143. 144. 145. 146.	Lead Goggles Liquid Soap 1 litre Liquid Soap 5 litre Liquid Soap 500 ml Lock Cutter Best Quality Magnification glass Medical vacuum regulator with 2 liter bottles Mercury for BP Apparatus Metal detector Microwave Oven 20 Liters	High Nebulization Rate of 0.4ml/min,having Bearings ,continous working time 6 hours,flow rate 6 liter/mint.noise level should be less than

150.	Ophthalmoscope Imported Best Quality	useful to examine retina, Apertures to be provided Slit, fixation, large circle, medium circle, small scircle. Red free filter, Diopter adjustment -20 to +20 diaopter, Halogen bulb, Battery Operated as well as rechargeable Spare bulb 4
151.	OT Shoes	
152.	Otoscope Imported Best Quality	Light intensity: 8,000-12,000 lux Autoclavable LED Handle with on/off switch. Scratch-resistant lens; glass (preferred) or plastic Liquid splash resistantspare bulb 4
153.	Oxygen concentrator 10 liters	Oxygen flow: 1 – 10 LPM, Oxygen Concentration: 93% ± 3%, Functions: Total work hour display, Compressor auto cut off at high temperature, High & low pressure alarm function, Oxygen flow: 0.5,oxygen flow regulator, Pressure Relief Valve: 36.25 psi ± 3.63 psi
154.	Oxygen concentrator 5 liters	Oxygen flow: 0.5 – 5 LPM, Oxygen Concentration: 93% ± 3%, Functions: Total work hour display, Compressor auto cut off at high temperature, High & low pressure alarm function, ,oxygen flow regulator,
155.	Pad Locks Different sizes	
156.	Paper Shredder 30 sheets shredding capacity	
157.	Particle Counter Machine	Application: Monitor and verify clean Rooms Test Filters in place Track Down Particles Sources Quality Control Specification: Outside Dim: 300x360x126 mm3 (Wide x Deep x High) Display: LCD Weight 0.6kg Battery (Lithium-Ion Battery),7.2V,2200mAh Power Source Li-ion charger .8.4V DC,1A:9- 250V AC, 50-60Hz Size Channels 0.3, 0.5, 1,3, 5, 10 um

		Flow Rate 2.83L/min
		Sample Time 1s-99h
		Cycles 0-99
		Hold Time 0-999sec
		Delay Time 0-99sec
		Light source Laser Diode Zero Court <=10min
		Alarm Low Battery :100, 1000, 10000 Class
		/ISO Coincidence Loss 5%,2000000ps/cf
		Operating Time 5 hours
		output RS-232 to pe or printer via optional
		cable
		Location Labels 0-999
		Data Storage 1000 Samples (With PC
		Software)
		lOdegrees celsius-40degrees Celsius;
		Humidity: 20%-90%
		RH: Atmosphere Pressure 86Kpa-106Kpa
		suitcase : charger; sampling headline of
		communication;
		communication software : Automatic
		Purifier
		Environmental
		Standard feature
		Optional
		External printer
		component
158.	Pen Torch	
159.	Plastic Bag	
160.	Plastic Bag Bio degradable	
161.	Plastic document buckets	Size 15" X 12" x 4"
162.	Plastic Glass (For Water) (Acrylic)	
163.	Plastic Lota	
164.	Plastic Pallet	
165.	Plastic slippers	
		2% Chlorhexdine Gluconate
166.	Pre-Operative Skin Cleansing Solution	70% v/v Isopropyl Alcohol
167.	Professional Tool Kit Pro'sKit 1PK-	
167.	1700NB	
		range 25-250 BPM, show graph on
168.	Bulso Oximator finger type	display.SPO2 saturation range 35-100%,
108.	Pulse Oximeter finger type	accuracy ±1%, Patient Range
		Adult, Pediatrics and neonatal patients
4.00	D les O lessas I III II	range 25-250 BPM, show graph on
169.	Pulse Oximeter handheld	display.SPO2 saturation range 35-100%,
L		

		accuracy ±1%, Patient Range Adult, Pediatrics and neonatal patients
170.	Pulse Oximeter Portable	Range 0 100%, Refreshing rate < 13 seconds, Accuracy 90% to 100%: ±1%,Pulse Rate Range 25 250bpm, Resolution 1 bpm, Accuracy ±2% or ±1 bpm,Parameter Digital SpO2, Pulse Rate, Pleth bar & SpO2 waveform,Patient Range Adult, Pediatrics and neonatal patients
171.	Queue Pole Silver (Retractable Belt)	
172.	Rack stand for Thera balls & Bolsters	
173.	Radiology Lead Shield	Lead curtain width 0.5mm. 3-fold curtain Size: must cover the patient bed area and mobile DR, Height 6 feet Heavy Duty carriers Caster base design for stabilization and support. Opening allow easy passage for people and/or equipment Viewing panel made of lead glass thickness 0.5mm (width 2feet length 1.5 feet)
174.	Refill for Air freshener Dispenser	
175.	Reflex hammer	
176.	Refrigerator 08 Cft	
177.	Refrigerator 12Cft	
178.	Refrigerator 14Cft	
179.	Refrigerator 18Cft	
180.	Search Mirrors	
181.	Security Seal Plastic for Crash Cart	
182.	Shoe Cover Machine Automatic	
183.	Shoe Cover Machine Manual	
184.	Single use lock for crash cart	
185.	Soap 75 G	
186.	Sony roll (China)	
187.	Sony roll (Japan)	
188.	Split Air Conditioner (1 ton)	
189.	Split Air Conditioner (1.5 ton)	
190.	Split Air Conditioner (2 ton)	
191.	Split Air Conditioner (4 ton)	
192.	SPO2 Probe for Patient Monitor	
193.	SPO2 Probe for Patient Monitor Mindray	

194.	SPO2 Probe for Patient Monitor Nihon Kohden	
195.	SS Bowl 10"	
196.	SS Bowl 12"	
197.	SS Bowl 4"	
198.	SS Bowl 6"	
199.	SS Bowl 8"	
200.	Stand for white board	
201.	Steel Safe locker	
202.	Stethoscope (best quality)	Tube diameter: outer diameter 10mm, inner diameter 4.8mm. Tube length 560mm. Sensitivity from 3.2dB to 26dB in a range from 50 to 1000Hz
203.	Suction machine Low Duty	Compact, Lightweight and easily movable Single jar (autoclaveble) Overflow protection mechanism Bacterial Filter Spare jar Suction range up to 500 mmhg Desirable to have vacuum range indicator for pediatric Knob for adjustment of suction level and having gauge Flow rate 20 liter/min Should run on 220V. Battery operated (optional, with 4-hour backup) Oil free diaphragm Noise level not more than 60db.
204.	Surface disinfectant	Sodium Hypo Chloride 10 %
207.	Surgical scrub containing 4%	South Hypo Chioride 10 /6
205.	Chlorohexadine.	
	3	Flow Rate:
	Syringe Pump (USA/Europe/Japan)	05ml: 0-200ml/hr.
		10ml:0-300ml/hr.
		20ml:0-400ml/hr.
		30ml:0-500ml/hr.
		50ml:0-1200ml/hr.
206.		Purge:
		05ml: 0-200ml/hr.
		10ml:0-300ml/hr.
		20ml:0-400ml/hr.
		30ml:0-500ml/hr.
		50ml:0-1200ml/hr.

		Alarm system for
		Near empty, Low battery, KVO rate, Clutch
		open, Slider hook open,
		Clamp open alarm, Ac power Failure alarm
		Features:
		Temporary stopping, clear volume
		delivered, dosage setting mode, setting
		Menu, occlusion pressure controller with 3
		level programmable occlusion
		Pressure, bubble detector, self-test, small
		LCD screen. Volume accuracy 3%.
		Syringe size universal, compatible with all
		type and size of syringes.
		Parameters:
		220V, or DC 12V 1A, with battery option
		Battery backup 4 hour
207.	Thermal Gun	
208.	Thyroid Shields	
209.	Tissue Box Large (Rose pattel/Jasmin)	
210.	Toilet Paper Roll	
211.	Tool Box Empty Large	
212.	Tool Box Empty Small	
213.	Trash Bin Liner Bio Degradable Blue 18x27	
214.	Trash Bin Liner Bio Degradable Blue 32X 38	
215.	Trash Bin Liner Bio Degradable Blue 35X40	
216.	Trash Bin Liner Bio Degradable Red 32X 38	
217.	Trash Bin Liner Bio Degradable Red 18X27	
218.	Trash Bin Liner Bio Degradable Red 35X40	
219.	Trash Bin Liner Bio Degradable Yellow 32X 38	
220.	Trash Bin Liner Bio Degradable Yellow 35X40	
221.	Tri ball	
222.	Trimmer (Best Quality) Battery Operated	

223.	Trimmer (Best Quality) Chargable	
224.	Ultra sound Gel 5 liter can	
225.	Ultra-sonic nebulizer	Ultrasonic Frequency 1.7MHz +- 10%, Max nebulizing rate: ≥ 3mL/min, noise level should be less than 40 db
226.	Umbrella Hand Held	
227.	Umbrella Heavy Duty with Iron Stand	
228.	Urine Jug	
229.	Uriner	
230.	UV light	Air Purifier Germicidal LED light
231.	Vacuum Pump	
232.	Vein Viewer / Vein Finder	Light Type Near-infrared lightInfrared Wavelength 850 nmImage Resolution 720*480Visible Vein Size ≥ 1 mmAccuracy 0.25 mmDepth of VisibleVein ≤ 12 mm ,Best Projection Distance 200 ± 20 mm
233.	Voltage Converter 500 Watt (220v to 110v)	
234.	Wall clock medium size	
235.	Water Bucket 30 Liters	
236.	Water Dispenser hot and cold water with on bottle	
237.	Water purification tablets	
238.	weight scale (Digital)	
239.	Wrist Band for Patient Adult	
240.	Wrist Band for Patient Paeds	
241.	X-Ray Viewer Box 01 Film Size (14 x 17) China	
242.	X-Ray Viewer Box 01 Film Size (14 x 17) Local	
243.	X-Ray Viewer Box 02 Film Size (28 x 17) China	
244.	X-Ray Viewer Box 02 Film Size (28 x 17) Local	
245.	X-Ray Viewer Box 03 Film Size (42 x 17) China	
246.	X-Ray Viewer Box 03 Film Size (42 x 17) Local	
247.	X-Ray Viewer Box 04 Film Size (56 x 17) China	
248.	X-Ray Viewer Box 04 Film Size (56 x 17) Local	

BLACKLISTMENT OF DEFAULTED BIDDER/CONTRACTOR

Conditions for Blacklistment of Defaulted Bidder/Contractor under rule 44 of KPPRA Rules 2014

The following are the events which would lead to initiate (Rule 44 of KPPRA Rules 2014) blacklisting/debarment process;

- a. Consistent failure to provide satisfactory performances.
- b. Found involved in corrupt/fraudulent practices.
- c. Abandoned the place of work permanently

Conditions for debarment of Defaulted Bidder/Contractor

- Failure or refusal to;
- II. Accept Purchases Order / Services order terms;
- III. Make supplies as per specifications agreed:
- IV. Fulfill contractual obligations as per contract
- V. Non execution of work as per terms & condition of contract.
- VI. Any unethical or unlawful professional or business behavior detrimental to good conduct and integrity of the public procurement process.
- VII. Persistent and intentional violation of important conditions of contract.
- VIII. Non-adherence to quality specifications despite being importunately pointed out.
- IX. Security consideration of the State i.e., any action that jeopardizes the security of the State or good repute of the Peshawar Institute of Cardiology Peshawar.

Procedure for blacklistment and debarment

- 1. Competent authority of Peshawar Institute of Cardiology may on information, or on its own motion, issue show cause notice to the bidder.
- 2. The show because notice shall contain the statement of allegation against the Bidder.
- 3. The bidder will be given maximum of seven days to submit the written reply of the show cause notice.
- 4. In case the bidder fails to submit written reply within the requisite time, the competent authority may proceed forth with ex-parte against the bidder.
- 5. Direct to issue notice of personal hearing to the bidder/ authorized representative of the bidder and the competent authority shall decide the matter on the basis of available record and personal hearing, if availed.
- 6. The competent authority shall decide the matter within thirty days from the initiation of proceedings.
- 7. The order of competent authority shall be communicated to the bidder by indicating reasons.
- 8. The order past as above shall be duly conveyed to the PKPRA and defaulting bidder within three days of passing order.
- 9. The duration of debarment may vary up to five years depending upon the nature of violation.

REDRESSING OF GRIEVANCES

- a. The purchaser shall constitute a committee comprising of disagreed & notified by the competent authority proper powers and authorizations to address the complaints of bidders that may occur prior to the entry into force of the procurement contract.
- b. Any bidder feeling aggrieved by any act of the purchaser after the submission of his bid may lodge a written complaint concerning his grievances not later than 03 days after the announcement of the bid evaluation report.
- c. The grievance redressed Officer shall investigate and decide upon the complaint within 06 days of the receipt of the complaint. The report along with decision shall be forwarded to the purchaser officer within the prescribed period.
- d. Mere fact of lodging of a complaint shall not warrant suspension of the procurement process.
- e. Note: Grievance notified & designated who can invite appropriate official as co-opted member for grievance.

Purchase officer
PIC-MTI

AM Purchase PIC-MTI

Manager Material Management PIC-MTI

Bio-Medical Engineer PIC-MTI

Manager Facilities PIC-MTI

Director Finance PIC-MTI

Hospital Director PIC-MTI