



PESHAWAR INSTITUTE OF CARDIOLOGY MEDICAL TEACHING INSTITUTION

BID SOLICITATION DOCUMENTS FOR

MEDICAL NON-MEDICAL

**Framework Contract
FY2024-25**

REF: (PIC-078)

Sr#	Name of item	Bid Security (PKR)	Tender Process
1	Medical Non-Medical	300,000/-	Single Stage Single Envelope

Note: The prospective bidder is expected to examine the Bidding Documents carefully, including all Instructions, Terms & Conditions, and Specifications etc. Failure to furnish all information required by the Bidding documents or submission of a Bid not substantially responsive to the Bidding Documents in every respect would result in the rejection of the Bid.

TABLE OF CONTENTS

Introduction
Instruction To Bidders
Bid Data Sheet
General And Special Conditions of Contract
Language
Bid Security
Place And Time of Delivery
Inspection Of Goods on Delivery
Packaging
Performance Security/Guarantee
Bid Validity
Mandatory/ Qualification Criteria
Evaluation And Comparison of Bids
Obligations And Options in Case of Non-Fulfilment of Contractual Obligations by The Supplier
Disputes And Controversies/Dispute Resolution
Sub-Letting Contract
Bribes Commission Etc.
Termination
Force Majeure
Other Terms and Conditions
Delivery of items and Penalty
Award Of Contract
Payment
Applicable Laws
Bid Form and Price Schedule
Draft Contract Agreement
Undertaking On Bidder Letter Head
Statement Of Requirement with Specification
Blacklistment Of Defaulted Bidder
Condition For Debarment
Procedure For Blacklistment
Redressing Of Grievances

Introduction

Peshawar Institute of Cardiology PIC-MTI Peshawar located at 5-A, Sector B-3, Phase-V, Hayatabad, Peshawar, KP was established under Khyber Pakhtunkhwa Medical Teaching Institutions Reforms Act, 2015 to improve performance, enhance effectiveness, efficiency and responsiveness for the provision of quality healthcare services to the people of the Khyber Pakhtunkhwa,

Peshawar Institute of Cardiology PIC-MTI Peshawar invites Item wise sealed bids for each category (mentioned in Statement of Requirement below) from the eligible bidders for procurement of **“Medical Non-Medical”** through Open Competitive Bidding under rule 6(2) (a) **“Single Stage Single Envelope”** bidding procedures of Khyber Pakhtunkhwa Public Procurement Regulatory Authority (KPPRA) Rules 2014.

Description	Dates
Pre-bid meeting	Date: 02-05-2024 at 10:00 Hours
Tender Closing/Last submission	Date: 16-05-2024 at 11:00 Hours
Tender Opening	Date: 16-05-2024 at 11:30 Hours
Bid security (PKR)	300,000/-
Tender Process	Single Stage Single Envelope
Tender Validity/Prices Validity	30-06-2025.

INVITATION FOR BIDS

REF No. PIC-078

1. Peshawar Institute of Cardiology, Medical Teaching Institute (PIC-MTI) is the project of the Khyber Pakhtunkhwa (KP) Health Department to improve cardiac facilities in the public sector in the areas of research and treatment.
2. Peshawar Institute of Cardiology (PIC-MTI) invites sealed Bids from eligible bidder registered with FBR for Income Tax, Sales Tax, and reflected on Active Tax Payer (ATL) list of FBR for the Below mentioned Item. Detailed of items, specification, submission, Opening and method of evaluation is provided in bidding documents. Bid Security/earnest money is required to be submitted in shape of Call Deposit Receipt (CDR) from schedule bank of Pakistan in favour Hospital Director Peshawar Institute of Cardiology.

Sr#	Name of item	Tender Process	Bid Security (PKR)
1.	Stationary Items	Single Stage Single Envelope	100,000
2.	Printing For Hospital		300,000
3.	Medical Non-Medical		300,000
4.	Bedding Clothing		100,000
5.	Laundry Consumables		200,000
6.	IT Accessories		300,000
7.	Refilling of Toners		100,000
8.	Medical Gases Accessories		100,000
9.	Hardware, Sanatory & Civil works		200,000
10.	Electrical Items		200,000
11.	Ventilator Parts and Consumable		100,000
12.	CSSD Consumables		100,000
13.	HVAC Parts & Consumables		200,000
14.	CSSD items and Spare Parts for Boiler		100,000
15.	Office Furniture		200,000

3. Only typed bids on original letter pad, sealed & signed shall be submitted, hand written tender shall not be acceptable. The tenders must be according to hospital specification; alternate rates will not be acceptable.
4. Income Tax, stamp duty, and Professional Tax or any other Government tax will be charged as per rules. (However, PIC-MTI, Peshawar is exempted from the General Sales Tax).
5. A complete set of Standard Bidding Document may be downloaded by interested Bidder from websites of Peshawar Institute of Cardiology (PIC-MTI) (<https://pic.edu.pk/tenders>) after publication of this advertisement in the newspaper till last day for submission of Bid.
6. Procurements will be carried out as per Act and Rules of Khyber Pakhtunkhwa Public Procurement Regulatory Authority (KPPRA).
7. A bid accompanied by Pay Order (PO) shall be rejected.

8. A Pre-Bid Meeting will be held on **May 02nd, 2024 at 10:00 AM (PST)** at the office of the Manager Material Management, 1st Floor, OPD Building, of Peshawar Institute of Cardiology (PIC-MTI). Prospective Bidder are encouraged to attend the meeting.
9. Bids are to be delivered to the office of the Manager Material Management, 1st Floor, OPD Building, of Peshawar Institute of Cardiology (PIC-MTI) on or before **May 16th, 2024 at 11:00 AM (PST)**.
10. Bids shall be opened on the **same day at 11:30 AM (PST)** in the presence of bidders who choose to attend.
11. The advertisement is also available both on the websites of Peshawar Institute of Cardiology (PIC- MTI) (<https://pic.edu.pk/tenders>) and KPPRA (<http://kppra.gov.pk>).
12. Peshawar Institute of Cardiology (PIC-MTI) reserves the right to cancel any or all bids by assigning cogent reason under Rule 47 Khyber Pakhtunkhwa public procurement Regulatory Authority.

Hospital Director
Peshawar Institute of Cardiology (PIC-MTI)
5-A, Sector B-3, Phase-V, Hayatabad, Peshawar,
Ph: +92 91 9219645.

1. Instructions To Bidders

- 1.1. This Bidding procedure will be conducted in light of Framework Contract (Rule 31-A) of Khyber Pakhtunkhwa Public Procurement Regulatory Authority (KPPRA) Rules 2014/2022.
- 1.2. The rate shall be considered for Peshawar Institute of Cardiology PIC-MTI Peshawar
- 1.3. Bid complete in all respect must reach the undersigned by **11:00 hours on 16-05-2024** which will be opened at **11:30 hours** on the same day in the office of Manager Material Management, 1st floor, OPD block, in the presence of the procurement committee and the bidders / representatives who choose to be present.
- 1.4. Each Bidder SHALL write the name of the quoted brand along with complete specifications.
- 1.5. All the bidders are required to provide annexure wise complete requisite documents with page marking.
- 1.6. All prices quoted must be in Pak Rupees (PKR) and should include all applicable taxes. If not specifically mentioned in the Quotation, it will be presumed that the prices include all the taxes (This hospital is exempted from General Sales Tax under Section 2(36) of the Income Tax Ordinance, 2001).
- 1.7. If any of the bidder requires any clarification regarding specification, Size, quality, or any other query, he may visit MMD(PIC), 1st floor, OPD block, during working hours till deadline for submission of the bids.
- 1.8. Bidders should be financially sound and have proper office, telephone number and fax number in Khyber Pakhtunkhwa.
- 1.9. Bidders are essentially required to provide correct and latest postal/email/web addresses, phone/mobile/fax numbers for actively and timely communication.
- 1.10. The Bidder may after its submission withdraw its bid prior to the expiry of the deadline prescribed for submission of bids. Withdrawn bids will be returned unopened to the Bidders.
- 1.11. The bidder must submit one original in hard tap binding form.
- 1.12. Any bid not received as per terms and conditions laid down in this document is liable to be ignored. No offer shall be considered if:
 - a. Received without bid security as mentioned in BSD.
 - b. Received after the date and time fixed for its receipt;
 - c. The tender document and the bid unsigned;
 - d. The offer is ambiguous;
 - e. The offer is conditional;
 - f. The bidder is from blacklisted firm in any Federal / Provincial Govt. Deptt:
- 1.13. Usage of correction fluid & corrections will not be considered unless duly signed by the authorize person.

- 1.14. Joint venture / consortium is not eligible for this tender.
- 1.15. In case of Bid Tie, the contract will be awarded to the firm provide the better Quality.
- 1.16. Bidders are required to clearly mark on the envelop as Bid for “**Medical Non-Medical (PIC-078)**”.
- 1.17. Any direct or indirect effort by a bidding firm to influence this institution during the process of selection of a bidder or award of contract may besides rejection of its bid result into its disqualification from participation in the PIC future bids.
- 1.18. Competent Authority reserves the right to reject any or all the bids as per provisions contained in Rule 47 of KPPRA Rules 2014/2022.

Bid Data Sheet

DATA SHEET		
Sr.No	Introduction/Description	Detail
I.	Name of Procuring Agency of Government of Khyber Pakhtunkhwa.	Peshawar Institute of Cardiology, Medical Teaching Institution Peshawar.
II.	Loan or credit or Project allocation number. Loan or credit or Project allocation amount.	Budget Allocated by Government Khyber Pakhtunkhwa to Peshawar Institute of Cardiology.
III.	Name of Project.	“Rate Contracting /Framework Of Medical Non-Medical (PIC-078/FY2024-25)
IV.	Name of Contract.	“Rate Contracting /Framework Of Medical Non-Medical (PIC-078/FY2024-25)
V.	Name of Procuring agency.	Peshawar Institute of Cardiology, Medical Teaching Institution Peshawar.
VI.	Procuring agency’s address, telephone, telex, and facsimile numbers.	Peshawar Institute of Cardiology - MTI Plot No.5-A, Sector B-3, Phase-V, Hayatabad, Peshawar – Pakistan Email: murtaza.ahmad@pic.edu.pk Phone # (091) 9219641
VII.	Language of the bid.	English
BID PRICE AND CURRENCY		
I.	The price quoted shall be	DDP (Included all applicable taxes.) Including Transportation, Loading Unloading etc.
II.	The Price shall be fixed	The price shall be fixed and valid till 30 th June 2025 and may be extended with mutual consent.
	GST Exemption (PIC-MTI)	PIC-MTI has got the approval as Charitable Institution under Section 2(36) of the Income Tax Ordinance, 2001. Hence, with reference to Section 13(1) of the Sales Tax Act, 1990, “Supply of Goods specified in the sixth Schedule shall be exempt from Sales Tax. (Clause 166 of Table-1 of 6th Schedule) The prices quoted by the bidder shall be inclusive of all applicable duties and taxes. The Income Tax, stamp duty and Professional Tax or any other Government tax will be charged as per rules. (However, this hospital is exempted from the General Sales Tax)

PREPARATION AND SUBMISSION OF BIDS		
I.	Qualification requirements.	AS mentioned in Qualification/Eligibility /Mandatory Criteria
II.	Qualification Criteria	Contract will be awarded to bidder who qualified in Mandatory Criteria and Offer Lowest price.
III.	Amount of bid security.	Rs. 300,000/- to be submitted in favor of Hospital Director Peshawar Institute of Cardiology (PIC-MTI) Note: The Bid security shall be from bank account of the bidder. Ordinary cheque and Payment Order (PO) in the form of bid security will result in bid rejection summarily.
IV.	Bid validity period.	120 days from the date of opening of bids
V.	Number of copies.	One (original bid) in hard tap binding
VI.	Address for bid submission.	Office of the Manager Material Management, 1st Floor, OPD Building, of Peshawar Institute of Cardiology (PIC-MTI). Plot No.5-A, Sector B-3, Phase-V, Hayatabad, Peshawar – Pakistan
VII.	IFB title and number.	“Rate Contracting /Framework Of Medical Non-Medical (PIC-078/FY2024-25)
VIII.	Pre-Bid meeting with the bidders	02 nd May 2024 at 10:00 hours in Material Management Department Peshawar Institute of Cardiology.
IX.	Deadline for bid submission.	16 th May 2024 11:00 hours Sharp.
X.	Date, Time and place for bid opening.	16 th May 2024 11:30 hours Sharp. Material Management Department Peshawar Institute of Cardiology

2. General And Special Conditions of Contract

2.1. Language

All communications and documentations related to procurements shall be in English.

2.2. Bid Security

- I. Bid security shall be submitted to the amount of PKR 300,000/- in shape of Call Deposit Receipt (CDR) from schedule bank of Pakistan, excluding microfinance banks, in favor of “Hospital Director Peshawar Institute of Cardiology PIC MTI”. A bid accompanied by Ordinary Cheque/Pay Order (PO) shall be rejected as non-responsive.
- II. Bid Security of the unsuccessful bidders shall be released as promptly as possible upon the successful Bidder’s signing of Contract Agreement;
- III. The bid security of the successful bidder shall be considered as the performance security till the validity of tender/contract.

2.3. The Bid security shall be forfeited:

- i. If a bidder withdraws his bid during the period of bid validity; or
- ii. In the case of a successful bidder, if he fails to:
 - a. Sign the contract agreement, in accordance with Para below.
 - b. supply of goods as per purchase order.
 - c. commits any breach of the Contract Agreement

2.4. Place of Delivery

The Bidder shall be solely responsible for transportation, loading, unloading and staking of the supplied items, till Peshawar Institute of Cardiology PIC-MTI.

2.5. Inspection Of Goods on Delivery

Before payment, the concerned Department of PIC-MTI shall inspect the delivered material for meeting the quality and quantity against the prescribed specification. Any payment shall be processed after satisfactory assessment/inspection and acceptance by the Concerned Department.

2.6. Defects:

All defects in material/defective items will be corrected/replaced without any cost to the PIC-MTI within 07 days from the date of notice by the PIC-MTI.

2.7. Packaging

The Bidder shall provide such packing of the Equipment as is required to prevent their damage or deterioration during transit to their final destination. Packing case size and weights shall take into consideration, where appropriate, the remoteness of the

Equipment's final destination and the absence of heavy handling facilities at all points in transit.

2.8. Performance Security: -

- i. The bid security shall be retained till the closing of the contract period i.e., 30-06-2025, however no performance security shall be sought from the successful bidders. However, if contract extend then the bid security shall be valid up to extendable period.
- ii. The Bid Security as a performance Security may be forfeited if the Supplier/Vendor fails to deliver or supply goods/Services in accordance with the terms and conditions of the Purchase Order or commits any breach of the Contract Agreement.

2.9. Bid Validity:

- i. The bids should be valid for a period of 120 days.
- ii. In exceptional circumstances, PIC Hospital may solicit the Bidder's consent to an extension of the period of validity reasons shall be recorded in writing. The request and the responses there to shall be made in writing. The bid security provided shall also besuitably extended. A Bidder may refuse the request without forfeiting its bid security. A Bidder granting the request will not be required nor permitted to modify its bid, except as provided in the bidding document.

3. Qualification/Eligibility /Mandatory Criteria

Bidders must give compliance to the below mentioned clauses as these are mandatory to being Eligible for the bidding process. Relevant certificates / documents must be attached.

S #	Description	Remarks
	Knock Out Clauses	YES/NO
1.	The bidder shall be Registered with FBR for Income Tax and Sales Tax and reflected on ActiveTax Payer List (ATL); (Provide copy of relevant certificates)	Mandatory
2.	Manufacturer / Authorized Dealer / Importer / General Order Supplier Valid Copy of relevant document Must be attached)	Mandatory
3.	The bidder/firm must have supplied the relevant items to at least three (03) Institutions/Organizations/hospitals in last Five (05) years Note: Bidder Must attached Purchase Orders/ of Government/Semi Government/Renowned Private Hospitals/organization)	Mandatory
4.	Submission of undertaking on legal valid and attested stamp paper that the firm is NOT BLACKLISTED by any of Provincial or Federal Government Department, Agency, Organization or autonomous body anywhere in Pakistan.	Mandatory
5.	Undertaking on Bidder Letter Head as provided in Annexure -C	Mandatory
6.	Bid security Shall be attached as mentioned in the advertisement/BSD	Mandatory

4. Evaluation And Comparison of Bids

- 4.1. The Department will evaluate and compare the bids which have been determined to be substantially responsive (Eligibility Criteria).
- 4.2. Bids shall be evaluated against the given specifications and other terms & conditions mentioned in the Bid Solicitation Documents.
- 4.3. After preliminary examination, the responsive bidder(s) will be asked to provide the samples (Where required) of their quoted items and the same will be inspected/approved by the Sample Evaluation committee including technical members, if rejected by the committee the order will be placed to the next responsive bidder.
- 4.4. Rates of those items will be considered for comparisons which are approved by the procurement committee.
- 4.5. The Lowest Offer will be accepted, meeting the Specification / quality needs and ensuring value for money.
- 4.6. All the bidders will strictly follow the rate form attached as “**Annexed-A**”

5. Obligations And Options in Case of Nonfulfillment of Contractual Obligations by The Supplier

- a. The supplier shall perform services in accordance with recognized standards, applicable laws and regulations.
- b. The suppliers shall appoint a focal person who shall coordinate with PIC-MTI at all times during the execution of the project/Contract.
- c. The supplier shall carry out the services/Supplies with due diligence and efficiency and in conformity with sound practices.
- d. The supplier shall act at all times so as to protect the interests of the PIC-MTI and shall take all reasonable steps to keep all expenses to a minimum consistent with sound economic and other practices. The supplier shall furnish the PIC-MTI such information relating to the Services as the Client may from time-to-time reasonably request.
- e. Except with the prior written approval of the PIC-MTI, the supplier shall not assign or transfer the Agreement for Goods or any part thereof nor engage any other independent supplier or sub-contractor to perform any part of the services/Goods without prior consent of the service providers
- f. The supplier agrees that no proprietary and confidential information received by the supplier from the PIC-MTI shall be disclosed to a third party unless the supplier receives a written permission from the PIC-MTI to do so.
- g. Procuring entity may take any of the following actions if after the placement of the Purchase Order the supplier fails to deliver the goods within the prescribed period, according to the specifications, quantities and other terms and conditions given in the Purchase Order/Contract agreement: -
 - i. Purchase from any other source, at the risk and cost of the supplier, the goods not delivered or other goods of equivalent specifications, without canceling the Purchase Order/contract agreement;
 - ii. Cancel the Purchase Order/contract agreement at supplier's risk and cost. In such case, PIC-MTI reserves the right to take any action against supplier which it may deem fit under the circumstances including the blacklisting of the supplier;
 - iii. or recover any consequential losses/damages incurred by procuring entity by withholding any or all amounts otherwise due to the supplier against this or any other Purchase Order/ Contract.

6. Disputes And Controversies/Dispute Resolution

- i. PIC-MTI shall constitute a Committee consisting of odd number of persons with proper powers and authorizations to redress complaints of bidders that may arise prior to issuance of Purchase Order/contract agreement, in accordance with the KPP Redressal Rules 2014.
- ii. If a bidder is not satisfied with the decision of the Committee, he may take recourse to the KPPRA.
- iii. The mere fact of lodging a complaint shall not warrant suspension of procurement process.
- iv. Any dispute or difference arising out of the Agreement which cannot be amicably settled between the Parties, shall be finally settled by KPPRA whose decision will be final and binding on both the parties

7. Sub-Letting Contract

The supplier shall not sub-let or assign this Contract or any part thereof without the written permission of the procuring entity. In the event of the Service/Goods subletting or assigning this Contract or any part thereof without such permission, the procuring entity shall be entitled to cancel the Contract and to purchase the goods elsewhere on the supplier's account and risk and the supplier shall be liable for any loss or damage which the procuring entity may sustain in consequence of arising out of such purchase.

8. Bribes Commission Etc.

Any bribe, commission, gift or advantage given, promised or offered by or on behalf of the Contractor/Supplier or his partner, agent or servant, or any one on his or their behalf to any officer, servant, representative or agent of the procuring entity or any person on its behalf in relation to the obtaining or to the execution of this or any other contract with the procuring entity, shall in addition to any criminal liability which he may incur, subject the contractor/Supplier to cancellation of this and all other Contracts and also to payments of any loss or damage resulting from such cancellation to the like extent as is provided in cases of cancellation hereof; and the procuring entity shall be entitled to deduct the amounts so payable from any moneys, otherwise due to the supplier under this or any other Contract. Any question or dispute as to the commission of any offence under this clause shall be settled by the procuring entity in such manner as it shall think fit and sufficient, and its decision shall be final and conclusive.

9. Termination

The Agreement shall terminate when, pursuant to the provisions hereof, the Services/Goods have been completed and full and final payment has been made.

9.1. Termination by the Client

The Client may, by a written notice of thirty (30) days to the supplier, terminate this Agreement. All accounts between the Client and the Service provider/Supplier shall be settled not later than sixty (60) days of the date of such termination.

9.2. Termination by the Supplier

The supplier may suspend the Agreement by a written notice of thirty (30) days only if the supplier does not receive payments due under this Agreement.

10. Force Majeure

The term "Force Majeure" as employed herein shall mean acts of God, strikes, lockout or other industrial disturbances, acts of public enemy, wars, blockades, insurrection, riots, epidemics, landslides, earthquakes, storms, lightning, floods, washouts, civil disturbances, explosions and any other similar events, not within the control of either Party and which by the exercise of due diligence neither Party is able to overcome. If either Party is temporarily unable by reason of Force Majeure to meet any of its obligations under the Agreement, and if such Party gives to the other Party written notice, of the event within fifteen (15) days after its occurrence, such obligations of the Party, as it is unable to perform by reason of the event, shall be suspended for as long as the inability continues. Neither Party shall be liable to the other Party for loss or damage sustained by such other Party arising from any event referred to as Force Majeure or delays arising from such event. Force Majeure shall not include insufficiency of funds or failure to make any payment required under the Agreement.

11. Other Terms & Conditions of The Market

- 11.1. This Bidding procedure will be conducted in light of Framework Contract (Rule 31-A) of Khyber Pakhtunkhwa Public Procurement Regulatory Authority (KPPRA) Rules 2014.
- 11.2. All the bidders will strictly follow the rate form attached as “**Annexed-A**”
- 11.3. Contracts shall be confirmed through a written agreement signed between successful bidder and the PIC-MTI Peshawar (**Draft attached as “Annex-B”**)
- 11.4. All the bidders will sign on Bidder Letter Head attached as “**Annex-C**”
- 11.5. Due to framework contract rate quoted by the bidder shall be valid till. June 30th 2025.
However extendable for three (03) to Six (06) months or earlier till the finalization of new contract on mutual consent of both parties.
- 11.6. In case of a successful bidder, who repudiates the contract or fails to furnish performance and as the case may be shall proceed for blacklisting and the supply order will be placed to the Next Successful Bidder or from the alternative sources at the cost/risk of the concerned firm.
- 11.7. Bidders are advised in their best interest to maintain the required quality and not to quote for counterfeited or sub-standard items, as the inspection committee will ensure the quality of products at the time of supply of items.
- 11.8. If any of the given specifications/parameters does not meet the required specifications, their

offer will not be considered and shall summarily be rejected by PIC-MTI Peshawar.

- 11.9. In case of repeated failure or non-supply the PIC-MTI Peshawar reserves the right to forfeit the bid security and may proceed for debarment / blacklisting.
- 11.10. Each Items supplied shall strictly conform to the Schedule of Requirements and to the Technical Specifications prescribed by the PIC-MTI Peshawar against each item.
- 11.11. The Unit Cost agreed in the Price Schedule (Rate Form), is inclusive of all taxation and costs associated with transportation and other agreed incidental costs.
- 11.12. All clauses mentioned in Draft Contract Agreement (Annexure-B) shall be considered as part of this BSD.
- 11.13. If the successful firm fails / delays in performance of any of the obligations, under the Contract / Letter of Award, violates any of the provisions of the Contract / Letter of Award, commits breach of any of the terms and conditions of the Contract / Letter of Award or found to have engaged in corrupt or fraudulent practices in competing for the award of contract / Letter of Award or during the execution of the contract / Letter of Award, the institution may without prejudice to any other right of action / remedy it may have, blacklist the bidder, either indefinitely or for a stated period, for future tenders in public sector, as per provision of KP Procurement Rules, 2014.

12. Delivery Of Items & Penalty

- a. The schedule for supply of goods shall be as under:
 - i. Within 30 days from the date of issuance of supply order by the Purchasing Agency for items to be locally available
 - ii. Within 90 days from the date of issuance of supply order by the Purchasing Agency for items to be imported. (BL bill of lading should be attached)
- b. The Penalty on late supply of goods shall be charged as under
 - i. Penalty @2% For Late Supply within 15 Days from due date of delivery.
 - ii. Penalty @ 5% For Late Supply within 16-30 Days from due date of delivery.
 - iii. Penalty @ 10% For Late Supply beyond 30 Days from the due date of delivery.

13. Award Of Contract:

Contracts shall be confirmed through a written agreement signed between successful bidder and the Peshawar Institute of Cardiology MTI Peshawar attached as “Annex-B”.

14. Signing of the Contract Agreement

The successful bidder shall receive an invitation in form of Letter of Award from Peshawar Institute of Cardiology PIC-MTI with the aim to sign an Agreement for Required items as defined.

The successful bidder within Fourteen days (14) days of receipt of Letter of Award will sign the agreement however, bid security shall not be release and shall be consider as a Performance Security till duration of contract.

15. Payment:

15.1. No advance payment will be permissible.

15.2. Payment shall be made on production of the following documents:

- i. The payment will be made after successful supply, installation and inspection of all requisite items.
- ii. The Supplier/Vendor submits manually signed invoice in triplicate certifying that merchandise supplied is in accordance with the contract. The invoice must show the Purchase Order No.____, and Date_____
- iii. Material/Deliverables Receiving Report (in original) signed by the Authorized Representative of Procuring entity in acknowledgement of having received all supplies/deliverables in accordance with the Purchase Order/Contract Agreement.
- iv. Authenticated sales tax invoice in original as prescribed in the Sales Tax Act 1990 (where applicable).
- v. Valid Income Tax Exemption Certificate (otherwise Income Tax at) current applicable rates shall be deducted from the invoice). (Where applicable)
- vi. National Tax Number.
- vii. Sales Tax Registration Number.
- viii. Valid Professional Tax Certificate
- ix. Khyber Pakhtunkhwa Revenue Authority Certificate (for Services only)
- x. Recovery of all applicable taxes at source should be made as per rules

16. Applicable laws

This Agreement shall, in all respects, be read and construed and shall operate in conformity with the KPPRA Act 2012 and KPP Rules 2014.

Bid Form and Price Schedules**Price Schedule in Pak. Rupees (including all applicable taxes)**

The prices quoted by the bidder shall be inclusive of all applicable duties and taxes. The Income Tax, stamp duty and Professional Tax or any other Government tax will be charged as per rules. (However, this hospital is exempted from the General Sales Tax)

Note: - All the bidders are required to follow the following pattern while preparing financial bids.

Name of Bidder _____ PIC-078

S. No	Hospital Item Description	Firm's Item Description/Specification	Brand Name	UOM (Unit of measurement)	Unit price DDP (PKR) Inclusive of all Taxes (Without GST)

Signature of Bidder _____

Note: In case of discrepancy between unit price and total, the unit price shall prevail.

(DRAFT)
AGREEMENT DEED

FOR PROCUREMENT GOODS THROUGH FRAME WORK AGREEMENT

THIS AGREEMENT DEED is made on this day of () and made effective with effect from () by and between, and this agreement will be valid till 30-06-2025

Peshawar Institute of Cardiology, Medical Teaching Institute, Peshawar
situated at Phase-V, Hayatabad, Peshawar
through its Hospital Director
(Hereinafter referred to as ‘**First Party**’ which expression shall unless repugnant to the context mean and include its heirs, executors, administrators, successors and assigns)

And

M/S _____
(Hereinafter referred to as ‘**Second Party**’ which expression shall unless repugnant to the context mean and include its heirs, executors, administrators, successors and assigns).

(Both the above hereinafter collectively referred to as ‘**Parties**’)

WHEREAS the Second Party has agreed to supply Medical Non-Medical” PIC-078 (hereinafter referred as ‘Goods’) out of the fresh stock to the First Party on the following terms and conditions:

NOW THIS AGREEMENT TO BE WITNESS AS FOLLOWS:

1. The following documents shall be deemed to form and be read and construed as part of this agreement, viz
 - Award Letter
 - Financial Quotation
 - Bid Solicitation Documents (BSD) (Final)
 - Winning items list

DEFINITIONS:

- a. ‘**Consideration**’ means the price payable to the Second Party by the First Party under this Agreement Deed for the full and proper performance of its contractual obligations.
- b. ‘**Equipment**’ means all of the equipment, machinery, and/or other materials which the Second Party is required to supply to the First Party under this Agreement Deed.

- c. **‘Services’** means those services ancillary to the supply of the Equipment, such as transportation and insurance, and any other incidental services, such as installation, commissioning, provision of technical assistance, training, and other such obligations of the Second Party.
- d. **‘Project Site’** where applicable, means the place or places named in this Agreement Deed.
- e. **‘Day’** means a calendar day.
- f. **‘Corrupt Practice’** means the offering, giving, receiving or soliciting of anything of value to influence the action of a public official in the procurement process or in contract execution.
- g. **‘Fraudulent Practice’** means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of the Borrower, and includes collusive practice among Bidders (prior to or after bid submission) designed to establish bid prices at artificial non-competitive levels and to deprive the Borrower of the benefits of free and open competition.
- h. **‘Force Majeure’** means an event beyond the control of the Parties and not involving the Parties fault or negligence and not foreseeable. Such events may include, but are not restricted to, acts of the First Party in its sovereign capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions, and freight embargoes.

TERMS AND CONDITIONS:

1. The Contract Agreement is made in light of Framework Contract (Rule31-A) of Khyber Pakhtunkhwa Public Procurement Regulatory Authority (KPPRA) Rules 2014
2. **Due to framework contract rate quoted by the bidder shall be valid till June 30th 2025.
However extendable for three (03) to Six (06) months or earlier till the finalization of new contract on mutual consent of both parties.**
3. Second Party shall deliver and install the Equipment/Goods at the premises and precincts of Peshawar Institute of Cardiology.
4. The specification, quality, quantity of goods shall be in conformity to purchase orders, which shall be made part of this Agreement Deed. The Second Party shall include the ancillary Services attached with the Equipment/Goods.
5. The Equipment/goods supplied under this Agreement Deed shall conform to the standards mentioned in the Technical Specifications, and, when no applicable standard is mentioned, it shall conform to the authoritative standards appropriate to the Equipment’s country of origin. Such standards shall be the latest issued by the concerned institution.

6. The second party shall provide exactly the same item as per approved sample from First Party.
7. Any increase in quoted prices, until this contract validity, from Second Party will not be acceptable to First Party.
8. The Second Party will be liable to complete the supply within stipulated time limit i.e., 30 days after the issuance of the Purchase order and will be according to following schedule
 - a. Within 30 days from the date of issuance of supply order by the Purchasing Agency for items to be locally available
 - b. Within 90 days from the date of issuance of supply order by the Purchasing Agency for items to be imported. (BL - bill of lading should be attached)
9. The Second Party will liable to complete the supply within stipulated time limit by confirming quality, quantity and timeline up to the entire satisfaction of First Party.
10. The Second Party warrants that the Equipment/Goods supplied under this Agreement Deed are brand new, unused, of the most recent or current models and that they incorporate all recent improvements in design and materials unless provided otherwise in this Agreement Deed. The Second Party further warrants that all Equipment supplied under this Agreement Deed shall have no defect, arising from design, materials, or workmanship (except when the design and/or material is required by the First Party specifications) or from any act or omission of the Second party, that may develop under normal use of the supplied Equipment in the conditions prevailing in the country of First Party.
11. The First Party shall promptly notify the Second Party in writing of any claims arising under this warranty.
12. The First Party, without prejudice to any other remedy for breach of Contract, by written notice of default sent to the Second party, may terminate this Agreement Deed in whole or in part:
 - a. if the Second Party fails to deliver any or all of the Equipment/Goods within the period(s) specified in this Agreement Deed, or within any extension thereof granted by the First Party; or
 - b. if the Second Party fails to perform any other obligation(s) under this Agreement Deed.
 - c. if the Second Party, in the judgment of the First Party has engaged in corrupt or fraudulent practices in competing for or in executing this Agreement Deed.
13. In case the Second Party failed to complete the supply till the due date i.e. 30 days from Issuance of the purchase order, a penalty as per detail below will be charged from the Second Party;

- a. Penalty @ 2% for Late Supply within 15 Days from due date of delivery.
 - b. Penalty @ 5% For Late Supply within 16-30 Days from due date of delivery.
 - c. Penalty @ 10% For Late Supply beyond 30 Days from the due date of delivery.
14. The Second Party shall be responsible for the transportation of the Equipment/Goods and the transportation charges incurred thereof. The Second Party shall complete the supply and installation of goods within the stipulated period as mentioned in the supply order (Imported Items) from the date of execution of this agreement or as extended or reduced by the First Party. In case of failure of Second Party to supply the goods within the stipulated period, the First Party will be at liberty to make an alternate arrangement at the risk and cost of Second Party and the Second Party shall be liable to pay the entire cost/amount to the alternate supplier according to the demand of the First Party. In the event of commuting a default the First Party will be at liberty to take any civil/criminal legal action against the Second Party in accordance with law.
15. The Second Party shall be responsible for any defect in goods or supply of goods. The entire goods will be free of any charges and encumbrance of what so nature and the First Party or its agent will be authorized at all reasonable time to view, check and examine the conditions of the supplied Equipment/goods.
16. Upon demand made by the First Party at any time or from time to time, to execute all such instruments, deeds or documents which the First Party may in its sole discretion require, the Second Party will do the needful.
17. The First Party will be furnishing all such information as the Second Party may at any time or from time to time required relating to the position of goods and pecuniary liability of the First Party or otherwise whatever.
18. The Second Party shall not, without the prior written consent of First party, disclose this Agreement Deed, or any provision thereof, or any specification, plan, drawing, pattern, sample, or information furnished by or on behalf of the First Party in connection therewith, to any person other than a person employed by the Second Party in the performance of this Agreement Deed. Disclosure to any such employed person shall be made in confidence and shall extend only as far as may be necessary for purposes of such performance.
19. The Second Party shall provide such packing of the Equipment/goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in the Agreement Deed. The packing shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packing case size and weights shall take into consideration, where appropriate, the remoteness of the Equipment's final destination and the absence of heavy handling facilities at all points in transit.
20. The packing, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Agreement Deed, including additional requirements, if any, and in any subsequent instructions ordered by the First Party.

21. The First Party will be at liberty, at all times and shall have the right to return the Equipment, provided/delivered by the Second Party with regard to quality, quantity, value or otherwise fitness for use. Notwithstanding anything contained hereinabove, it is hereby agreed by both Parties that the First Party at all times be at liberty and shall have the right to cancel or reduce the quantity, without assigning any reason.
22. The amount of performance security, as a percentage of the Contract Price, shall Not Be Required. However, the bid security of Rs. 300,000/- received at the time of bids submission shall be retained by Peshawar Institute of Cardiology as Performance Security till the end of contract period and will be released back to successful bidders after the expiry of contract period, subject to the condition that all contractual obligations related to supplies are fulfilled.
23. The Second Party shall not be liable for forfeiture of its performance security, liquidated damages, or termination for default if and to the extent that its delay in performance or other failure to perform its obligations under this Agreement Deed is the result of an event of Force Majeure.

If a Force Majeure situation arises, the Second Party shall promptly notify the First Party in writing of such condition and the cause thereof. Unless otherwise directed by the First Party in writing, the second Party shall continue to perform its obligations under this Agreement Deed as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the Force Majeure event.
24. Any notice given by one party to the other pursuant to this Agreement Deed shall be sent to the other party in writing or by cable, telex, or facsimile and confirmed in writing to the other party's address specified in contract.
25. A notice shall be effective when dispatched on the given address of the Parties in this Agreement Deed via above means.
26. Payment to the Second Party shall be on presenting a bill in the shape of summary duly verified by Finance Department. The bill shall be counter verified from the end using department before clearance. Demand in violation of this clause of agreement may lead to imposition of reasonable amount of fine.
27. The Equipment/goods shall be open to inspection at all times during the agreement period. The inspection shall be carried out by a representative from purchase, legal, quality control, finance or end using department.
28. Besides the above conditions the Second Party shall be bound to fulfill the defacing if found at any time and for the purpose shall be ready to sign and execute a fresh agreement if needed.
29. Each Clause of this Agreement Deed shall be and remain separate from and independent of and severable from all and any other Clauses herein except where otherwise indicated by the context of this Agreement Deed. The decision or declaration that one or more of the Clauses are null and void shall have no effect on the remaining Clauses of this Agreement Deed.

30. In the event of any difference or dispute arising between the Parties or their representative agents regarding rights and liabilities of the parties or any other matter relating to this Agreement Deed may be referred to the Board of Governors of the First Party and their decision will be final in all aspects and the Second Party warrants to abide by the decision of the Board of Governors of the First Party and will be bound by the decisions.
31. This Agreement Deed may be reviewed at any stage with mutual consultation of both Parties, if required. All amendments or addition to this Agreement Deed must be in writing and signed by both Parties through addendum to this Agreement. No amendment of any provision of this Agreement Deed shall be valid unless the same shall be in writing and signed by the Parties
32. The validity, interpretation, construction and performance of this Agreement Deed shall be governed by the Laws of Khyber Pakhtunkhwa in Pakistan. This Agreement Deed shall be interpreted with all necessary changes in gender and in number as the context may require and shall convey to the benefit of and be binding upon the respective successors and assigns of the parties hereto.
33. **IN WITNESS WHEREOF** the Parties mentioned above have carefully pursued the terms and condition embodied in this Agreement Deed and have executed the same, setting their signatures below, on the date and place mentioned above.

Hospital Director
Peshawar Institute of Cardiology
For & On Behalf of First Party

[Mention Name]
[Designation]
M/S (Provide Name)

WITNESSES

FOR FIRST PARTY

No.1.: _____
Name _____
C.N.I.C No.: _____
Contact No.: _____

No.2.: _____
Name _____
C.N.I.C No.: _____
Contact No.: _____

FOR SECOND PARTY

No.1.: _____
Name _____
C.N.I.C No.: _____
Contact No.: _____

No.2.: _____
Name _____
C.N.I.C No.: _____
Contact No.: _____

UNDERTAKING ON BIDDERS LETTER HEAD




Important Note:





All the bidders must submit this undertaking on their company letter head attached with technical bid at the time of bid submission on the following format.




1. I, _____ Owners / Director / Legal Attorney / Accredited representative of M/s _____, solemnly declare that,
2. M/s _____ have read the contents of the Bidding Document and have fully understood it.
3. That the financial instruments, statements of facts, data and documents being submitted by M/s _____ for the Tender vide PIC-078 dated _____ are true, genuine and correct.
4. Undertakes that information being submitted is correct and true, and that any false information shall lead to disqualification at any stage.
5. M/s _____ is not blacklisted by any of Provincial or Federal Government Department, Agency, Organization or autonomous body anywhere in Pakistan.
6. Bid Security (in original) is placed in the financial bid.
7. In case we fail to comply any of the aforesaid conditions or the documents submitted by M/s _____ is found false/forged, our tender will be cancelled forfeiting the Bid Security amount and debarring us from participation in future tenders of Medical Teaching Institution PIC, Khyber Pakhtunkhwa, for a period of one year.





Signature with Seal of the Deponent (bidder)






STATEMENT OF REQUIREMENT WITH SPECIFICATION



S #	ITEMS DESCRIPTION	
Medical Accessories		
1.	Adult wrist band (roles of 100)	
2.	Ankle and Wrist Sand Bags weight (Tone Fitness)	
3.	Back Care Support Molty Foam	
4.	Back Care Support Simple Mesh	
5.	Rechargeable AAA Battery (Ni-mh AAA 800mah 4.8v)	
6.	Battery for Ventilator (4200mah) 12volt 4400mah	
7.	Battery Charger for AAA /AA Cells	
8.	Blade For Clipping Machine 3M USA or Equivalent	






9.	BP Cuff Double Line Adult	
10.	BP Cuff Double Line Paeds	
11.	BP Cuff Single line Adult	
12.	BP Cuff Single Line peads	
13.	BP Cuff Hose for Patient Monitor For Mindray	
14.	Bench Top Heat Gun Proskit, saike, Uni-t	
15.	Bulb for Laryngoscope	
16.	Cell button type for glucometer	
17.	Cuff Inflator/ Pressure Gauge	
18.	DC Power Supply 3 Channel, 48V, 30amps Circuitspecialists.com (CSIPPs33t), Instek high precision DC power supply (PPH150-3D), Rohde & Schwarz HMP4040 power supply	




19.	ECG electrode chest pump/balloon type	
20.	ECG Leads / Cables R3 (3 channel), R 12 (12 channel)	
21.	ECG Limbs electrode	
22.	ECG Paper	
23.	ECG Paper FOR R12 (Mindray) Z-Fold	
24.	ECG Paper FOR R3 (Mindray)	
25.	ECG Paper other sizes	
26.	ECG Paper for Cardiofax S ECG Machine	
27.	HTC-1 Room Temperature Thermometer	
28.	HTC-2 Refrigerator Temperature Thermometer	
29.	IV Pole <ul style="list-style-type: none"> • Stainless steel pipe column • Stainless steel telescopic rod with four fixed prongs • Tightening knob for telescopic rod adjustment • S/S Base five legs • Mobile on 2" dual caster • Knock Down • Mate Finish • Non Magnet Steel 	
30.	Laryngoscope Blades Adult	






31.	Laryngoscope Blades Peads	
32.	Mercury for BP Apparatus	
33.	OT Shoes	
34.	Silicon Diathermy Plate	
35.	Sony roll (China) for ultrasound	
36.	Sony roll (Japan) for ultrasound	
37.	SPO2 Probe for Patient Monitor	
38.	SPO2 Probe for Patient Monitor Mindray	
39.	SPO2 Probe for Patient Monitor Nihon Kohden	
40.	SPO2 Probe for Spirometer (Spirodoc)	
41.	SPO2 Extension for Monitor Mindray	
42.	Tens Pad (5x5)cm	


43.	Transducer Holder	
44.	Ultra sound Gel 5 liter can	
45.	Wrist Band for Patient Adult	
46.	Wrist Band for Patient Paeds	
47.	Wrist Band Red ID Band	
48.	Oxygen Sensor for sv 300 mindray ventilator	
49.	Co2 extension (Connector) Mindray	
50.	Temperature Sensor Probe	
51.	Proenol Hand Disinfectant	



52.	Puristril Peracetic acid 4.0% Hydrogen Peroxide 28.0% Purified water and acetic acid Q.S.	
53.	Fuses Slow blow and normal fuses 50pcs / set 0.25A, 0.5A, 0.8A, 1A, 1.5A, 2A, 2.5A, 3A, 3.5A, 3.8A, 4.0A, 4.5A, 5.0A, 6A, 7A, 8A, 9A, 10A	
ITEMS DESCRIPTION		
Non-Medical Items		
54.	Adjustable Small Racks (3X6) Local	
55.	Air freshener 300 ml	 Air Freshener
56.	Alcohol hand sanitizer 1000ml Cool & Cool/Dettol/HiClean/Lifebuoy/Purell or Equivalent Ethanol 80 % v/v Glycerol 1.45% v/v Hydrogen Peroxide 0.125% v/v	
57.	Alcohol hand sanitizer 5 Liters can Cool & Cool/Dettol/HiClean/Lifebuoy/Purell or Equivalent Ethanol 80 % v/v Glycerol 1.45% v/v Hydrogen Peroxide 0.125% v/v	
58.	Alcohol hand sanitizer 500ml Cool & Cool/Dettol/HiClean/Lifebuoy/Purell or Equivalent Ethanol 80 % v/v Glycerol 1.45% v/v Hydrogen Peroxide 0.125% v/v	

59.	Battery Cell (AA) Sony/Toshiba/Panasonic	
60.	Battery Cell (AAA) Sony/Toshiba/Panasonic	
61.	Battery Cell (Size: C) Sony/Toshiba/Panasonic	
62.	Battery Cell (Size: D) Sony/Toshiba/Panasonic	
63.	Battery Cell Size: 9V Drum Type Sony/Toshiba/Panasonic	
64.	Bed Pan Plastic	
65.	Bed Pan Steel	
66.	Bleach Liquid Robbin/Clorox/Kleen	
67.	Blood transportation coolers 05 Liters	
68.	Blood transportation coolers 10 Liters	
69.	Box for Fine Instruments (Large)	
70.	Box for Fine Instruments (Medium)	
71.	Box for Fine Instruments (Small)	






72.	Cash counting machine with currency checker	
73.	Chain Locks Different Sizes	
74.	Chlorine Liquid 1 Liter for Water Cleaning	
75.	Chlorine Powder 1 kg	
76.	Crystal salt	
77.	Danger box for syringes (Card Board) 05 Liters	
78.	Danger box for syringes (Plastic) 05 Liters	
79.	Danger Box Plastic Wall Mounted 5 liters	
80.	Danger Box Plastic Wall Mounted 7 liters	
81.	Danger Box Plastic Wall Mounted 10 liters	


82.	Danger Box Plastic Wall Mounted 12 liters	
83.	Danger Box Plastic Wall mounted 15 liters	
84.	Bracket for Danger Box 05 Ltrs SS Steel with powder quoted paint	
85.	Bracket for Danger Box 07 Ltrs SS Steel with powder quoted paint	
86.	Bracket for Danger Box 10 Ltrs SS Steel with powder quoted paint	





87.	Bracket for Danger Box 12 Ltrs SS Steel with powder quoted paint	
88.	Distilled Water 05 litres	
89.	Dressing Drum Large	
90.	Dressing Drum Medium	
91.	Dressing Drum Small	
92.	Dust Bin (200 liters) Medical Grade with Paddle	
93.	Dust Bin (500 liters) Medical Grade with Paddle	
94.	Dust Pan (plastic)	
95.	Dustbin 10 Liters	
96.	Dustbin 30 Liters All colors	
97.	Dustbin 40 Liters All colors	
98.	Dustbin 45 Liters All colors	
99.	Dustbin 50 Liters All colors	
100.	Dustbin 70 Liters All colors	
101.	Dustbin 90 Liters All colors	
102.	Dustbin with Bucket cover 30 Liters with Paddle	
103.	Dustbin with Bucket cover 50 Liters with Paddle	
104.	Dustbin with Bucket cover 70 Liters with Paddle	
105.	Electric Geyser 10 Gallons	
106.	Electric Geyser 15 Gallons	
107.	Electric kettle for tea (Standard size)	
108.	Electric Water Cooler 40 Liters with Filter	
109.	Electric Water Cooler 60 Liters with Filter	
110.	Electric Water Cooler 80 Liters with Filter	






111.	Emergency Eye Wash Bottle	
112.	Examination Torch	
113.	Gas Geyser 30 Gallon	
114.	Gas Geyser 50 Gallon	
115.	Gonadal Shielding	
116.	Hand Disinfectant Dispenser (Wall Type)	
117.	Hand Disinfected solution 5 liters can	
118.	Hand scrub solution	
119.	Hangers wall mounted	
120.	Hygiene Kit a) Tooth Paste 25 G b) Tooth Brush c) Small Towel 8" X 8" d) Small Dettol Soap (60 G) e) Small Comb f) White Tissue Roll	
121.	Inches tape (standard)	
122.	Insect Killer (hanging Type) Large size	
123.	Insect Killer (hanging Type) Medium size	
124.	Insect Killer (hanging Type) X-Large size	
125.	Instrument disinfectant 5 liters	
126.	Instrument Magnetic Matt (12X16)	
127.	Instruments Perforated tray 15"x 23"x 2"	
128.	Instruments Tray Large	
129.	Instruments Tray Medium	
130.	Instruments Tray Small	
131.	Kidney Tray Large	
132.	Kidney Tray Medium	
133.	Kidney Tray Small	


134.	Kitchen Roll (Large size)	
135.	Kitchen Roll (Small size)	
136.	Lead Apron all sizes	
137.	Lead Apron Shirt and Vest Type	
138.	Lead Apron Stand	
139.	Lead Goggles	
140.	Liquid Soap 1 litre	
141.	Lock Cutter Best Quality	
142.	Magnification glass	
143.	Medicine Basket Plastic All sizes & All Colors	
144.	Metal detector	
145.	Microwave Oven 20 Liters	
146.	Office call bell battery operated	
147.	Office Call bell electrical	
148.	Pad Locks Different sizes	
149.	Paper Shredder 30 sheets shredding capacity	
150.	Plastic Bag	
151.	Plastic Bag Bio degradable	
152.	Plastic Container Locks	
153.	Plastic document buckets Size 15" X 12" x 4"	
154.	Plastic Lota	
155.	Plastic slippers	
156.	Pre-Operative Skin Cleansing Solution 2% Chlorhexidine Gluconate 70% v/v Isopropyl Alcohol	
157.	Reflex hammer	






158.	Refrigerator 08 Cft Dawlance/Pel/Haier/or Equivalent	
159.	Refrigerator 12Cft Dawlance/Pel/Haier/or Equivalent	
160.	Refrigerator 14Cft Dawlance/Pel/Haier/or Equivalent	
161.	Refrigerator 18Cft Dawlance/Pel/Haier/or Equivalent	
162.	Security Search Mirrors	
163.	Security Seal Plastic for Crash Cart	
164.	Sharp Container with stand	
165.	Shoe Cover Machine Automatic with all accessories and consumables	

166.	Shoe Cover Machine Manual with all accessories and consumables	
167.	Shopping Bag (Non-Woven) Biodegradable all sizes	
168.	Single use lock for crash cart	
169.	Split Air Conditioner (1 ton) Gree/Haier/Orient/Kenwood/Dawlance	
170.	Split Air Conditioner (1.5 ton) Gree/Haier/Orient/Kenwood/Dawlance	
171.	Split Air Conditioner (2 ton) Gree/Haier/Orient/Kenwood/Dawlance	
172.	Split Air Conditioner (4 ton) Gree/Haier/Orient/Kenwood/Dawlance	
173.	SS Bowl 10"	
174.	SS Bowl 12"	
175.	SS Bowl 4"	
176.	SS Bowl 6"	
177.	SS Bowl 8"	
178.	Stand for white board	
179.	Steel Safe locker (10 lockers)	
180.	Steel Safe locker (20 lockers)	
181.	Surface disinfectant	
182.	Surgical scrub containing 4% Chlorohexadine.	
183.	Swab Hanger	
184.	Tablet Crusher	
185.	Thermal Gun	
186.	Thyroid Shields	
187.	Tissue Box Large (Rose pattel/Jasmin)	
188.	Toilet Paper Roll	
189.	Tool Box Empty Large	
190.	Tool Box Empty Small	
191.	Tri ball	
192.	Trimmer (Best Quality) Battery Operated	
193.	Trimmer (Best Quality) Chargable	
194.	Umbrella Hand Held	
195.	Umbrella Heavy Duty with Iron Stand	

196.	Urine Jug	
197.	Uriner	
198.	Vacuum Pump	
199.	Voltage Converter 500 Watt (220v to 110v)	
200.	Wall clock medium size	
201.	Water Bucket 30 Liters	
202.	Water Dispenser hot and cold water with one filled Bottle Dawlance/Pel/Haier/or Equivalent	
203.	Water purification tablets	
204.	Hard Plastic Pallet	
ITEMS DESCRIPTION		
Medical Equipment's		
205.	Air Mattress Relaxsit/Bestway/Intex/PlanetX/Accu Check/ Atom or Equivalent air pump included, anti dicubtitus , cycle time 15 minutes, max capacity 150 kg with SS Steel / metal hooks	




206.	Analogue weight scale with height measurement	
207.	Baby weight Machine digital weight range 20 kg, reading capacity 5g, minimum weight 100gm. Response time 2s, LCD with back light	
208.	BH3 Disposable Humidifier Anti-Microbial Properties Long Run Time Digital and Remote Controls Safety Features.	
209.	BP Apparatus wall mounted (Mercury) Lower range; 0 mm of mercury Upper range: 260 (34.66 kN/m ²) to 300 (40.0 kN/m ²) mm of mercury. The mercury used shall be clean, double distilled and of 99.9 percent purity.	
210.	BP Apparatus Mercury desktop (Yamasu Japan)	
211.	BP Apparatus portable with stand and Wheels (Yamasu Japan)	

212.	BP Apparatus wall mounted (Aneroid)	
213.	Clinical thermometer (digital)	
214.	Clinical thermometer(mercury)	
215.	Continue suction Machine Heavy duty Heavy duty motorized pump ,Finely regulable 0-710mm \pm 10 Hg vacuum ,Overflow safety device, Non-collapsible tubing,710 \pm 10mm Hg, Vacuum Control Knob, Suction Capacity 35 ltrs. / MIN, with suction jars and bactarial filters. Working time at least 6 hour	
216.	CPR Board	
217.	Digital weight scale Adult	
218.	Digital weight scale Peads	
219.	Dynamap (USA/Europe/Japan) Systolic Range Adult 30 - Adult 10 - 195 mmHg, Neonatal 20 - 100 mmHg 245 mmHg, Neonatal 4 - 140 mmHg Diastolic Range Adult 10 - 195 mmHg, Neonatal 20 - 100 mmHg MAP : mean arterial pressusre Adult 15 - 215 mmHg, Neonatal 30 - 115 mmHg Pulse Rate Range Adult 25 - 240 bpm, Neonatal 25 - 240 bpm, SpO2 range 1 - 100% can store data of 15 patients alarm system poratble with batteries charger	
220.	Head lamps	
221.	Heavy Duty Torches	
222.	Heavy Duty Lead Curtain Set (For Mobile X-ray Machine) Width 0.5 mm, 3 folds, 6ft height, Caster base design for stabilization & Support, viewing panel made of lead glass thickness 0.5mm (width 2 feet length 1.5 feet	
223.	Humidifier Oxygen Humidification for the delivery of O2 to patient	
224.	In-Line Nebulizer Machine	
225.	Laminar Flow Hood	

226.	Laryngoscope with Adult Blades fiber optics Type LED, stainless steel good quality, with four blades, Patient Range Adult patients. spare bulb 12	
227.	Laryngoscope with Peads Blades fiber optics Type LED, stainless steel good quality, with four blades, Patient Range Pediatrics and neonatal patients. spare bulb 12	
228.	Medical Grade Pharmacy Refrigerator 3 CFT	
229.	Medical Grade Pharmacy Refrigerator 10CFT	
230.	Medical Grade Pharmacy Refrigerator 16 CFT	

231.	Nebulizer Machine High Nebulization Rate of 0.4ml/min,having Bearings ,continous working time 6 hours,flow rate 6 liter/mint.noise level should be less than 40 db	
232.	Ophthalmoscope (USA/Europe/Japan) useful to examine retina, Apertures to be provided Slit, fixation, large circle, medium circle, small circle. Red free filter, Diopter adjustment -20 to +20 diaopter, Halogen bulb, Battery Operated as well as rechargeable Spare bulb 4	
233.	Otoscope (USA/Europe/Japan) Light intensity: 8,000-12,000 lux Autoclavable LED Handle with on/off switch. Scratch-resistant lens; glass (preferred) or plastic Liquid splash resistant.. spare bulb 4	
234.	Oxygen concentrator 10 liters Oxygen flow : 1 – 10 LPM, Oxygen Concentration : 93% ± 3%, Functions : Total work hour display, Compressor auto cut off at high temperature, High & low pressure alarm function, Oxygen flow : 0.5,oxygen flow regulator, Pressure Relief Valve : 36.25 psi ± 3.63 psi	
235.	Oxygen concentrator 5 liters Oxygen flow : 0.5 – 5 LPM, Oxygen Concentration : 93% ± 3%, Functions : Total work hour display, Compressor auto cut off at high temperature, High & low pressure alarm function, ,oxygen flow regulator,	
236.	Particle Counter Machine Application: Monitor and verify clean Rooms Test Filters in place Track Down Particles Sources Quality Control Specification:Outside Dim: 300x360x126 mm3(Wide x Deep x High) Display: LCDWeight 0.6kg Battery (Lithium-Ion Battery),7.2V,2200mAh Power Source Li-ion charger .8.4V DC,1A:9-250V AC, 50-60Hz Size Channels 0.3, 0.5, 1,3, 5, 10 um Flow Rate 2.83L/min Sample Time 1s-99hCycles 0-99 Hold Time 0-999sec Delay Time 0-99sec Light source Laser Diode Zero Court <=10min Alarm Low Battery :100, 1000, 10000 Class /ISOCoincidence Loss 5%,2000000ps/cf Operating Time 5 hoursoutput RS-232 to pe or printer via optional cableLocation Labels 0-999 Data Storage 1000 Samples (With PC Software)l0 degrees celsius-40 degrees Celsius; Humidity: 20%-90%RH : Atmosphere Pressure 86 Kpa-106 Kpa suitcase : charger; sampling headline of communication; communication software : Automatic Purifier Environmental Standard feature Optional External printer component	

237.	Professional Tool Kit Pro'sKit 1PK-1700NB	
238.	PORTABLE SUCTION MACHINE Power voltage AC200-240V, 50Hz Max negative pressure value:80k PaOperation noise:<60 dB(A) or better Max air flow:28 L/min (without jar) 25 L/min (with jar) or better Liquid collection jar:2500mL/pc, 2pieces or better Vacuum gauge:0~0.1MP, 2.5 grade Working Frequency: 26L/MIN Over flow protection: Double overflow-protection system (bottle and pump). Tubing Silicon tubing Vacuum Gauge:Dia. 0-760mm Hg calibration. Filters: Overflow and bacterial filter, should be designed for draining blood and other secretions in operation room and emergency room in hospital. Should have vacuum control by knob.	
239.	Pulse Oximeter finger type range 25-250 BPM, show graph on display. SPO2 saturation range 35-100%, accuracy $\pm 1\%$, Patient Range Adult, Pediatrics and neonatal patients	
240.	Pulse Oximeter handheld range 25-250 BPM, show graph on display. SPO2 saturation range 35-100%, accuracy $\pm 1\%$, Patient Range Adult, Pediatrics and neonatal patients	
241.	Pulse Oximeter Portable Range 0 100%, Refreshing rate < 13 seconds, Accuracy 90% to 100%: $\pm 1\%$, Pulse Rate Range 25 250bpm, Resolution 1 bpm, Accuracy $\pm 2\%$ or ± 1 bpm, Parameter Digital SpO2 , Pulse Rate, Pleth bar & SpO2 waveform, Patient Range Adult, Pediatrics and neonatal patients	
242.	Radiology Lead Shield Lead curtain width 0.5mm. 3-fold curtain Size: must cover the patient bed area and mobile DR, Height 6 feet Heavy Duty carriers Caster base design for stabilization and support. Opening allow easy passage for people and/or equipment Viewing panel made of lead glass thickness 0.5mm (width 2feet length 1.5 feet)	
243.	Stethoscope (best quality) Tube diameter: outer diameter 10mm, inner diameter 4.8mm. Tube length 560mm. Sensitivity from 3.2dB to 26dB in a range from 50 to 1000Hz	
244.	Surgical clipping with pivoting Head 3M USA or Equivalent 3M surgical clipping with pivoting Head	

245.	Ultra-sonic nebulizer Ultrasonic Frequency 1.7MHz +- 10%, Max nebulizing rate: $\geq 3\text{mL/min}$, noise level should be less than 40 db	
246.	UV light Air Purifier Germicidal LED light	
247.	X-Ray Viewer Box 01 Film Size (14 x 17)	 A black and white X-ray viewer box with a white viewing area and a power cord on the right side.
248.	X-Ray Viewer Box 02 Film Size (28 x 17)	 A white X-ray viewer box with a black viewing area and a power cord on the right side.
249.	X-Ray Viewer Box 03 Film Size (42 x 17)	 A white X-ray viewer box with a black viewing area and a power cord on the right side.
250.	X-Ray Viewer Box 04 Film Size (56 x 17)	 A black X-ray viewer box with a white viewing area and a power cord on the right side.
251.	Mechanical Tool kits Dewalt, milwaukee, stanly, husky 230 pcs/complete range	
252.	Electronic tool kit Proskit, Stanly, dewalt, fluke complete range	
253.	RO Plant pressure pump Grandfos 3hp motor min with pressure	

254.	RO Plant feed Pump Grandfos Pressure 25 pound or 2hp motor	
255.	Clorina (Disinfectant Powder) 640 g & 4.5 kg	

NOTE: Sample will be called at the time of selection (if required)

Blacklisting Of Defaulted Bidder/Contractor

Conditions for Blacklistment of Defaulted Bidder/Contractor under rule 44 of KPPRA Rules 2014

The following are the events which would lead to initiate (Rule 44 of KPPRA Rules 2014) blacklisting/debarment process;

- a. Consistent failure to provide satisfactory performances.
- b. Found involved in corrupt/fraudulent practices.
- c. Abandoned the place of work permanently

Conditions for debarment of Defaulted Bidder/Contractor

- I. Failure or refusal to;
- II. Accept Purchases Order / Services order terms;
- III. Make supplies as per specifications agreed;
- IV. Fulfill contractual obligations as per contract
- V. Non execution of work as per terms & condition of contract.
- VI. Any unethical or unlawful professional or business behavior detrimental to good conduct and integrity of the public procurement process.
- VII. Persistent and intentional violation of important conditions of contract.
- VIII. Non-adherence to quality specifications despite being importunately pointed out.
- IX. Security consideration of the State i.e., any action that jeopardizes the security of the State or good repute of the Peshawar Institute of Cardiology Peshawar.

Procedure for Blacklistment and debarment

- 1. Competent authority of Peshawar Institute of Cardiology may on information, or on its own motion, issue show cause notice to the bidder.
- 2. The show cause notice shall contain the statement of allegation against the Bidder.
- 3. The bidder will be given maximum of seven days to submit the written reply of the show cause notice.
- 4. In case the bidder fails to submit written reply within the requisite time, the competent authority may proceed forth with ex-parte against the bidder.
- 5. Direct to issue notice of personal hearing to the bidder/ authorized representative of the bidder and the competent authority shall decide the matter on the basis of available record and personal hearing, if availed.
- 6. The competent authority shall decide the matter within thirty days from the initiation of proceedings.
- 7. The order of competent authority shall be communicated to the bidder by indicating reasons.
- 8. The order past as above shall be duly conveyed to the KP-PPRA and defaulting bidder within three days of passing order.
- 9. The duration of debarment may vary up to five years depending upon the nature of violation.

Redressing Of Grievances

- a. The purchaser shall constitute a committee comprising of disagreed & notified by the

competent authority proper powers and authorizations to address the complaints of bidders that may occur prior to the entry into force of the procurement contract.

- b. Any bidder feeling aggrieved by any act of the purchaser after the submission of his bid may lodge a written complaint concerning his grievances not later than 03 days after the announcement of the bid evaluation report.
- c. The grievance redressed Officer shall investigate and decide upon the complaint within 06 days of the receipt of the complaint. The report along with decision shall be forwarded to the purchaser officer within the prescribed period.
- d. Mere fact of lodging of a complaint shall not warrant suspension of the procurement process.
- e. Note: Grievance notified & designated who can invite appropriate official as co-opted member for grievance.

Purchase Officer
PIC-MTI Peshawar

Assistant Manager Purchase
PIC-MTI, Peshawar

Manager Materials Management
PIC-MTI Peshawar

Manager Bio-Medical
PIC-MTI, Peshawar

Director Building & Facilities
PIC-MTI Peshawar

Director Finance
PIC-MTI, Peshawar

Hospital Director
PIC-MTI Peshawar

Medical Director
PIC-MTI, Peshawar