PESHAWAR INSTITUTE OF CARDIOLOGY

MEDICAL TEACHING INSTITUTION, PIC - MTI

5-A, Sector B-3, Phase-V, Hayatabad, Peshawar, KP, Pakistan 0092 919219641-5 info@pic.edu.pk

Date: 11-02-2022

BID EVALUATION REPORT TECHNICAL + FINANCIAL AUTO BIO DECONTAMINATION FOR OT TENDER REF PIC-045

Reference to the financial bid opening meeting dated 11-02-2022. It is to inform you that the process of final examination of your submitted bid/s have been completed and the procurement committee have compiled Comparative report accordingly.

- 1. This BER is to serve the only purpose of ensuring more transparency and equity in the bidding process by providing equal opportunities to all concerned bidders to have access to information related to their bids and fair competition; and
- 2. This list is being shared to eliminate the possibility of any error in terms of figures or words related to submitted documents in the bids; and
- 3. It is stressed to please note that this list is in no way a final document to be used as an evidence or argument for selection of firm for rate contracting from the lowest bidder or award or justification of contract to the selected bidder by the procuring agency; and
- 4. All possible efforts have been made to reduce human errors and omissions but still inadvertent errors and omissions may possibly be expected in this list. All the bidders participating in this bidding competition are expected and requested to thoroughly examine this document and point out any error or omission in terms of total marks obtained, etc. of institute or any other details which have wrongly been entered into this list.
- 5. Any feedback related to clarifications, errors and omissions must reach the office of Hospital Director Peshawar Institute of Cardiology not later than 12:00 a.m. on 21-02-2022 in written form duly signed and attested by the responsible relevant person of the bidding entity and
- 6. This list is only meant to rectify / correct the mistakes, if any that might have occurred during the data entry process for the already submitted bids to facilitate final bidding competition to be held shortly by the Procurement Committee. Therefore, no new or revised data, information, price, claim, explanation, etc. will be entertained for entering into and / or in any way affecting and / or manipulating the final list for the bidding competition; and
- 7. All the bidders are welcome to comment on any deficiencies etc. in this list as related to their own quoted submitted documents only and not on their competitors and / or any other bidders in this list for any other Marks by some other bidder; and
- 8. Any comments, feedback etc. received after the above mentioned cutoff time and date (Para-5 above) will not be considered and the so finalized list will be placed before the Procurement Committee for finalizing the competition in the best public interest.
- 10. The Procurement committee, at its discretion as per KPPRA rules may decide select or otherwise any institute mentioned in this document for the current biding competition 2021-2022.

Hospital DirectorPeshawar Institute of
Cardiology

PESHAWAR INSTITUTE OF CARDIOLOGY MTI PESHAWAR

Auto Bio Decontamination for OT (PIC- 045)

Evaluation Report (Techenical & Financial)

Total Score: 100

Technical Merit Score: 70
Financial Merit Score: 30

Date

S.I	Name of Bidder	Technical Score (A)	Unit Price (PKR)	QТY	Financial Score B=LP/QPx30	Total Combined Marks (A+B)	Remarks		
	Auto Bio Decontamination for OT with Consumable								
	Total Technologies Pvt Ltd	51.00	2,810,000	4.00	30.00	81.00	HFRB		

Consumable	UOM	UnitPrice
6% H2o2 Solution compatible to machine	Liters	6,000
12% H2o2 Solution compatible to machine	Liters	11,000
Monitoring indicators/strips	Box	17,000

Manager Material Management Bio-Medical Eng PIC/MTI Peshawar PIC/MTI Peshawar

Building & Maintenance Engineer PIC/MTI Peshawar

Director Facilities Management PIC/MTI Peshawar

Director Finance PIC/MTI Peshawar

Hospital Director PIC/MTI Peshawar

Medical Director PIC/MTI Peshawar

Member of Board of Governors PIC/MTI Peshawar