



**PESHAWAR INSTITUTE OF CARDIOLOGY
(MTI)
BID SOLICITATION DOCUMENTS
FOR
SELECTION & RATE CONTRACTING OF LEFTOVER HARDWARE &
ELECTRICAL ITEMS FOR THE YEAR 2021-22
After Pre-Bid
PIC-42**

Note: The prospective bidder is expected to examine the Bidding Documents carefully, including all Instructions, Terms & Conditions, and Specifications etc. Failure to furnish all information required by the Bidding documents or submission of a Bid not substantially responsive to the Bidding Documents in every respect would result in the rejection of the Bid.

TABLE OF CONTENTS

| S # | Contents |
|-----|--|
| 1. | Introduction |
| 2. | Instruction To Bidders |
| 3. | Eligible Bidders |
| 4. | General Conditions |
| 5. | Invitation For Bids |
| 6. | Bid Security |
| 7. | Bid Validity |
| 8. | Statement of Requirement with Specification |
| 9. | Blacklistment of Defaulted Bidder/Contractor |
| 10. | Redressing of Grievances |
| 11. | Award of Contract |
| 12. | Payment |
| 13. | Term & Conditions |

1. INTRODUCTION:

Peshawar Institution of Cardiology-MTI invites. Item wise sealed bids from the eligible bidders (General Order Suppliers) for procurement of Electrical items for Hospital Open Competitive Bidding under rule 6(2) (a) “**Single Stage Single Envelope**” bidding procedures of Khyber Pakhtunkhwa Public Procurement Regulatory Authority (KPPRA) Rules 2014.

| Description | Dates |
|--|--|
| Pre-bid meeting | 21-10- 2021 at 10:00 am |
| Closing/Last submission/Opening | 4-11-2021 11:00 hours & 11:30 Hours |
| Bid security | Rs. 50,000/- |
| Tender Process | Single Stage Single Envelope |

2. INSTRUCTIONS TO BIDDERS:

1. This Bidding procedure will be conducted in light of Khyber Pakhtunkhwa Public Procurement Regulatory Authority (KPPRA) Laws, Rules made there under along with Standard Bidding Documents.
2. Any bid received after the deadline for submission of bids shall not be entertained and shall be returned unopened to the Bidder.
3. All the bidders are required to provide annexure wise complete requisite documents with page marking for their Technical Evaluation / Qualification as prescribed under the rules.
4. The bid should be complete in all respect and must be signed by the bidder.
5. All prices quoted must be in Pak Rupees (PKR) and should include all applicable taxes. If not specifically mentioned in the Quotation, it will be presumed that the prices include all the taxes. PIC Peshawar is exempted from GST.
6. Bidders are essentially required to provide correct and latest postal/email/web addresses, phone/mobile/fax numbers for actively and timely communication.
7. For any query, clarification regarding Services / Bid Solicitation Documents, the applicants may send a written request at least one day prior to the opening date.
8. The Bidder may after its submission withdraw its bid prior to the expiry of the deadline prescribed for submission of bids. Withdrawn bids will be returned unopened to the Bidders.
9. Any bid not received as per terms and conditions laid down in this document are liable to be ignored. No offer shall be considered if:
 - a. Received without earnest money;
 - b. It is received after the date and time fixed for its receipt;
 - c. The tender document and the bid is unsigned;
 - d. The offer is ambiguous;
 - e. The offer is conditional/optional i.e. advance payment, or currency fluctuations etc.

- f. The offer is from blacklisted firm in any Federal / Provincial Govt. dept.
 - g. Hand written bids shall NOT be accepted; it must be typed.
 - h. Only typed tender on original prescribing letter pad, sealed & signed (Every Page) should be submitted. The quoted Price must be preprinted and hand written quoted price will not be acceptable. Optional or double rates for single item is not allowed.
10. Usage of correction fluid & corrections are strictly prohibited unless duly initiated.
 11. Any erasing / cutting etc. appearing on the offer, must be properly signed by the person signing the tender.
 12. Bids will be rejected if the Bid is in some way connected with bids submitted under names different from his own.
 13. In case of Bid Tie, the decision will be taken by making toss/draw/Recall sealed quotation in front of the bidders.
 14. Any direct or indirect effort by a bidding firm to influence this institution during the process of selection of a bidder or award of contract may besides rejection of its bid result into its disqualification from participation in the PIC Peshawar's future bids.

3. ELIGIBLE BIDDERS:

- a. Bidders must give compliance to the below mentioned clauses as these are mandatory to being eligible for the bidding process. Relevant certificates must be attached.
- b. The bidder must be registered with Income / Sales Tax Department, reflected as Active Tax Payer on the list of FBR. NTN and KPK Professional tax.
- c. The bidder shall provide an undertaking that the bidder has not been declared black listed by any Governmental/ Semi-Governmental institutions.
- d. Bidders shall not be eligible to bid if they are under a declaration of Ineligibility for corrupt and fraudulent practices issued by any government organization in accordance with the Section 44(1) KPPRA Rules 2014.

4. GENERAL CONDITIONS:

1. PIC Peshawar shall evaluate the proposal in a manner prescribed in advance, without reference to the price and reject any proposal which does not conform to the specified requirements.
2. At any time prior to the deadline for submission of bids, PIC-MTI Peshawar may, for any reason, whether at its own initiative or in response to a clarification requested by a prospective Bidder, modify the bidding documents by amendment.
3. If a bid is not substantially responsive, it will be rejected by the Procuring Entity and may not subsequently be made responsive by the Bidder by correction of the nonconformity.
4. PIC-MTI Peshawar may accept or reject any or all of the bids under KPPRA Rules, 2014.
5. Non-Provision of mandatory documents mention in these SBDs shall lead to disqualification of the firm / quoted items.
6. Bid document and required documents must be submitted in Hard Tap binding, Bids in the Clip or box file will not be allowed.
7. The Procuring Agency, at any stage of the procurement proceedings, having credible reasons

for or prima facie evidence of any defect in Supplier's capacities may require the Suppliers to provide information concerning their professional, technical, financial, legal or managerial competence.

8. The Procuring Agency has the right to inspect the premises of bidder to inspect the setups ensuring proper after sales services, documents mentioned in technical bids and any other relevant details. Premises (office/workshop) of bidder shall be insured through ownership/or rent agreement.
9. The Bid security shall be from bank account of the bidder. Ordinary cheque and Payment Order (PO) in the form of bid security shall result in bid rejection.
10. The Unit price quoted by the bidder shall be **inclusive** of all applicable duties and taxes. All prices shall include relevant taxes & duties, where applicable. The benefit of exemption from or reduction in the GST or other taxes shall be passed on to the Procuring Agency.
11. In case of the Importers/Authorized Dealers, the firm will ensure that the items are acquired from the original manufacturer and are procured through proper channel as advised by the original manufacturer.
12. Different models/ prices offered for a single item by the same bidder shall be considered as alternate bid and shall be non-responsive.
13. All reservations in SBDs shall be submitted in writing in the pre-bid meeting by authorized person/representative of the firm.
14. Rates will be valid till 30 June 2022.
15. The schedule for supply of goods shall be as under:
 - i. Within 90 days from the date of issuance of supply order by the Purchasing Agency for items to be imported.
 - ii. Within 60 days from the date of issuance of supply order by the Purchasing Agency for items to be locally manufactured.
 - iii. Within 30 days from the date of issuance of supply order by the Purchasing Agency for items to be locally available
16. The Penalty on late supply of goods shall be charged as under
 - i. Penalty @ 2% for late supply up to 15 days.
 - ii. Penalty @ 5% for late supply beyond 15 days

5. INVITATION FOR BIDS

Hospital Director, **Peshawar Institution of Cardiology-MTI** invites sealed tenders on National Competitive Bidding for the procurement of Electrical items for Hospital, under rule 6(2)(a) ***“single stage Single envelope procedure”*** of KPPRA Rules 2014, from reputed firms registered with the Income / Sales tax, reflected on Active Taxpayer List of FBR.

The bidders are required to submit bid security @ 50,000/- in the name of Hospital Director PIC Peshawar. An affidavit is mandatory, without indicating the figure in the technical bid that bid security is placed in the financial bid. Pre-bid meeting with the interested bidders will be held on 21-10-2021 at 10:00 hrs at the address given below.

The tenders complete in all respect must reach the undersigned by 11:00 hrs. on 04-11-2021, which will be opened at 11:30 hrs. on the same day in Material Management Department of PIC-MTI in the presence of the procurement committee and the bidders / representatives who may choose to attend.

Competent Authority reserves the right to reject any or all the bids as per provisions contained in Rule 47 of KPPRA Rules 2014.

6. BID SECURITY

Bid security @ 50,000/- in favor of "Hospital Director PIC Hospital" should be kept sealed in the financial proposal.

Bid security of the successful bidder will be released after submission of Performance Guarantee.

The bid security may be forfeited:

- i) If a Bidder withdraws its bid during the period of bid validity specified by the Bidder on the Bid Form; or
- ii) In the case of a successful Bidder, if the Bidder fails to sign the contract Or to furnish performance Guarantee.

7. BID VALIDITY:

- i) The bids should be valid for a period of 120 days.
- ii) In exceptional circumstances, PIC Hospital may solicit the Bidder's consent to an extension of the period of validity reasons shall be recorded in writing. The request and the responses there to shall be made in writing. The bid security provided shall also be suitably extended. A Bidder may refuse the request without forfeiting its bid security. A Bidder granting the request will not be required nor permitted to modify its bid, except as provided in the bidding document.

8. STATEMENT OF REQUIREMENT WITH SPECIFICATION

| ELECTRICAL ITEMS LIST 2021-22 | | | |
|-------------------------------|--|------|----------------------|
| S.no | Name of items | Unit | Brand |
| | Transformer Item | | |
| 1 | Supply of transformer 2500kva | Nos | SIEMENS, PEL |
| 2 | b) installation of transformer (Make sure urgent availability of maintenance team) | job | SIEMENS, PEL |
| 3 | Transformer 1000Kva | Nos | SIEMENS, PEL |
| 4 | b) installation of transformer (Make sure urgent availability of maintenance team) | job | SIEMENS, PEL |
| 5 | Buchholz Relay | Nos | SIEMENS, PEL |
| 6 | oil temperature indicator | Nos | SIEMENS, PEL |
| 7 | oil level indicator | Nos | SIEMENS, PEL |
| 8 | current transformer and bushing | Nos | SIEMENS, PEL |
| 9 | silica gel breather | Nos | SIEMENS, PEL |
| 10 | thermometer | Nos | SIEMENS, PEL |
| 11 | bushing termination 1 | Nos | SIEMENS, PEL |
| 12 | pressure relief device PRD | Nos | SIEMENS, PEL |
| 13 | Tap changer | Nos | SIEMENS, PEL |
| 14 | Replacement of HT Coil. | Nos | SIEMENS, PEL |
| 15 | Replacement of LT Coil. | Nos | SIEMENS, PEL |
| 16 | Body Repair. | Nos | SIEMENS, PEL |
| 17 | Insulators 1000kva ,2500kva | Nos | SIEMENS, PEL |
| | Stablizer | | |
| 18 | STABLIZER 1000watt | Nos | Universal, Schenider |

| Cables | | | |
|-------------------|--|---------------|-------------------------------|
| 19 | 3/.036" stranded3 | Bundles/rolls | Pakistan , Fast |
| Flexible Cables | | | |
| 20 | 0.5mm2(14/.0076") 2 core/4 core | Bundles/rolls | As per sample |
| 21 | 0.75mm2 (23/.0076")2 core/4 core | Bundles/rolls | As per sample |
| 22 | 1.0mm2(40/.0076")2 core/4 core | Bundles/rolls | As per sample |
| 23 | 1.5mm2(70/.0076")2 core/4 core | Bundles/rolls | As per sample |
| 24 | 2.5mm2(110/.0076") 2 core/4 core | Bundles/rolls | As per sample |
| 25 | 4.0mm2(162/.0076")2 core/4 core | Bundles/rolls | As per sample |
| Relay | | | |
| 26 | Magnetic contactor 220 AMP ,440 AMP,600AMP,800Amp | No | LS,SCHNEIDIER, SIEMENS,ABB |
| | Energy Meter | | |
| 27 | Energy analyzer 440v/220v | Nos | |
| Industrial Socket | | | |
| 28 | Connector 50-100Amp | No | Panasonic, Finder |
| 29 | Charger 12v, 50amp-150amp | No | |
| Fans | | | |
| 30 | Exhaust Fan size (Copper winding) (plastic body) | Nos | PAK , GFC, Royal |
| 31 | Exhaust Fan Size (Copper Winding) (Metal body) | Nos | PAK , GFC, Royal |
| 32 | a. 16" | Nos | PAK , GFC, Royal |
| 33 | b. 12" | Nos | Pak, GFC, Royal |
| 34 | c. 18" | Nos | Pak, GFC, Royal |

| | Circuit Breakers | | |
|----|--|-----|-----------------------|
| 35 | VCB (HT) | | |
| 36 | supply of HT panel | NOS | PEL,SIEMENS,ABB |
| 37 | make sure urgent availability of team | JOB | PEL,SIEMENS,ABB |
| 38 | a) installation of VCB breaker 11kva | Nos | PEL,SIEMENS,ABB |
| 39 | b) installation of transformer (Make sure urgent availability of maintenance team) | job | |
| 40 | Digital Analyser (DELAB TM-9000S) | Nos | PEL,SIEMENS,ABB |
| | ACB(LT) | | |
| 41 | a)Supply of ACB breaker complete automation 2500 Amp | Nos | Terasaki, legrand,ABB |
| 42 | b) installation of ACB (Make sure urgent availability of maintenance team) | job | Terasaki, legrand,ABB |
| 43 | a)supply of ACB breaker complete automation 5000 Amp | Nos | Terasaki, legrand,ABB |
| 44 | b) installation of ACB (Make sure urgent availability of maintenance team) | job | Terasaki, legrand,ABB |
| 45 | a)supply of ACB breaker complete automation 6300Amp | Nos | Terasaki, legrand,ABB |
| 46 | b) installation of ACB (Make sure urgent availability of maintenance team) | Nos | Terasaki, legrand,ABB |
| 47 | OCR supply 220v | Nos | Terasaki, legrand,ABB |
| 48 | UVT 220v | Nos | Terasaki, legrand,ABB |
| 49 | shunt coil 220v | Nos | Terasaki, legrand,ABB |
| 50 | motorization motor 220v | Nos | Terasaki, legrand,ABB |
| 51 | closing coil 220v | Nos | Terasaki, legrand,ABB |
| 52 | Auto manual switch single/ 3phase | Nos | Terasaki, legrand,ABB |
| 53 | Indicator LED 220v , red, yellow, blue | Nos | Terasaki, legrand,ABB |
| 54 | Emergency switch red, yellow, blue | Nos | Terasaki, legrand,ABB |
| 55 | ON/OFF Push Button | Nos | Terasaki, legrand,ABB |

| | Lights & Chucks | | |
|----|--|-----|-------------------|
| 56 | TMS 4 feet | Nos | PHILLIPS ,OSAKA |
| 57 | Flood light 200watt | Nos | PHILLIPS ,OSAKA |
| 58 | Flood light chuck 500w | Nos | PHILLIPS ,OSAKA |
| 59 | Flood light chuck 1000w | Nos | PHILLIPS ,OSAKA |
| 60 | Halogen light 1000w | Nos | PHILLIPS ,OSAKA |
| 61 | Halogen light 1500w | Nos | PHILLIPS ,OSAKA |
| 62 | Halogen light 2000w | Nos | PHILLIPS ,OSAKA |
| 63 | Halogen Chuck 125w | Nos | PHILLIPS ,OSAKA |
| 64 | SMD Chokes 8watt~24watt (24v-72v) | Nos | PHILLIPS ,OSAKA |
| 65 | a. 100 Watt | Nos | PHILLIPS ,OSAKA |
| 66 | b. 150 Watt | Nos | PHILLIPS ,OSAKA |
| 67 | Fluorescent lamps 40watt | Nos | PHILLIPS ,OSAKA |
| 68 | LED lamps (Not less than 1 watt) | Nos | PHILLIPS ,OSAKA |
| 69 | Pedestal lighting fixtures | Nos | PHILLIPS ,OSAKA |
| 70 | Handlamps | Nos | PHILLIPS ,OSAKA |
| 71 | Emergency light 12v 20watt | Nos | PHILLIPS ,OSAKA |
| 72 | Emergency light 12v 40watt | Nos | PHILLIPS ,OSAKA |
| 73 | Emergency light 12v 60watt | Nos | PHILLIPS ,OSAKA |
| 74 | choke transformer (220/input)(12,24/output) | Nos | PHILLIPS ,OSAKA |
| 75 | Emergency Torch chargeable 12v | Nos | PHILLIPS ,OSAKA |
| 76 | Data Outlet RJ45 | Nos | PHILLIPS ,OSAKA |
| | LT Panel Control | | |
| 77 | Phase failure 3phase, 220v,440v | Nos | PANASONIC, FINDER |

| | | | |
|----|---|-----|-------------------|
| 78 | Phase failure 3phase 440v | Nos | PANASONIC, FINDER |
| 79 | Overload Relay 20amp | Nos | PANASONIC, FINDER |
| 80 | Overload Relay 35amp | Nos | PANASONIC, FINDER |
| 81 | Overload Relay 50amp | Nos | PANASONIC, FINDER |
| 82 | Overload Relay 100 Amp | Nos | PANASONIC, FINDER |
| 83 | Male/Female industrial socket 3 phase 30Amp,50Amp,64amp,75amp,100amp | Nos | PANASONIC, FINDER |
| 84 | Auto manual switch 3phase | Nos | PANASONIC, FINDER |
| 85 | Connector 50Amp | Nos | PANASONIC, FINDER |
| 86 | Connector 100Amp | Nos | PANASONIC, FINDER |
| 87 | Connector 200Amp | Nos | PANASONIC, FINDER |
| 98 | HT Tape | Nos | PANASONIC, FINDER |
| 89 | Raychem kit 185/250 mm ² HT | Nos | PANASONIC, FINDER |
| 90 | (Indoor/Outdoor) | Nos | PANASONIC, FINDER |
| 91 | Heat gun 220v | Nos | PANASONIC, FINDER |
| 92 | Cable tie 50mm.100mm,150mm,200mm | Nos | PANASONIC, FINDER |
| 93 | Thimble press machine 25mm-300mm | Nos | PANASONIC, FINDER |
| 94 | Emergency light 12v | Nos | PANASONIC, FINDER |
| 95 | Charger 12v, 50amp-150amp | Nos | PANASONIC, FINDER |
| 96 | CT 3200/5amp | Nos | PANASONIC, FINDER |
| 97 | CT 600/5amp | Nos | PANASONIC, FINDER |
| 98 | CT 400/5amp | Nos | PANASONIC, FINDER |
| 99 | NH HRC low voltage Fuse and Fuse base 10/50amp | Nos | PANASONIC, FINDER |

| | | | |
|-----|--|-----|---------------------------------------|
| 100 | synchronization module for generators 400kva/1250kva | Nos | PANASONIC, FINDER |
| 101 | single phase failure | Nos | PANASONIC, FINDER |
| 102 | power factor controler/Analyser | Nos | PANASONIC, FINDER |
| 103 | single phase failure | Nos | PANASONIC, FINDER |
| 104 | Limit switch | Nos | PANASONIC, FINDER |
| 105 | PUSH Button ON/OFF | Nos | PANASONIC, FINDER |
| | General Items | | |
| 106 | 03nos Multi and 04 single sockets | Nos | Best quality (As per approved sample) |
| 107 | Case Capping | Nos | Best quality (As per approved sample) |
| 108 | Squeeze Pipe | Nos | Best quality (As per approved sample) |
| 109 | Deep Sea Module (As Per Site) | Nos | Best quality (As per approved sample) |
| 110 | Rawal plug 6mm,8mm, 10mm,12mm | Nos | Best quality (As per approved sample) |
| 111 | Rawal bolt 6mm,8mm, 10mm,12mm | Nos | DEWALT, Bosch,Fluke |
| 114 | Air Compressor | Nos | DEWALT, Bosch,Fluke |
| 115 | Housed terminal | Nos | |
| | Power Plugs | | |
| 116 | a. 3 gang | Nos | Bush High life,clipsal,schenider |
| 117 | b. 4 gang | Nos | Bush High life,clipsal,schenider |
| 118 | c. 6 gang | Nos | Bush High life,clipsal,schenider |

| | | | |
|-----|--|-----|-------------------------------------|
| 119 | d.Switch | Nos | Bush High life,clipsal,schenider |
| 120 | e.light plug | Nos | Bush High life,clipsal,schenider |
| 121 | f. power plug | Nos | Bush High life,clipsal,schenider |
| 122 | g.Euro socket | Nos | Bush High life,clipsal,schenider |
| 123 | h.Universal socket | Nos | Bush High life,clipsal,schenider |
| 124 | Connector Strip 3,5,10,15,30,60,100,200 amps | Nos | Bush High life,clipsal,schenider |
| 125 | extension board (imported with 5 meter cable 15A) | Nos | imported |
| 126 | extension board PDU (imported with 5 meter cable 15A) | Nos | imported |
| | Tools | | |
| 127 | speed level | Nos | Dewalt,Bosch,Fluke |
| 128 | Tool waste | Nos | DEWALT, Bosch,Fluke |
| 129 | holesaw cutter | Nos | |
| 130 | chargeable drill machine | Nos | Dewalt,Bosch,Fluke |
| 131 | Walkie talkie | Nos | Dewalt,Bosch,Fluke |
| 132 | Cable tie 120,160,180,190,200,250,280,300,350,360,370,380,400,500mm | Nos | As per sample |
| 133 | chain cuppy/chain pully 2 ton 5 meter | Nos | As per sample |
| 134 | cable puller chain 1-5 ton | Nos | |
| 135 | Head/wrench size Nut Bolts 4,5,6,7,8,10,12,14,16,18,20 mm | Box | |
| | Motors/Submersible/Tubewells | | |
| 136 | Submersible motor 1HP,2HP,3HP,40HP,50HP | Nos | Italian ,JD,Grandfos |

| | | | |
|-----|--|-----|--------------------------|
| 137 | Submersible motor 2HP New/Rewinding | Nos | Italian ,JD,Grandfos |
| 138 | Submersible motor 3HP New/Rewinding | Nos | Italian ,JD,Grandfos |
| 139 | Submersible motor 40HP New/Rewinding | Nos | Italian ,JD,Grandfos |
| 140 | Submersible motor 50HP New/Rewinding | Nos | Italian ,JD,Grandfos |
| 141 | Fire Fighters Motors (jockey and main pump) | Nos | Italian ,JD,Grandfos |
| 142 | Centrifugal motors 15kw New/Rewinding | Nos | Italian ,JD,Grandfos |
| 143 | Centrifugal motors 35kw New/Rewinding | Nos | Italian ,JD,Grandfos |
| 144 | Centrifugal motors 50kw New/Rewinding | Nos | Italian ,JD,Grandfos |
| 145 | Centrifugal motors 75kw New/Rewinding | Nos | Italian ,JD,Grandfos |
| 146 | Centrifugal motors 100kw New/Rewinding | Nos | Italian ,JD,Grandfos |
| 147 | Extraction of Pump From Bore Hole | JOB | Italian ,JD,Grandfos |
| 148 | Lowering of Pump in bore hole | JOB | As per engineer approval |
| 149 | Repair Of Pump | JOB | As per engineer approval |
| 150 | Rewinding of Submersible Motor | JOB | As per engineer approval |
| 151 | Replacement of Bushes | JOB | As per engineer approval |
| 152 | Replacement of MCU 40 hp 50 hp | JOB | As per engineer approval |
| 153 | Replacement of MCU 40 hp 50 hp | JOB | As per engineer approval |
| 154 | Replacement of Slucie /Valve 4" | JOB | As per engineer approval |
| 155 | Replacement of Slucie /Valve 6" | JOB | As per engineer approval |
| 156 | Replacement of GM Motor Impellor | JOB | As per engineer approval |

| | | | |
|-----|---|-----|--------------------------|
| 157 | Replacement of Bowel C.I | JOB | As per engineer approval |
| 158 | Jointing of Pipe | JOB | As per engineer approval |
| 159 | 04"MS Pipe with Flunch on both sides(10' Length) | JOB | As per engineer approval |
| 160 | Boring of Tube Well 8" | JOB | As per engineer approval |
| 161 | If NOC requied then NOC will responsibility of hospital | Job | As per engineer approval |
| 162 | 06" MS Pipe with Flunch on Both Side | JOB | As per engineer approval |
| | Fire Fighting | | |
| 163 | Fire hose Cabinet | Nos | NAFCO, |
| 164 | juke pump 5kw | Nos | NAFCO, |
| 165 | pressure gauge | Nos | NAFCO, |
| 166 | pressure switches | Nos | NAFCO, |
| 167 | pressure valve 1 inch ,2 inch | Nos | NAFCO, |
| 168 | pressure tank | Nos | NAFCO, |
| 169 | hydrant valve 3inch 4inch ,5inch | Nos | NAFCO, |
| | Fire Alarm | | |
| 170 | FACP Panel | Nos | Honeywell,Global |
| 171 | Smoke detector | Nos | Honeywell,Global |
| 172 | Heat detector | Nos | Honeywell,Global |
| 173 | MCP | Nos | Honeywell,Global |
| 174 | Bell Alarm | Nos | Honeywell,Global |

| | | | |
|-----|--------------------------------------|-------------|---------------------------------------|
| 175 | Break Glass(Hony Well As per Site) | Nos | Honeywell,Global |
| 176 | Fire Alarm cable 2.5mm2 | Nos | Honeywell,Global |
| | Dc Pumps | | |
| 177 | 12 volt Dc pump | Nos | Best quality (As per approved sample) |
| 178 | 24 volt Dc pump | Nos | Best quality (As per approved sample) |
| 179 | Cable Tray | | |
| 180 | C- chanel for cable tray | Nos | (16,18 guage)(hot dip galvanised) |
| 181 | Flexible Pipes | | |
| 182 | Flexible pipe ¾" (White color) | Roll/Bundle | popular/Beta/Adam g |
| 183 | Flexible pipe 1 1/4" (White color) | Roll/Bundle | popular/Beta/Adam g |
| 184 | Flexible pipe 1" (White color) | Roll/Bundle | popular/Beta/Adam g |
| 185 | Flexible pipe 1 1/2" (White color) | Roll/Bundle | popular/Beta/Adam g |
| 186 | Flexible pipe 2" (White color) | Roll/Bundle | popular/Beta/Adam g |
| 187 | Flexible pipe ¾" (White color) | Roll/Bundle | popular/Beta/Adam g |
| 188 | Flexible pipe 1" (White color) | Roll/Bundle | popular/Beta/Adam g |
| 189 | Flexible pipe 1 1/2" (White color) | Roll/Bundle | popular/Beta/Adam g |
| 190 | Flexible pipe 2" (White color) | Roll/Bundle | popular/Beta/Adam g |
| 191 | Drill Bits | | |
| 192 | Drill bit 6 mm Concrete / steel | Nos | best quality (As per sample) |
| 193 | Drill bit 8 mm Concrete /steel | Nos | best quality (As per sample) |
| 194 | Drill bit 10 mm Concrete /steel | Nos | best quality (As per sample) |
| 195 | Drill bit 12 mm Concrete /steel | Nos | best quality (As per sample) |
| 196 | Drill bit 16mm Concrete /steel | Nos | best quality (As per |

| | | | |
|-----|-------------------------------|-----|-------------------------------|
| | | | sample) |
| | Nut/Bolts | | |
| 197 | Nut/Bolts 8mm | Nos | best quality (As per sample) |
| 198 | Nut/Bolts 10mm | Nos | best quality (As per sample) |
| 199 | Nut/Bolts 12mm | Nos | best quality (As per sample) |
| 200 | Nut/Bolts 14mm | Nos | best quality (As per sample) |
| 201 | Nut/Bolts 16mm | Nos | best quality (As per sample) |
| 202 | Nut/Bolts 18mm | Nos | best quality (As per sample) |
| 203 | Nut/Bolts 20mm | Nos | best quality (As per sample) |
| 204 | Nut/Bolts 22mm | Nos | best quality (As per sample) |
| | Generator tools | | |
| 205 | Extension Rod Upto 1meter | Nos | As per approved sample |
| 206 | Wrenches all sizes | Set | As per approved sample |
| 207 | Socket set (Gotti Set) Star | Set | As per approved sample |
| 208 | Socket set (Gotti Set) ring | Set | As per approved sample |
| 209 | Filter change belt | Nos | As per approved sample |
| 210 | Filter change chain | Nos | As per approved sample |
| 211 | key Set mm | Set | As per approved sample |
| 212 | T-set | set | As per approved sample |
| 213 | clamp set (Radiator Pipe) | set | As per approved sample |
| 214 | L-Key set 25 pieces hexagonal | set | As per approved sample |

| | | | |
|-----|--------------------------|-----|------------------------|
| 215 | L-Key set 25 pieces star | set | As per approved sample |
| 216 | Grip Plier | Nos | As per approved sample |
| 217 | vise grip pliers | Nos | As per approved sample |
| 218 | Nose plier | Nos | As per approved sample |
| 219 | Cutter plier | Nos | As per approved sample |
| 220 | Adjustable plier | Nos | As per approved sample |
| 221 | Ratchet key | set | As per approved sample |
| 222 | Screw Driver Set Minus | set | As per approved sample |
| 223 | Screw Driver Set Star | set | As per approved sample |
| 224 | Pipe Wrench Medium Large | Nos | As per approved sample |
| 225 | Greece Gun | Nos | As per approved sample |
| 226 | Fuses | | |
| 227 | fuses 0.5A -10A | Nos | blow type glass tube |
| 228 | fuse 10A -20A | Nos | blow type glass tube |
| 229 | fuse 20A -30A | Nos | blow type glass tube |
| 230 | fuse 30A -40A | Nos | blow type glass tube |
| | Fire Extinguisher | | |
| 231 | Refilling of cylinder | | |
| 232 | co2 | kg | |
| 233 | halotron (wet Chemical) | kg | |
| 234 | foam | kg | |
| 235 | DCP | kg | |
| 236 | Water | kg | |

| | | | |
|-----|----------------------|----|--|
| 237 | testing per cylinder | No | |
|-----|----------------------|----|--|

Note: All the fitting are of DADEX,POLYFIT,TURKPLAST,ADAM G, Faisal , Master, Sonex, Durr ICI, Sun light Orient ,Esen or Best Quality. As per Requirement the sample will be approved by the engineer incharge.

| Civil Work Items 2021-2022 | | | |
|----------------------------|--|------|---------------|
| S.No | Name of Items | Unit | Specification |
| 1 | Provide fine dressed stone dado or skirting 1/2" thick Approved as per satisfaction of engineer Incharge (MRS 2020) | M2 | |
| 2 | Provide fine dressed stone Flooring 3/4" thick Approved as per satisfaction of engineer Incharge(MRS 2020) | M2 | |
| 3 | Providing Precast Concrete 7000 psi TUFF Tiles 50mm thick over bed of 2" thick sand & 4" thick brick ballast/stone ballast complete.(MRS 2020) | M2 | |
| 4 | Lay floor of approved coloured glazed tiles 1/4" laid in white cement & pigment complete(MRS 2020) | m2 | |
| 5 | Approved coloured glazed tiles 1/4" Dado Jointed in white cement & pigment complete(MRS 2020) | m2 | |
| 6 | Providing of Porcelain Floor Tile 16" x 16" of approved quality | | |

| | | | |
|----|--|-----|--|
| 7 | <p>P/F of plaster of paris tile of size 2' x 2' x 1" false ceiling with finishing of joints along with Aluminum L and T sections and Hanging wires. P/F of plaster of paris Gola (Comer) 8" width ornamental design with finishing of joints complete.</p> <p>P/F of plaster Gola (Comer) 2" width ornamental design with finishing of joints complete Approve as per satisfaction of Engineer(MRS 2020)</p> | M2 | |
| 8 | S/I of Dumpa Ceiling (Local) complete Approve as per satisfaction of Engineer | M2 | |
| 9 | S/I of Dumpa Ceiling (Imported Denmark) complete Approve as per satisfaction of Engineer | M2 | |
| 10 | Supply and Fixing accoustic mineral fibre tile ceiling fixed with aluminium tee hung by GI wire Approve as per satisfaction of Engineer | Sft | |
| 11 | Supply and Fixing aluminium door/window, Fixed Glazing Premium model (1.6 mm gauge) Bronz/Black 4" section(MRS 2020) | M2 | |
| 12 | Supply and Fixing aluminium door/window, Hinged Window Premium model (1.6 mm gauge) 4" section(MRS 2020) | M2 | |
| 13 | Supply and Fixing aluminium door/window, Sliding Door Premium model (1.6 mm gauge) 4" section(MRS 2020) | M2 | |

| | | | |
|----|--|-----|--|
| 14 | Frost Paper Best Quality Micron Imported with wastage. Approved as per satisfaction of Engineer Incharge | M2 | |
| 15 | Supply and fixing of fancy type stainless steel chromium plate 2" dia pipes stair railing 3/4" dia pipe fixed on specified space on steps in horizontal positions, complete in all respects(MRS 2020) | M | |
| 16 | Providing thermal insulation on GI Pipe of 4",3",2",1" on roof top complete in all respect approved as per satisfaction of engineer Incharge | M | |
| 18 | Providing and install Fiber Glass reinforced plastic sheets over fiber glass frame using 3mm thick FGR sheets comprising over fiber glass chopped strand mat (450 gm/M2) or polyester fiber, impregnated with suitable unsaturated polyester/ vinyl ester resin.Ratio for glass to resin of (1:2:5) is to be maintained with frame 2"x2" & 4"pipe. Complete in all respects and as per instructions of the Engineer. | M2 | |
| 19 | Providing and making of special type bed partition curtain of parachute cloth including railing of special design for hanging of curtain embeded in false ceiling without support smooth running alround ,weighted bottom portion and in waved design complete in alrespect (Bed 8+8+7= 23 rft,height 8') | Rft | |

| | | | |
|----|--|-------------|--|
| 20 | P/L of Anti Static, static Dissipative floor coating with self leveling compound (imported) Gerflor or Equivalent | Sft | |
| 21 | Best Quality Window Blinds approve as per satisfaction of Engineer Incharge | Sft | |
| 22 | Sand | 100Cft | |
| 23 | Crush | 100Cft | |
| 24 | Brick | No's | |
| 25 | Cement Grey | Bag | |
| 26 | Cement White | Bag | |
| 27 | Bond | Bag | |
| 28 | Paint (Different Colors) ICI/BURGER/MASTER | | |
| 29 | Shoe racks Best Quality | Each | |
| 30 | Floor Mate Standard Size Best Quality | Each | |
| 30 | Supply of M.S. reinforcement for cement concrete (Hot rolled deformed bars Grade 60) | Ton | |
| 30 | Supply of M.S. reinforcement for cement concrete (Hot rolled deformed bars Grade 40) | Ton | |
| 31 | Chips/ Chips powder Coloured | Bags | |
| 32 | Chemical Polishing of Marble and Mosaic Flooring | Bags | |
| 33 | Supply and fixing UPVC Flush doors with 60mm wide frame 2-2.5mm wall thickness inclusive of all accessories and galvanized iron support in any available Plain colour (MRS 2020) | M2 | |

| | | | |
|----|---|-----------|--|
| 34 | Supply and fixing UPVC full glazed fixed windows with 80mm wide frame 2-2.2mm wall thicknesses inclusive of all accessories and galvanized iron support in wooden texture without glass panes(MRS 2020) | M2 | |
| 35 | Supply of Multicliper Board Size 5"x4". Complete in all respect (Quality Board) | No | |
| 36 | Supply of Notice Board with stand (a) 4"x3" (b) 6"x4" (c) 8"x4" | No | |
| 37 | White Sheet Ply | No | |
| 38 | Ball valve ½", 1", 3/4" (Best Quality) | No | |
| 39 | WD 40- Spray | No | |
| 40 | Flush Tank Accessories Indian Complete- ICI | No | |
| 41 | Flush Tank Accessories English Complete- WC | No | |
| 42 | Push Button Commode | No | |
| 43 | Seat Cover English -WC | No | |

| | | | |
|--------------|---|----|--|
| 44 | Sink West Coupling | No | |
| 45 | Muslim Shower Complete- Master | No | |
| 46 | Tee Cock | No | |
| Tools | | | |
| | | | |
| 1 | Measuring tape 30m Best Quality i.e Stanly,fluke,clarke ,Dewalt. Approved as per satisfaction of Engineer | No | |
| 2 | Measuring tape 8m Best Quality i.e Stanly,fluke,clarke ,Dewalt. Approved as per satisfaction of Engineer | No | |
| 3 | Laser Distance meter Best quality i.e Stanly,fluke,clarke ,Dewalt. Approved as per satisfaction of Engineer | No | |
| 4 | Digital Smart level Tool i.e Stanly,fluke,clarke ,Dewalt or Equivalent Approved as per satisfaction of Engineer | No | |
| 5 | Safety belt Best Quality Approved as per satisfaction of engineer Incharge | No | |
| 6 | Safety helmet Best Quality Approved as per satisfaction of engineer Incharge | No | |
| 7 | Welding gast cutter Best Quality Approved as per satisfaction of engineer Incharge | No | |
| 8 | Plumb Bob Best Quality Approved as per satisfaction of engineer Incharge | No | |

| | | | |
|-----------|---|----|--|
| 9 | Bubble Level 12" Best Quality Approved as per satisfaction of engineer Incharge | No | |
| 10 | Bubble Level 24" Best Quality Approved as per satisfaction of engineer Incharge | No | |
| 11 | Tile Cutter (Makeena) Best Quality Approved as per satisfaction of engineer Incharge | No | |
| 12 | Tiles Rubber Hammer Best Quality Approved as per satisfaction of engineer Incharge | No | |
| 13 | Steel Float Best Quality Approved as per satisfaction of engineer Incharge | No | |
| 14 | Wooden Float Best Quality Approved as per satisfaction of engineer Incharge | No | |
| 15 | Spade (Belcha) Best Quality Approved as per satisfaction of engineer Incharge | No | |
| 16 | Pick Axe (Gentry) Best Quality Approved as per satisfaction of engineer Incharge | No | |
| 17 | Sledge Hammer (Palq) Best Quality Approved as per satisfaction of engineer Incharge | No | |
| 18 | Chisel for mason Best Quality Approved as per satisfaction of engineer Incharge | No | |
| 19 | Pencil/Pen Tile Cutter Best Quality Approved as per satisfaction of engineer Incharge | No | |
| 20 (a) | Pipe wrench 12" Best Quality Approved as per satisfaction of engineer Incharge | No | |

| | | | |
|-----|--|----|--|
| (b) | Pipe wrench 14" Best Quality Approved as per satisfaction of engineer Incharge | | |
| 21 | Pipe wrench 18" Best Quality Approved as per satisfaction of engineer Incharge | No | |
| 22 | Pipe wrench 24" Best Quality Approved as per satisfaction of engineer Incharge | No | |
| 23 | Adjustable wrench 12" Best Quality Approved as per satisfaction of engineer Incharge | No | |
| 24 | Piler Best Quality Approved as per satisfaction of engineer Incharge | No | |
| 25 | Wheel Barrow Best Quality Approved as per satisfaction of engineer Incharge | No | |
| 26 | Drill machine (HILTI, BOSCH, Dewalt or equivalent) Best Quality Approved as per satisfaction of engineer Incharge | No | |
| 27 | Hilty machine Heavy Duty Approved as per satisfaction of engineer (HILTI, BOSCH, Dewalt or equivalent) | No | |
| 28 | Electric screw driver (flat) Best Quality Approved as per satisfaction of engineer | No | |
| 29 | Mechanical screw driver (flat) Best Quality Approved as per satisfaction of engineer | No | |
| 30 | Socket set (goti set) Best Quality Approved as per satisfaction of engineer | No | |
| 31 | Cherry Picker for external maintenace of Building and street lights Height/ Boom 45.5m Approved as per satisfaction of engineer | No | |

| | | | |
|----|--|----|--|
| 32 | Hacksaw frame with blade Best Quality Approved as per satisfaction of engineer Incharge | No | |
| 33 | Silicone gun Best Quality Approved as per satisfaction of engineer Incharge | No | |
| 34 | Hammer 1 kg Best Quality Approved as per satisfaction of engineer Incharge | No | |
| 35 | Hammer 500 gram Best Quality Approved as per satisfaction of engineer Incharge | No | |
| 36 | Grease gun Best Quality Approved as per satisfaction of engineer Incharge | No | |
| 37 | Safety belt Best Quality Approved as per satisfaction of engineer Incharge | No | |
| 38 | Safety helmet Best Quality Approved as per satisfaction of engineer Incharge | No | |
| 39 | Paint Brush (Different Sizes) Best Quality Approved as per satisfaction of engineer Incharge | No | |
| 40 | Ladder 6 feet, 8 feet Best Quality Approved as per satisfaction of engineer Incharge | No | |
| 41 | Garden Pipe Best Quality Approved as per satisfaction of engineer Incharge | No | |
| 42 | Pully Cart with complete setup for external maintenance of Building min height 80' | No | |
| 43 | Hand planner sand | No | |
| 44 | Chisel 10" | No | |
| 45 | Chisel 12" | No | |
| 46 | Chisel 18" | No | |
| 47 | Hole saw set | No | |
| 48 | Drill bit set | No | |

| | | | |
|----|---|-----|--|
| 49 | Concrete drill bit set | No | |
| 50 | Glass cutter | No | |
| 51 | Jig saw blades | No | |
| 52 | Drawer lock bit set | No | |
| 53 | Hack saw | No | |
| 54 | Circular saw blade 7" | No | |
| 55 | Scissor for iron cutting | No | |
| 56 | Drill machine small | No | |
| 57 | Circular saw machine | No | |
| 58 | Grinder machine 9" | No | |
| 59 | Circular saw blade 9" | No | |
| 60 | Chargeable drill machine small | No | |
| 61 | Rivet gun | No | |
| 62 | Hand Saw blade | No | |
| 63 | Double open ended spanner | No | |
| 64 | Ring spanner set | No | |
| 65 | Screw Driver | No | |
| 66 | Antiship Tape/Strip | No | |
| 67 | Grass cutter (Manually operated) | No | |
| 68 | Grass cutter (Electric) | No | |
| 69 | Hedge shears (scissor) | No | |
| 70 | Garden hose | No | |
| 71 | Pruning saw | No | |
| 72 | Pruners | No | |
| 73 | Hand Grass cutting machine | No | |
| 74 | Hoe | No | |
| 75 | Vinyl flooring (local) | No | |
| 76 | Spickle | No | |
| 77 | Supply of welding plant 400 Amp with 100 Ft wire, welding helmet. Complete in all respect | No | |
| 78 | Welding Rods | Pkt | |
| 79 | Copper Welding Rods | Pkt | |
| 80 | Saw Blade | No | |

| | | | |
|----|-----------------------------|----|--|
| 81 | Grindder sand Blade 7" & 5" | No | |
| 82 | Grindder Blade 7", 9" & 5" | No | |

Note: All the tools will be of best quality available in the market approved by the Engineer Incharge.

Note: Sample will be called at the time of selection if required.

BLACKLISTMENT OF DEFAULTED BIDDER/CONTRACTOR

Conditions for Blacklisting of Defaulted Bidder/Contractor under rule 44 of KPPRA Rules 2014

The following are the events which would lead to initiate (Rule 44 of KPPRA Rules 2014) blacklisting/debarment process;

- a. Consistent failure to provide satisfactory performances.
- b. Found involved in corrupt/fraudulent practices.
- c. Abandoned the place of work permanently.

Conditions for debarment of Defaulted Bidder/Contractor

- I. Failure or refusal to;
- II. Accept Purchases Order / Services order terms;
- III. Make supplies as per specifications agreed:
- IV. Fulfill contractual obligations as per contract
- V. Non execution of work as per terms & condition of contract.
- VI. Any unethical or unlawful professional or business behavior detrimental to good conduct and integrity of the public procurement process.

- VII. Persistent and intentional violation of important conditions of contract.
- VIII. Non-adherence to quality specifications despite being importunately pointed out.
- IX. Security consideration of the State i.e., any action that jeopardizes the security of the State or good repute of the Peshawar Institute of Cardiology Peshawar.

Procedure for blacklisting and debarment

1. Competent authority of Peshawar Institute of Cardiology may on information, or on its own motion, issue show cause notice to the bidder.
2. The show because notice shall contain the statement of allegation against the Bidder.
3. The bidder will be given maximum of seven days to submit the written reply of the show cause notice.
4. In case the bidder fails to submit written reply within the requisite time, the competent authority may proceed forth with ex-parte against the bidder.
5. Direct to issue notice of personal hearing to the bidder/ authorized representative of the bidder and the competent authority shall decide the matter on the basis of available record and personal hearing, if availed.
6. The competent authority shall decide the matter within thirty days from the initiation of proceedings.
7. The order of competent authority shall be communicated to the bidder by indicating reasons.
8. The order past as above shall be duly conveyed to the PKPRA and defaulting bidder within three days of passing order.
9. The duration of debarment may vary up to five years depending upon the nature of violation.

9. REDRESSING OF GRIEVANCES

- a. The purchaser shall constitute a committee comprising of disagreed & notified by the competent authority proper powers and authorizations to address the complaints of bidders that may occur prior to the entry into force of the procurement contract.
- b. Any bidder feeling aggrieved by any act of the purchaser after the submission of his bid may lodge a written complaint concerning his grievances not later than 03 days after the announcement of the bid evaluation report.
- c. The grievance redressed Officer shall investigate and decide upon the complaint within 06 days of the receipt of the complaint. The report along with decision shall be forwarded to the purchaser officer within the prescribed period.
- d. Mere fact of lodging of a complaint shall not warrant suspension of the procurement process.
- e. Note: Grievance notified & designated who can invite appropriate official as co-opted member for grievance.

10. AWARD OF CONTRACT:

Contracts shall be confirmed through a written agreement signed by the successful bidder and the PIC Peshawar.

11. PAYMENT:

- a. No advance payment will be permissible.
- b. The payment will be made after successful supply, installation/inspection and test run of all requisite items.