

TheAtoms

Frontend Web Development Course

Apply **CSS Styling** to the Following Code.

Copy and paste or manually type the following code into your HTML file.

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="utf-8" />
  <meta name="viewport" content="width=device-width,initial-scale=1" />
  <title>CSS Selector Quest — TheAtoms</title>
  <!-- students should add/modify only with CSS (per your assignment) -->
</head>
<body>
  <header>
    <h1>Welcome to TheAtoms CSS Quest</h1>
    <nav class="main-nav">
      <a href="#home">Home</a> |
      <a href="#modules">Modules</a> |
      <a href="#about">About</a> |
      <a href="#feedback">Feedback</a>
    </nav>
  </header>

  <main>
    <section id="modules">
      <h2>Course Modules</h2>
      <ul class="module-list">
        <li>Introduction to HTML</li>
        <li>CSS Basics</li>
        <li>Selectors & Specificity</li>
        <li>Box Model & Layout</li>
        <li>Responsive Design</li>
      </ul>
    </section>

    <section id="quotes">
      <h2>Designer Quotes</h2>

      <blockquote>
        <p><em>"Design is intelligence made visible."</em> — <span>Alina</span></p>
      </blockquote>

      <blockquote>
        <p><em>"Simplicity is the ultimate sophistication."</em> — <span>Marco</span></p>
      </blockquote>
    </section>
  </main>
</body>
</html>
```

```

<section id="cta" class="container">
  <h3>Quick Poll</h3>
  <form id="feedback" action="#" method="post">
    <fieldset>
      <legend>Do you enjoy styling?</legend>

      <label>
        <input type="radio" name="enjoy" value="yes" /> Yes
      </label>

      <label>
        <input type="radio" name="enjoy" value="sometimes" /> Sometimes
      </label>

      <label class="no-label">
        <input type="radio" name="enjoy" value="no" /> No
      </label>
    </fieldset>

    <fieldset>
      <legend>Participation</legend>
      <label>
        <input type="checkbox" name="agree" id="agree" /> I agree to try the exercises
      </label>
    </fieldset>

    <div class="form-row">
      <label for="name">Name</label>
      <input type="text" id="name" name="name" />

      <label for="password">Set a quick passcode</label>
      <input type="password" id="password" name="password" />
    </div>

    <button type="submit">Send Feedback</button>
  </form>
</section>
</main>

<footer>
  <p>© TheAtoms — Frontend Web Development Course</p>
</footer>
</body>
</html>

```

Practice Questions :

Use only CSS selectors to complete the following styling tasks. **Do not modify the HTML** except where specifically mentioned. No inline styles.

Part A – Selectors :

1. Add a unique id="pageTitle" to the <h1> tag in the header, then style it in **purple** using an ID selector.
2. Select all elements inside <blockquote> and make them **orange** (without using the em element selector directly).
3. Style all <a> links inside the .main-nav so that they:
 - Have a font size of **18px**
 - Remove underline (text-decoration)
4. Change the text color of the **last ** inside .module-list to **teal**.

Part B – Pseudo-classes & Pseudo-elements

1. Change the background of any <a> link to **yellow** when hovered over.
2. Make every **odd-numbered list item** in .module-list have a **light blue** background.
3. Style the **first line** of every <blockquote> in **italics** using a pseudo-element.
4. When the **"I agree to try the exercises"** checkbox is selected, make its label text **dark green**.