



CSS **Selectors**

#7

1. Simple Selectors
2. Combinator Selectors
3. Pseudo-class Selectors
4. Pseudo-elements Selectors
5. Attribute Selectors



Simple Selectors

#7

Simple Selectors types:

1. Universal Selector
2. Element Selector
3. ID Selector
4. Class Selector
5. Descendant Selector
6. Group Selector



1. Universal Selector

- The Universal Selector targets all elements in the document

Example:

```
* {  
  margin: 0;  
  padding: 0;  
}
```



2.Element Selector

#7

- The CSS element selector targets elements by tag name

Example:

```
p{  
  font-size: 16px;  
  color: #333;  
}
```



3.ID Selector

#7

- The CSS ID selector targets an element with a specific id attribute.

Example:

```
#demo {  
  color: blue;  
  background-color: #f4f4f4;  
}
```




4.Class Selector

- The CSS .class selector selects elements with a specific class attribute.

Example:

```
.button {  
  color: #ffffff;  
  background-color: red;  
}
```



5.Descendant Selector

- The CSS descendant selector targets elements nested inside a specific parent, regardless of depth.

Example:

```
div p {  
  color: red;  
}
```



2. Combination Selector(+, > makes combinations) #7

1. Adjacent Sibling Combinator
2. Child Combinator



1. Adjacent Sibling Combinator

- The adjacent sibling combinator (+) selects an element that is immediately preceded by a specific element.

Example:

```
h1 + p {  
  margin-top: 0;  
}
```



2.Child Combinator

#7

- The child combinator (>) selects direct children of a specified element.

Example:

```
div > p {  
  color: blue;  
}
```



Let's **recall** what we've learned so far

#7

