

TC003

To verify if "Save as Draft" button saves the notification as draft during creation of a new notification.

1.TC0012

2. Tllsore

Executed On: 30Jan2024

Web Browser Used: chrome 120.0.6099.227


Overall Status: Failed

Sno	Step	Expected Result	Actual Result	Status
1	Open Browser chrome	The browser should open successfully	The browser opened	Passed
			● dec. x + v - 0 x	
			← → C O A Not secure data, 日 文 日 本 日	
			■ ○ Search	




2	Enter URL https://dev.mecp.jnj.com	The URL should be entered successfully	The URL is entered successfully Welcome to the MedTech Customer Notification Portal Enter Registered Email Address to Continue Type the registered Email Address to Continue Continue Phase Palicy Phase Palicy	Passed
3	Click on the element 'Email Text Box'	The click should be successful	The click is successful	Passed













7	7 Click on the element The 'Notification Name' Share		The click is successful	Passed
			₩ Meditech Customer Notification: x + ∨ − σ X	
			← → C ↑ a der/mecp/pi,com/admin-create-notification/Potalis Light ↑ □ ■ : MedTech Customer Notification Portal	
			Defails Actions Assignment Review : Notification Details Description Potential Impact Product Images Subject Product Supporting Tools Signature	
			Type notification name Type ID, Example/ABC_123456	
			Notification Type * Product Name * Company Name *	
			Select Type Type product name Select Name Figure 1	
			Description *	
			B / U 14 ▼ Font ▼ / Ⅲ Ⅲ 5 ℃	
			Type the description of the product Save as Draft Save and Continue	
			■ O Search	
8	Type the text 'New Notification throug aua'in	The URL should be	The text should be typed successfully	Passed
	'Notification Name'	entered		
	Troumendon Ivanic	successfully		












Type the text 'New Product Name' in 'Product Name' should be entered successfully		should be entered	The text should be typed successfully Mediach Customer Netification: × +	Passed
	MedTech Customer Notification Portal Description Auditors Auditors Beview			
13	Click on the element 'Product Description'	The click should be successful	The click is successful	Passed







	'Potential Impact'		cannot send data on the element with locator: //*[@id="PotentialImpact"]/form/div/textarea[1] locator_type: xpath
			₩ Medich Customer Notification × + ∨ − ♂ ×
			← → C △ a dev.mecp.pig.com/admin-create-notification/productDescription # ☆ □ ♣ :
		6	Details Actions Assignment Review Notification Details Description This is a new descripton Teleforedt Teleforedt Telefored
			Potential Impact * B I U 14 * Font * / IE E 5 C Type the personal impact of the field action
			Save as Draft Save and Continue O Search O