

**Test Description:**

To verify if the below:

1. All checkboxes able to check.

**Browser Details:****Version Details:**


115.0.1901.188


**Executed Date:**


05May2025


**PASSED**


Sno	Step	Result	Status
1	Open the browser	The browser opens successfully	Pass
	Open Browser	The browser opened successfully	Pass


Sno	Step	Result	Status
	Enter URL 'https://jqueryui.com/'	<p>The URL is entered successfully</p> 	Pass
2	Open the checkbox radio page	The checkbox radio page opens successfully	Pass


Sno	Step	Result	Status
	Click on the element 'Checkboxradio link'	<p>The click is successful</p> 	Pass
3	Click on no icons link	The no icons page opens successfully	Pass

Sno	Step	Result	Status
	Click on the element 'checkboxradioicons link'	<p>The click is successful</p> 	Pass
4	Click on all radio buttons and check	Should be able to click on each radio button and that button is selected	Pass


Sno	Step	Result	Status
	Switch to Iframe 'iframe'	<p>Switched to Iframe successfully</p>  <p>The screenshot shows a web application interface. On the left, there is a sidebar with a list of widgets: Draggable, Droppable, Resizable, Selectable, Sortable, and a 'Widgets' section containing Accordion, Autocomplete, Button, Checkboxradio, Controlgroup, Datepicker, Dialog, Menu, Progressbar, Selectmenu, and Slider. The main content area is titled 'Checkbox and radio button widgets' and includes a 'Radio Group' section with a 'Select a Location:' label and three buttons: 'New York', 'Paris', and 'London'. Below this is a 'Checkbox' section with a 'Hotel Ratings:' label and four buttons: '2 Star', '3 Star', '4 Star', and '5 Star'. To the right of the main content is an 'Examples' section with four buttons: 'Default functionality', 'No Icons', 'Product Selector', and 'Radio Group'. At the bottom of the main content area, there is a 'view source' link. The browser's address bar shows '05May2025_01h40m54s135533'.</p>	Pass


Sno	Step	Result	Status
	Click on the element '1radio'	<p>The click is successful</p>  <p>05May2025_01h40m56s608920</p> <p>Enhances standard checkbox and radio input element to themeable buttons with appropriate hover and active styles.</p> <h2>Checkbox and radio button widgets</h2> <h3>Radio Group</h3> <p>Select a Location:</p> <p>New York Paris London</p> <h3>Checkbox</h3> <p>Hotel Ratings:</p> <p>2 Star 3 Star 4 Star 5 Star</p> <p>Examples of the markup that can be used with checkboxes and radio buttons, here showing both without icons.</p> <p><a href="#">view source</a></p>	Pass


Sno	Step	Result	Status
	Check if the element '1radio' is selected	<p>The element '1radio' is selected</p>  <p>The screenshot displays a web page titled 'Checkbox and radio button widgets'. On the left, there is a sidebar with a list of widgets: Draggable, Droppable, Resizable, Selectable, Sortable, Accordion, Autocomplete, Button, Checkboxradio, Controlgroup, Datepicker, Dialog, Menu, Progressbar, Selectmenu, and Slider. The 'Widgets' section is currently selected. The main content area shows two examples: 'Radio Group' and 'Checkbox'. The 'Radio Group' example has a label 'Select a Location:' and three buttons: 'New York' (which is highlighted in blue), 'Paris', and 'London'. The 'Checkbox' example has a label 'Hotel Ratings:' and four buttons: '2 Star', '3 Star', '4 Star', and '5 Star'. At the bottom of the main content area, there is a link to 'view source'.</p>	Pass

Sno	Step	Result	Status
	Click on the element 'radio'	<p>The click is successful</p> <div> <ul style="list-style-type: none"> <li>• Draggable</li> <li>• Droppable</li> <li>• Resizable</li> <li>• Selectable</li> <li>• Sortable</li> </ul> <div> <h3>Widgets</h3> <ul style="list-style-type: none"> <li>• Accordion</li> <li>• Autocomplete</li> <li>• Button</li> <li>• Checkboxradio</li> <li>• Controlgroup</li> <li>• Datepicker</li> <li>• Dialog</li> <li>• Menu</li> <li>• Progressbar</li> <li>• Selectmenu</li> <li>• Slider</li> </ul> </div> </div> 	Pass




Sno	Step	Result	Status
	Check if the element '2radio' is selected	<p>The element '2radio' is selected</p>  <p>The screenshot displays a web page titled 'Checkbox and radio button widgets'. On the left, there is a sidebar with a list of widgets: Draggable, Droppable, Resizable, Selectable, Sortable, Accordion, Autocomplete, Button, Checkboxradio, Controlgroup, Datepicker, Dialog, Menu, Progressbar, Selectmenu, and Slider. The 'Widgets' section is currently selected. The main content area shows two examples: 'Radio Group' and 'Checkbox'. The 'Radio Group' example has a label 'Select a Location:' and three buttons: 'New York', 'Paris' (which is highlighted in blue), and 'London'. The 'Checkbox' example has a label 'Hotel Ratings:' and four buttons: '2 Star', '3 Star', '4 Star', and '5 Star'. At the bottom of the main content area, there is a link to 'view source'.</p>	Pass

Sno	Step	Result	Status
	Click on the element '3radio'	<p>The click is successful</p> <div> <ul style="list-style-type: none"> <li>• Draggable</li> <li>• Droppable</li> <li>• Resizable</li> <li>• Selectable</li> <li>• Sortable</li> </ul> <div> <p><b>Widgets</b></p> <ul style="list-style-type: none"> <li>• Accordion</li> <li>• Autocomplete</li> <li>• Button</li> <li>• Checkboxradio</li> <li>• Controlgroup</li> <li>• Datepicker</li> <li>• Dialog</li> <li>• Menu</li> <li>• Progressbar</li> <li>• Selectmenu</li> <li>• Slider</li> </ul> </div> </div> 	Pass


Sno	Step	Result	Status
	Check if the element '3radio' is selected	<p>The element '3radio' is selected</p>  <p>05May2025_01h41m02s199818</p> <p>Enhances standard checkbox and radio input element to themeable buttons with appropriate hover and active styles.</p> <p><b>Checkbox and radio button widgets</b></p> <p><b>Radio Group</b></p> <p>Select a Location:</p> <p>New York Paris London</p> <p><b>Checkbox</b></p> <p>Hotel Ratings:</p> <p>2 Star 3 Star 4 Star 5 Star</p> <p>Examples of the markup that can be used with checkboxes and radio buttons, here showing both without icons.</p> <p><a href="#">view source</a></p>	Pass
5	Click on all check boxes and check	Should be able to click on all check boxes and all should be checked.	Pass

Sno	Step	Result	Status
	Click on the element '1check'	<p>The click is successful</p> <div> <ul style="list-style-type: none"> <li>• Draggable</li> <li>• Droppable</li> <li>• Resizable</li> <li>• Selectable</li> <li>• Sortable</li> </ul> <h3>Widgets</h3> <ul style="list-style-type: none"> <li>• Accordion</li> <li>• Autocomplete</li> <li>• Button</li> <li>• Checkboxradio</li> <li>• Controlgroup</li> <li>• Datepicker</li> <li>• Dialog</li> <li>• Menu</li> <li>• Progressbar</li> <li>• Selectmenu</li> <li>• Slider</li> </ul> </div> <div> <p>Enhances standard checkbox and radio input element to themeable buttons with appropriate hover and active styles.</p> <h3>Radio Group</h3> <p>Select a Location:</p> <div> <input type="button" value="New York"/> <input type="button" value="Paris"/> <input checked="" type="button" value="London"/> </div> <h3>Checkbox</h3> <p>Hotel Ratings:</p> <div> <input checked="" type="button" value="2 Star"/> <input type="button" value="3 Star"/> <input type="button" value="4 Star"/> <input type="button" value="5 Star"/> </div> <h3>Checkbox nested in label</h3> <p>Bed Type:</p> <div> <input type="button" value="2 Double"/> <input type="button" value="2 Queen"/> <input type="button" value="1 Queen"/> <input type="button" value="1 King"/> </div> <p>Examples of the markup that can be used with checkboxes and radio buttons, here showing both without icons.</p> <p><a href="#">view source</a></p> </div> <div> <h3>Examples</h3> <ul style="list-style-type: none"> <li>Default functionality</li> <li>No Icons</li> <li>Product Selector</li> <li>Radio Group</li> </ul> </div>	Pass


Sno	Step	Result	Status
	Check if the element '1check' is selected	<p>The element '1check' is selected</p> <div> <ul style="list-style-type: none"> <li>• Draggable</li> <li>• Droppable</li> <li>• Resizable</li> <li>• Selectable</li> <li>• Sortable</li> </ul> <h3>Widgets</h3> <ul style="list-style-type: none"> <li>• Accordion</li> <li>• Autocomplete</li> <li>• Button</li> <li>• Checkboxradio</li> <li>• Controlgroup</li> <li>• Datepicker</li> <li>• Dialog</li> <li>• Menu</li> <li>• Progressbar</li> <li>• Selectmenu</li> <li>• Slider</li> </ul> </div> <div> <p>Enhances standard checkbox and radio input element to themeable buttons with appropriate hover and active styles.</p> <h3>Radio Group</h3> <p>Select a Location:</p> <div> <input type="button" value="New York"/> <input type="button" value="Paris"/> <input checked="" type="button" value="London"/> </div> <h3>Checkbox</h3> <p>Hotel Ratings:</p> <div> <input checked="" type="button" value="2 Star"/> <input type="button" value="3 Star"/> <input type="button" value="4 Star"/> <input type="button" value="5 Star"/> </div> <h3>Checkbox nested in label</h3> <p>Bed Type:</p> <div> <input type="button" value="2 Double"/> <input type="button" value="2 Queen"/> <input type="button" value="1 Queen"/> <input type="button" value="1 King"/> </div> <p>Examples of the markup that can be used with checkboxes and radio buttons, here showing both without icons.</p> <p><a href="#">view source</a></p> </div> <div> <h3>Examples</h3> <ul style="list-style-type: none"> <li>Default functionality</li> <li>No Icons</li> <li>Product Selector</li> <li>Radio Group</li> </ul> </div>	Pass

Sno	Step	Result	Status
	Check if the element '2check' is NOT selected	<p>The element '2check' is NOT selected</p>  <p>05May2025_01h41m05s659721</p> <p>Enhances standard checkbox and radio input element to themeable buttons with appropriate hover and active styles.</p> <p><b>Radio Group</b></p> <p>Select a Location:</p> <p>New York Paris London</p> <p><b>Checkbox</b></p> <p>Hotel Ratings:</p> <p>2 Star 3 Star 4 Star 5 Star</p> <p><b>Checkbox nested in label</b></p> <p>Bed Type:</p> <p>2 Double 2 Queen 1 Queen 1 King</p> <p>Examples of the markup that can be used with checkboxes and radio buttons, here showing both without icons.</p> <p><a href="#">view source</a></p> <p><b>Examples</b></p> <ul style="list-style-type: none"> <li>Default functionality</li> <li>No Icons</li> <li>Product Selector</li> <li>Radio Group</li> </ul>	Pass

Sno	Step	Result	Status
	Click on the element '2check'	<p>The click is successful</p> <div> <ul style="list-style-type: none"> <li>• Draggable</li> <li>• Droppable</li> <li>• Resizable</li> <li>• Selectable</li> <li>• Sortable</li> </ul> <h3>Widgets</h3> <ul style="list-style-type: none"> <li>• Accordion</li> <li>• Autocomplete</li> <li>• Button</li> <li>• Checkboxradio</li> <li>• Controlgroup</li> <li>• Datepicker</li> <li>• Dialog</li> <li>• Menu</li> <li>• Progressbar</li> <li>• Selectmenu</li> <li>• Slider</li> </ul> </div> <div> <p>Enhances standard checkbox and radio input element to themeable buttons with appropriate hover and active styles.</p> <h3>Radio Group</h3> <p>Select a Location:</p> <div> <input type="button" value="New York"/> <input type="button" value="Paris"/> <input checked="" type="button" value="London"/> </div> <h3>Checkbox</h3> <p>Hotel Ratings:</p> <div> <input checked="" type="button" value="2 Star"/> <input checked="" type="button" value="3 Star"/> <input type="button" value="4 Star"/> <input type="button" value="5 Star"/> </div> <h3>Checkbox nested in label</h3> <p>Bed Type:</p> <div> <input type="button" value="2 Double"/> <input type="button" value="2 Queen"/> <input type="button" value="1 Queen"/> <input type="button" value="1 King"/> </div> <p>Examples of the markup that can be used with checkboxes and radio buttons, here showing both without icons.</p> <p><a href="#">view source</a></p> </div> <div> <h3>Examples</h3> <ul style="list-style-type: none"> <li>Default functionality</li> <li>No Icons</li> <li>Product Selector</li> <li>Radio Group</li> </ul> </div>	Pass


Sno	Step	Result	Status
	Check if the element '2check' is selected	<p>The element '2check' is selected</p>  <p>05May2025_01h41m08s394155</p> <p>Enhances standard checkbox and radio input element to themeable buttons with appropriate hover and active styles.</p> <p><b>Radio Group</b></p> <p>Select a Location:</p> <p>New York Paris London</p> <p><b>Checkbox</b></p> <p>Hotel Ratings:</p> <p>2 Star 3 Star 4 Star 5 Star</p> <p><b>Checkbox nested in label</b></p> <p>Bed Type:</p> <p>2 Double 2 Queen 1 Queen 1 King</p> <p>Examples of the markup that can be used with checkboxes and radio buttons, here showing both without icons.</p> <p><a href="#">view source</a></p> <p><b>Examples</b></p> <ul style="list-style-type: none"> <li>Default functionality</li> <li>No Icons</li> <li>Product Selector</li> <li>Radio Group</li> </ul>	Pass



Sno	Step	Result	Status
	Check if the element '3check' is NOT selected	<p>The element '3check' is NOT selected</p>  <p>05May2025_01h41m08s773539</p> <p>Enhances standard checkbox and radio input element to themeable buttons with appropriate hover and active styles.</p> <p><b>Radio Group</b></p> <p>Select a Location:</p> <p>New York Paris London</p> <p><b>Checkbox</b></p> <p>Hotel Ratings:</p> <p>2 Star 3 Star 4 Star 5 Star</p> <p><b>Checkbox nested in label</b></p> <p>Bed Type:</p> <p>2 Double 2 Queen 1 Queen 1 King</p> <p>Examples of the markup that can be used with checkboxes and radio buttons, here showing both without icons.</p> <p><a href="#">view source</a></p> <p><b>Examples</b></p> <ul style="list-style-type: none"> <li>Default functionality</li> <li>No Icons</li> <li>Product Selector</li> <li>Radio Group</li> </ul>	Pass

Sno	Step	Result	Status
	Click on the element '3check'	<p>The click is successful</p> <div> <ul style="list-style-type: none"> <li>• Draggable</li> <li>• Droppable</li> <li>• Resizable</li> <li>• Selectable</li> <li>• Sortable</li> </ul> <h3>Widgets</h3> <ul style="list-style-type: none"> <li>• Accordion</li> <li>• Autocomplete</li> <li>• Button</li> <li>• Checkboxradio</li> <li>• Controlgroup</li> <li>• Datepicker</li> <li>• Dialog</li> <li>• Menu</li> <li>• Progressbar</li> <li>• Selectmenu</li> <li>• Slider</li> </ul> </div> <div> <p>Enhances standard checkbox and radio input element to themeable buttons with appropriate hover and active styles.</p> <h3>Radio Group</h3> <p>Select a Location:</p> <div> <input type="button" value="New York"/> <input type="button" value="Paris"/> <input checked="" type="button" value="London"/> </div> <h3>Checkbox</h3> <p>Hotel Ratings:</p> <div> <input checked="" type="button" value="2 Star"/> <input checked="" type="button" value="3 Star"/> <input checked="" type="button" value="4 Star"/> <input type="button" value="5 Star"/> </div> <h3>Checkbox nested in label</h3> <p>Bed Type:</p> <div> <input type="button" value="2 Double"/> <input type="button" value="2 Queen"/> <input type="button" value="1 Queen"/> <input type="button" value="1 King"/> </div> <p>Examples of the markup that can be used with checkboxes and radio buttons, here showing both without icons.</p> <p><a href="#">view source</a></p> </div> <div> <h3>Examples</h3> <ul style="list-style-type: none"> <li>Default functionality</li> <li>No Icons</li> <li>Product Selector</li> <li>Radio Group</li> </ul> </div>	Pass

Sno	Step	Result	Status
	Check if the element '3check' is selected	<p>The element '3check' is selected</p> <div> <ul style="list-style-type: none"> <li>Draggable</li> <li>Droppable</li> <li>Resizable</li> <li>Selectable</li> <li>Sortable</li> </ul> <h3>Widgets</h3> <ul style="list-style-type: none"> <li>Accordion</li> <li>Autocomplete</li> <li>Button</li> <li>Checkboxradio</li> <li>Controlgroup</li> <li>Datepicker</li> <li>Dialog</li> <li>Menu</li> <li>Progressbar</li> <li>Selectmenu</li> <li>Slider</li> </ul> </div> <div> <p>Enhances standard checkbox and radio input element to themeable buttons with appropriate hover and active styles.</p> <h3>Radio Group</h3> <p>Select a Location:</p> <div> <input type="button" value="New York"/> <input type="button" value="Paris"/> <input checked="" type="button" value="London"/> </div> <h3>Checkbox</h3> <p>Hotel Ratings:</p> <div> <input checked="" type="button" value="2 Star"/> <input checked="" type="button" value="3 Star"/> <input checked="" type="button" value="4 Star"/> <input type="button" value="5 Star"/> </div> <h3>Checkbox nested in label</h3> <p>Bed Type:</p> <div> <input type="button" value="2 Double"/> <input type="button" value="2 Queen"/> <input type="button" value="1 Queen"/> <input type="button" value="1 King"/> </div> <p>Examples of the markup that can be used with checkboxes and radio buttons, here showing both without icons.</p> <p><a href="#">view source</a></p> </div> <div> <h3>Examples</h3> <ul style="list-style-type: none"> <li>Default functionality</li> <li>No Icons</li> <li>Product Selector</li> <li>Radio Group</li> </ul> </div>	Pass

Sno	Step	Result	Status
	Check if the element '4check' is NOT selected	<p>The element '4check' is NOT selected</p>  <p>05May2025_01h41m11s915762</p>	Pass

Sno	Step	Result	Status
	Click on the element '4check'	<p>The click is successful</p> <div> <ul style="list-style-type: none"> <li>Draggable</li> <li>Droppable</li> <li>Resizable</li> <li>Selectable</li> <li>Sortable</li> </ul> </div> <div> <h3>Widgets</h3> <ul style="list-style-type: none"> <li>Accordion</li> <li>Autocomplete</li> <li>Button</li> <li>Checkboxradio</li> <li>Controlgroup</li> <li>Datepicker</li> <li>Dialog</li> <li>Menu</li> <li>Progressbar</li> <li>Selectmenu</li> <li>Slider</li> </ul> </div> <div> <p>Enhances standard checkbox and radio input element to themeable buttons with appropriate hover and active styles.</p> <p>05May2025_01h41m14s354114</p> <div> <p>Select a Location:</p> <div> New York Paris London </div> </div> <h3>Checkbox</h3> <div> <p>Hotel Ratings:</p> <div> 2 Star 3 Star 4 Star 5 Star </div> </div> <h3>Checkbox nested in label</h3> <div> <p>Bed Type:</p> <div> 2 Double 2 Queen 1 Queen 1 King </div> </div> <p>Examples</p> <ul style="list-style-type: none"> <li>Default functionality</li> <li>No Icons</li> <li>Product Selector</li> <li>Radio Group</li> </ul> <p>Examples of the markup that can be used with checkboxes and radio buttons, here showing both without icons.</p> <p><a href="#">view source</a></p> </div>	Pass