



VRIJE
UNIVERSITEIT
BRUSSEL



Graduation thesis submitted in partial fulfilment of the requirements for the
degree of de Ingenieurswetenschappen: Computerwetenschappen

PROGRAMMING ROBOTS WITH HIGHER-ORDER REACTIVE PROGRAMMING

Gérard Lichtert

2025-2026

Promotor: Prof. Dr. Wolfgang De Meuter
Advisor: Bjarno Oeyen

Sciences and Bio-engineering Sciences



VRIJE
UNIVERSITEIT
BRUSSEL



Proefschrift ingediend met het oog op het behalen van de graad van Master of
Science in de Ingenieurswetenschappen: Computerwetenschappen

ROBOTS PROGRAMMEREN MET HOGERE-ORDER REACTIEF PROGRAMMEREN

Gérard Lichtert

2025-2026

Promotor: Prof. Dr. Wolfgang De Meuter
Advisor: Bjarno Oeyen

Wetenschappen en Bio-ingenieurswetenschappen

Abstract

Your abstract would go here.

Contents

Abstract	iii
1 Introduction	1
1.1 Contributions	1
1.2 Overview of this Dissertation	1
2 Problem Statement & State of the Art	3
2.1 Introduction	3
2.2 Reactive Programming	3
2.3 RP languages targetting MCU's	3
3 Higher-Order Reactive Programming with Haai	5
3.1 A brief introduction to Haai	5
3.2 Haai's toolchain: Remus	5
3.3 Haai in the IoT	5
4 Programming Robots with ROS	7
4.1 An introduction to the ROS library and toolchain	7
4.1.1 ROS communication protocols	7
4.2 Problem Statement	7
4.3 Introducing μ -ROS	7
4.3.1 Linking ROS and μ -ROS	7
4.4 Connecting Reactive Programming with ROS	7
5 Tierless programming	9
5.1 Declaring Haai's locality	9
5.2 Extending Remus	9
6 μ-Remus: A C implementation of the VM	11
6.1 Bringing Haai bytecode to MCU's	11
6.2 Bringing it all together	11
6.3 Evaluation	11
Conclusion & Future Work	13
6.4 Summary	13
6.5 Future Work	13

Chapter 1

Introduction

1.1 Contributions

1.2 Overview of this Dissertation

Chapter 2

Problem Statement & State of the Art

2.1 Introduction

2.2 Reactive Programming

2.3 RP languages targetting MCU's

Chapter 3

Higher-Order Reactive Programming with Haai

3.1 A brief introduction to Haai

3.2 Haai's toolchain: Remus

3.3 Haai in the IoT

Chapter 4

Programming Robots with ROS

4.1 An introduction to the ROS library and toolchain

4.1.1 ROS communication protocols

4.2 Problem Statement

4.3 Introducing μ -ROS

4.3.1 Linking ROS and μ -ROS

4.4 Connecting Reactive Programming with ROS

Chapter 5

Tierless programming

5.1 Declaring Haai's locality

5.2 Extending Remus

Chapter 6

μ -Remus: A C implementation of the VM

6.1 Bringing Haai bytecode to MCU's

6.2 Bringing it all together

6.3 Evaluation

Conclusion & Future Work

6.4 Summary

6.5 Future Work