



HAZEL GREEN REGIONAL ATHLETIC COMPLEX

PHASE 1 — REMODEL OF EXISTING WRESTLING ROOM

Location: Hazel Green, Madison County, Alabama
Rooms: existing wrestling room + adjacent walk-through room
For review by: principal + district facilities

WHAT THIS PROJECT DOES — 3 WORK ITEMS

W1 — WALL PADDING Proper training wall pads on the wrestling room walls. Finish work, not new construction. Walls to pad: TBD Pad height: 6 ft proposed (R-001 guidance), coach to confirm Pad thickness: TBD Who buys or donates: TBD (school purchase, donation, or fundraiser) Door hardware: Recess from wall surface where possible. Walls flat, no bump-outs. FIRE SAFETY — BEFORE BUYING PADS Wall pads must have an NFPA 286 assembly test report — not a foam-only rating. Ask the vendor before purchase. Basis: R-001: 2021 IBC 806.2 and 803.4 → 2603.9 (Alabama Building Code via DCM).	W2 — PLUMBING REPAIR Repair plumbing already failing in the existing building. Where: TBD Problem spots: TBD Existing fixtures: TBD Water / drain lines: TBD / TBD WHO DESIGNS IT BY LICENSED PLUMBER / ENGINEER OF RECORD This package gives: scope narrative + fixture list only (no plumbing design). Plumbing code: 2021 IPC (Alabama).	W3 — RESTROOM SPLIT Why: The route to the training room is an open walk-through room. Result: 1 male + 1 female athlete restroom (single-user, one per sex). Accessibility: full 2010 ADA Standards, BOTH rooms. Where / room sizes: TBD — waiting on measurements. KEY 2010 ADA NUMBERS FOR EACH RESTROOM (from R-003) <table><tr><th>Item</th><th>Requirement</th><th>2010 ADA §</th></tr><tr><td>Turning space</td><td>60 in circle (or T-shape)</td><td>304.3</td></tr><tr><td>Clear space at toilet</td><td>60 in wide × 56 in deep, min</td><td>604.3.1</td></tr><tr><td>Toilet centerline to side wall</td><td>16–18 in</td><td>604.2</td></tr><tr><td>Toilet seat height</td><td>17–19 in</td><td>604.4</td></tr><tr><td>Side grab bar</td><td>42 in long min; starts ≤ 12 in from rear wall</td><td>604.5.1</td></tr><tr><td>Rear grab bar</td><td>36 in long min</td><td>604.5.2</td></tr><tr><td>Grab bar height (top)</td><td>33–36 in</td><td>609.4</td></tr><tr><td>Sink clear floor space</td><td>30 × 48 in, forward</td><td>305.3, 606.2</td></tr><tr><td>Sink rim height</td><td>34 in max</td><td>606.3</td></tr><tr><td>Mirror bottom edge</td><td>40 in max above floor</td><td>603.3</td></tr><tr><td>Door clear width</td><td>32 in min</td><td>404.2.3</td></tr><tr><td>Door handle height</td><td>34–48 in</td><td>404.2.7</td></tr><tr><td>Door swing</td><td>not over toilet/sink clear space unless a 30 × 48 in space is beyond the swing</td><td>603.2.3</td></tr><tr><td>Room sign</td><td>tactile, 48–60 in high, latch side</td><td>703.4</td></tr></table> Planning numbers only. Final restroom layout comes on sheet P1-A-102 after the rooms are measured.	Item	Requirement	2010 ADA §	Turning space	60 in circle (or T-shape)	304.3	Clear space at toilet	60 in wide × 56 in deep, min	604.3.1	Toilet centerline to side wall	16–18 in	604.2	Toilet seat height	17–19 in	604.4	Side grab bar	42 in long min; starts ≤ 12 in from rear wall	604.5.1	Rear grab bar	36 in long min	604.5.2	Grab bar height (top)	33–36 in	609.4	Sink clear floor space	30 × 48 in, forward	305.3, 606.2	Sink rim height	34 in max	606.3	Mirror bottom edge	40 in max above floor	603.3	Door clear width	32 in min	404.2.3	Door handle height	34–48 in	404.2.7	Door swing	not over toilet/sink clear space unless a 30 × 48 in space is beyond the swing	603.2.3	Room sign	tactile, 48–60 in high, latch side	703.4
Item	Requirement	2010 ADA §																																													
Turning space	60 in circle (or T-shape)	304.3																																													
Clear space at toilet	60 in wide × 56 in deep, min	604.3.1																																													
Toilet centerline to side wall	16–18 in	604.2																																													
Toilet seat height	17–19 in	604.4																																													
Side grab bar	42 in long min; starts ≤ 12 in from rear wall	604.5.1																																													
Rear grab bar	36 in long min	604.5.2																																													
Grab bar height (top)	33–36 in	609.4																																													
Sink clear floor space	30 × 48 in, forward	305.3, 606.2																																													
Sink rim height	34 in max	606.3																																													
Mirror bottom edge	40 in max above floor	603.3																																													
Door clear width	32 in min	404.2.3																																													
Door handle height	34–48 in	404.2.7																																													
Door swing	not over toilet/sink clear space unless a 30 × 48 in space is beyond the swing	603.2.3																																													
Room sign	tactile, 48–60 in high, latch side	703.4																																													

NOT INCLUDED × The Phase 2 new building complex (55,000 SF) × Stadium seats × Any new structure Phase 1 is a remodel of existing rooms only.	WHO APPROVES (DRAFT — TBD) 1. Principal (name spelling TBD) 2. District facilities (Madison County Schools) 3. TBD Final approval path, and whether donated labor or materials are allowed: TBD (R-002 and R-004 research pending). Scope confirmation expected: ~end of October 2026 (principal + facilities)	WAITING ON ☐ Room measurements + photos: wrestling room and walk-through room (Shane) — D-001 ☐ Pad height: 6 ft proposed, coach's call — D-003 ☐ Which walls get pads, and who buys or donates them — D-003 ☐ Where the plumbing fails + photos — D-002 ☐ Principal's name spelling — D-005 ☐ Approval path: who signs off, donated work allowed? — D-004 (R-002, R-004)	PHOTOS  PHOTOS TBD Wrestling room  PHOTOS TBD Walk-through room
---	--	--	--

PRELIMINARY — CONCEPTUAL DESIGN — NOT FOR CONSTRUCTION

PROJECT	PHASE	SHEET TITLE	SCALE	DATE	REV	DRAWN BY	SHEET
Hazel Green Regional Athletic Complex Hazel Green, Madison County, Alabama	PHASE 1 REMODEL	SCOPE SHEET PHASE 1 — REMODEL OF EXISTING WRESTLING ROOM	NTS	October 2026	A	Drawn by KEYSTONE (AI) for Shane Brazelton	P1-G-001