



# TROJAN HORSE ARENA

## Hazel Green Regional Athletic Complex

Hazel Green area, Madison County, Alabama (site TBD, D-006)

### PHASE 2 — SCHEMATIC DESIGN SET · REV D

Program package for the Alabama-registered architect of record · October 2026

#### PROJECT

|                   |                                                                                                                    |
|-------------------|--------------------------------------------------------------------------------------------------------------------|
| Building          | Indoor athletic arena, 2 levels; 210 x 252 ft + NE stair tower, + storage annex (north) + restroom bump-out (east) |
| Owner / client    | Shane Brazelton (owner of record OPEN, D-007)                                                                      |
| Site              | TBD — unincorporated Hazel Green, Madison County, AL (D-006)                                                       |
| Code basis        | IBC 2021 ASSUMED; county on 2018, State Fire Marshal on 2021 — AHJ to confirm (D-008)                              |
| Occupancy         | A-4 main (arena), nonseparated mixed, fully sprinklered (ASSUMED, P2-G-002)                                        |
| Construction type | TBD (architect)                                                                                                    |

#### GENERAL NOTES

- PRELIMINARY — CONCEPTUAL DESIGN — NOT FOR CONSTRUCTION. Schematic program package only; not a code review, not sealed.
- Alabama requires a registered architect for this assembly building (Ala. Admin. Code 100-X-4-.03). This set is the program for that architect, who sets door widths, construction type, structure and MEP.
- Labels on every sheet: DECIDED = Shane's decision (D-####); ASSUMED = KEYSTONE / Claude placeholder; CITED = code or source reference.
- Drawn by AI (KEYSTONE / Claude) for Shane Brazelton. Older revisions are frozen history; new revisions are new files.

#### SHEET INDEX — PHASE 2 SCHEMATIC SET REV D (sheet-number order)

| SHEET    | TITLE                                                          | REV | STATUS                          |
|----------|----------------------------------------------------------------|-----|---------------------------------|
| P2-G-001 | Cover sheet — sheet index + decisions                          | C   | NEW (this sheet)                |
| P2-G-002 | Code analysis (schematic)                                      | D   | IN REVIEW (last approved Rev C) |
| P2-G-003 | Program test-fit — program + loop + storage + restrooms        | K   | APPROVED                        |
| P2-C-101 | Site plan — campus diagram (site TBD)                          | F   | IN REVIEW (last approved Rev E) |
| P2-A-101 | Overall floor plan — Level 1 (block plan)                      | J   | IN REVIEW (last approved Rev I) |
| P2-A-102 | Overall floor plan — Level 2 (block plan)                      | F   | APPROVED                        |
| P2-A-103 | Floor overlays — mats, seating + conversions (V2 egress aisle) | D   | IN REVIEW (last approved Rev A) |
| P2-A-111 | Life safety plan — Levels 1 + 2                                | D   | IN REVIEW (last approved Rev C) |
| P2-A-201 | Exterior elevations                                            | I   | IN REVIEW (last approved Rev H) |
| P2-A-301 | Building sections                                              | D   | APPROVED                        |
| P2-A-302 | Sight-line study                                               | C   | APPROVED                        |
| P2-A-401 | Enlarged plans — locker rooms + core 2 + public corridor       | D   | IN REVIEW (last approved Rev A) |
| P2-A-901 | 3D massing model — views                                       | D   | IN REVIEW (last approved Rev C) |

D-071: Set Rev B approved (G-001 A, G-002 C, G-003 K, C-101 E, A-101 I, A-102 F, A-111 C, A-201 H, A-301 D, A-302 C, A-901 C; frozen). Rev D sheets carry D-072 (core 2 off the public corridor (E), X11; GSF unchanged) and are IN REVIEW. Set Rev A / B / C kept unchanged.

#### SIZE — D-057 (drawn, R-021 method; no SF cap, D-056)

|                   | SET REV D | REV H  | CHANGE | SET REV A | CHANGE |
|-------------------|-----------|--------|--------|-----------|--------|
| Level 1 footprint | 56,861    | 55,181 | +1,680 | 51,503    | +5,358 |
| Level 2 area      | 28,933    | 28,933 | 0      | 28,363    | +570   |
| TOTAL GSF         | 85,793    | 84,113 | +1,680 | 79,866    | +5,927 |

Rev H = plan before the D-069 bump-out (+1,680 SF, L1 only). Set Rev A = plan Rev D (frozen baseline, D-036). Program total on P2-G-003 Rev K: 86,381 GSF (drawn — program = –588).

#### KEY FACTS (as drawn)

- Event floor 120 x 144 ft drawn (16,400 SF program, D-030); 4 x 42 ft mats, 2 x 2 (D-014).
- 2,200 seats = 1,100 telescopic lower + 1,100 fixed upper; upper tier steps down from the L2 loop, 21 in risers (D-009, D-049, D-061); east seats 16 ft from the mats (D-053).
- Level 2 FF 17'-9" (D-061); 2-lane running / training loop (D-035, D-037); roofs: ring 32.75 ft, arena 42 ft, structure underside 36 ft (ASSUMED).
- Exits: E1 main = 8-pair door bank, 512 in clear, single controlled entry (D-033, Option 1 11:07 AM CT); 4 stairs x 76 in, 31 risers (D-051, D-052). 7'-6" clear under the upper-tier front, zero margin (structure ≤ 1'-6" ASSUMED).
- Restrooms (chairs-only case, load 3,446): lobby core + core 2 = 22 men's / 42 women's WC, 9 / 12 lav, 4 DF (D-064, D-069, D-070).
- Event lockers 4 x 900 = 3,600 SF (D-060); chair / table / stage storage annex 2,100 SF on the north wall with S1 (D-067).

#### DECISIONS SUMMARY (DECIDED — Shane; full log: DECISIONS.md)

| D-###         | DECISION                                                                                                             |
|---------------|----------------------------------------------------------------------------------------------------------------------|
| D-030         | Two-level program around a 16,400 SF event floor; 2,200 seats (with D-009, D-032).                                   |
| D-033         | Single controlled public entry at E1; E1 = 8-pair door bank (Option 1, 11:07 AM CT).                                 |
| D-034         | Deliveries at north door S1 (staff only); bus loop south, offset from the portal view.                               |
| D-035/037     | Continuous Level 2 running / training loop, 2 lanes x 42 in.                                                         |
| D-039         | SW flex / storage and team assembly kept as drawn.                                                                   |
| D-041         | Official mark = Shane's circular horse-head badge; red #CC0000 / black.                                              |
| D-043/050     | Grand Entrance Portal freestanding over the Champion Walk; ≤ 50 ft, arch crown 34 ft (structural engineer required). |
| D-045/047     | Portal arch underside crimson, gold trim; badge 11 ft dia + 27 in wordmark.                                          |
| D-046/066     | Champion Walk 28 ft brick, widened to 40 ft at the doors (6 ft paved bands); 4x8 / 8x8 donor bricks.                 |
| D-049/053/061 | Upper tier steps down from the L2 loop; east seats 16 ft from mats; L2 FF 17'-9", 21 in risers.                      |
| D-051/052     | 4 exit stairs x 76 in clear, intermediate handrails; landing ≥ stair width.                                          |
| D-054         | Floor uses: sports + chairs-only events (graduations, banquets, expos). No standing-concert design.                  |
| D-056/057     | No SF cap — size set by budget + parcel; every area table shows L1, L2, total, change.                               |
| D-060         | Event lockers back to full 3,600 SF behind the tier.                                                                 |
| D-064         | L1 restrooms sized to the chairs-only case; posted loads per configuration; temp units beyond.                       |
| D-065         | Security screening in a side bay of the lobby, off the egress path.                                                  |
| D-067         | Chair / table / stage storage (~2,350 chairs + tables + stage) near the floor and S1.                                |
| D-069/070     | Second restroom pair (core 2) in a one-storey 30 x 56 ft bump-out on the EAST wall.                                  |
| D-072         | Bump-out south of EXIT (E); 8 ft public corridor from Concourse (E); X7 on the wall, X11 new; Mech (E) 675 SF.       |

#### OPEN — OWNER / ARCHITECT / ENGINEER

- D-006: Site / parcel (drives X7 discharge, bus loop, utilities, site work)
- D-007: Owner of record
- D-008: Code edition + AHJ pre-application (Madison County)
- D-012: Phase 2 budget target (ROM R-025: ~\$39M mid, \$28M-\$57M, excl. land)
- D-042: Trademark search before signage / apparel
- D-044: Donor-brick program + pricing
- D-010/011/013: Locker parity, concessions scope, girls 3,503 SF tag
- Structural: Upper-tier structure depth ≤ 1'-6" (7'-6" clear, zero margin); portal + arch
- MEP: Total mech ≈ 4.1 % vs 5 % (D-072; annex can absorb ~800 SF); core-2 plumbing
- Architect: Door widths + hardware, construction type, allowable area, smoke-protected seating

Red = owner decisions (Shane). Others go to the architect of record / engineers.

## PRELIMINARY — CONCEPTUAL DESIGN — NOT FOR CONSTRUCTION

|                                                                                                                           |         |                                        |       |              |     |                                          |          |
|---------------------------------------------------------------------------------------------------------------------------|---------|----------------------------------------|-------|--------------|-----|------------------------------------------|----------|
| PROJECT                                                                                                                   | PHASE   | SHEET TITLE                            | SCALE | DATE         | REV | DRAWN BY                                 | SHEET    |
| Hazel Green Regional Athletic Complex<br>Trojan Horse Arena · Hazel Green area, Madison County, Alabama (site TBD, D-006) | PHASE 2 | COVER SHEET<br>SHEET INDEX + DECISIONS | NTS   | October 2026 | C   | Drawn by Claude (AI) for Shane Brazelton | P2-G-001 |