

```
import pandas as pd
```

```
from google.colab import files
uploaded = files.upload()
```

Choose Filesdataset.csv

- dataset.csv(text/csv) - 26717 bytes, last modified: 4/1/2023 - 100% done

Saving dataset.csv to dataset (2).csv

```
dataset = pd.read_csv('dataset.csv')
dataset = dataset.drop(['car_ID'],axis=1)
```

```
print(dataset.shape)
print(dataset.head(5))
```

(205, 25)								
	symboling	CarName		fueltype	aspiration	doornumber	\	
0	3	alfa-romero	giulia	gas	std	two		
1	3	alfa-romero	stelvio	gas	std	two		
2	1	alfa-romero	Quadrifoglio	gas	std	two		
3	2	audi 100 ls		gas	std	four		
4	2	audi 100ls		gas	std	four		
	carbody	drivewheel	enginelocation	wheelbase	carlength	...	\	
0	convertible	rwd	front	88.6	168.8	...		
1	convertible	rwd	front	88.6	168.8	...		
2	hatchback	rwd	front	94.5	171.2	...		
3	sedan	fwd	front	99.8	176.6	...		
4	sedan	4wd	front	99.4	176.6	...		
	enginesize	fuelsystem	boreratio	stroke	compressionratio	horsepower	\	
0	130	mpfi	3.47	2.68	9.0	111		
1	130	mpfi	3.47	2.68	9.0	111		
2	152	mpfi	2.68	3.47	9.0	154		
3	109	mpfi	3.19	3.40	10.0	102		
4	136	mpfi	3.19	3.40	8.0	115		
	peakrpm	citympg	highwaympg	price				
0	5000	21	27	13495.0				
1	5000	21	27	16500.0				
2	5000	19	26	16500.0				
3	5500	24	30	13950.0				
4	5500	18	22	17450.0				

[5 rows x 25 columns]

```
Xdata = dataset.drop('price',axis='columns')
numericalCols=Xdata.select_dtypes(exclude=['object']).columns
X=Xdata[numericalCols]
X
```

	symboling	wheelbase	carlength	carwidth	carheight	curbweight	enginesize
0	3	88.6	168.8	64.1	48.8	2548	130
1	3	88.6	168.8	64.1	48.8	2548	130
2	1	94.5	171.2	65.5	52.4	2823	152
3	2	99.8	176.6	66.2	54.3	2337	109
4	2	99.4	176.6	66.4	54.3	2824	136
...
200	-1	109.1	188.8	68.9	55.5	2952	141
201	-1	109.1	188.8	68.8	55.5	3049	141
202	-1	109.1	188.8	68.9	55.5	3012	173
203	-1	109.1	188.8	68.9	55.5	3217	145
204	-1	109.1	188.8	68.9	55.5	3062	141

205 rows x 14 columns



```
Y = dataset['price']
Y
```

```
0      13495.0
1      16500.0
2      16500.0
3      13950.0
4      17450.0
...
200     16845.0
201     19045.0
202     21485.0
203     22470.0
204     22625.0
Name: price, Length: 205, dtype: float64
```

```
from sklearn.preprocessing import scale
cols = X.columns
X = pd.DataFrame(scale(X))
X.columns = cols
X
```

	symboling	wheelbase	carlength	carwidth	carheight	curbweight	enginesize
0	1.743470	-1.690772	-0.426521	-0.844782	-2.020417	-0.014566	0.074449
1	1.743470	-1.690772	-0.426521	-0.844782	-2.020417	-0.014566	0.074449
2	0.133509	-0.708596	-0.231513	-0.190566	-0.543527	0.514882	0.604046
3	0.938490	0.173698	0.207256	0.136542	0.235942	-0.420797	-0.431076
4	0.938490	0.107110	0.207256	0.230001	0.235942	0.516807	0.218885
...
200	-1.476452	1.721873	1.198549	1.398245	0.728239	0.763241	0.339248
201	-1.476452	1.721873	1.198549	1.351515	0.728239	0.949992	0.339248
202	-1.476452	1.721873	1.198549	1.398245	0.728239	0.878757	1.109571
203	-1.476452	1.721873	1.198549	1.398245	0.728239	1.273437	0.435538
204	-1.476452	1.721873	1.198549	1.398245	0.728239	0.975021	0.339248

205 rows × 14 columns

```
from sklearn.model_selection import train_test_split
x_train,x_test,y_train,y_test = train_test_split(X,Y,test_size=0.20,random_state=0)
```

```
from sklearn.ensemble import RandomForestRegressor
model = RandomForestRegressor()
model.fit(x_train, y_train)
```

▼ RandomForestRegressor
RandomForestRegressor()

```
ypred = model.predict(x_test)
```

```
from sklearn.metrics import r2_score
r2score = r2_score(y_test,ypred)
print("R2Score",r2score*100)
```

R2Score 89.97076540979913

✓ 0s completed at 12:46 AM

● ×