ZENITH
SKY TECH

OFFICIAL UK & IRELAND PARTNER OF

YUERSKY
Light

THE SKY
REIMAGINED

Architectural daylight
systems inspired by nature.

ARCHITECTURAL
COLLECTION

www.zenith-sky.com

MORE THAN LIGHT.

Bringing the visual experience of natural daylight indoors.

At Zenith Sky Tech, we believe that light should do more than simply illuminate a room.

Working in partnership with Yuer Intelligent Technology, We design architectural lighting systems that transform enclosed interiors into bright, inspiring environments.

Designed for architects, designers, healthcare environments, Spa, Hotels, any commercial spaces and premium residential projects, our solutions combine innovative optical engineering, intelligent lighting control and elegant architectural smart integration.

Every installation is created to transform enclosed spaces into brighter, more inspiring environments.

ARCHITECTURAL LIGHTING.
INSPIRED BY NATURE.

ZENITH
SKY TECH

ENGINEERED
FOR LONGEVITY

Our advanced daylight systems are engineered to deliver a more natural, healthier and inspiring environment for every space.

FLICKER FREE
Engineered for visual comfort with flicker-free technology that reduces eye strain and fatigue.

SUPPORTS PLANT LIFE
Full-spectrum daylight that helps plants thrive and creates healthier, more vibrant indoor spaces.

RAYLEIGH SCATTERING
Advanced optical technology recreates the natural blue sky, just like real daylight.

HIGH CRI
High Colour Rendering Index (CRI) delivers true-to-life colours and exceptional visual clarity.

SUNRISE – DAYLIGHT – SUNSET
Dynamic lighting cycle that follows the natural rhythm of the sun to support mood, focus and wellbeing.

SMART CONTROL
Adjust brightness, colour temperature and mode easily via app or remote for any environment.

BUILT TO LAST
Premium materials, rigorous quality control and a 3-year warranty for complete peace of mind.

ABOUT
ZENITH SKY TECH

Delivering premium architectural daylight solutions

Zenith Sky Tech is the official UK & Ireland partner of Yuer SkyLight, a world leader in daylight simulation technology. We deliver innovative, high-quality sunlight lighting solutions that enhance wellbeing, productivity and the visual experience of any indoor environment.

With local presence, dedicated service and a passion for excellence, we work with businesses and individual customers alike – from concept to installation and beyond.

B2B SOLUTIONS
Commercial projects, architects, designers and contractors.

B2C SOLUTIONS
Residential projects and private homes.

EXPERT SUPPORT
UK-based team providing advice, guidance and after-sales care.

PREMIUM QUALITY
Products built to the highest standards with 3-year warranty.

> Trusted partner for businesses and individuals seeking premium daylight solutions.

YOUR PROJECT.

OUR RESPONSIBILITY.

From the first consultation to the final installation, we take care of everything.

Zenith Sky Tech delivers complete daylight solutions tailored to your space, on time and to the highest standards.

One team. One contact. One complete solution – designed to enhance wellbeing, productivity and the visual experience of your environment.

FREE CONSULTATION

We listen to your needs and provide expert advice with no obligation.

BESPOKE DESIGN

Customize lighting and ceiling solutions created around your vision.

PROFESSIONAL INSTALLATION

Our experienced installers ensure perfect integration and finish.

3-YEAR WARRANTY & UK AFTERCARE

Premium quality and reliable support before, during and after installation.

> We manage every detail so you can focus on your vision. From start to finish, your project is in safe hands.

OUR PROCESS.
YOUR PEACE OF MIND.

We follow a proven approach to deliver seamless daylight solutions from concept to completion.

01 CONSULTATION
We understand your requirements and your space.

02 DESIGN & PLANNING
We create the perfect lighting and transparent ceiling solution.

03 VISUALISATION & QUOTATION
You receive a realistic visual and transparent quotation.

04 SUPPLY & PROJECT MANAGEMENT
We supply all materials and coordinate every detail of your project.

05 INSTALLATION
Our professional team installs everything with precision.

06 COMMISSIONING
We test, adjust and ensure everything works perfectly.

07 AFTERCARE & WARRANTY
Full aftercare support and 3-year warranty.

COMMERCIAL PROJECTS

- Offices
- Healthcare
- Retail
- Spa
- Hospitality
- Education
- Public Buildings



RESIDENTIAL PROJECTS

- Homes
- Extensions
- Basements
- Kitchens
- Living Areas
- Conservatories



ONE TEAM
A dedicated team managing your project from start to finish.

ONE CONTACT
A single point of contact for a smooth and simple experience.

ONE COMPLETE SOLUTION
We take care of everything — design, supply, installation and aftercare.

BUILT TO LAST
Premium quality, rigorous standards and 3-year warranty.

FROM CONCEPT TO COMPLETION

WE DELIVER DAYLIGHT. WE DELIVER EXCELLENCE.

ABOUT

YUER INTELLIGENT TECHNOLOGY

A WORLD LEADER IN ARTIFICIAL DAYLIGHT TECHNOLOGY

Founded in 2014, Yuer Intelligent Technology is a national high-tech enterprise and the global pioneer in the development and manufacturing of artificial daylight systems.

Through continuous innovation, advanced R&D and strict quality control, we deliver products that faithfully recreate the beauty of natural daylight and improve the quality of life in any interior environment.

Our solutions are trusted by customers in over 50 countries worldwide across commercial, healthcare, education and residential sectors.

INNOVATION

Driven by research and innovation with 20+ patents in daylight simulation technology.

GLOBAL PRESENCE

Products exported to over 30 countries worldwide.

DEDICATED TEAM

A passionate team of professionals committed to creating better light for a better life.

> **Our mission is simple:**
> to bring the experience of natural daylight into every space and enhance the well-being of people around the world.

MANUFACTURING EXCELLENCE.

INNOVATION DRIVEN.

Yuer Intelligent Technology combines advanced manufacturing capabilities with continuous innovation to deliver world-class artificial daylight solutions.

ADVANCED MANUFACTURING

Our modern manufacturing facilities are equipped with fully automated production lines and precision machinery to ensure efficiency, consistency and superior quality at every stage of production.

RESEARCH & DEVELOPMENT

A dedicated R&D team of engineers and technicians is working to develop optical technologies, control systems and innovative solutions that recreate the beauty of natural daylight indoors.

GLOBAL QUALITY STANDARDS

Our products are designed and managed in accordance with international standards and undergo rigorous testing to ensure performance and long-term reliability.

TRUSTED WORLDWIDE

With more than 30 countries worldwide using Yuer Skylight products, we are trusted by partners in all sectors

2014

FOUNDED

More than 10 years of expertise and innovation.

20+

PATENTS & TECHNOLOGIES

Continuous investment in R&D and innovation.

30+

COUNTRIES WORLDWIDE

Products trusted by partners and customer's globally.

50,000 M²+

MANUFACTURING FACILITIES

Large-scale production capacity and modern facilities.

200+

SKILLED PROFESSIONALS

Experienced team dedicated to quality and innovation.

THE PROBLEM IS EVERYWHERE.

THE SOLUTION IS HERE.

Most modern spaces lack natural daylight. Our Artificial Skylights bring the feeling of the open sky indoors — improving wellbeing, focus, productivity and comfort.

NO NATURAL DAYLIGHT

Windowless spaces feel dark, closed in and uninspiring.

HIGH ENERGY COSTS

Dark environments require more artificial lighting all day long.

LOW WELL-BEING

Lack of daylight can affect mood, increase fatigue and reduce comfort.

LOW PRODUCTIVITY

Poor light reduces focus, motivation and overall work performance.

DISRUPTED RHYTHM

No exposure to natural light can interfere with sleep patterns and circadian rhythm.

THE PROBLEM
WITH LED LIGHTING

THE SOLUTION
WITH OUR ARTIFICIAL SKYLIGHTS



Realistic daylight experience

well-being and comfort

Boosts focus and productivity

Energy efficient and sustainable

24/7 daylight anytime, anywhere

DAY MODES.

SUNRISE - DAYLIGHT - SUNSET.

The beauty of natural light is in its constant change.

From the soft warm tones of sunrise, through the clear brilliance of daylight, to the calming calm glow of sunset - each moment of the day has a unique impact on how we feel and live.

Our smart systems replicate this natural rhythm with stunning accuracy, bringing the benefits of raylight into an interior.

SUNRISE
Warm • Gentle • Awakening

A soft, warm light to gently start your day.

S crisp warm tones gently increase in brightness, simulating the natural sunrise. Helps your body wake up, naturally and starts your day with positive energy.

2000 K — 3500 K

DAYLIGHT
Clear • Bright • Focused

Bright, natural light for focus and productivity.

Crisp, natural daylight at its peak Supports concentration, productivity and mental clarity — ideal for work, study and active environments.

4000 K — 6500 K

SUNSET
Warm • Calming • Relaxing

A warm, relaxing glow to unwind and recharge.

I light gradually shifts to warm amber tones, helping your body relax in the evening and prepare for rest and better sleep.

2700 K — 2000 K

SMART CONTROL, TOTAL FLEXIBILITY.

Adjust your light to match your mood, activity or time of day.

Mobile App - control from anywhere

Remote Control - simple and convenient

Wall Panel - elegant and intuitive

Schedules & Timers - automate your day

Dimming & CCT - fine tune brightness and colour temperature

THE POWER OF NATURAL RHYTHM

Regulates circadian rhythm and improves sleep quality.

Enhances mood, reduces stress and supports mental wellbeing.

Boosts concentration, productivity and overall performance.

Creates visual comfort and reduces eye fatigue.

DESIGNED FOR WELLBEING

Every detail is engineered to create spaces that look beautiful, feel natural and support the health and happiness of everyone inside.

WHY DAYLIGHT MATTERS

"Although we spend most of our time indoors, we are still, outdoor animals".

Nick Baker – The Daylight (2009)

Inspired by the qualities of natural daylight, Zenith Sky systems are designed to help create brighter, more comfortable and visually engaging indoor environments.

Visual Comfort

Human vision evolved under natural daylight conditions, making daylight one of the most comfortable and familiar lighting environments for the human eye

Physical Wellbeing

Natural daylight plays an important role in regulating the body's internal clock, influencing daily physiological processes and sleep-wake cycles

Mental Wellbeing

Bright, daylight-inspired environments can help create spaces that feel more uplifting, welcoming and enjoyable to spend time in.

LIGHT AND HEALTH – EXPLANATION

Light is a fundamental regulator of our biology. It shapes our perception, influences how we feel and think, and directly supports our natural rhythms, wellbeing and recovery.

Our advanced skylight systems are designed to recreate the visual experience of natural daylight, supporting visual comfort, circadian-friendly lighting and a pleasant indoor environment.

HOW LIGHT AFFECTS THE BODY

VISUAL EFFECT
(cone cells)

RED | GREEN | PURPLE → **VISUAL PERCEPTION**

Clarity, depth, detail, colour recognition, contrast sensitivity

PHYSIOLOGICAL EFFECT
(i.p.RGCS) → Intrinsic light sensitive retinal ganglion cells (Berson, 2002) →

SCN SUPRACHIASMATIC NUCLEUS
↓
BRAINSTEM
↓
PINEAL BODY
↓
HORMONE SECRETION

→ **MYTHOLOGICAL BENEFITS**

Supports healthy sleep-wake cycles

KEY PHYSIOLOGICAL BENEFITS

CIRCADIAN RHYTHM REGULATION

Supports the body's internal clock for better sleep—wake balance and hormonal harmony.

FOCUS & COGNITIVE PERFORMANCE

Improves attention, memory and productivity through optimal daylight exposure.

MOOD & MENTAL WELLBEING

Natural light enhances mood, reduces stress and supports emotional balance.

VISUAL COMFORT

Delivers balanced light that reduces eye strain and supports long-term visual comfort.

HORMONAL SUPPORT

Helps regulate hormones such as melatonin and cortisol for overall health and balance.

WHY QUALITY DAYLIGHT MATTERS

BUILT-IN WELLBEING

Natural light contributes to a healthier body, clearer mind and stable energy levels.

NATURAL RESET

Daylight exposure helps reduce fatigue and supports faster recovery.

SUSTAINABLE BY NATURE

Harnessing daylight reduces dependence on artificial lighting and saves energy.

BETTER SPACES

Well-designed lighting can improve perceived comfort and spatial quality.

> “Light is not just about visibility. It is about how we live, feel and perform every day.”

TECHNOLOGY BEHIND THE SKY.

RAYLEIGH SCATTERING.

Our sunlight systems use the science of Rayleigh scattering to recreate the natural appearance and benefits of daylight indoors.

WHY IS THE SKY BLUE?

Rayleigh scattering occurs when sunlight interacts with tiny molecules in Earth's atmosphere. Shorter wavelengths of light (blue) are scattered in all directions more than longer wavelengths (red), making the sky appear blue during the day.

WHY RED AT SUNRISE AND SUNSET?

When the sun is low on the horizon, its light travels through more atmosphere. Most of the blue light is scattered away, leaving longer w/volitenth (reds,and wvols) sunrise and sunset colours.

OUR TECHNOLOGY

YULER Skylight LED systems use a collimated light optical system and precisely tuned LED spectrum to accurately replicate the natural daylight experience, supporting wellbeing, mood and productivity in an space.

COMPARISON OF SPECTRUM (5700K)

THE DIFFERENCE IS IN THE SPECTRUM

Light quality is defined by its spectrum, not just color temperature. YuerSky technology delivers a balanced spectrum similar to natural daylight, not just a warmer version of the same limited range.



High blue peak
Low red output
Unbalanced spectrum
Can cause eye strain and fatigue

Balanced spectrum
High blue for alertness
Strong green for clarity
Full red output
Most similar to daylight

Natural sunlight spectrum
The benchmark for healthy, natural light

THE SOLAR SIMULATOR PRINCIPLE



The diameter of the sun is much larger than the Earth's sunlight.

↓

Reach Earth as parallel light.

↓

Oxygen and nitrogen molecules in the atmosphere.

↓

Blue light is scattered in all directions.

↓

We see the blue sky.

RAYLEIGH SCATTERING PRINCIPLE

ARTIFICIAL BLUE SKY

PRECISE SPECTRUM • REAL DAYLIGHT EXPERIENCE

By combining multiple light sources and advanced optical design, our systems replicate the full daylight spectrum, delivering a comfortable, natural and healthy environment.



TIMELESS SPACES, MODERN LIGHT

Our technology brings the beauty of natural daylight into historic interiors. The perfect harmony of advanced technology and timeless architecture enhancing every detail with warmth, depth, and an open, uplifting atmosphere.

Ultra-Thin
PY - Series

Ultra-thin recessed daylight panels engineered to deliver natural light simulation with minimal architectural impact. Sleek, efficient and built for seamless integration.

- Ultra-thin profile
  Only 48 mm total height
- High daylight performance
  Up to 4000 ml
- Natural light quality
  CRI 93–2100–650K
- Smart control compatible
  Mesh / DALI / 0–10V
- Flicker free
- Recessed installation
  Seamless integration

CERTIFICATIONS

SAFETY CE | SAFETY CCC | EMC FC | COMLIANCE RoHS

CERTIFIED QUALITY. TRUSTED PERFORMANCE.




KEY SPECIFICATIONS			
SIZE	300 x 600	600 × 600	600 × 1200
LUMINOUS FLUX	>1500 ml	>2500 ml	>4000 ml
POWER	40W	60W	100W
CRI	93Ra	93Ra	93Ra
COLOR TEMPERATURE	2100-6500K	2100-6500K	2100-6500K
CONTROL	Mesh / DALI / 0–10V	Mesh / DALI / 0–10V	Mesh / DALI / 0–10V
INSTALLATION	Recessed	Recessed	Recessed

RECESSED INSTALLATION

Designed for recessed ceiling installation with minimal total height for a seamless finish.

LIGHT SIMULATION DIAGRAM

MOUNTING CLIP DETAIL
ULTRA-THIN PROFILE

PY - SERIES

DESIGNED TO ENHANCE EVERYDAY PERFORMANCE

The PY Series brings the benefits of natural daylight into the workplace, helping to create an environment that supports focus, reduces fatigue and elevates overall wellbeing.
A brighter workspace for better productivity.

BRIGHTER DAYS. BETTER PERFORMANCE.

In the UK, we experience long, dark winter months and many overcast, rainy days. This lack of natural light can impact mood, energy levels and productivity.

WE CAN HELP YOUR BUSINESS

The PY Series recreates the feeling of natural daylight, helping your team stay energised, focused and motivated throughout the day - just as they are on bright, sunny days.

A balanced lighting environment minimises eye strain and supports long-term wellbeing.

Ultra-thin
PT - Series

Ultra-thin recessed daylight panels engineered to deliver natural light simulation with minimal architectural impact. Sleek, efficient and built for seamless integration.

- Ultra-thin profile
  Only 36 mm total height
- High daylight performance
  Up to 4000 lin
- Smart control compatible
  Mesh / DALI / 0–10V
- Flicker free
- Recessed installation
  Seamless integration



CERTIFICATIONS

SAFETY CE | SAFETY CCC | EMC FC | COMLIANCE RoHS

CERTIFIED QUALITY. TRUSTED PERFORMANCE.




KEY SPECIFICATIONS			
SIZES	300 × 600	600 × 600	600 × 1200
LUMINOUS FLUX	>1500 lm	>2500 ml	>4000 ml
POWER	40W	60W	100W
VOLTAGE	100×240V / 50×60Hz		
COLOR TEMPERATURE	2100×6500K		
CONTROL	Mesh / DALI / 0×10V		
CRI	93Ra		
LIFESPAN	30000H		
DIMENSION (MM)	L.582×W282×H36	L.582×W582×H36	L.582×W1182×H36
CUTOUT SIZE (MM)	Used in combination with keel		
SKY SIZE (MM)	L.527×W227	L.527×W527	L.1127×W527

INSTALLATION & CONSTRUCTION

T SHAPE KEEL

Maximum customized size for keel is 2.4×3.0m. Combination from 2pcs and up to 40pcs.

RECESSED INSTALLATION

Designed for recessed ceiling installation with minimal total height for a seamless finish.

ULTRA-THIN PROFILE

Sleek ultra-thin profile blends effortlessly into modern architecture.

PT - SERIES

SKY & DAYLIGHT CLEAR ADVANTAGE.

The PT Series delivers expansive, uniform daylight that transforms interiors into bright, comfortable and productive environments. With excellent visual performance and sleek integration, it supports focus, wellbeing and modern workplace design.

BRIGHT SPACES. BETTER WORK.

Daylight-inspired illumination promotes alertness and motivation, contributing to a more productive and comfortable work environment.

ULTRA-THIN
PX - SERIES

Ultra-thin recessed daylight panels engineered to deliver natural light simulation with minimal architectural impact. Sleek, efficient and built for seamless integration.

- Ultra-thin profile
  Only 48 mm total height
- High day/night performance
  Up to 6000lm
- Natural light quality
  CRI 93 / 2100-650K
- Smart control compatible
  Mesh / DALI / 0-10v
- Flicker free
- Sunken / Warm-mounted
  Flexible installation

KEY SPECIFICATIONS

MODEL	PX22
LUMINOUS FLUX	>6000Lm
POWER	4 * 40W
VOLUME	100 - 240V / 50 - 60tHz
INSTALLATION	Sunken / Wall-mounted
COLOR TEMPERATURE	2100-6500K
CONTROL	Mesh 50 / Dali / 0-10v
FRAME COLOR	White
CRI	93 Ra
LIFESPAN	30000 H
DIMENSION (MM)	L 1332 * W781 8 H66
SKY SIZE (MM)	4 x (L 527 * W 277)

INSTALLATION & LIGHT PERFORMANCE

LIGHT SIMULATION DIAGRAM

Advanced optical design recreates natural daylight distribution for a realistic experience.

ULTRA-THIN PROFILE

Sleek 48 mm profile for minimalist integration into any architecture.

Wall Mounted (left)

Hidden Mounted (right)

CERTIFICATIONS

SAFETY CE | SAFETY | EMC FC | COMLIANCE RoHS

CERTIFIED QUALITY. TRUSTED PERFORMANCE.

PX - SERIES



CLEAR ADVANTAGE.

The PX Series recreates the appearance of a real window, bringing the beauty of a clear blue sky into spaces where traditional windows are impossible. Its ultra-thin design integrates seamlessly into modern interiors while transforming the atmosphere of any room.

WHEN A WINDOW ISN'T POSSIBLE.

Designed to create the visual impression of a genuine window, the PX Series makes enclosed interiors feel brighter, more open and significantly more inviting. The realistic blue sky effect enhances the ambience of the space, regardless of the weather or the availability of natural daylight

ULTRA-THIN
PL - SERIES

NATURAL DAYLIGHT. MAXIMUM IMPACT.

The PL Series delivers wide, even daylight across any space, creating a bright, inviting atmosphere that boosts comfort, focus and wellbeing. Perfect for homes, offices and commercial interiors where natural light makes the difference.

- Ultra-thin profile
  Only 48 mm total height
- High daylight performance
  Up to 6000 lm
- Natural light quality
  CRI 93 / 2100-6500K
- Smart control compatible
  Mesh / DALU 0-10V
- Flicker free
- Large lighting area
  Ideal for ceilings and open spaces

KEY SPECIFICATIONS

MODEL	PL22
LUMINOUS FLUX	>6000LM
POWER	
VOLTAGE	100-240V/50-60H
INSTALLATION	CEILING TYPE
COLOR TEMPERATURE	2100-6500K
CONTROL	MESH5.0/DALI/0-10V
FRAME COLOR	WHITE
CRI	93RI
LIFESPAN	2000H
DIMENSION (MM)	L1236/W636+170
SKY SIZE (MM)	4*L527W227)

CERTIFICATIONS

SAFETY CE | SAFETY | EMC FC | COMLIANCE RoHS

CERTIFIED QUALITY. TRUSTED PERFORMANCE.

INSTALLATION & CONSTRUCTION

CEILINGMOUNTED



Simple ceiling installation for a clean, secure and seamless finish.

LIGHT SIMULATION DIAGRAM



AUTHENTIC BY DESIGN

DECORATIVE FRAMES. REAL WINDOW APPEARANCE.

Our optional decorative frames are designed to replicate the look of traditional windows, adding depth, character and a refined architectural finish to any space.

Each frame is precision-crafted and finished in elegant white, perfectly matching classic UK interiors and enhancing the realism of the sky view.

CLASSIC FINISH TIMELESS DETAIL.

The decorative frame adds a subtle architectural touch, creating the impression of a genuine window set into the ceiling.

Finished in premium white, it integrates seamlessly with cornices and moldings, delivering a natural and authentic appearance in any environment.

ULTRA -THIN
PL - SERIES

PERFECT LIGHT, EFFORTLESS INSTALLATION.

The PL Series is the ideal solution for corridors, hallways and transitional spaces, delivering wide and even natural light that enhances safety, comfort and architectural appeal.

Its ultra-thin design allows it to be installed just like a regular ceiling lamp – quick, simple and hassle-free.

- Ultra-easy installation
  Mounts like a standard lamp
- Wide and uniform daylight
  Brightens corridors naturally
- Energy efficient
  High output, low consumption
- Safe and reliable
  Stable performance, long life
- Slim and elegant design
  Blends seamlessly into any space
- Ideal for corridors
  Perfect for narrow and transitional areas



EXAMPLE OF OUR DECORATIVE FRAMES REAL WINDOW APPEARANCE

Perfect design
Effortless installation
Premium Finish

DIRECT LIGHT
E - SERIES

POWERFUL LIGHT.
SIMPLE BY DESIGN.

The E Series delivers high performance direct lighting with a refined, minimal structure. Ideal for corridors, entrances and open areas where clarity, reliability and efficiency are essential.

- Direct light output
  Maximum brightness
- Easy installation
  Install like a standard lamp
- High efficiency
  Strong output, low energy use
- Multiple options
  Square and round models available

CERTIFICATIONS

SAFETY CE | SAFETY CCC | EMC FC | COMLIANCE RoHS

CERTIFIED QUALITY. TRUSTED PERFORMANCE.

KEY SPECIFICATIONS	600 * 600	600 * 1200	R 300	R 600
Luminous Flux	>5000Lm	>10000Lm	>5000Lm	>15000Lm
Power	150W	260W	150W	500W
Installation	Embedded/Suspended			
Voltage	100-240V/50-60Hz			
Color Temperature	2100-7500K			
Control	Mesh5.0/Dali/0-10V			
Frame Color	White			
CRI	93Ra			
Cutout Size(MM)	L585*W585	L1185*W585	∅585	∅1185
Sky Size(MM)	L500*W500	L1100*W500	∅500	∅1100

EMBEDDED INSTALLATION

Recessed design integrates perfectly with the ceiling for a clean, modern look.

SUSPENDED INSTALLATION



Suspended mounting offers flexible installation for different ceiling types.

MOUNTING CLIP DETAIL

Strong mounting clips ensure secure fixing and long-term stability.

SLIM PROFILE DESIGN

Slim and elegant profile for easy integration into any environment.

DIRECT LIGHT
BRING THE SKY IN

E - SERIES

The Direct Light E Series transforms any interior with the beauty of a natural skylight. It creates the feeling of openness, spaciousness and connection to the outdoors - making people stop and say "Wow."

Guests don't believe it's lighting, not a real window.
The E - Series delivers the sky.
Right where you need it.

PERFECT FOR

ATRIUMS | CORRIDORS | RETAIL SPACES | OFFICES | HOTELS | SPA & WELLNESS

- Natural Daylight from Above
- Glare Free Comfort
- Uniform Light Distribution
- Easy to install & Maintain

SUN & SKY
T - SERIES

The Sun & Sky T - Series brings the beauty of natural sunlight effect and open sky into your interiors. Designed to enrich spaces with warmth, depth and a sense of openness.

- Sun glow effect
  Realistic sunlight simulation
- True blue sky
  Natural overhead experience
- Deep light projection
  Enhances room depth
- High colour rendering
  CRI 93 / 2100 -6500K
- Ambient transformation
  Creates atmosphere
- Safe & reliable
  Long life & UV protected
- Multiple sizes & models
  Round options available

KEY SPECIFICATIONS

POWER	230W / 600W / 100W
LUMINOUS FLUX	>12000Lm / >20000Lm / >5000Lm
COLOR TEMPERATURE	2700-6500K
PROJECTION DISTANCE	>30m / >30m / 4m
CONTROL	Mesh5.0 / DALI / 0-10V
INSTALLATION	Suspended
CRI	93Ra
LIFESPAN	3000H
CERTIFICATE	CCC CE ROHS

INSTALLATION & PERFORMANCE

SUSPENDED INSTALLATION

Simple and secure suspended installation for a clean architectural finish.

LIGHT SIMULATION DIAGRAM



Advanced optical design recreates natural sunlight and blue sky for an immersive experience.

LIGHT SIMULATION DIAGRAM

CERTIFICATIONS

SAFETY CE | SAFETY CCC | EMC FC | COMLIANCE RoHS

CERTIFIED QUALITY. TRUSTED PERFORMANCE.

NATURAL FEEL.
EVERY DAY.

T - SERIES

The PX Series transforms interiors with the beauty of natural skylight. It creates a peaceful, uplifting atmosphere that enhances focus, comfort and well-being — every single day.

REAL SKY EXPERIENCE
Brings the feeling of openness and calm indoors

BETTER MOOD, MORE ENERGY.
Natural light boosts mood and daily performance

BEAUTIFULLY TRANQUIL
Creates a relaxing, harmonious and premium atmosphere

COMFORT YOU CAN FEEL
Reduces eye strain and supports overall well-being

MADE TO IMPRESS
A stunning focal point in any modern interior

LINEAR TYPE
L - SERIES

SEAMLESS LIGHT, SUPERIOR PERFORMANCE.

The Linear Type L Series delivers powerful, uniform illumination in a sleek, embedded design. Ideal for modern interiors that demand clean lines, high efficiency and exceptional visual comfort.



- Uniform linear illumination
  No dark spots, no glare
- Embedded installation
  Flawless integration into ceilings
- Energy efficient
  High output, low consumption

CERTIFICATIONS

SAFETY CE | SAFETY CCC | EMC FC | COMLIANCE RoHS

CERTIFIED QUALITY. TRUSTED PERFORMANCE.

SPECIFICATION

Luminous Flux	>1500Lm
Power	40W
Voltage	220V/50-60Hz
Installation	Embedded
Color Temperature	2100-7800K
Control	Mesh5.0 / Dail / 0-10 V
Frame Color	White
CRI	93Ra
Lifespan	30000H
Dimension (mm)	L1150 * W140 * H86
Cutout Size (mm)	L1135 * W125
Sky Size (mm)	L1096 * W86



LIGHT SIMULATION DIAGRAM



A SKY ABOVE
ELEVATE EVERY MOMENT

L - SERIES

The Linear Type L Series brings the beauty of the open sky into your interior. Its angled illumination creates depth, dimension and a soft, natural atmosphere that enhances every detail of your space.

ANGLED, NATURAL LIGHT
Light falls exactly where you need it

SKY-LIKE EXPERIENCE
Brings the feeling of open sky indoors

WARM & NIVITING
Creates a comfortable and harmonious space

NO GLARE, NO FLICKER
Smooth, even light for visual comfort

SEAMLESS & MINIMAL
Embedded design for a clean, architectural look

BUILT TO LAST
High quality, reliable and long lasting

DESIGNED FOR ANY SPACE
Homes, offices, wellness and commercial interiors

WALLWASHER
TYPE D SERIES

WASH THE WALL. ELEVATE THE SPACE.

The Wallwasher Type D Series is designed to deliver a soft, even wash of light across vertical surfaces, enhancing textures, artwork and architectural details. Its angled illumination creates a refined atmosphere that brings depth, comfort and visual balance to any interior.

ANGLED, UNIFORM LIGHT
Perfect wallwashing effect with even light distribution

NATURAL & COMFORTING
Soft illumination creates a warm, inviting atmosphere

NO GLARE, PURE COMFORT
Smooth, even light for a relaxed visual experience

EMBEDDED & SEAMLESS
Clean integration for a minimalist look

BUILT TO LAST
High quality materials for reliable, long-term use

VERSATILE APPLICATION
Ideal for homes, offices and commercial interiors







	300 * 300	600 * 300	1200 * 300	600 * 600	1200 * 600
Luminous Flux	>750Lm	>1500Lm	>2500Lm	>2000Lm	>4000Lm
Power	25W	40W	100W	75W	150W
Installation	Embedded/Integrated Ceiling			Embedded	
Voltage	100-240V/50-60Hz				
Control	Mesh5.0/Dali/0-10V				
Color Temperature	2100-7800K				
CRI	93Ra				
Frame Color	White				
Lifespan	30000H				

CERTIFICATIONS

SAFETY CE | SAFETY CCC | EMC FC | COMLIANCE RoHS

CERTIFIED QUALITY. TRUSTED PERFORMANCE.



WALLWASHER

TYPE D - SERIES

WASH THE WALL. ELEVATE THE SPACE.

The Wallwasher Type D - Series delivers a soft, even wash of light across vertical surfaces, bringing depth to every detail and elevating the atmosphere to a whole new level.

PERFECT WALLWASH

Even, seamless light across vertical surfaces

NATURAL ATMOSPHERE

Inviting, soft illumination that enhances every detail

VISUAL COMFORT

No glare, just pure, relaxed experience

ELEVATE ANY SPACE

Ideal for museums, galleries and luxury interiors

SMART CONTROL
COMPLETE FLEXIBILIT

Take full control of your daylight experience. Our smart lighting system gives you multiple intuitive options to adjust, automate and personalise your light – anytime, anywhere.

FULL CONTROL
Adjust brightness, colour temperature and modes to suit your needs.

SMART AUTOMATION
Create schedules and scenes to match your daily routine and preferences.

ANYTIME, ANYWHERE
Manage your lighting remotely from your smartphone.

VOICE ACTIVATED
Seamless integration with leading smart home systems for voice control.

SMART CONTROL OPTIONS

Control Panel
Wall-mounted touch panel for easy and precise control.

Remote Control
Convenient handheld control for everyday use.

Control Panel
Sleek glass panel with scene and brightness presets.

Mobile App
Control your lighting from anywhere via smartphone.

Smart Speaker
Voice control for a truly hands-free experience.

COMPATIBLE SMART PLATFORMS

PRECISION CONTROL
EFFORTLESS EXPERIENCE

Our advanced control systems give you complete command over your daylight experience – with intuitive design, smarter functions and reliable performance.

T212TR - CONTROL PANEL

T111R - REMOTE CONTROL

Model	T2127R	Color	Black
Battery	Two button batteries (CR2430)	Communication protocol	RF 2.4G
Control distance	≤30/M	Size	86 * 86 * 8MM
User function	Single control, switch, brightness adjustment, color temperature adjustment, three scene mode, multi-user management		

Model	T111R	Color	Gray
Battery	Rechargeable battery lithium battery is approximately 2 years	Communication protocol	RF-2.4G
Control distance	<30 m	Size	50*44*8MM
User function	Single control and master control, switch, brightness adjustment, color temperature adjustment, four-scene, RGB color adjustment, remote control copy, remote control identity setting		

QUICK ACCESS
One-touch access to scenes, brightness and colour settings.

FLEXIBLE CONTROL
Combine remote and wall panels to suit any space and preference.

RELIABLE WIRELESS
RF 2.4G technology ensures stable and interference-free control.

DESIGNED FOR SMART SPACES
Professional control solutions for homes and commercial projects.

ADVANCED CONTROL
INTUITIVE BY DESIGN.

Choose the right control solution for every space. Our remotes and wall panels give you effortless command over every detail of your daylight experience.

T100R - REMOTE CONTROL

Multi-zone control
Control up to 4 zones or groups individually.

Scene selection
Access preset scenes with a single touch.

Brightness adjustment
Adjust 4 levels of brightness with ease.

Model	T100R（TGCC-HR-B1）	Color	White
Battery	Two button batteries (CR2430)	Communication protocol	RF 2.4G
Control distance	≤30/M	Size	48 * 46 * 20MM
User function	Single control, switch, brightness adjustment, color temperature adjustment, three scene mode, multi-user management		

Model	T216R	Color	Grey
Battery	Two button batteries (CR2430)	Communication protocol	RF 2.4G
Control distance	≤30/M	Size	86 * 86 * 10MM
User function	Single control, switch, brightness adjustment, color temperature adjustment, three scene mode, multi-user management		

Magnetic mounting
Easy to install and remove.

Touch operation
Responsive touch buttons with indicator lights.

Custom scenes
Control up to 4 scenes for your lighting scenarios.

Wireless communication
Stable RF 2.4G signal with long range performance.

ZENITH

SKY TECH

OFFICIAL UK & IRELAND PARTNER OF

YUERSKY

light

WEBSITE
www.zenith-sky.com

EMAIL
info@zenith-sky.com

TELEPHONE
07708810376

VISIT OUR WEBSITE

THE SKY. REIMAGINED.