Katalon Execution Profiles - Standardized Document

1.1 Profile Abbreviations

Abbreviation	Country	Example Profile Name
ID	Indonesia	CICD_Auto_ID
PH	Philippines	CICD_Auto_PH
SL	Sri Lanka	CICD_Auto_SL

1.2 Web Automation Profiles

Profile	Description
default	Default profile used when no specific environment is selected.
CICD_Auto_ID	CI/CD automation profile for Indonesia environment.
CICD_Auto_PH	CI/CD automation profile for Philippines environment.
CICD_Auto_SL	CI/CD automation profile for Sri Lanka environment.
HR962QA_PH	QA environment profile for version HR962 in Philippines.
MainDev_PH	Main development environment for Philippines.
MainQAAuto_PH	QA automation profile for main branch - Philippines.
MainQA_PH	Standard QA environment profile - Philippines.
MainQA_SL	Standard QA environment profile - Sri Lanka.
Main_Auto_IN	Main automation profile - India.
Main_Auto_PH	Main automation profile - Philippines.
Main_Auto_SL	Main automation profile - Sri Lanka.

1.3 Global Variables

Variable Name	Purpose	Example Value
BaseURL	Base URL of the web application under test	https://hrmmainslqaautom.phrsandbox.dev/hr
BaseTitle	Expected title of the main web application (this Variable will be deprecated in the near future)	PeoplesHR
DateFormat	Date format used across inputs (deprecated soon)	dd/MM/yyyy
TimeFormat	Time format used across test inputs/validations	HH:mm:ss
UniqueNo	Stores dynamically generated unique numbers	7455020
UniqueNameOne	Stores the first unique test-specific name	abcdefg
UniqueNameTwo	Stores the second unique test-specific name	JKLMNOP
DB_URL	Database URL used in test queries	az-qa-db03
DB_NAME	Name of the target database	hrmmain_srilanka
DB_USER	Database username	PeoplesHR
DB_PASSWORD	Password for database user	********