

CRL Plus — American Income Life (AIL) Programming Design

Request source: Wendy Jorgensen (CRL) approval to proceed with AIL programming, using the prior FGL / Ladder Life electronic-order pattern as the reference.

Scope: extend the existing **AmericanIncomeLife** client interface (today only **ProcessStatus**) to a full Ladder/FGLI-style ACORD 121 / 1122 interface, wire Status routing, publish TEST HTTP credentials/URL, and demonstrate in sandbox with a LAN web UI.

1. Current state

Client folder exists: **interfaces/Clients/interfaces/AmericanIncomeLife**

Only route present previously: **ProcessStatus** (listener **AmericanIncomeLife 122 Status**)

Status route **4 - Route to client specific** already maps **sourceClient=AIL** → To AmericanIncomeLife

Sibling clients NIL / GL / GLNY / LNL are ProcessStatus-only; Ladder + FGLI (Resonant) are the full pattern to copy

2. Target design (Ladder / FGL pattern)

Clone the FGLI (Resonant) / Ladder Life client-specific route set into AmericanIncomeLife and re-key identifiers to **AIL**.

Route	Purpose
1 - 121 Incoming	HttpPostListener path ail + basic auth file; sets sourceClient=AIL; directory listener under inputDir/ail; forwards to Source Document Listener
2 - 121 Response	Synchronous 121 accept / failure response back to sender (same pattern as Ladder/FGLI)
3 - 1122 Status or Result POST	Listener AIL 1122 Status ; transforms via format AIL 1122 ; HTTP POST to \$\$AILOutgoingWsURL (sandbox mock; can be skipped until AIL provides endpoint)
4 - 1122 POST Response	Handles carrier POST response: archive + mark status sent in database
ProcessStatus	Retained for compatibility / 122-style updates; Status.4 primary path now uses route 3

3. Status.4 wiring change

In **Status / 4 - Route to client specific**, keep the existing rule **sourceClient = AIL** → **To AmericanIncomeLife**, but change the transport ServiceName from **AmericanIncomeLife 122 Status** to **AIL 1122 Status** (new route 3 listener). This matches how FGLIRES / LADDER enter their 1122 routes.

4. External TEST credentials / URL

Following the FGL setup email: CRL publishes an HTTP POST URL and PilotFish-owned basic-auth credentials for the carrier to send TEST orders.

External URL (TEST pattern):

<https://plus.intg.crlcorp.com/http-post/ail>

Sandbox / local equivalent:

<http://<lan-ip>:8094/http-post/ail>

auth-test.txt (sandbox values — rotate for real TEST/PROD):

ail=AilSandbox\$Test1
AIL=AilSandbox\$Test1

Outbound carrier web service: initially point \$\$AILOutgoingWsURL at the sandbox mock (or skip POST until Wendy confirms AIL wants a response / provides their endpoint), same approach used when FGL credentials were not yet

available.

5. Sandbox demonstration

- Docker/Flask LAN UI on port **8094** shows route design + live transaction results
- POST sample ACORD 121 to **/http-post/ail** with basic auth
- UI walks Status.4 → AIL 1122 Status → mock outbound (skippable)
- Artifacts written under **Clients/CRL Plus/sandbox/output/**

6. Deploy checklist (TEST)

- Copy AmericanIncomeLife formats + routes 1–4 into CRLPlus TEST eip-root
- Deploy updated Status.4 transport ServiceName = AIL 1122 Status
- Set environment props: AILIncomingAuthFile, AILOutgoingWsURL/User/Password
- Restart eiPlatform; smoke-test HTTP POST + status routing
- Confirm with Wendy whether AIL requires sync 121 response and/or outbound 1122 POST

7. File map

```
Clients/CRL Plus/eip-root/interfaces/Clients/interfaces/AmericanIncomeLife/  
Clients/CRL Plus/eip-root/interfaces/Status/routes/4 - Route to client specific/route.xml  
Clients/CRL Plus/sandbox/ (LAN web UI + mock endpoints)
```