

Construction Replay Transcript

EDI 276/277 Claim Status — Design · 2026-08-13 · what you'll hear in documents/construction-replay.mp4

What this interface does

Ingest X12 276 claim status requests, look up a demo catalog by trace number (no SQL), stage a ClaimStatusDecision, then emit an X12 277 response and file buckets (found / not-found / error). Demo only — not a clearinghouse.

Who it's for

- Source: provider drop folder input/inbound/*.edi
- Destinations: output/found, output/not-found, output/error, output/responses/*.edi (277), debug XML
- Catalog is in-XSLT by TraceNumber — no claim master, no FHIR
- Anyone watching the construction video or reading this transcript

Systems involved

- Source: provider drop folder input/inbound/*.edi
- Destinations: output/found, output/not-found, output/error, output/responses/*.edi (277), debug XML
- Catalog is in-XSLT by TraceNumber — no claim master, no FHIR

Documents we also produce

EDI276_277_Capability_Brief.pdf · ready

Short overview of what the interface does — shareable without reading route XML.

EDI276_277_Test_Plan.pdf · ready

Scenarios that prove the interface works end-to-end.

Module documentation pack (10 deep-dive PDFs) · ready

PilotFish product PDFs for the modules used in this build.

EDI276_277_V2_Route_Diagrams.pdf · ready

V2 route diagrams for visual review of module topology.

construction-replay.mp4 + this transcript · generate when ready

Narrated walkthrough of building the routes, then a live Demo-tab test when inject is available.

Narration

Spoken lines from the construction video (setup, build-replay, live test, closing).

Setup

Welcome

Welcome to the PilotFish demo: EDI 276/277 Claim Status. Ingest X12 276 claim status requests, look up a demo catalog by trace number (no SQL), stage a ClaimStatusDecision, then emit an X12 277 response and file buckets (found / not-found / error). PilotFish supports the whole flow out of the box.

Pipeline overview

Before we wire anything, here's the flow end to end. Ingest X12 276 claim status requests, look up a demo catalog by trace number (no SQL), stage a ClaimStatusDecision, then emit an X12 277 response and file buckets (found /

not-found / error).

External systems

And here's what sits around the routes. PilotFish eiPlatform and Demo Web UI. All of those are spun up in docker images for this demo.

1 - Intake And Lookup

First route

Ingest X12 276 claim status requests, look up a demo catalog by trace number (no SQL), stage a ClaimStatusDecision, then emit an X12 277 response and file buckets (found / not-found / error). We'll build that in 2 routes. Starting with a blank canvas on the first route.

Poll EDI 276 Files

Here's a directory listener — it watches a local folder. That folder is /opt/pilotfish/input/inbound. We're only taking .edi, .276, .txt files. It checks about every 5 seconds. After pickup we move the file aside so the folder stays clean.

Fork - XPath

This XPath fork splits the file so each transaction set becomes its own message.

Extract 276 Claim Status Fields

XPath evaluation copies a few fields off the XML onto the transaction so later steps can use them.

Pretty-Print Forked 276 XML

This processor pretty-prints the XML — line breaks and indent — so the file on disk is readable.

Debug Write Forked Transaction

This writes a debug copy of the XML so we can inspect what the route saw. That lands under /opt/pilotfish/output/debug.

Build Claim Status Decision XML

Now for the mapping — we're using the stock XSLT processor with build-claim-status-decision.xslt. It maps ClaimId, Amount, statusCode.

Pretty-Print Claim Status Decision

This processor pretty-prints the XML — line breaks and indent — so the file on disk is readable.

Debug Write Claim Status Decision

This writes a debug copy of the XML so we can inspect what the route saw. That lands under /opt/pilotfish/output/debug.

Stage Claim Status Decision

Then we write the file out to /opt/pilotfish/output/staged-decisions.

2 - Emit 277 And Bucket

Next route

Next route — blank canvas again, then the modules one at a time.

Staged-folder listener

Here's a directory listener — it watches a local folder. That folder is `/opt/pilotfish/output/staged-decisions`. We're only taking `.xml` files. It checks about every 3 seconds.

Extract Decision Attributes

XPath evaluation copies the match bucket and underpay flag off the decision XML so the router can fan out.

Conditional Router

Then a conditional router — it uses XPath to pick which path this transaction takes.

Map Decision To 277 EDI XML

Now for the mapping — we're using the stock XSLT processor with `transform-decision-to-277-edi-xml.xslt`. It maps `member`, `statusMsg`, `bucket`.

Pretty-Print Found XML

This processor pretty-prints the XML — line breaks and indent — so the file on disk is readable.

Pretty-Print Not Found XML

This processor pretty-prints the XML — line breaks and indent — so the file on disk is readable.

Pretty-Print Error XML

This processor pretty-prints the XML — line breaks and indent — so the file on disk is readable.

Pretty-Print 277 EDI XML

This processor pretty-prints the XML — line breaks and indent — so the file on disk is readable.

Write Found

Then we write the file out to `/opt/pilotfish/output/found`.

Write Not Found

Then we write the file out to `/opt/pilotfish/output/not-found`.

Write Error

Then we write the file out to `/opt/pilotfish/output/error`.

Debug Write 277 EDI XML

This writes a debug copy of the XML so we can inspect what the route saw. That lands under `/opt/pilotfish/output/debug`.

XML to EDI 277 Response

Here's the EDI transformation — it turns our EDI XML into X12 text on the wire.

Emit 277 Response

Then we write the file out to `/opt/pilotfish/output/responses`.

Live test

After construction, the video switches to the Demo tab and runs a live inject when the UI supports it.

Prove it works

Routes are built. Let's switch to the Demo tab and prove it works.

Submit a sample

I'll submit this sample from the Demo tab — same as an operator would.

Waiting for the routes

Give the routes a moment to pick up the file and write the output.

277 responses

There it is — output on the results panel.

Submit another sample

Now a second payload from the Demo tab.

Waiting for the routes

Same path — the second result should show up here.

277 responses

And there's the second result.

Closing

Demo complete

That's the demo — ingest X12 276 claim status requests, look up a demo catalog by trace number (no SQL), stage a ClaimStatusDecision, then emit an X12 277 response and file. Thanks for choosing PilotFish.